

GSE319536_BC19 | full-tissue composition hotspots | k10 | page 2/3
SOURCE_P05 (left), LOCAL_BH05 (right); orange/blue: target hot/cold
Black circle outlines: MP10_SPOT hot; green square outlines: MP10_EPI hot (same track)


Lymphatic EC | SOURCE_P05
H=414; target mean=0.0532




Lymphatic EC | LOCAL_BH05
NO_TARGET_HOTSPOT




Mast | SOURCE_P05
H=132; target mean=0.0249




Mast | LOCAL_BH05
H=12; target mean=0.022




Matrix_CAF | SOURCE_P05
H=526; target mean=0.344




Matrix_CAF | LOCAL_BH05
H=442; target mean=0.362




NK | SOURCE_P05
H=203; target mean=0.0381




NK | LOCAL_BH05
H=62; target mean=0.0349




Naive/Memory B | SOURCE_P05
H=316; target mean=0.0553




Naive/Memory B | LOCAL_BH05
H=102; target mean=0.0658




Neutrophil | SOURCE_P05
H=273; target mean=0.0945




Neutrophil | LOCAL_BH05
H=71; target mean=0.158




Pericyte | SOURCE_P05
H=372; target mean=0.09




Pericyte | LOCAL_BH05
H=192; target mean=0.108




Plasma | SOURCE_P05
H=200; target mean=0.0726




Plasma | LOCAL_BH05
H=158; target mean=0.0834




SMC | SOURCE_P05
H=111; target mean=0.105



SMC | LOCAL_BH05
H=56; target mean=0.156



SPP1 TAM | SOURCE_P05
H=85; target mean=0.0895



SPP1 TAM | LOCAL_BH05
H=19; target mean=0.159

