
ALL: raw differences only when both probabilities were computed
Secondary objects have separate expression scaling; contrasts answer different questions
AX01 B epi_to_TME APP_CD74
AX02 B TME_to_epi ADGRE5_CD55
AX03 Plasma epi_to_TME APP_CD74
AX04 Plasma TME_to_epi CD46_JAG1
AX05 Memory B epi_to_TME APP_CD74
AX06 Memory B TME_to_epi ADGRE5_CD55
AX07 Naive B epi_to_TME APP_CD74
AX08 Naive B TME_to_epi ADGRE5_CD55
AX09 IFN-stimulated B epi_to_TME APP_CD74
AX10 IFN-stimulated B TME_to_epi COL4A3_SDC4
0.01
-0.021
-0.0062
-0.077
0.0046
0.0068
-0.049
-0.0071
0.0045
-0.0096
-0.0087
-0.03
0.00049
0.00045
1.4e-05
-0.00061
0.017
-0.0098
-0.015
-0.075
0.0049
0.0052
-0.058
-0.0017
0.018
-0.011
-0.012
-0.079
0.0044
0.005
-0.019
-0.01
0.016
-0.017
NE
NE
0.0022
0.0052
NE
NE
Within-specimen epi state
Specimen MP10 high-low
Tumor-Normal
T2-T1
Raw probability difference
0.06
0.04
0.02
0.00
−0.02
−0.04
−0.06