



CanDis_2026_Sample1 | raw spot Pearson | full observed candidate-distance range (no clipping)












cDC1 / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=0.290; each group retains its full observed range.
SMC / Puram p-EMT Top30: descriptive full-range delta r=-0.302; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample10 | raw spot Pearson | full observed candidate-distance range (no clipping)












Classical Mono / E2F TARGETS: descriptive full-range delta r=0.432; each group retains its full observed range.
SMC / E2F TARGETS: descriptive full-range delta r=-0.397; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample11 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=-0.528; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=0.691; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample12 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=-0.398; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.951; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample13 | raw spot Pearson | full observed candidate-distance range (no clipping)












Naive/Memory B / E2F TARGETS: descriptive full-range delta r=0.400; each group retains its full observed range.
Neutrophil / Puram p-EMT Top30: descriptive full-range delta r=-0.308; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample2 | raw spot Pearson | full observed candidate-distance range (no clipping)












Pericyte / Budden S1P RESPONSE 18: descriptive full-range delta r=0.521; each group retains its full observed range.
Pericyte / Budden CHOLESTEROL SYNTHESIS 27: descriptive full-range delta r=-0.440; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample3 | raw spot Pearson | full observed candidate-distance range (no clipping)












pDC / GLYCOLYSIS: descriptive full-range delta r=0.365; each group retains its full observed range.
Capillary EC / GLYCOLYSIS: descriptive full-range delta r=-0.313; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample4 | raw spot Pearson | full observed candidate-distance range (no clipping)












SPP1 TAM / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=0.723; each group retains its full observed range.
Plasma / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.512; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample5 | raw spot Pearson | full observed candidate-distance range (no clipping)












SMC / E2F TARGETS: descriptive full-range delta r=-0.472; each group retains its full observed range.
LAMP3 DC / Budden CHOLESTEROL SYNTHESIS 27: descriptive full-range delta r=0.376; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample6 | raw spot Pearson | full observed candidate-distance range (no clipping)












C1QC TAM / Puram p-EMT Top30: descriptive full-range delta r=0.708; each group retains its full observed range.
C1QC TAM / G2M CHECKPOINT: descriptive full-range delta r=-0.688; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample7 | raw spot Pearson | full observed candidate-distance range (no clipping)












Classical Mono / GLYCOLYSIS: descriptive full-range delta r=0.389; each group retains its full observed range.
Pericyte / Budden S1P RESPONSE 18: descriptive full-range delta r=-0.342; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample8 | raw spot Pearson | full observed candidate-distance range (no clipping)












pDC / E2F TARGETS: descriptive full-range delta r=0.207; each group retains its full observed range.
pDC / Puram p-EMT Top30: descriptive full-range delta r=-0.203; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

CanDis_2026_Sample9 | raw spot Pearson | full observed candidate-distance range (no clipping)









Capillary EC / Budden S1P RESPONSE 18: descriptive full-range delta r=0.293; each group retains its full observed range.
cDC1 / UNFOLDED PROTEIN RESPONSE: descriptive full-range delta r=-0.272; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.

P95 nonP95 distance 0