



GSE171351_A1 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=0.275; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.202; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE171351_B1 | raw spot Pearson | full observed candidate-distance range (no clipping)












Neutrophil / Flores pro-invasion 10: descriptive full-range delta r=-0.633; each group retains its full observed range.
Naive/Memory B / Flores pro-invasion 10: descriptive full-range delta r=0.553; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE171351_C1 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=-0.048; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=0.139; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE171351_D1 | raw spot Pearson | full observed candidate-distance range (no clipping)









Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=nan; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=nan; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.

P95 nonP95 distance 0