



GSE238145_B10 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=0.261; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.120; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE238145_B11 | raw spot Pearson | full observed candidate-distance range (no clipping)












Naive/Memory B / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=0.329; each group retains its full observed range.
Classical Mono / E2F TARGETS: descriptive full-range delta r=-0.302; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE238145_B13 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=nan; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=nan; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE238145_B14 | raw spot Pearson | full observed candidate-distance range (no clipping)












CD8 Exhausted / GLYCOLYSIS: descriptive full-range delta r=-0.399; each group retains its full observed range.
Arterial EC / Budden CHOLESTEROL SYNTHESIS 27: descriptive full-range delta r=0.322; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE238145_B15 | raw spot Pearson | full observed candidate-distance range (no clipping)












Mast / REACTIVE OXYGEN SPECIES PATHWAY: descriptive full-range delta r=-0.524; each group retains its full observed range.
iCAF / REACTIVE OXYGEN SPECIES PATHWAY: descriptive full-range delta r=0.519; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE238145_B16 | raw spot Pearson | full observed candidate-distance range (no clipping)












Matrix_CAF / GLYCOLYSIS: descriptive full-range delta r=0.279; each group retains its full observed range.
Venous EC / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=-0.239; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE238145_B17 | raw spot Pearson | full observed candidate-distance range (no clipping)












Neutrophil / MTORC1 SIGNALING (no MP10): descriptive full-range delta r=-0.393; each group retains its full observed range.
iCAF / UNFOLDED PROTEIN RESPONSE: descriptive full-range delta r=0.312; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE238145_B18 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=-0.376; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=0.002; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE238145_B5 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=0.207; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.364; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE238145_B9 | raw spot Pearson | full observed candidate-distance range (no clipping)









vCAF / GLYCOLYSIS: descriptive full-range delta r=0.300; each group retains its full observed range.
Capillary EC / E2F TARGETS: descriptive full-range delta r=-0.258; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.

P95 nonP95 distance 0