

GSE285715_N1 | raw spot Pearson | full observed candidate-distance range (no clipping)



Adjacent normal reference
Tumor MP10-P95 is not defined.




Adjacent normal reference
Tumor MP10-P95 is not defined.


No tumor common-support contrast; no range is fabricated.
No tumor common-support contrast; no range is fabricated.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.

P95 nonP95 distance 0

GSE285715_N2 | raw spot Pearson | full observed candidate-distance range (no clipping)



Adjacent normal reference
Tumor MP10-P95 is not defined.




Adjacent normal reference
Tumor MP10-P95 is not defined.


No tumor common-support contrast; no range is fabricated.
No tumor common-support contrast; no range is fabricated.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.

P95 nonP95 distance 0

GSE285715_N3 | raw spot Pearson | full observed candidate-distance range (no clipping)



Adjacent normal reference
Tumor MP10-P95 is not defined.





Adjacent normal reference
Tumor MP10-P95 is not defined.


No tumor common-support contrast; no range is fabricated.
No tumor common-support contrast; no range is fabricated.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE285715_T1 | raw spot Pearson | full observed candidate-distance range (no clipping)












Capillary EC / GLYCOLYSIS: descriptive full-range delta r=-0.486; each group retains its full observed range.
Plasma / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=0.375; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE285715_T2 | raw spot Pearson | full observed candidate-distance range (no clipping)












SMC / Budden CHOLESTEROL SYNTHESIS noMP10 18: descriptive full-range delta r=-0.485; each group retains its full observed range.
GC B / Puram p-EMT Top30: descriptive full-range delta r=0.364; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE285715_T3 | raw spot Pearson | full observed candidate-distance range (no clipping)









NK / Budden CHOLESTEROL SYNTHESIS 27: descriptive full-range delta r=-0.638; each group retains its full observed range.
GC B / G2M CHECKPOINT: descriptive full-range delta r=0.458; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.

P95 nonP95 distance 0