



GSE319536_BC01 | raw spot Pearson | full observed candidate-distance range (no clipping)












LAMP3 DC / Budden TG CATABOLISM 24: descriptive full-range delta r=-0.349; each group retains its full observed range.
C1QC TAM / Budden TG CATABOLISM 24: descriptive full-range delta r=0.360; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC02 | raw spot Pearson | full observed candidate-distance range (no clipping)












Lymphatic EC / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=-0.797; each group retains its full observed range.
Neutrophil / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=0.789; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC04 | raw spot Pearson | full observed candidate-distance range (no clipping)












Pericyte / Budden S1P RESPONSE 18: descriptive full-range delta r=0.585; each group retains its full observed range.
Venous EC / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=-0.445; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC05 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=0.147; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=0.520; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC08 | raw spot Pearson | full observed candidate-distance range (no clipping)












cDC1 / Puram p-EMT Top30: descriptive full-range delta r=-0.674; each group retains its full observed range.
Mast / Budden CHOLESTEROL SYNTHESIS noMP10 18: descriptive full-range delta r=0.337; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC10 | raw spot Pearson | full observed candidate-distance range (no clipping)












GC B / UNFOLDED PROTEIN RESPONSE: descriptive full-range delta r=-0.291; each group retains its full observed range.
SMC / Puram p-EMT Top30: descriptive full-range delta r=0.276; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC11 | raw spot Pearson | full observed candidate-distance range (no clipping)












Matrix_CAF / E2F TARGETS: descriptive full-range delta r=0.434; each group retains its full observed range.
Neutrophil / G2M CHECKPOINT: descriptive full-range delta r=-0.353; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC12 | raw spot Pearson | full observed candidate-distance range (no clipping)












Mast / E2F TARGETS: descriptive full-range delta r=-0.579; each group retains its full observed range.
vCAF / Budden CHOLESTEROL SYNTHESIS 27: descriptive full-range delta r=0.578; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC13 | raw spot Pearson | full observed candidate-distance range (no clipping)












vCAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.786; each group retains its full observed range.
SMC / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=0.466; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC14 | raw spot Pearson | full observed candidate-distance range (no clipping)












Plasma / MTORC1 SIGNALING (no MP10): descriptive full-range delta r=-0.622; each group retains its full observed range.
Neutrophil / G2M CHECKPOINT: descriptive full-range delta r=0.390; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC15 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / Budden S1P RESPONSE 18: descriptive full-range delta r=nan; each group retains its full observed range.
Matrix_CAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=nan; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC16 | raw spot Pearson | full observed candidate-distance range (no clipping)












Lymphatic EC / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.388; each group retains its full observed range.
LAMP3 DC / G2M CHECKPOINT: descriptive full-range delta r=0.341; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC17 | raw spot Pearson | full observed candidate-distance range (no clipping)












SMC / E2F TARGETS: descriptive full-range delta r=-0.321; each group retains its full observed range.
vCAF / Puram p-EMT Top30: descriptive full-range delta r=0.352; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC18 | raw spot Pearson | full observed candidate-distance range (no clipping)












Mast / Budden CHOLESTEROL SYNTHESIS 27: descriptive full-range delta r=-0.366; each group retains its full observed range.
Mast / GLYCOLYSIS: descriptive full-range delta r=0.267; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC19 | raw spot Pearson | full observed candidate-distance range (no clipping)












pDC / Flores pro-invasion 10: descriptive full-range delta r=-0.785; each group retains its full observed range.
Matrix_CAF / G2M CHECKPOINT: descriptive full-range delta r=0.606; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

GSE319536_BC21 | raw spot Pearson | full observed candidate-distance range (no clipping)









pDC / E2F TARGETS: descriptive full-range delta r=0.011; each group retains its full observed range.
Naive/Memory B / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.533; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.

P95 nonP95 distance 0