

Inhousedata_T4384654 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation




Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 4755 | Epi 110 | internal 73 | P95 4
Exact front in Epi 26 | R12 labelled 98


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi


Inhousedata_T4384654 | all 29 candidates; fixed core programs




Inhousedata_T4384654 | exploratory scatter display selected by coverage and |delta r|, not P










Treg / Budden S1P RESPONSE 18: delta r=0.751 [nan, nan]; common 100–265 µm; spatial P=nan
Matrix_CAF / Budden TNF EMT RESPONSE 15: delta r=0.041 [nan, nan]; common 700–3381 µm; spatial P=nan
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.


P95 nonP95 distance 0

Inhousedata_T4398343 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation




Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 4691 | Epi 1517 | internal 1483 | P95 75
Exact front in Epi 695 | R12 labelled 1411


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi


Inhousedata_T4398343 | all 29 candidates; fixed core programs




Inhousedata_T4398343 | exploratory scatter display selected by coverage and |delta r|, not P










C1QC TAM / Puram p-EMT Top30: delta r=-0.489 [-0.676, -0.257]; common 100–900 μm; spatial P=5.6e-05
cDC2 / OXIDATIVE PHOSPHORYLATION: delta r=0.324 [0.110, 0.518]; common 100–1015 μm; spatial P=0.0059
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 μm blocks.


P95 nonP95 distance 0

Inhousedata_T4413900 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 4969 | Epi 3842 | internal 3818 | P95 191
Exact front in Epi 2026 | R12 labelled 3559


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

Inhousedata_T4413900 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




Inhousedata_T4413900 | exploratory scatter display selected by coverage and |delta r|, not P










Naive/Memory B / Budden S1P RESPONSE 18: delta r=-0.435 [-0.590, -0.262]; common 100–5977 µm; spatial P=1.3e-06
rCAF / Budden TNF EMT RESPONSE 15: delta r=0.413 [0.234, 0.555]; common 100–1539 µm; spatial P=6e-06
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.


P95 nonP95 distance 0

Inhousedata_T4463209 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 4441 | Epi 1829 | internal 1496 | P95 75
Exact front in Epi 891 | R12 labelled 1637


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

Inhousedata_T4463209 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




Inhousedata_T4463209 | exploratory scatter display selected by coverage and |delta r|, not P










Mast / Puram p-EMT Top30: delta r=-0.416 [-0.610, -0.202]; common 0–1308 µm; spatial P=0.00061
Mast / OXIDATIVE PHOSPHORYLATION: delta r=0.401 [0.143, 0.564]; common 0–1308 µm; spatial P=0.0016
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.


P95 nonP95 distance 0

Inhousedata_T4465935 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 4067 | Epi 581 | internal 276 | P95 14
Exact front in Epi 409 | R12 labelled 490


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

Inhousedata_T4465935 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




Inhousedata_T4465935 | exploratory scatter display selected by coverage and |delta r|, not P










Treg / Budden S1P RESPONSE 18: delta r=0.444 [-0.534, 0.968]; common 0–361 µm; spatial P=0.17
Matrix_CAF / Budden TNF EMT RESPONSE 15: delta r=-0.007 [-0.462, 0.716]; common 173–1277 µm; spatial P=0.98
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.


P95 nonP95 distance 0

Inhousedata_T4469479 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation




Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 3917 | Epi 1846 | internal 1583 | P95 80
Exact front in Epi 1040 | R12 labelled 1619


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi


Inhousedata_T4469479 | all 29 candidates; fixed core programs







Inhousedata_T4469479 | exploratory scatter display selected by coverage and |delta r|, not P










cDC1 / REACTIVE OXYGEN SPECIES PATHWAY: delta r=0.515 [0.224, 0.713]; common 0–1418 µm; spatial P=3.3e-05
Arterial EC / OXIDATIVE PHOSPHORYLATION: delta r=-0.433 [-0.649, -0.137]; common 100–1058 µm; spatial P=0.00059
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.


P95 nonP95 distance 0

Inhousedata_T4471438 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation




Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 4373 | Epi 2256 | internal 2024 | P95 102
Exact front in Epi 801 | R12 labelled 2093


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi


Inhousedata_T4471438 | all 29 candidates; fixed core programs




Inhousedata_T4471438 | exploratory scatter display selected by coverage and |delta r|, not P













Pericyte / E2F TARGETS: delta r=-0.506 [-0.784, -0.225]; common 100–1212 µm; spatial P=0.0017
Capillary EC / Budden TNF EMT RESPONSE 15: delta r=0.386 [0.117, 0.627]; common 100–755 µm; spatial P=0.0031
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0


Inhousedata__UNVERIFIED | iCAF / Budden S1P RESPONSE 18
Section heterogeneity; missing patient IDs remain sample units
P95 | section
nonP95 | n shown on left
delta r | common support ∩ [0,1000] µm
Inhousedata_T4384654 (n=4)
Inhousedata_T4398343 (n=0)
Inhousedata_T4413900 (n=170)
Inhousedata_T4463209 (n=0)
Inhousedata_T4465935 (n=7)
Inhousedata_T4469479 (n=80)
Inhousedata_T4471438 (n=0)
58
0
3324
0
84
1415
0
−1.0
−0.5
0.0
0.5
1.0
Pearson r / joint spatial 95% CI
−1.0
−0.5
0.0
0.5
1.0
Pearson r / joint spatial 95% CI
−2
−1
0
1
2
P95 r minus nonP95 r


Inhousedata__UNVERIFIED / iCAF / Budden S1P RESPONSE 18
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4384654
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4413900
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4465935
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4469479
−1.00
−0.75
−0.50
−0.25
0.00
0.25
0.50
0.75
1.00
Equal-section Fisher-z aggregate / conditional spatial 95% CI
P95
nonP95


Inhousedata__UNVERIFIED | Pericyte / OXIDATIVE PHOSPHORYLATION
Section heterogeneity; missing patient IDs remain sample units
P95 | section
nonP95 | n shown on left
delta r | common support ∩ [0,1000] µm
Inhousedata_T4384654 (n=4)
Inhousedata_T4398343 (n=75)
Inhousedata_T4413900 (n=177)
Inhousedata_T4463209 (n=75)
Inhousedata_T4465935 (n=14)
Inhousedata_T4469479 (n=49)
Inhousedata_T4471438 (n=95)
14
1252
3504
1339
251
1211
1740
−1.0
−0.5
0.0
0.5
1.0
−2
−1
0
1
2
Pearson r / joint spatial 95% CI
Pearson r / joint spatial 95% CI
P95 r minus nonP95 r


Inhousedata__UNVERIFIED / Pericyte / OXIDATIVE PHOSPHORYLATION
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4384654
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4398343
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4413900
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4463209
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4465935
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4469479
Inhousedata__UNVERIFIED::anonymous_unit::Inhousedata_T4471438
−1.00
−0.75
−0.50
−0.25
0.00
0.25
0.50
0.75
1.00
Equal-section Fisher-z aggregate / conditional spatial 95% CI
P95
nonP95