



NPJ_sample1 | raw spot Pearson | full observed candidate-distance range (no clipping)












Treg / MTORC1 SIGNALING (no MP10): descriptive full-range delta r=-0.913; each group retains its full observed range.
cDC1 / Budden S1P RESPONSE 18: descriptive full-range delta r=0.650; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

NPJ_sample2 | raw spot Pearson | full observed candidate-distance range (no clipping)












rCAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=0.650; each group retains its full observed range.
NK / Budden CHOLESTEROL SYNTHESIS noMP10 18: descriptive full-range delta r=-0.550; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

NPJ_sample3 | raw spot Pearson | full observed candidate-distance range (no clipping)












Lymphatic EC / GLYCOLYSIS: descriptive full-range delta r=-0.859; each group retains its full observed range.
cDC2 / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=0.597; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

NPJ_sample4 | raw spot Pearson | full observed candidate-distance range (no clipping)












Classical Mono / GLYCOLYSIS: descriptive full-range delta r=0.607; each group retains its full observed range.
SPP1 TAM / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.639; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

NPJ_sample5 | raw spot Pearson | full observed candidate-distance range (no clipping)












CD8 GZMK/Effector-memory-like / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=0.442; each group retains its full observed range.
LAMP3 DC / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=-0.380; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

NPJ_sample6 | raw spot Pearson | full observed candidate-distance range (no clipping)












Plasma / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=-0.468; each group retains its full observed range.
SPP1 TAM / OXIDATIVE PHOSPHORYLATION: descriptive full-range delta r=0.369; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.


P95 nonP95 distance 0

NPJ_sample7 | raw spot Pearson | full observed candidate-distance range (no clipping)









iCAF / Budden TNF EMT RESPONSE 15: descriptive full-range delta r=-0.417; each group retains its full observed range.
CD4 Helper/Conventional / Puram p-EMT Top30: descriptive full-range delta r=0.468; each group retains its full observed range.
Common-support formal comparison is separate in the 3-page main report. Pearson P does not correct spatial dependence.

P95 nonP95 distance 0