

CanDis_2026_Sample12 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 3508 | Epi 405 | internal 390 | P95 20
Exact front in Epi 189 | R12 labelled 370


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

CanDis_2026_Sample12 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




CanDis_2026_Sample12 | exploratory scatter display selected by coverage and |delta r|, not P









Treg / Budden S1P RESPONSE 18: delta r=-0.503 [-0.943, 0.076]; common 173–954 µm; spatial P=0.043
Matrix_CAF / Budden TNF EMT RESPONSE 15: delta r=-0.949 [-1.292, -0.547]; common 173–1082 µm; spatial P=2.5e-05
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0