

CanDis_2026_Sample13 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95





Strict v3.4 signed distance (µm)





Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient




Observed coverage only; no extrapolation




Frozen P95 vs nonP95 within [-200, 0] µm





Tissue 4835 | Epi 3430 | internal 3151 | P95 158
Exact front in Epi 603 | R12 labelled 3182


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

CanDis_2026_Sample13 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range






P95 minus nonP95 r | common support | grey = not estimable




CanDis_2026_Sample13 | exploratory scatter display selected by coverage and |delta r|, not P




Naive/Memory B / E2F TARGETS: delta r=0.451 [0.236, 0.701]; common 0–1905 µm; spatial P=0.00011
Neutrophil / Puram p-EMT Top30: delta r=-0.304 [-0.465, -0.110]; common 0–900 µm; spatial P=0.0014
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0