

CanDis_2026_Sample8 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 11958 | Epi 10711 | internal 10037 | P95 502
Exact front in Epi 2755 | R12 labelled 10188


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

CanDis_2026_Sample8 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




CanDis_2026_Sample8 | exploratory scatter display selected by coverage and |delta r|, not P









pDC / E2F TARGETS: delta r=0.207 [0.111, 0.292]; common 0–1552 µm; spatial P=1.7e-05
pDC / Puram p-EMT Top30: delta r=-0.203 [-0.307, -0.094]; common 0–1552 µm; spatial P=0.00038
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0