

GSE238145_B11 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 10309 | Epi 4887 | internal 3923 | P95 197
Exact front in Epi 4090 | R12 labelled 4542


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

GSE238145_B11 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




GSE238145_B11 | exploratory scatter display selected by coverage and |delta r|, not P









Naive/Memory B / Budden TNF EMT RESPONSE 15: delta r=0.324 [0.169, 0.463]; common 100–1400 μm; spatial P=4.8e-05
Classical Mono / E2F TARGETS: delta r=-0.304 [-0.490, -0.101]; common 0–1442 μm; spatial P=0.0028
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 μm blocks.

P95 nonP95 distance 0