

GSE238145_B16 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 12226 | Epi 4440 | internal 4358 | P95 218
Exact front in Epi 3543 | R12 labelled 4150


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

GSE238145_B16 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




GSE238145_B16 | exploratory scatter display selected by coverage and |delta r|, not P









Matrix_CAF / GLYCOLYSIS: delta r=0.276 [0.120, 0.430]; common 361–7041 µm; spatial P=0.00051
Venous EC / OXIDATIVE PHOSPHORYLATION: delta r=-0.266 [-0.401, -0.120]; common 0–2433 µm; spatial P=0.00038
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0