

GSE238145_B17 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95





Strict v3.4 signed distance (µm)





Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient




Observed coverage only; no extrapolation




Frozen P95 vs nonP95 within [-200, 0] µm





Tissue 2399 | Epi 1494 | internal 1258 | P95 63
Exact front in Epi 563 | R12 labelled 1284


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

GSE238145_B17 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range






P95 minus nonP95 r | common support | grey = not estimable




GSE238145_B17 | exploratory scatter display selected by coverage and |delta r|, not P




Neutrophil / MTORC1 SIGNALING (no MP10): delta r=-0.390 [-0.616, -0.146]; common 0–954 µm; spatial P=0.0035
iCAF / UNFOLDED PROTEIN RESPONSE: delta r=0.297 [0.061, 0.561]; common 100–1308 µm; spatial P=0.026
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0