

GSE285715_T1 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 4285 | Epi 4167 | internal 3504 | P95 177
Exact front in Epi 1869 | R12 labelled 3885


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

GSE285715_T1 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




GSE285715_T1 | exploratory scatter display selected by coverage and |delta r|, not P









Capillary EC / GLYCOLYSIS: delta r=-0.487 [-0.624, -0.070]; common 0–1136 μm; spatial P=0.00032
Plasma / OXIDATIVE PHOSPHORYLATION: delta r=0.360 [0.143, 0.557]; common 0–1400 μm; spatial P=0.00041
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 μm blocks.

P95 nonP95 distance 0