

GSE319536_BC04 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 3484 | Epi 2365 | internal 1154 | P95 58
Exact front in Epi 292 | R12 labelled 1580


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

GSE319536_BC04 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




GSE319536_BC04 | exploratory scatter display selected by coverage and |delta r|, not P









Pericyte / Budden S1P RESPONSE 18: delta r=0.593 [0.288, 0.719]; common 0–1769 µm; spatial P=1e-09
Venous EC / OXIDATIVE PHOSPHORYLATION: delta r=-0.439 [-0.692, -0.014]; common 100–1493 µm; spatial P=0.0092
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0