

GSE319536_BC10 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 2499 | Epi 2174 | internal 1998 | P95 100
Exact front in Epi 628 | R12 labelled 2002


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

GSE319536_BC10 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




GSE319536_BC10 | exploratory scatter display selected by coverage and |delta r|, not P









GC B / UNFOLDED PROTEIN RESPONSE: delta r=-0.320 [-0.580, -0.034]; common 0–656 µm; spatial P=0.036
SMC / Puram p-EMT Top30: delta r=0.288 [0.104, 0.479]; common 0–985 µm; spatial P=0.0039
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0