

GSE319536_BC11 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 6859 | Epi 5719 | internal 4430 | P95 222
Exact front in Epi 476 | R12 labelled 4702


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

GSE319536_BC11 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




GSE319536_BC11 | exploratory scatter display selected by coverage and |delta r|, not P









Matrix_CAF / E2F TARGETS: delta r=0.420 [0.224, 0.598]; common 100–3915 μm; spatial P=2.2e-05
Neutrophil / G2M CHECKPOINT: delta r=-0.327 [-0.502, -0.164]; common 100–1997 μm; spatial P=0.00013
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 μm blocks.

P95 nonP95 distance 0