

GSE319536_BC15 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12

MP10 AUCell and frozen P95





Strict v3.4 signed distance (µm)





Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient




Observed coverage only; no extrapolation




Frozen P95 vs nonP95 within [-200, 0] µm





Tissue 2698 | Epi 167 | internal 4 | P95 1
Exact front in Epi 0 | R12 labelled 98


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

GSE319536_BC15 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range






P95 minus nonP95 r | common support | grey = not estimable




GSE319536_BC15 | exploratory scatter display selected by coverage and |delta r|, not P




Treg / Budden S1P RESPONSE 18: delta r=nan [nan, nan]; common 346–265 μm; spatial P=nan
Matrix_CAF / Budden TNF EMT RESPONSE 15: delta r=nan [nan, nan]; common 361–300 μm; spatial P=nan
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 μm blocks.

P95 nonP95 distance 0