

GSE319536_BC17 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 4072 | Epi 3508 | internal 2130 | P95 107
Exact front in Epi 877 | R12 labelled 2881


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

GSE319536_BC17 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




GSE319536_BC17 | exploratory scatter display selected by coverage and |delta r|, not P









SMC / E2F TARGETS: delta r=-0.334 [-0.540, -0.037]; common 0–2170 μm; spatial P=0.0026
vCAF / Puram p-EMT Top30: delta r=0.287 [0.067, 0.551]; common 0–2951 μm; spatial P=0.0063
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 μm blocks.

P95 nonP95 distance 0