

Inhousedata_T4413900 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation



Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 4969 | Epi 3842 | internal 3818 | P95 191
Exact front in Epi 2026 | R12 labelled 3559


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi

Inhousedata_T4413900 | all 29 candidates; fixed core programs


P95 raw Pearson r | full observed range





P95 minus nonP95 r | common support | grey = not estimable




Inhousedata_T4413900 | exploratory scatter display selected by coverage and |delta r|, not P









Naive/Memory B / Budden S1P RESPONSE 18: delta r=-0.435 [-0.590, -0.262]; common 100–5977 µm; spatial P=1.3e-06
rCAF / Budden TNF EMT RESPONSE 15: delta r=0.413 [0.234, 0.555]; common 100–1539 µm; spatial P=6e-06
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0