

Inhousedata_T4469479 | tumor_study_specimen_not_region_diagnosis
Frozen mixed-spot MP10 / front / R12


MP10 AUCell and frozen P95




Strict v3.4 signed distance (µm)




Formal R12 0–8; grey = unlabelled




UCell neighborhood: adjusted MP10 coefficient



Observed coverage only; no extrapolation




Frozen P95 vs nonP95 within [-200, 0] µm




Tissue 3917 | Epi 1846 | internal 1583 | P95 80
Exact front in Epi 1040 | R12 labelled 1619


0 1 2 3 4 5 6 7 8 P95 nonP95 / all Epi


Inhousedata_T4469479 | all 29 candidates; fixed core programs







Inhousedata_T4469479 | exploratory scatter display selected by coverage and |delta r|, not P









cDC1 / REACTIVE OXYGEN SPECIES PATHWAY: delta r=0.515 [0.224, 0.713]; common 0–1418 µm; spatial P=3.3e-05
Arterial EC / OXIDATIVE PHOSPHORYLATION: delta r=-0.433 [-0.649, -0.137]; common 100–1058 µm; spatial P=0.00059
Orange points: distance = 0. Pearson P assumes independent spots; spatial intervals use 500 µm blocks.

P95 nonP95 distance 0