Untitled presentation

내용은 빈 곳을 클릭해 텍스트를 쓰고, /math 로 수식을 넣어 보세요

슬라이드 제목

내용을 입력하세요

From PPO to GRPO

Proximal Policy Optimization (PPO) (Schulman et al., 2017) is an actor-critic RL algorithm that is widely used in the RL fine-tuning stage of LLMs (Ouyang et al., 2022). In particular, it optimizes LLMs by maximizing the following surrogate objective:

$$(J_{PPO}(\theta) = \mathbb{E}[q \sim P(Q), o \sim \pi_{\theta_{old}}(O|q)] \frac{1}{|o|} \sum_{t=1}^{|o|} \min \left[\frac{\pi_\theta(o_t|q,o_{<t})}{\pi_{\theta_{old}}(o_t|q,o_{<t})} A_t, \text{clip} \left(\frac{\pi_\theta(o_t|q,o_{<t})}{\pi_{\theta_{old}}(o_t|q,o_{<t})}, 1-\varepsilon, 1+\varepsilon \right) A_t \right],$$

where ₩(π_{θ}₩) and ₩(π_{θ_{old}}₩) are the current and old policy models, and ₩(q, o₩) are questions and outputs sampled from the question dataset and the old policy ₩(π_{θ_{old}}₩), respectively. ₩(ε₩) is a clipping-related hyper-parameter introduced in PPO for stabilizing training. ₩(A_t₩) is the advantage, which is computed by applying Generalized Advantage Estimation (GAE) (Schulman et al., 2015), based