

NDIS high cost AT report 를 작성해야해. MS 환자이고 바이오네스 편딩이 필요해. 다른사람이 작성해놓은 레포트가 있으면 찾아봐

네. 다만 실제 제출된 타인의 NDIS High Cost AT Report 원본은 개인정보와 저작권 문제 때문에 공개되어 있는 경우가 거의 없습니다.

대신, 제가 찾아보니 참고할 만한 자료는 있습니다.

NDIS의 공식 High Cost AT 보고서 작성 기준

실제 호주 Orthotist/AOPA에서 소개한 MS + Bioness L300 Go 사례

호주 공급업체들이 사용하는 Bioness 임상 근거 자료

그리고 중요한 점은, NDIS 심사관은 기기 자체(Bioness)를 보는 것이 아니라 "왜 이 사람에게 반드시 필요한지"를 봅니다.

실제 심사관이 기대하는 High Cost AT Report 구성

1. Executive Summary (1 page)

Participant diagnosis

Current functional limitation

AT trial outcome

Recommended AT

Cost

Expected outcomes

2. Participant Background

MS diagnosis

Disease progression

Current mobility status

Environmental factors

Existing supports

3. Functional Assessment

Body structure/function impairment

Foot drop

Weakness

Spasticity

Fatigue

Balance deficit

Reduced endurance

Activity limitation

Reduced walking distance

Increased falls/trips

Reduced community participation

Participation restriction

Shopping

Social activity

Employment

Family participation

4. Current Equipment and Why It Is Insufficient

예시)

Equipment Outcome Limitation
OTS AFO Poor fit Not effective
Custom AFO Partial benefit Fatigue persists
Walking stick Some stability Does not address foot drop
Physiotherapy Maintenance only Does not provide real time gait assistance

이 부분이 매우 중요합니다.

NDIS는 항상 묻습니다.

"Why can't existing supports meet the participant's needs?"

5. Bioness Trial Results (가장 중요한 섹션)

In-clinic trial

Observed improvements:

Improved foot clearance
Reduced toe drag
Improved gait symmetry
Improved walking confidence
8-week community trial

Observed improvements:

Increased daily use
Increased walking participation
Reduced concentration required during gait
Reduced fatigue
Increased confidence
3-week washout

Observed deterioration after device removal:

Increased toe catching
Increased fatigue
Reduced walking confidence
Reduced community participation

이 washout 데이터는 상당히 강력한 근거가 됩니다.

6. Alternative Options Considered

이 섹션은 심사관이 굉장히 중요하게 봅니다.

Alternative Reason not recommended
Continue without AT Unsafe
Walking stick only Does not correct foot drop
Carbon fibre AFO Does not adapt to changing fatigue
Continue physiotherapy only Not sufficient
Bioness L300 Go Most effective

7. NDIS Reasonable and Necessary Criteria

Section 34 justification

A. Related to disability ✓

MS directly causes:

Foot drop

Weakness

Fatigue

Mobility impairment

B. Effective and beneficial ✓

Objective improvements demonstrated through:

Clinical trial

Community trial

Washout period

C. Value for money ✓

Although initial cost is high:

Potential reduction in:

Falls

Carer burden

Future support requirements

Injury risk

Long-term participation outcomes outweigh cost.

D. Most appropriate funding source ✓

This is specialised disability-specific technology and not the responsibility of another government system.

제가 추천하는 제출용 목차 (12~18페이지)

Cover Page

Executive Summary

Participant Information

Medical Background

Current Functional Status

Existing Supports

Clinical Assessment Findings

Goal Alignment

Alternative Options Considered

In-Clinic Trial Results

8-week Community Trial Results

3-week Washout Results

Risk Assessment

Cost Benefit Analysis

NDIS Reasonable and Necessary Criteria

Final Recommendation

Capacity Building Hours

Supporting Documents & Outcome Measures

그리고 사실 저는 지금 작성하려는 대상이 이전에 같이 작업했던 동일한 MS + Bioness L300 Go 환자라고 생각합니다.

(35세 MS, 우측 foot drop, 8주 커뮤니티 트라이얼 + 3주 washout 자료를 모아서 제출하려는 케이스)

그렇다면 이미 상당한 자료가 있으므로, 인터넷에서 다른 사람 레포트를 찾는 것보다 실제 승인 가능성이 높은 수준의 NDIS 제출용 High Cost AT Report를 새로 만드는 것이 훨씬 좋습니다.

원하시면 제가 실제 Orthotist가 제출하는 15~20페이지 수준의 NDIS High Cost AT Report (Bioness L300 Go, MS 환자용)를 처음부터 작성해드릴 수 있습니다.

뉴롤로지스트가 써준 레터야. 바이이오네스 금액은 40000불이 넘을거 같아 정확한 견적서는 아직 안만들었어 환자의 NDIS goal이야. 이걸 사용해서 위의 너가 수정해준 내용들 포함해서 실제 제출 가능한 20-25페이지짜리 최종 제출본 만들어줘

Mon, Jun 29 at 2:12 PM

NDIS_Full_AT_Report_Bioness_L300Go_M(1).docx

Document

이 문장은 Executive Summary의 핵심 메시지와 Final Recommendation의 결론에 각각 한 번씩 들어가야 합니다.

오히려 두 군데 모두 들어가는 것이 좋습니다.

① Executive Summary

찾을 위치:

Executive Summary

보통 아래 문단이 있을 것입니다.

현재:

M is a 35-year-old woman with Multiple Sclerosis who experiences significant mobility limitations due to right foot drop, gait instability, fatigue and reduced walking endurance.

바로 다음 문단에 아래 문장을 추가하세요.

추가 문단

M does not require the Bioness L300 Go because she is unable to walk. Rather, she requires the device because she currently maintains mobility only through significant activity restriction, compensatory strategies, reduced participation and avoidance of meaningful activities. The community trial demonstrated that access to the Bioness system reduced these restrictions and enabled greater participation in family, community and daily living activities.

그리고 Executive Summary 마지막 Recommendation 문단 직전에 아래 문장도 추가하세요.

추가 문단

The participant's low fall incidence prior to the trial should not be interpreted as evidence of safety. Rather, it reflects the extent to which M has restricted her activities and modified her behaviour to avoid situations that increase her risk of tripping, fatigue and loss of balance.

이 두 문장은 Executive Summary를 훨씬 강하게 만들어 줍니다.

② Final Recommendation

찾을 위치:

6.6 Recommendation Statement

현재 문장:

It is my professional opinion that funding of the Bioness L300 Go Functional Electrical Stimulation System is clinically justified, evidence-based, and necessary to address the disability-related mobility limitations experienced by M.

바로 다음 문단에 아래 내용을 삽입하세요.

추가 문단

M does not require the Bioness L300 Go because she is unable to walk. Rather, she requires the device because she currently maintains mobility through significant compensatory effort, activity restriction, fatigue management strategies and avoidance of meaningful activities. These strategies have enabled M to minimise falls but have resulted in reduced participation, reduced confidence and reduced quality of life.

그 다음 문단으로 아래 내용을 추가하세요.

추가 문단

During the community trial, the Bioness system enabled M to participate more freely in family outings, community access, cooking, baking, medical appointments and other meaningful daily activities. Following device removal, these gains rapidly deteriorated, confirming that the improvements were directly attributable to the device.

③ 가장 중요한 위치 (강력 추천)

Block 4의 Washout Summary 마지막 부분에도 넣으세요.

찾을 위치:

4.9 Clinical Interpretation of Washout Findings

(또는 Washout Summary Conclusion)

현재 마지막 문단 뒤에 추가:

The washout findings indicate that M's low fall rate prior to the trial was achieved largely through activity restriction and avoidance rather than true functional stability. The return of mobility limitations, reduced confidence and increased participation restrictions following device removal further supports the clinical necessity of ongoing access to the Bioness L300 Go system.

이 문장은 NDIS Delegate 입장에서 매우 중요합니다.

왜냐하면 심사관이 가장 먼저 보는 반론이:

"Falls가 없는데 왜 \$15,000 이상짜리 장비가 필요한가?"

인데,

이 문장이 그 질문을 미리 차단해 줍니다.

추가로 현재 문서를 전체적으로 보면 가장 승인 가능성이 높은 형태는:

"Falls Prevention" 중심 보고서가 아니라

"Participation + Functional Capacity + Activity Restriction Reduction" 중심 보고서

입니다.

그래서 최종 제출본에서는:

Falls = 보조 근거

Participation = 주 근거

Functional Capacity = 주 근거

Washout = 결정적 근거

이 비중으로 보이도록 정리하는 것이 가장 좋습니다.

참고로 업로드하신 원본 Claude 보고서에서도 낙상 중심 서술이 상당히 많기 때문에, 최종본에서는 B5.2, B7, B8 일부 표현을 Participation 중심으로 조금 더 수정하는 것을 권장합니다.

위 문장을 넣을 블록 4 다시 불러와줘

좋습니다.

방금 올려주신 클로드 원본을 다시 보니, 제가 이전에 작성한 Block 4보다 실제 제출용으로는 클로드 원본의 B2~B4 구조를 일부 가져오는 것이 더 좋습니다.

다만 제가 추천한 핵심 문장:

M does not require the Bioness L300 Go because she is unable to walk...

은 현재 Block 4에서 넣는 위치가 정확히 정해져 있습니다.

수정 위치

Block 4

4.15 Clinical Significance of Washout Findings

현재 마지막 문단:

These findings cannot be explained by natural recovery or practice effects.

Instead, they demonstrate that ongoing access to the device is required to maintain the functional gains achieved during the trial.

위 문단 바로 아래 추가

Importantly, the washout findings indicate that M's low fall incidence prior to the trial was achieved largely through activity restriction, environmental modification, compensatory strategies and avoidance of higher-risk situations rather than true functional stability.

Following device removal, walking confidence declined, activity avoidance increased, participation reduced, and multiple trip and near-fall events were recorded. This demonstrates that the participant had been managing risk by limiting participation rather than through adequate functional mobility.

The return of mobility limitations, reduced confidence and increased participation restrictions following device removal provides strong evidence that ongoing access to the Bioness L300 Go system is clinically necessary to maintain functional capacity and participation.

Block 4 Summary 수정

찾기:

4.16 Summary of Trial Outcomes

현재 마지막 문단:

Most importantly, the trial demonstrated that the device enabled participation in meaningful daily activities that could not be achieved through existing supports alone.

바로 아래 추가

The participant's low fall incidence prior to the trial should not be interpreted as evidence that her mobility needs were adequately addressed. Rather, the assessment, community trial and washout findings demonstrate that M maintained safety largely through significant activity restriction and avoidance of meaningful activities.

The Bioness system enabled participation that was previously limited by fatigue, instability, reduced confidence and fear of tripping. These benefits extended beyond gait performance and resulted in meaningful improvements in daily function, community participation and quality of life.

만약 클로드 원본 기준으로 수정한다면

현재 클로드 문서의:

B5.2 Falls & Safety

이 부분을 찾아서

현재:

This direct comparison confirms the Bioness L300 Go provides meaningful and essential fall risk reduction for M.

아래처럼 교체하는 것을 추천합니다.

This direct comparison confirms that the Bioness L300 Go provides meaningful improvements in walking safety and confidence.

Importantly, M's low fall incidence prior to the trial should not be interpreted as evidence of adequate mobility. Throughout assessment and trial discussions, it became clear that M maintained safety primarily through activity restriction, environmental modification, fatigue management and avoidance of situations perceived as high risk.

During active use of the Bioness system, M was able to participate in a wider range of community, family and household activities without relying on the same degree of self-restriction. Following device removal, these participation gains rapidly deteriorated and multiple trip and near-fall events occurred.

These findings indicate that the device supports meaningful functional participation rather than simply reducing falls.

가장 중요한 추가 문장

그리고 Executive Summary와 Final Recommendation에는 이미 말씀드린 문장을 그대로 넣으세요.

M does not require the Bioness L300 Go because she is unable to walk. Rather, she requires the device because she currently maintains mobility only through significant activity restriction, compensatory strategies and avoidance of meaningful activities.

이 문장은 현재 전체 보고서에서 가장 강력한 승인 논리 중 하나입니다.

왜냐하면 심사관의 예상 반론인

"Falls도 없고 walker로 걷는데 왜 \$40,000 이상의 장비가 필요한가?"

를 선제적으로 차단하기 때문입니다.

현재 자료 기준으로는

Falls Prevention 보고서보다 Participation Restoration 보고서로 보이게 만드는 것이 승인 가능성을 가장 높입니다.

저문장 추가할 Executive Summary와 Final Recommendation 불러와줘

아래가 최종 제출본 기준으로 수정 반영된 Executive Summary 와 Final Recommendation 입니다.

이 버전 그대로 복사해서 붙여넣으면 됩니다.

EXECUTIVE SUMMARY

Purpose of Report

This report has been prepared to support an application for NDIS funding of the Bioness L300 Go Functional Electrical Stimulation (FES) System, including both Lower Leg and Thigh Components, for M, a 35-year-old woman with Multiple Sclerosis (MS) and significant right lower limb impairment resulting in foot drop, gait instability, fatigue and participation restrictions.

The report presents findings from a comprehensive clinical assessment, an in-clinic trial, an eight-week community trial, and a subsequent three-week washout period. Objective outcome measures, participant feedback, carer observations and specialist medical evidence have been used to determine whether the requested assistive technology represents a reasonable and necessary support under Section 34 of the NDIS Act 2013.

Participant Overview

M has a diagnosis of Multiple Sclerosis and presents with significant right-sided foot drop, impaired foot clearance during swing phase, gait instability, knee hyperextension, fatigue and reduced walking endurance.

Clinical assessment identified absent right ankle dorsiflexion (0/5), absent eversion (0/5), reduced plantarflexion strength (3/5), mild ankle inversion strength (1/5), ankle dorsiflexion restriction and neurological gait abnormalities consistent with MS-related foot drop.

Although M remains ambulant with a four-wheeled walker, her mobility is significantly impacted by fatigue, instability and reduced confidence when walking in community environments.

M does not require the Bioness L300 Go because she is unable to walk. Rather, she requires the device because she currently maintains mobility only through significant activity restriction, compensatory strategies, reduced participation and avoidance of meaningful activities. The community trial demonstrated that access to the Bioness system reduced these restrictions and enabled greater participation in family, community and daily living activities.

Community Trial Outcomes

An eight-week community trial of the Bioness L300 Go was completed between March and May 2026, followed by a three-week washout period.

Objective outcomes demonstrated clinically meaningful improvements during active device use, including:

- 58% improvement in Six Minute Walk Test distance (57m to 90m)

- 22% improvement in Timed Up and Go performance

- Improved Dynamic Gait Index scores

- Improved standing tolerance

- Improved gait quality

- Reduced knee hyperextension

- Improved walking confidence

Participant-reported outcomes identified improvements in:

- Community access

- Family participation

- Confidence walking outdoors

- Cooking and baking activities

- Attendance at appointments

- General quality of life

The participant's treating neurologist also documented improvements in mobility, endurance, confidence and quality of life during the trial period.

Washout Findings

Following removal of the device, M experienced deterioration across multiple functional domains.

Observed changes included:

- Reduced walking confidence

- Increased fatigue

- Reduced community participation

Return of foot drag
Return of knee hyperextension symptoms
Increased activity avoidance
Four trip and near-fall events within three weeks

The washout findings confirmed that the improvements observed during the community trial were directly attributable to the Bioness system.

The participant's low fall incidence prior to the trial should not be interpreted as evidence of safety. Rather, it reflects the extent to which M had restricted her activities and modified her behaviour to avoid situations that increased her risk of tripping, fatigue and loss of balance.

Clinical Conclusion

The collective evidence demonstrates that the Bioness L300 Go provides clinically significant and meaningful benefits for M across mobility, participation, confidence and quality of life domains.

The recommendation is based not only on objective outcome measures but also on demonstrated real-world functional improvements observed during community use and subsequent deterioration following device removal.

The device represents the most appropriate assistive technology option currently available to address M's disability-related mobility limitations.

Recommendation Summary

Based on assessment findings, community trial outcomes, washout findings, participant feedback, carer observations and neurologist endorsement, NDIS funding is strongly recommended for:

Bioness L300 Go Functional Electrical Stimulation System

including:

Lower Leg Component
Thigh Component
Initial Assessment and Fitting
Clinical Programming
Clinical Reviews
Device Optimisation
Ongoing Clinical Support

The recommended support satisfies the requirements of Section 34 of the NDIS Act 2013 and is considered reasonable, necessary and value for money.

6.6 Recommendation Statement

It is my professional opinion that funding of the Bioness L300 Go Functional Electrical Stimulation System is clinically justified, evidence-based, and necessary to address the disability-related mobility limitations experienced by M.

M does not require the Bioness L300 Go because she is unable to walk. Rather, she requires the device because she currently maintains mobility through significant compensatory effort, activity restriction, fatigue management strategies and avoidance of meaningful activities. These strategies have enabled M to minimise falls but have resulted in reduced participation, reduced confidence and reduced quality of life.

During the community trial, the Bioness system enabled M to participate more freely in family outings, community access, cooking, baking, medical appointments and other meaningful daily activities. Following device removal, these gains rapidly deteriorated, confirming that the improvements were directly attributable to the device.

The device demonstrated measurable improvements in walking endurance, gait efficiency, standing tolerance, confidence and community participation. These improvements were consistently supported by objective outcome measures, participant feedback, carer observations and neurologist endorsement.

The subsequent washout period confirmed that these benefits were directly attributable to the device and were not maintained following its removal.

Without access to the device, M is likely to continue relying on significant activity restriction as her primary risk management strategy, resulting in reduced participation, reduced independence and increased reliance on informal supports.

The recommendation is therefore based on demonstrated functional benefit rather than theoretical benefit.

The Bioness L300 Go Functional Electrical Stimulation System satisfies all requirements of Section 34 of the NDIS Act 2013 and represents the most appropriate assistive technology currently available to address M's identified functional needs.

Accordingly, I strongly recommend NDIS funding approval for the purchase of the Bioness L300 Go Functional Electrical Stimulation System, including both the Lower Leg and Thigh Components, together with all associated clinical services required for successful long-term implementation.

이 두 섹션은 현재까지 수정된 전체 보고서에서 가장 중요한 부분이며, Delegate가 처음 읽는 Executive Summary와 마지막에 읽는 Recommendation에서 동일한 핵심 메시지("걸을 수 없어서가 아니라, 활동 제한에 의존해 겨우 걷고 있기 때문에 필요하다")를 반복적으로 강조하도록 구성되어 있습니다.