

Evidence guide

Probability-proof workflows and trajectories

Revision 12

12 September 2026

Acceptance cutoff: 09:22 Beijing

English revision 12 · Private review bundle · Experimental acceptance: 12 September 2026, 09:22 Beijing time (UTC+8)

This guide locates the material actually supplied with the revised report. It is not another experimental result. Extract `report_revision_12.zip`, keep `en.pdf`, `en-appendix.pdf` and this guide together, and open `evidence.html` in a browser for relative links to the original files. External-file actions can be restricted by PDF readers; the printed paths remain usable independently of those actions.

[Main report](#) · [Technical appendix](#) · [Browser evidence index](#)

1 What is included, and what is not

The inherited targeted supplement and public-documentation extracts remain byte-identical to the supplied Revision 11 package. The `verification/` directory retains the local agent's bounded handoff, including original records and explicitly labeled context extracts. Its old checks describe that handoff, not the regenerated PDFs. Current document checks are under `qa/`; the original handoff manifest and source manuscripts are under `baseline/`.

The bundle does not contain the whole private textbook, the complete historical archive, all role logs or the production database. Original absolute paths inside records remain provenance, not links to accessible files. Model opinions and source interpretations are retained as attributed judgments. Supplying them does not establish mathematical truth, independent expert certification, provider-returned model identity or current production acceptance. No new solver run, experimental model review, Lean/Lake build or statistical resampling was performed for Revision 12.

The experimental materials were supplied for this private review. Their inclusion does not establish permission for public redistribution. The public documentation in Section 5 has its own fixed public source addresses.

2 Common evaluation, selection and historical methods

The original source codes below belong to the targeted supplement, not to experimental configurations A/B/C. Paths in this table are relative to the extracted bundle.

Material	Bundle location	Claim boundary
Existing guide and source index	manuscript/evidence/README.md; manuscript/evidence/r9_rewrite_evidence/sources/SOURCE_INDEX.json	Distinguishes included files from the wider archive's locators.
Common-evaluation method and outcomes, report [30]	manuscript/evidence/r9_rewrite_evidence/sources/: A01–A06, A10–A21, A30–A40, AP01–AP11, AX opinions; EVALUATION_INDEX.csv one level above	Requests, local receipts, original votes and processing are distinct records; 114 indexed sessions are not independent model errors.
Run selection and missingness, [31]	Same supplement: B01–B12; RUN_INDEX.csv	Retains 41 roots and 33 main selections, the retrospective rule, shared input checks and missing usage.
Historical qualification and saved-code sampling, [32]	Same supplement: C01–C07 and E01–E02	Retains historical AI decisions and sampling logic, not a new rerun of the archive analysis.
A-L1 recovery attribution, [33]	Same supplement: D01–D05	Recovered content and observed controller state are retained; the session-attribution conflict is unresolved.

The [original guide](#), [source index](#), [evaluation index](#) and [run index](#) provide direct file entry points. The supplement's [checksum list](#) is historical; the root-level SHA256SUMS.txt covers this complete delivery.

3 Maintenance objects and already recorded recoveries

[Appendix N.2.1](#) identifies the exact scope of the maintenance priorities. Use [MAINTENANCE_SCOPE.csv](#) with the [candidate delivery index](#), [L1 map](#) and [H1 map](#). [LOCATOR_MAP.csv](#) maps preserved original paths to files supplied here.

The seven L3/L7 deliveries are L3-A, L3-B, L3-C, L7-A, L7-A-repair, L7-B and L7-C under [verification/supporting_records/candidates/](#). Their folders include sealed candidate code, task/source material, permitted support and existing evaluation records. Other candidate folders support the six-service L2 audit. The maps retain full identities and time fields; last-role-return timestamps are not relabeled as submission times.

The A-L7 repair remains separate from the original main-panel entry. C's completed L3 tail interface and B/C's complete repaired L7 statements are not assigned A/B's omissions. L1/H1 records distinguish historical transfer failures, host recovery and later readable feedback. **None of these records establishes a reliable mapping to the current canonical production object.** Current production adoption and post-adoption state remain unverified.

4 Six L2 services: original records behind Appendix G.18

The [six-service map](#), [saved Z015 annotations](#) and [saved Z016 coverage](#) fix the six service identities. The first eight dispatch characters in G.18 refer to these original records, not newly selected cases.

Service	Original feedback and local record folder	Saved observation
A variance, 50194432	Feedback ; verification/supporting_records/L2/50194432/	Pass opinion; full-text exposure unverified. G/S route distinction retained.
A weak law, bb680eb5	Feedback ; corresponding L2/bb680eb5/ folder	Pass opinion; full-text exposure unverified. Local reasoning and upstream route scope are separate.
B helper, 6361bff3	Feedback ; corresponding L2/6361bff3/ folder	Export recovered; reading, isolated-patch validity and adoption remain unknown.
B joint review, f5e4ae15	Feedback ; corresponding L2/f5e4ae15/ folder	Readable validation acknowledged; both reviewed target files match the final files.
C variance, 8ce74337	Feedback ; corresponding L2/8ce74337/ folder	Full-text exposure verified; no proof repair claimed. G/S distinction retained.
C weak law, abbc1cbd	Feedback ; corresponding L2/abbc1cbd/ folder	Full-text exposure verified; no complete caller-edit chain reconstructed.

The record folders contain the supplied actor receipts, original feedback, request material where available and selected caller-context records. The B helper folder also contains the delivery-recovery record and recovered patch. The B review folder contains the saved pre-review target manifest. Original feedback remains in its original language; G.18 gives the English analytical summary.

Five services are passing reviews without a requested mathematical repair. They are not five failed repairs because no code change follows. The helper's unresolved status cannot be replaced with either a validated success or a demonstrated failure to adopt. The later [G/S rule interpretation](#) and [L2 result matrix](#) are kept separate from solve-time instructions. These six services do not establish a population-wide adoption rate.

5 Fixed public documentation and editorial verification

The [public-documentation guide](#) and [manifest](#) identify the seven files captured at repository revision d07f272850899b58612adf1c7dc202538503252f: architecture, Phase 2 workflow, workspace state, dependency trail, interface policy, semantic review criteria and workflow demonstration. Their original public addresses and selected excerpts remain under manuscript/evidence/project_docs/. No newer repository version substitutes for these sources or for the experimental execution records.

REVISION_NOTES.zh.md summarizes the actual editorial changes. qa/document_check.json records the checks on the newly generated files, while qa/report.en.md.diff and qa/appendix.en.md.diff show the manuscript changes. The build script is manuscript/qa/pdf/build_pdf.py; the converter is beside it. Font files are not distributed. The historical documents and handoff contain earlier PDF checks; those are not claims about the current render or all PDF readers.