HC COMMAND

BPO Headcount & Recruitment Tracker

VERSION 2

USER MANUAL

Operations & Recruitment Teams

Tracking Period: April 3 – May 31, 2026

FOR INTERNAL USE ONLY

Audience: Operations Management, Team Leaders, Abi (Admin), Ruby (Recruitment)

Tool: HC_Command_v2_BPO_Headcount_Tracker.html (open in any web browser)

New in v2: Multi-batch training (Day 1–12+) • Dynamic campaigns • Dynamic job boards • Extended to May 31

1. Introduction

1.1 What Is HC Command?

HC Command is a single-file web dashboard that acts as the shared source of truth for Operations and Recruitment. It replaces manual spreadsheets with a live, calculated view of headcount demand, active agent supply, shortfall or surplus status, training batch progress, and recruitment pipeline — all in one screen.

Version 2 extends the tracking period to April 3 – May 31, 2026, and introduces four major improvements requested by the team:

- ✦ **NEW IN v2** Multi-batch training system with Day 1–12+ support and overlapping batch tracking
- ✦ **NEW IN v2** Dynamic campaigns — add or remove projects at any time without editing the file
- ✦ **NEW IN v2** Dynamic job boards — add or remove recruitment sources (Facebook, Indeed, LinkedIn, etc.)
- ✦ **NEW IN v2** Extended date range covering both April and May 2026 (59 total days)

1.2 Campaigns Tracked

The following campaigns are pre-loaded as defaults. New campaigns can be added at any time through the Operations tab.

- TKV
- LBB — New Ego
- LBB — Nexus Ego
- SA — PDF

1.3 User Roles

OPS MGT	**Management & Team Leaders** Set campaign headcount targets, review shortfall/surplus status, add or remove campaigns as the business evolves.
ABI (Admin)	**Operations Admin — Abi** Primary owner of the Operations tab and Trainees tab. Consolidates inputs from TLs, keeps daily figures accurate, and manages training batch records.

RUBY (Recr.)	**Recruitment Officer — Ruby** Owns the Recruitment tab. Monitors auto-calculated hiring needs, logs daily application counts by source, and adds new job boards as sourcing channels expand.

2. Getting Started

2.1 Opening the Tool

HC Command is a single HTML file. No installation, login, or internet connection is required once the file is on your device.

1	Locate the file HC_Command_v2_BPO_Headcount_Tracker.html (shared via email, Google Drive, or USB).
2	Double-click the file. It will open in your default browser (Chrome, Edge, Firefox, or Safari).
3	The Dashboard tab loads automatically showing today's headline metrics.
4	Use the date strip at the top to navigate between dates. A month label (APR / MAY) separates the two months.

Tip — Migrating from v1

If you have a saved JSON export from the original (v1) version, you can re-enter the key figures into v2 manually. The two versions use different internal formats and are not directly compatible. Going forward, always export from v2 to back up your data.

2.2 Interface Overview

Zone	Description
Header Bar	Shows the tool name and the currently selected date.
Tab Bar	Switches between Dashboard, Operations, Recruitment, and Trainees. The Operations tab shows a red badge on shortfall dates; the Trainees tab shows the total trainees in training.
Date Strip	A scrollable row of date chips from April 3 to May 31. A month separator (APR / MAY) divides the two months. Green border = surplus. Red border = shortfall. Click any chip to select that date.
Main Area	The content area for the active tab. All data entry fields, charts, and dynamic management panels live here.

Keyboard Navigation

RIGHT ARROW — advance one day forward.
LEFT ARROW — go back one day.
Arrow keys are disabled when the cursor is inside an input field.

3. Dashboard Tab

The Dashboard is read-only. It provides a real-time summary for the selected date and a full-period view of the April–May tracking window.

3.1 KPI Cards

Card	What It Shows
Target Headcount	Sum of all campaign targets for the selected date.
Net Surplus / Shortfall	Active Agents minus Target. Red = shortfall, Green = surplus.
Active Agents	Total active agents (all categories), with cross-trained count noted.
Applications	Total applications logged for the selected date across all sources.
In Training	NEW IN v2 — Total trainees in training on the selected date, with the number of active batches shown below.

3.2 Charts

Campaign Distribution (Donut)

Agents currently assigned per campaign on the selected date. Automatically reflects any campaigns added or removed.

Applications by Source (Donut)

Applications for the selected date broken down by job board or sourcing channel.

Monthly Overview — Target vs Active (Line Chart)

Target Headcount (teal) and Active Agents (amber) plotted across all 59 days from April 3 to May 31. The gap between the two lines indicates days of risk.

Net Shortfall / Surplus (Bar Chart)

A bar per day for the full period. Green bars = surplus, red bars = shortfall. Useful for spotting patterns or clusters of risk across the month.

Training Pipeline — All Batches (Stacked Bar Chart) ★ NEW

A stacked bar chart showing every training batch as a separate colour across all 59 days. Each bar represents the total trainees in training on that date, with each batch's contribution shown as a distinct layer. This makes overlapping batch schedules immediately visible at the month level.

4. Operations Tab

The Operations tab is owned by Abi. It contains three data-entry tables (T1, T2, T3) and a dynamic campaign management feature. All three tables drive the Net Shortfall / Surplus calculation.

> ⚠ **Fill Tables in Order**
> Always complete Table 1 first, then Table 2, then Table 3.
> Table 3 (Distribution) must sum to the same total as Table 2 (Active Agents).
> A yellow warning banner appears automatically if the totals do not match.

4.1 Table 1 — Target Headcount

Enter the number of agents Operations requires per campaign for the selected date.

Field	Instructions
Each campaign row	Enter the agent count required for that campaign on this date. Leave as 0 if the campaign is not active.
Total (auto)	Calculated automatically. Do not edit.

4.2 Table 2 — Current Active Agents

Enter the actual headcount in each agent category.

Field	Instructions
Cross-Trained	Agents certified on more than one campaign.
Not Cross-Trained	Agents assigned to a single campaign.
Returnees	Agents returning from leave who are rejoining the active pool.
Passers	Trainees who have completed training and are now active. When a batch graduates, enter those numbers here.
Separation	Agents who have resigned or been separated. Enter as a NEGATIVE number (e.g., −5).
Total (auto)	Net sum of all categories. Must equal the Table 3 distribution total.

4.3 Table 3 — Distribution of Active Agents

Assign your active agents to campaigns. Any unassigned agents go to Pool / Reserved.

Validation	`Total Distribution = Table 2 Total (warning shown if mismatch)`

4.4 Net Shortfall / Surplus Indicator

Below Table 3, a large colour-coded indicator shows the net result for the selected date.

Formula	`Net = Total Active Agents (T2) − Total Target Headcount (T1)`

- **Red panel** — Shortfall. More agents needed than available.
- **Green panel** — Surplus. More agents available than required.
- **Grey panel (0)** — Balanced.

4.5 Adding and Removing Campaigns ★ NEW

> ✦ **NEW IN v2** Campaigns can now be added or removed at any time without modifying the file.

Adding a New Campaign

1	Go to the Operations tab.
2	Click the “+ Add Campaign / Project” button below Table 1.
3	Type the campaign name in the pop-up (e.g., “TK2 — Phase 2”, “SA — Audio”).
4	Click Add Campaign. The new row appears immediately in Table 1, Table 3, and the Recruitment tab.
5	Click Save Data to persist the change.

Removing a Campaign

Each campaign row has a small × button. Clicking it will ask for confirmation before removing the campaign. Existing data entered for that campaign is retained in storage but will no longer appear in any tables or charts.

> **Naming Tip**
> Use a consistent naming convention so the charts and reports remain readable.
> Recommended format: CLIENT — Project Name (e.g., TKV — Wave 2, LBB — New Ego).

5. Recruitment Tab

The Recruitment tab is owned by Ruby. It shows auto-calculated hiring needs from Operations data and lets Ruby log daily application counts by source.

5.1 Table 4 — Recruitment Needed (Auto-Calculated)

Read-only. Updated automatically when Operations data changes.

Column	Meaning
Target	Headcount Operations needs for this campaign (from Table 1).
Deployed	Agents currently assigned to this campaign (from Table 3).
Shortfall	Target minus Deployed. Red if negative (need more). Green if over-deployed.
Needed (+20%)	Hires Ruby should target. Includes a 20% buffer for training attrition.

Formula	`Needed = CEILING( MAX(0, Target − Deployed) × 1.20 )`

Why a 20% Buffer?

Roughly 15–20% of trainees do not complete training or drop off shortly after going live. The buffer ensures that even with attrition, the final headcount target is met. When no agents are deployed for a campaign (net-new launch), the full target × 1.20 is used.

5.2 Table 5 — No. of Applications

Ruby enters daily application counts by source. The total is compared against the recruitment need to produce the Hiring Overage / Shortage indicator.

5.3 Hiring Pipeline Status

Shows application counts per source as large number cards, followed by the Hiring (Shortage) / Overage indicator.

5.4 Adding and Removing Job Boards ★ NEW

> ✦ **NEW IN v2** Job boards and sourcing channels can be added or removed at any time without modifying the file.

Adding a New Source

1	Go to the Recruitment tab.
2	Click “+ Add Job Board / Source” below Table 5.
3	Type the source name (e.g., “LinkedIn”, “OLX”, “Walk-in Drive”).
4	Click Add Source. The new row appears in Table 5 and in the pipeline cards.
5	Click Save Data to persist the change.

Removing a Source

Each source row has a × button. Click it and confirm to remove. Data entered for that source is retained in storage but will no longer appear in tables or charts.

6. Trainees Tab ★ Fully Updated in v2

> ✦ **NEW IN v2** The Trainees tab has been completely redesigned to support multiple overlapping batches and extended training beyond Day 7.

The tab has three sections: Batch Management (define batches), the Daily Entry Panel (enter counts per date), and a Per-Batch Timeline chart.

6.1 How Training Batches Work

Each batch has a name (e.g., “Batch 5”) and a start date. The system automatically calculates what training day each batch is on for whichever date is selected in the date strip. This means you never have to manually track “which day is this batch on” — it is always calculated for you.

Batches are shown simultaneously when they overlap. For example, if Batch 4 starts Monday and Batch 5 starts Thursday, both appear on Thursday onwards with their correct training days displayed.

6.2 Training Day Colour Coding

Badge Color	Days	Meaning
Teal ✦ Standard	Day 1 – 7	Normal training progression. No action needed.
Amber ✦ Extended	Day 8 – 12	Ops has extended training. Monitor closely and update Passers count when they graduate.
Red ⚡ Long Extension	Day 13+	Training significantly extended. Management review recommended. May impact recruitment headcount assumptions.

> ⚠ **Extended Training and the Passers Count**
> When trainees on Day 8+ finally pass, Abi should log them in Table 2 (Passers) on the graduation date. Set their trainee count to 0 on subsequent dates. This ensures the Active Agent total correctly reflects the newly graduated agents moving onto the floor.

6.3 Adding a New Batch

1	Go to the Trainees tab.
2	Click “+ Add Batch” in the top-right of the Batch Management panel.
3	Enter a batch name (e.g., “Batch 5”, “Wave 3-B”).

4	Select the first day of training using the date picker.
5	Click Add Batch. The batch appears immediately as a card for all future dates.
6	Navigate to the training start date and enter the initial headcount for the batch.
7	Click Save Data.

Pre-Loaded Batches

Batch 3 (started March 27) and Batch 4 (started March 30) are pre-loaded from the original CSV data. On April 3, Batch 4 is already on Day 5 and Batch 3 is on Day 8 (extended). Their day numbers on any date are calculated automatically from their start dates.

6.4 Removing a Batch

Each batch card has a × button in the top-right corner. Click it and confirm to remove. Training data entered for that batch is retained in storage but will no longer be displayed.

6.5 Per-Batch Timeline Chart

A line chart at the bottom of the Trainees tab shows each batch's trainee count across the full April–May period. Each batch is rendered as a distinct coloured line. This allows you to see at a glance when overlapping batches peak, when they thin out, and when the training pipeline is empty (a risk signal for future headcount).

Coordination Tip

When a large cohort is approaching graduation (Day 7 or nearing Day 12), alert Ruby to slow sourcing for that campaign. When the training pipeline is empty and demand is rising, Ruby should accelerate hiring. Use the Dashboard's Stacked Training chart to monitor both.

7. Data Management

7.1 Saving Data

HC Command saves automatically to your browser's local storage whenever you navigate between dates. Manually save as well using the Save Data button to ensure all open entries are committed.

1	Go to the Operations tab.
2	Click Save Data (top-left).
3	A green "Data saved ✓" notification appears briefly at the bottom-right.

⚠ Browser Storage Limitation

Data is tied to the specific browser and computer used. Clearing browser cache will erase data. Always Export JSON regularly and share the file with the team as a daily backup. Dynamic settings (custom campaigns, job boards, batches) are also stored in the export and will be restored when you import.

7.2 Exporting Data

1	Go to the Operations tab.
2	Click Export JSON.
3	Your browser downloads hc-command-apr-may2026.json.
4	Share this file at the end of each day via your team channel.

What the Export Contains

The JSON file includes all date data AND your dynamic configuration: custom campaigns, job boards, and training batches. When a teammate imports this file, they will see the exact same campaigns, sources, and batches that you defined.

7.3 Importing Data

1	Go to the Operations tab.
2	Click Import JSON.
3	Open the .json file in Notepad, select all, and copy (Ctrl+A, Ctrl+C).

4	Paste into the import text box.
5	Click Import. All dates, campaigns, sources, and batches are restored.

8. Recommended Daily Workflow

8.1 Morning Routine (Abi — Operations Admin)

1. Open HC_Command_v2_BPO_Headcount_Tracker.html in Chrome or Edge.
2. Import the latest JSON export from yesterday (if shared by Ruby or team channel).
3. Click today's date in the date strip.
4. Confirm headcount targets with TLs and Management. If a new campaign has been added by the client, click "+ Add Campaign / Project" and create it now.
5. Enter target headcount in Table 1 (all campaigns).
6. Count and enter active agents by type in Table 2.
7. Enter agent distribution across campaigns in Table 3.
8. Go to the Trainees tab. For any batch that graduated today (reached passing), set their count to 0 and add those numbers to Table 2 (Passers) on the Operations tab.
9. For all ongoing batches, enter today's trainee count. For extended batches (Day 8+), verify with the training supervisor.
10. Click Save Data. Export JSON and share with Ruby.

8.2 Morning Routine (Ruby — Recruitment)

11. Open the tool and import Abi's latest export.
12. Go to the Recruitment tab and check Table 4 (Recruitment Needed) for all campaigns.
13. If a new campaign has been added, note the hiring requirement for that campaign.
14. If a new sourcing channel is being used, click "+ Add Job Board / Source" and add it.
15. Check the Hiring Pipeline Status indicator — note any hiring shortage.
16. Adjust job postings on active boards based on the shortfall signal.
17. As applications arrive through the day, log counts in Table 5.
18. Export JSON at end of day and share with the team.

8.3 Weekly Review (Management)

19. Open the Dashboard tab.
20. Review the Monthly Overview line chart for upcoming demand spikes in May.
21. Check the Net Shortfall/Surplus bar chart for clusters of risk.
22. Review the Training Pipeline stacked bar chart — identify when all batches are thin or empty (recruitment acceleration may be needed).
23. Confirm with Abi that any extended batches (Day 8+) have a target graduation date.
24. Adjust campaign targets for the following week based on client updates.

9. Troubleshooting & FAQs

9.1 Common Issues

"A batch shows the wrong training day."

The training day is calculated as (Selected Date − Batch Start Date) + 1. If the day number looks wrong, check that the batch start date was entered correctly in the batch management panel. You can remove and re-add the batch with the correct date.

"Two batches appear to overlap but should not."

Overlapping batches are expected and intentional. If Batch 4 started Monday and Batch 5 started Thursday, both will appear together from Thursday onwards. Each is on a different training day and is tracked independently. This is correct behaviour.

"A campaign I removed still affects the totals."

Removing a campaign removes it from display but any values previously entered for that campaign on specific dates remain in storage. The totals are calculated only from currently visible (active) campaigns. If totals look unexpected after a removal, check Table 3 for any pool or distribution values that may have carried over.

"My new campaign / job board disappeared after refreshing."

Dynamic items (campaigns, sources, batches) are saved to browser local storage when you click Save Data. If you added a new item but did not save before refreshing, it will be lost. Always Save Data or Export JSON after adding or removing any dynamic element.

"The stacked training chart on the Dashboard shows no data."

This chart only populates when batch trainee counts have been entered on the Trainees tab. Navigate to the Trainees tab, select a date, and enter counts for at least one batch. The Dashboard chart updates automatically.

"The date strip only shows April and I cannot see May."

The date strip is horizontally scrollable. Scroll right to reveal the MAY separator and the May dates. The strip covers all 59 days from April 3 to May 31.

9.2 Frequently Asked Questions

Q: Can I add a campaign mid-month without affecting earlier dates?

Yes. Adding a new campaign only makes it visible from the moment you add it. Dates before the addition will simply show 0 for that campaign's target and distribution. You can go back and fill in historical dates if needed.

Q: What is the maximum number of training days the tool supports?

There is no hard maximum. Day 13 and beyond are shown with a red badge and labeled "Day 13+" etc. to indicate significant extension. The tool will track as many days as needed.

Q: Can I have more than two overlapping batches?

Yes. There is no limit to the number of batches. Each batch is shown as a separate card on the Trainees tab and as a separate layer in the stacked training chart. Up to 12 batch colours are pre-defined; they repeat if you have more than 12 batches.

Q: If I add a new sourcing channel mid-month, can I backfill earlier dates?

Yes. After adding the source, navigate to earlier dates in the date strip and enter the application counts for those days. The data will be saved and reflected in the charts.

Q: How do I track a batch that started before April 3?

When adding a batch, you can type any date in the start date field. The tool will calculate the correct training day even if the batch began before the tracking period. Batch 3 and Batch 4 from the original data are already pre-loaded with their correct March start dates.

Q: Can multiple people use the tool at the same time?

Not simultaneously — use the Export / Import workflow. Abi owns Tables 1–3 and 6; Ruby owns Table 5. Each exports at the end of their session and imports the other's file before starting the next session.

10. Quick Reference Card

Table / Feature	Owner	Purpose
Table 1 — Target Headcount	Abi (from TLs / Mgt)	Sets demand — agents needed per campaign
Table 2 — Active Agents	Abi	Sets supply — agents currently available
Table 3 — Distribution	Abi	Maps agents to campaigns; must equal Table 2
Net Indicator (auto)	System	T2 − T1 = shortfall or surplus
Table 4 — Recruitment Needed (auto)	System (Ruby acts on this)	Per-campaign shortfall × 1.20, rounded up
Table 5 — Applications	Ruby	Daily application counts by job board
Trainees — Batch Cards	Abi	Per-batch trainee counts; day auto-calculated
+ Add Campaign	Mgt / Abi	NEW — Add a project at any time; appears across all tabs
+ Add Job Board	Ruby	NEW — Add a sourcing channel; appears in Table 5 and pipeline
+ Add Batch	Abi	NEW — Define a training batch with name + start date

Colour / Status	Meaning
Green date chip border	Surplus — active agents exceed target on that date.
Red date chip border	Shortfall — active agents are below target on that date.
Red badge on Ops tab	The selected date has a shortfall requiring attention.
Number badge on Trainees tab	Shows total trainees in training on the selected date.
Teal day badge (Day 1–7)	Standard training progression. On track.
Amber day badge (Day 8–12)	Extended training. Monitor and plan graduation date.
Red day badge (Day 13+)	Significantly extended. Management review recommended.
Yellow dist. warning	Table 3 total doesn’t match Table 2. Must be corrected.

Button / Key	Action
→ Right Arrow	Navigate forward one date (when cursor not in an input).

← Left Arrow	Navigate back one date.
Save Data	Persist all data and dynamic config to browser storage.
Export JSON	Download all data + campaigns + sources + batches as a file.
Import JSON	Load a backup file including all dynamic configuration.
+ Add Campaign	Open the Add Campaign modal (Operations tab).
+ Add Job Board	Open the Add Source modal (Recruitment tab).
+ Add Batch	Open the Add Batch modal (Trainees tab).
× Remove buttons	Remove a campaign, source, or batch (with confirmation).

Questions or Issues?

If you encounter a bug or need a new feature, escalate to the person who set up this tool.
Include a screenshot, a brief description, and the date / data that caused the issue.
Feature requests (e.g., a new campaign field, a different chart type) are welcome.

End of HC Command v2 User Manual.