

# Assignment 5: due at 11:59 pm on Monday, Nov 18, 2024

## Summary of Instructions and Overview

Note	Read the instructions carefully and follow them exactly
Assignment Weight	4% of your course grade
Due Date and time	11:59 pm on Monday, Nov 18, 2024
Important	As outlined in the syllabus, late submissions will not be accepted.
	Any files with syntax errors will automatically be excluded from grading. Be sure to test your code before you submit it
	For all functions make sure you've written good docstrings that include type contract, function description and the preconditions if any.

This is an individual assignment. Please review the Plagiarism and Academic Integrity policy presented in the first class, i.e. read in detail pages 16 – 20 of course outline. You can find that file on Brightspace under Course Info. While at it, also review Course Policies on page 14.

The goal of this assignment is to learn and practice the concepts covered thus far. In particular you will get more practice with (2D) lists and functions. For one of the functions you will also need to know how to prevent syntax errors i.e. crashes by using `try/except` concept for handling exceptions. We have learnt that in Lecture 15.

Given the goals of this assignment, you **cannot** use: dictionaries, sets, deque, bisect module. You can though, and in fact should, use `.sort` or sorted functions.

For this assignment, I provided you with starter code in file called `a5_XXXXXX.py`. Begin by replacing `XXXXXX` in the file name with your student number. Then open the file. Your solution (code) for the assignment must go into that file in the clearly indicated spaces. The file has `main` completely coded for you. Nothing else will go into the `main`. It also has some functions completely precoded for you. Your task will be to code the remaining functions. You are not allowed to delete or comment-out any parts of the provided code. The only exception to that rule is the keyword `pass`. Some functions have that keyword. You can remove it once you are done coding that function. You also must follow the instructions given in comments and implied by docstrings. You are however allowed to add your own additional (helper) functions. In fact, you must add at least one more function.

I have provided 5 text files to test and debug your code with as explained in the next section.

To submit the assignment, create a folder called `a5_XXXXXX` where (as usual) you must replace `XXXXXX` in the file name with your student number. Place the following two files into the folder,

1. `a5_XXXXXX.py`
2. `references-YOUR-FULL-NAME.txt`

Zip the folder and submit it. Do not use winrar to create `.rar` file instead of `.zip` file. (No need to submit `a5_XXXXXX.txt` as proof that you tested your function. By now we trust that you learnt and understand the need and importance for testing your functions and code in general)

As always, you can make multiple submissions, but only the last submission before the deadline will be graded.

As always, your program must run without syntax errors. In particular, when grading your assignment, TAs will first open your file `a5_XXXXXX.py` with IDLE and press Run Module. If pressing Run Module causes any syntax error, the grade for the assignment becomes zero. Furthermore, for each function whose code is missing, I have provided below one or more tests to test your functions with. To obtain a partial mark for these functions your solutions may not necessarily give the correct answer on these tests. But if your function gives any kind of Python error when run on the tests provided, that function will be marked with zero points. Finally, each function has to be documented with docstrings.

There is also `a5-more-example-runs.txt` file, giving additional example runs to those given in the next section. The behaviour of all example runs below and in `a5-more-example-runs.txt` should be considered as an implied requirement for the assignment – as always.

Using global variables inside of functions is not allowed. In particular, inside of your functions you can only use variables that are created in that function. For example, the following code fragment would not be allowed, since variable `x` is not a parameter of function `a_times(a)` nor is it a variable created in function `a_times(a)`. It is a global variable created outside of all functions.

```
def a_times(a):
    result=x*a
    return result

x=float(input("Give me a number: "))
print(a_times(10))
```

### About references-YOUR-FULL-NAME.txt file:

The file must be a plain text file. The file must contain references to any code you used that you did not write yourself, including any code you got from a friend, internet, AI engines like chatGPT, social media/forums (including Stack Overflow and discord) or any other source or a person. The only exclusion from that rule is the code that we did in class, the code done as part the lab work, or the code in your textbook. So here is what needs to be written in that file. For every question where you used code from somebody else:

- Write the question number
- . Copy-paste all parts of the code that were written by somebody else. That includes the code you found/were-given and that you then slightly modified.
- Source of the copied code: name of the person or the place on the internet/book where you found it.

While you may not get points for copied parts of the question, you will not be in the position of being accused of plagiarism. Any student caught in plagiarism will receive zero for the whole assignment and will be reported to the dean.

Showing/giving any part of your assignment code to a friend also constitutes plagiarism and the same penalties will apply. If you have nothing to declare/reference, then just write a sentence stating that and put your first and last name under that sentence in your references-YOUR-FULL-NAME.txt file.

Not including references-YOUR-FULL-NAME.txt file, will be taken as you declaring that all the code in the assignment was written by you. Recall though that not submitting that file, comes with a grade penalty.

## 1 Social Networks: friends recommendations and more – 100 points

Have you ever wondered how social networks, such as Facebook, recommend friends to you? Most of the social networks use highly sophisticated algorithms for this, but for this assignment you will implement a fairly naive algorithm to recommend the most likely new friend to users of a social network. In particular, you will recommend the most probable user to befriend based upon the intersection of your common friends. In other words, the user that you will suggest to Person A is the person who has the most friends in common with Person A, but who currently is not friends with Person A.

Five text files have been provided for you to run your program with. Each represents a social network. Three are small test files containing a made-up set of users and their friendships (these files are net1.txt, net2.txt and net3.txt). The two are a subset of a real Facebook dataset, which was obtained from: <https://snap.stanford.edu/data/egonets-Facebook.html>

The format of all five files is the same:

The first line of the file is an integer representing the number of users in the given network.

The following lines are of the form: `user_u user_v` where `user_u` and `user_v` are the (non-negative integer) IDs of two users who are friends.

In addition `user_u` is always less than `user_v`

For example, here is a very small file that has 5 users in the social network: 5

```
0 1
1 2
1 8
2 3
```

The above is a representation of a social network that contains 5 users.

User ID=0 is friends with User IDs = 1

User ID=1 is friends with User IDs = 0, 2, 8

User ID=2 is friends with User IDs = 1, 3

User ID=3 is friends with User IDs = 2

User ID=8 is friends with User IDs = 1

Spend time studying the above small example to understand the model. For example, notice that since friendship is a symmetric relationship the social media networks in this assignment, if `user_u` is friends with `user_v`, that means that `user_v` is also friends with `user_u`. Such “duplicate” friendships are not present in the file. In particular each friendship is listed once in such way that `user_u < user_v`

Also note that, while you can assume that user IDs are sorted, you **cannot** assume that they are consecutive integers differing by one. For example the user IDs above are: 0,1,2,3,8.

You can also assume that in each file the users are sorted from smallest to largest (in the above example you see that users appear as: 0 1 1 2). Specifically, friendships of `user_u` appear before friendships of `user_v` if and only if `user_u < user_v`. And also for each user its friends appear sorted, for example for user 1 friendship with friend 2 appears before friendship with friend 4.

To complete the assignment you will have to code the following 9 functions. I strongly recommend you code them in the order given below and do not move onto coding a function until you complete all before. The function descriptions, including what they need to do, are given in `a5_XXXXXX.py`.

1. `create_network(file_name)` (35 points) This is the most important (and possibly the most difficult) function to solve. The function needs to read a file and return a list of tuples representing the social network from the file. In particular the function returns a list of tuples where each tuple has 2 elements: the first is an integer representing an ID of a user and the second is the list of integers representing his/her friends. In the `a5_XXXXXX.py` I refer the list that `create_network` function returns as a 2D-list for friendship network (although one can argue that is is a 3D list). In addition the 2D-list for friendship network that **must** `create_network` function returns **must be sorted** by the ID and a list of friends in each tuple also **must be sorted**.

So for the example above, this function should return the following 2D-list for 2D-list for friendship network:

```
[(0, [1]), (1, [0,2,8]), (2,[1,3]), (3,[2]), (8,[1])]
```

More examples:

```
>>> net1=create_network("net1.txt")
>>> net1
[(0, [1, 2, 3]), (1, [0, 4, 6, 7, 9]), (2, [0, 3, 6, 8, 9]), (3, [0, 2, 8, 9]), (4, [1, 6, 7, 8]),
(5, [9]), (6, [1, 2, 4, 8]), (7, [1, 4, 8]), (8, [2, 3, 4, 6, 7]), (9, [1, 2, 3, 5])]
>>> net2=create_network("net2.txt")
>>> net2
[(0, [1, 2, 3, 4, 5, 6, 7, 8, 9]), (1, [0, 4, 6, 7, 9]), (2, [0, 3, 6,8, 9]), (3, [0, 2, 8, 9]), (4, [0, 1, 6, 7, 8]),
(5, [0, 9]), (6, [0, 1, 2, 4, 8]), (7, [0, 1, 4, 8]), (8, [0, 2, 3, 4, 6, 7]), (9, [0, 1, 2, 3, 5])]
>>> net3=create_network("net3.txt")
>>>
[(0, [1, 2, 3, 4, 5, 6, 7, 8, 9]), (1, [0, 4, 6, 7, 9]), (2, [0, 3, 6,8, 9]), (3, [0, 2, 8, 9]), (4, [0, 1, 6, 7, 8]),
(5, [0, 9]), (6, [0, 1, 2, 4, 8]), (7, [0, 1, 4, 8]), (8, [0, 2, 3, 4, 6, 7]), (9, [0, 1, 2, 3, 5]),
(100, [112]), (112, [100, 114]), (114, [112])]
>>> net4=create_network("big.txt")
>>> net4[500:502]
[(500, [348, 353, 354, 355, 361, 363, 368, 373, 374, 376, 378, 382, 388, 391, 392, 396, 400, 402, 404, 408, 409, 410,
412, 414, 416, 417, 421, 423, 428, 431, 438, 439, 444, 445, 450,
452,455, 463, 465, 474, 475, 483, 484,487, 492, 493,
497, 503, 506, 507, 513, 514, 517, 519, 520, 521, 524, 525, 527, 531, 537, 538, 542, 546, 547, 548, 553, 555, 556, 557
560, 563, 565, 566, 580, 591, 601, 604, 614, 637, 645, 651, 683]), (501, [198, 348, 364, 393, 399, 441, 476, 564])]
```

2. `getCommonFriends(user1, user2, network)` (15 points)

```
>>> getCommonFriends(3,1,net1)
[0, 9]
>>> getCommonFriends(0,112,net3)
[]
>>> getCommonFriends(217,163,net4)
[0, 100, 119, 150]
```

3. `recommend(user, network)` (15 points)

Read the docstrings to understand how this function should work. Understand why the given friends are recommended in the examples below including why no friend is recommended for 0 in `net2` and 112 in `net 3`.

```
>>> recommend(6,net1)
7
>>> recommend(4,net2)
2
>>> recommend(0,net2)
>>> recommend(114, net3)
100
```

```
>>> recommend(112,net3)
>>> recommend(217,net4)
163
```

4. k\_or\_more\_friends(network, k) (5 points)

```
>>> k_or_more_friends(net1, 5)
3
>>> k_or_more_friends(net2, 8)
1
>>> k_or_more_friends(net3, 12)
0
>>> k_or_more_friends(net4, 70)
33
```

5. maximum\_num\_friends(network) (5 points)

```
>>> maximum_num_friends(net1)
5
>>> maximum_num_friends(net2)
9
>>> maximum_num_friends(net3)
9
>>> maximum_num_friends(net4)
347
```

6. people\_with\_most\_friends(network) (5 points)

```
>>> people_with_most_friends(net1)
[1, 2, 8]
>>> people_with_most_friends(net2)
[0]
>>> people_with_most_friends(net3)
[0]
>>> people_with_most_friends(net4)
[0]
```

7. average\_num\_friends(network) (5 points)

```
>>> average_num_friends(net1)
3.8
>>> average_num_friends(net2)
5.0
>>> average_num_friends(net3)
4.153846153846154
>>> average_num_friends(net4)
19.78
```

8. knows\_everyone(network) (5 points)

```
>>> knows_everyone(net1)
False
>>> knows_everyone(net2)
True
>>> knows_everyone(net3)
False
>>> knows_everyone(net4)
False
```

9. get\_uid(network) (10 points)

```

>>> get_uid(net1)
Enter an integer for a user ID:alsj
That was not an integer. Please try again.
Enter an integer for a user ID:                twenty
That was not an integer. Please try again.
Enter an integer for a user ID:9aslj
That was not an integer. Please try again.
Enter an integer for a user ID:100000
That user ID does not exist. Try again.
Enter an integer for a user ID:4.5
That was not an integer. Please try again.
Enter an integer for a user ID:                -10
That user ID does not exist. Try again.
Enter an integer for a user ID:-1
That user ID does not exist. Try again.
Enter an integer for a user ID:7
7

```

## 1.1 Bonus (20 points)

This assignment offers up to 20% bonus. Thus for a person who obtains a full bonus, Assignment 5 will be worth 4.8% of the final grade. The bonus is available for the maximum of 30-40 students. If there is more candidates for bonus than that I will pick them at random. In the past, whenever I had bonus there was never more than 30-40 candidates, since in order for a student to have a chance to get the bonus all of the following needs to happen:

1. The student's submitted solution for `getCommonFriends(user1, user2, network)` needs to be **correct** and **have a running time**  $O(n_1 + n_2 + \log n)$  where  $n$  is the total number of users in the network,  $n_1$  is the number of friends of `user1` and  $n_2$  is the number of friends of `user2`. In other words,  $n_1 = \text{len}(\text{user1})$ ,  $n_2 = \text{len}(\text{user2})$  and  $n = \text{len}(\text{network})$ . Note that on a typical network  $O(n_1 + n_2 + \log n)$  is **much** better than  $O(n)$  since a network like Facebook has  $n$  roughly 2 billion and the average number of friends per user is 338. Thus the number of operations an  $O(n)$  solution would do, would be in the order of a billion, roughly. While the number of operations an  $O(\text{num\_friends\_user1} + \text{num\_friends\_user2} + \log n)$  solution would do, would be in the order of,  $O(338 + 338 + 21)$ , so thousand operations, roughly. Thus  $O(n)$  solutions will not be accepted for the bonus. To determine the running times of Python's functions on lists you can use this link (although it is not quite correct as it is amortized, which they incorrectly call average, analysis and not the worst case analysis). <https://wiki.python.org/moin/TimeComplexity>

Again **you cannot use sets nor dictionaries nor deque nor bisect module**.

2. The student needs to wait to get her grade for Assignment 5 from TAs. If and only if her grade for `create_network` and `getCommonFriends` functions is 100% that means her solution is correct and thus she is a candidate for bonus.
3. She needs to email the professor with title "Assignment 5 bonus"
4. Finally, when I am computing the final grades of the course, if I see that
  - a. the student emailed me about the bonus **and**
  - b. she got 100% for those two functions **and**
  - c. 20% bonus on A5 would make a difference to the final course grade of the student,
 then I will invite the student for an interview on zoom or in person where she will need to explain her faster solution and the running time analysis of her solution.