

**MANUAL QA
PORTFOLIO PROJECT**

Avianca Flight Booking Engine

Functional testing • Business logic • Guest checkout

Testing focus

Guest flight-booking flow, passenger and age rules, baggage pricing, checkout validation, fare changes, pre-payment totals, and browser-back navigation.

Reference website: <https://www.avianca.com/es>

Independent portfolio exercise based on publicly accessible website behavior and public Help Center material. This is not an internal Avianca QA report and does not imply affiliation with Avianca.

1. Test objective

Execute manual functional and business-logic testing on the Avianca flight-booking engine as a guest user. The focus is to assess whether the booking flow enforces passenger and age constraints, validates required input, updates baggage and fare totals, preserves selected booking data, and presents a consistent purchase summary before payment details are entered.

Testing is black-box and UI-focused: expected and actual behavior are compared from the customer-facing application. Source code and backend implementation were not inspected.

2. Scope

In scope

- Guest user booking flow for a round-trip flight, from search through the pre-payment purchase summary.
- Passenger category selection, infant-to-adult ratio, and age validation at passenger-details entry.
- Required passenger and booking-holder fields, including email format and phone-number input behavior.
- Additional baggage selection and visible reservation-total updates.
- Fare-tier changes and consistency between the quoted booking total and the pre-payment purchase summary.
- Navigation-state behavior when using the browser Back button during checkout.

Out of scope

- Entering payment-card data, submitting payment, or completing a real purchase.
- Authenticated account flows, post-booking servicing, refund execution, online check-in, and loyalty account operations.
- End-to-end testing of third-party hotel, car-rental, activity, or partner websites.
- Source-code review, direct API verification, database checks, load/performance testing, security testing, and accessibility auditing.

3. Transactional modules

The product exploration identified the following transactional or potentially transactional areas. The portfolio execution concentrates on the new-flight guest flow; the other areas are mapped for context but were not covered by the recorded test cases.

Module / area	Portfolio treatment
New flight booking	Primary scope: flight search, passenger selection, fare selection, traveler details, ancillaries, pre-payment summary.
Passenger and booking-holder details	In scope as part of guest checkout validation.
Baggage and ancillary selection	In scope for additional-bag quantity and visible price updates.
Fare selection and purchase summary	In scope for fare-tier recalculation and arithmetic consistency before payment.
Avianca credits and group travel	Identified during product mapping; not covered by the recorded test cases.
Flight offers and destination entry points	Identified during product mapping; not covered by the recorded test cases.
Manage booking, online check-in, Business Class upgrade, changes and refunds	Transactional areas identified but excluded from this execution.
Hotels, cars, activities, book with miles, and partner services	External or partner-linked flows; full third-party behavior is outside this project scope.

Scope principle

Informational modules are not automatically untestable. They can be tested when they expose functional behavior or support a critical journey. For this portfolio, they are lower priority than the booking and checkout paths selected for execution.

4. Requirements source

The public Avianca Help Center and observable website behavior were used to define the test basis. No internal Avianca requirements, acceptance criteria, or technical specifications were available to the tester.

Requirement provenance

The REQ-* statements below are portfolio test requirements drafted from public guidance and product exploration. They are not presented as quotations from Avianca internal business documents. Rules such as the five-additional-bag cap and the exact phone-length validation expectation should be confirmed against the relevant public policy or product requirement before being described as official.

4.1 Avianca Business Requirements & Help Center Rules

Passenger Policies (Traveling with Children)

REQ-PASS-01: An infant passenger (under 24 months of age) cannot be added to a reservation without at least one accompanying adult passenger.

REQ-PASS-02: If an infant passenger reaches the age of 2 before or during the scheduled return-flight date, the ticket must be treated and priced as a Child fare.

REQ-PASS-03: The maximum infant-to-adult ratio on a single booking is 1:1; the total number of infants cannot exceed the total number of adults.

Baggage Policies

REQ-BAG-01: When the quantity of additional baggage changes during checkout, the displayed reservation subtotal should update dynamically. The underlying API call was not verified.

REQ-BAG-02: The booking UI should restrict a passenger to a maximum of five additional checked bags and prevent further additions once the threshold is reached. Confirm the five-bag policy against the applicable official baggage rule.

Input Validation & Data Integrity

REQ-VAL-01: To advance past the Travelers step, mandatory Passenger Info fields (Name, Last Name, Date of Birth, Nationality) and Booking Holder Info fields (Phone Number, Email, Confirm Email) must be populated.

REQ-VAL-02: The system should validate Date of Birth against the selected passenger category (Adult, Child, Infant) and block progression with an inline error when the age is outside the category range.

REQ-VAL-03: The Booking Holder email fields should validate email syntax, including an @ symbol and a valid domain, before form submission is permitted.

Pricing Integrity & Checkout Logic

REQ-FARE-01: Changing between fare tiers (for example, Classic and Flex) should dynamically recalculate the total cart price without a full page reload. The implementation mechanism was not inspected.

REQ-FARE-02: The final pre-payment purchase summary should equal the sum of ticket fares, applicable taxes and fees, and selected ancillary services carried forward from previous steps.

Avianca Help Center (English)

<https://ayuda.avianca.com/hc/en-us>

The source notes refer to the Help Center topics for traveling with children and baggage. Exact article titles, individual article URLs, and retrieval dates were not recorded in the supplied notes.

5. Test environment

Attribute	Recorded details
Application	Avianca public website and the guest flight-booking flow.
Operating system	Windows; several test records specify Windows 11. The exact Windows version was not recorded consistently for every case.
Browser	Google Chrome v154.0.8037.93, Official Build, 64-bit.
User state	Guest / unauthenticated booking flow.
Test approach	Manual black-box functional and business-logic testing; browser UI observation.
Payment boundary	The purchase summary was inspected before entering payment details; no payment was submitted.
Execution date	Not consistently recorded in the original test notes.

6. Sources / requirements used

Source / basis	How it was used	Limitations
Avianca Help Center (English)	Reference for passenger age / infant rules and baggage guidance.	Exact child-article URLs and retrieval dates were not recorded.
Avianca public booking flow	Observed passenger controls, date selection, field validation, price updates, fare tiers, purchase summary, and navigation behavior.	Behavior may vary by route, date, fare availability, locale, or later site changes.
Portfolio-authored REQ-* statements	Converted intended behavior into testable expectations and linked it to scenarios/cases.	Not internal Avianca specifications; some rules require official confirmation.
Exploratory observations	Captured behavior outside the scripted test cases and identified navigation/input issues.	Observations should be reproduced and supported by evidence before treating every assumption as a confirmed requirement.

7. Feature map

High-level product map created during exploration. It captures major customer journeys rather than listing every informational page.

Area	Observed functionality	Status in this portfolio
Reservar → New flight	Search flights, select route and dates, choose passengers and fare options, enter traveler details, select ancillary services, review pre-payment total.	Tested; primary scope.
Avianca credits	Credits may be applied partially or fully to eligible tickets/services.	Mapped; not tested.
Group travel	Quote/information path for larger parties; the regular passenger control showed a limit of 9.	Mapped; exploratory observation only.
Offers / destinations	Promotions and available destinations can act as entry points to bookings.	Mapped; not tested.

Area	Observed functionality	Status in this portfolio
My booking / services	Manage booking, online check-in, Business Class upgrade, changes and refunds.	Mapped; not tested.
Prepare for your trip	Travel documents, baggage information, flight status and Avianca app entry point.	Used as possible public information sources; not functionally tested here.
Accessibility & assistance	Information on travel with children/babies, passengers with disabilities, and pets.	Public information used to inform the test basis; pages not comprehensively tested.
Avianca experience	Information about fare products, seats, food and connectivity.	Mapped; not tested.
Partner / external links	Hotels, car rentals, activities, book with miles, and partner services.	Third-party journey excluded; external-link behavior itself was not tested in this project.

8. Test scenarios

Ten scenarios were defined for the guest booking flow. IDs are retained as recorded in the source material.

Scenario ID	Area	Scenario	Requirement
TS-PASS-01	Passenger policies	Verify that the system blocks the booking flow if an infant (under 24 months) is added without at least one accompanying adult passenger.	REQ-PASS-01
TS-PASS-02	Passenger policies	Verify that a passenger who is selected as an infant but turns 2 before or during the return date is treated and priced as a Child fare.	REQ-PASS-02
TS-PASS-03	Passenger policies	Verify that the total number of infants cannot exceed the total number of adults on one booking.	REQ-PASS-03
TS-BAG-01	Baggage & ancillary fees	Verify that selecting an extra checked bag dynamically updates the displayed trip subtotal.	REQ-BAG-01
TS-BAG-02	Baggage & ancillary fees	Verify that the UI prevents selection beyond the stated maximum of five additional bags per passenger.	REQ-BAG-02
TS-VAL-01	Input validation	Verify that leaving required passenger and booking-holder fields empty triggers validation errors and blocks progress.	REQ-VAL-01
TS-VAL-02	Input validation	Verify that a Date of Birth inconsistent with the selected passenger category triggers field-level validation.	REQ-VAL-02
TS-VAL-03	Input validation	Verify that malformed booking-holder email input is rejected and blocks progression.	REQ-VAL-03
TS-FARE-01	Pricing integrity	Verify that switching fare tiers updates the total booking price without a full page refresh.	REQ-FARE-01
TS-FARE-02	Pricing integrity	Verify that the pre-payment purchase summary equals the sum of tickets, taxes/fees and selected ancillary services.	REQ-FARE-02

Traceability caveat — TS-PASS-02

The scenario states that the fare should be automatically reclassified and repriced as Child. The recorded case TC-PASS-02-01 instead expects an inline validation error and blocked progression. Its recorded PASS therefore confirms that error-handling behavior, not automatic reclassification. See the final summary for follow-up.

9. Test cases

The following cases were recorded as executed. Duplicate content for TC-BAG-02-01 in the source document has been consolidated into one case.

TC-PASS-01-01 | Verify minimum adult passenger requirement when selecting an infant

Linked scenario: TS-PASS-01 — Infant passenger requires an accompanying adult

Description: Verify that the system prevents selecting an infant passenger without at least one accompanying adult.

Preconditions: User is on the Avianca flight-booking module as a guest.

Environment: Windows; Chrome v154.0.8037.93 (Official Build, 64-bit).

Test steps

1. Select Round trip flight mode.
2. In Origin, enter San Jose and select San Jose, Costa Rica (SJO) — Juan Santamaria Airport.
3. In Destination, enter Panama and select Panama City, Panama (PTY).
4. Select a valid departure date and return date.
5. Open the Passengers dropdown.
6. Attempt to reduce the adult count to 0 and increment Infants to 1.
7. Click Confirm / Search.

Expected result: The system enforces the adult-to-infant rule by preventing the user from removing the minimum one-adult count while an infant is selected.

Actual result: The system retains 1 adult by default and disables reducing the adult count below 1 when an infant is added.

Status: PASS

TC-PASS-02-01 | Verify age validation when an infant turns 2 during the trip

Linked scenario: TS-PASS-02 — Infant turns 2 by the return date

Description: Verify the recorded behavior when the infant Date of Birth means the passenger reaches age 2 before or during the return journey.

Preconditions: User is on the Avianca flight-booking module as a guest.

Environment: Windows; Chrome v154.0.8037.93 (Official Build, 64-bit).

Test steps

1. Select Round trip flight mode.
2. Set Origin to San Jose, Costa Rica (SJO), and Destination to Panama City, Panama (PTY).
3. Select departure 10/10/2026 and return 10/13/2026.
4. Open Passengers and add 1 Infant.
5. Select outbound and return flights under the Classic fare tier.
6. Proceed to passenger details and enter valid adult information.
7. Enter the infant Date of Birth as 10/11/2024 (the passenger turns 2 during the trip).

Expected result: The recorded test case expected a field-level message, “The date of birth does not match the infant fare,” and blocked progression until the ticket category is updated to Child.

Actual result: The same field-level message appears below the infant Date of Birth field and blocks submission.

Status: PASS

QA note

This case does not prove the scenario requirement of automatic Child-fare reclassification and repricing. If automatic conversion remains the intended expected behavior, create and execute a separate case for fare category and price after the return-date age boundary.

TC-PASS-03-01 | Verify that the number of infants does not exceed the number of adults

Linked scenario: TS-PASS-03 — Infant-to-adult ratio

Description: Verify that the UI prevents the user from selecting more infants than adults in a single booking.

Preconditions: User is on the Avianca flight-booking module as a guest.

Environment: Windows; Chrome v154.0.8037.93 (Official Build, 64-bit).

Test steps

1. Open the Passengers dropdown in the flight search bar.
2. Verify that the Adults counter is set to 1.
3. Observe the initial state of the plus (+) control for Infants.
4. Click the plus (+) control to add 1 infant.
5. Observe the state of the infant plus (+) control after the first infant is added.

Expected result: Once 1 adult and 1 infant are selected, the infant plus (+) control becomes disabled or otherwise prevents adding a second infant.

Actual result: The infant plus (+) control is enabled initially and becomes disabled after 1 infant is added while 1 adult is selected.

Status: PASS

TC-BAG-01-01 | Verify that adding extra baggage updates the reservation price

Linked scenario: TS-BAG-01 — Dynamic baggage price update

Description: Verify that selecting an additional checked bag updates the total trip price in the UI by the displayed fee.

Preconditions: User can progress through the guest booking flow to the Additional baggage step.

Environment: Windows 11; Chrome v154.0.8037.93 (Official Build, 64-bit).

Test steps

1. Select a valid origin, destination, and departure/return dates for 1 adult, then click Search.
2. Select outbound and return flights under the Classic fare tier.
3. Complete all mandatory Passenger Information and Booking Holder fields.
4. Continue to the Additional baggage selection step.
5. Record the initial Total of your reservation amount (recorded example: USD 358.66).
6. Click the plus (+) control for the extra-bag option (recorded fee: USD 110.00).
7. Verify the updated Total of your reservation amount.

Expected result: The displayed reservation total updates to equal the initial total plus the extra-bag fee (recorded example: USD 358.66 + USD 110.00 = USD 468.66).

Actual result: The bag is added and the displayed total changes from USD 358.66 to USD 468.66.

Status: PASS

TC-BAG-02-01 | Verify the additional-baggage limit disables the add control at five pieces

Linked scenario: TS-BAG-02 — Maximum additional baggage quantity

Description: Verify that the system restricts a passenger from adding more than five extra bags and recalculates the visible reservation total.

Preconditions: User is on the guest booking flow and can reach the Additional baggage selection step.

Environment: Windows 11; Chrome v154.0.8037.93 (Official Build, 64-bit).

Priority: P2 — Medium (as recorded)

Test steps

1. Select a valid origin, destination, and travel dates for 1 adult.
2. Click Search and select outbound and return flights under the Classic fare tier.
3. Complete all mandatory Passenger Information and Booking Holder fields.
4. Continue to the Additional baggage selection step.
5. Click the extra-bag plus (+) control five times.
6. Attempt to click the plus (+) control a sixth time.
7. Verify the control state and the Total of your reservation price.

Expected result: After five additional bags are selected, the plus (+) control is disabled and the displayed total reflects the base fare plus the cost of all five additional bags.

Actual result: The plus (+) control becomes gray and unclickable after five bags. The displayed total updates to include all five.

Status: PASS

QA note

The five-bag threshold is retained from the original test notes. Confirm the rule against the applicable official baggage policy before presenting it as an official Avianca requirement.

TC-VAL-01-01 | Verify required-field errors block progression when mandatory fields are blank

Linked scenario: TS-VAL-01 — Required fields

Description: Verify that required passenger and booking-holder fields display validation messages and prevent advancement when left empty.

Preconditions: User is on the Avianca guest booking flow and has selected a round trip for 1 adult.

Environment: Windows 11; Chrome v154.0.8037.93 (Official Build, 64-bit).

Test steps

1. Select origin, destination, valid travel dates, and 1 adult.
2. Select outbound and return flights under the Classic fare tier to reach Step 2 (Travelers).
3. Leave Passenger Info fields blank: Name, Last Name, Date of Birth, Nationality.
4. Leave Booking Holder Info fields blank: Phone Number, Email, Confirm Email.
5. Click Continue.

Expected result: Navigation is blocked, and inline “Required field” messages appear beneath all mandatory fields in the Passenger Info and Booking Holder Info sections.

Actual result: Red “Required field” messages appear beneath the empty mandatory fields, and the form prevents advancement.

Status: PASS

TC-VAL-02-01 | Verify age validation when an adult birth date is entered for a Child passenger

Linked scenario: TS-VAL-02 — Date of Birth vs. passenger category

Description: Verify that a Date of Birth outside the allowable Child age range triggers a field-level validation error and blocks progression.

Preconditions: User is on the Avianca guest booking flow.

Environment: Windows 11; Chrome v154.0.8037.93 (Official Build, 64-bit).

Priority: P1 — High (as recorded)

Test steps

1. Select origin and destination.
2. Select valid departure and return dates.
3. Open the passengers dropdown, select 1 Child, and click Search.
4. Select outbound and return flights under the Economy class (Classic package).
5. Complete the mandatory fields for the Adult passenger.
6. In the Child passenger section, enter 03/04/1990 in Date of Birth.
7. Click outside the field or attempt to continue to trigger validation.

Expected result: The system displays an inline error stating, “The date of birth does not match the child fare.”

Actual result: The system detects the age discrepancy and displays “The date of birth does not match the child fare.”

Status: PASS

QA note

The recorded date 03/04/1990 is retained. The source notes do not specify whether the date format is MM/DD/YYYY or DD/MM/YYYY; state the format explicitly in future executions.

TC-VAL-03-01 | Verify email-format validation rejects malformed booking-holder input

Linked scenario: TS-VAL-03 — Booking-holder email syntax

Description: Verify that malformed email input in the Booking Holder section triggers a field-level error and prevents progression.

Preconditions: User is on the Avianca guest booking flow.

Environment: Windows 11; Chrome v154.0.8037.93 (Official Build, 64-bit).

Priority: P1 — High (as recorded)

Test steps

1. Select origin and destination.
2. Select valid departure and return dates.
3. Open the passengers dropdown, select 1 Adult and 1 Child, and click Search.
4. Select outbound and return flights under the Economy class (Classic package).
5. Complete the mandatory personal details for the Adult and Child passengers.
6. Navigate to the Booking Holder section.
7. Enter malformed text in the email field, such as testemail.com or testuser@domain.
8. Click outside the field or attempt to click Continue.

Expected result: The system displays an inline email-format error and prevents progression to the next step.

Actual result: The system rejects the input and displays the inline message “Please enter a valid email.”

Status: PASS

TC-FARE-01-01 | Verify the cart total updates when switching from Classic to Flex

Linked scenario: TS-FARE-01 — Fare-tier recalculation

Description: Verify that changing fare tiers for both outbound and inbound flights dynamically recalculates the total without a page reload.

Preconditions: User is on the Avianca guest booking flow.

Environment: Windows 11; Chrome v154.0.8037.93 (Official Build, 64-bit).

Priority: P1 — High (as recorded)

Test steps

1. Select origin San Jose, Costa Rica, and destination Panama City.
2. Select a round trip with departure Thursday, 22 October 2026, and a valid return date.
3. Select 1 Adult and 1 Child, then click Search.
4. Select outbound and return flights under Economy, choosing Classic for both legs.
5. Record the “Your total booking” amount (recorded example: USD 655.22).
6. Switch both selected fare packages from Classic to Flex.
7. Observe the updated “Your total booking” amount.

Expected result: The total recalculates dynamically without a full page refresh and reflects the higher Flex fare for both flight legs.

Actual result: The displayed total updates without a refresh, from USD 655.22 to USD 876.52 when Flex is selected.

Status: PASS

TC-FARE-02-01 | Verify the purchase summary equals the itemized ticket, tax, and fee total

Linked scenario: TS-FARE-02 — Pre-payment purchase-summary arithmetic

Description: Verify that the final pre-payment summary matches the itemized amounts and remains consistent with the total shown during flight selection.

Preconditions: User is on the Avianca guest booking flow and can reach the payment screen without entering payment details.

Environment: Windows 11; Chrome v154.0.8037.93 (Official Build, 64-bit).

Priority: P0 — Critical (as recorded)

Test steps

1. Select origin San Jose, Costa Rica, and destination Panama City.
2. Select a valid round trip; the recorded example uses 22 October 2026 for departure.
3. Select 1 Adult and 1 Child, then click Search.
4. Select outbound and return flights under Economy with Classic for both legs.
5. Record the initial “Your total booking” amount (USD 655.22).
6. Complete all mandatory Adult, Child, and Booking Holder information.
7. Continue through optional ancillary screens without adding baggage or seat upgrades.
8. Click Go to payment.
9. Review the itemized Purchase summary before entering payment details.

Expected result: The sum of Tickets + Taxes/Fees + Service Charges equals the final displayed total, and the final total matches the quoted USD 655.22.

Actual result: Ticket(s): USD 417.00; Taxes, fees and charges: USD 238.22; Service charges: USD 0.00. Total: USD 655.22, matching the initial quote.

Status: PASS

10. Execution results

The table below summarizes the status recorded for each scripted test case in the supplied notes. A PASS means the actual behavior matched that individual case’s expected result; it does not automatically prove that every related scenario or portfolio-authored requirement is fully covered.

Test case ID	Scenario ID	Recorded result	Priority
TC-PASS-01-01	TS-PASS-01	PASS	—
TC-PASS-02-01	TS-PASS-02	PASS	—

Test case ID	Scenario ID	Recorded result	Priority
TC-PASS-03-01	TS-PASS-03	PASS	—
TC-BAG-01-01	TS-BAG-01	PASS	—
TC-BAG-02-01	TS-BAG-02	PASS	P2 — Medium (as recorded)
TC-VAL-01-01	TS-VAL-01	PASS	—
TC-VAL-02-01	TS-VAL-02	PASS	P1 — High (as recorded)
TC-VAL-03-01	TS-VAL-03	PASS	P1 — High (as recorded)
TC-FARE-01-01	TS-FARE-01	PASS	P1 — High (as recorded)
TC-FARE-02-01	TS-FARE-02	PASS	P0 — Critical (as recorded)

Result metric	Recorded count / detail
Executed scripted test cases	10
PASS statuses recorded	10
FAIL statuses recorded	0
Defects documented separately	3
Scenario coverage caveat	TS-PASS-02 / TC-PASS-02-01 expected behavior is not aligned; automatic Child-fare repricing is not demonstrated by the recorded case.

11. Defects discovered

Three defects or suspected defects were recorded during testing. Severity, priority, and reproduction-rate values below are retained from the tester's source notes; where the source is internally inconsistent or the requirement basis needs confirmation, this is called out explicitly.

BUG-UI-01 | Intermittent blank page in Trip Summary after browser Back from Travelers

Module: Checkout / Navigation State

Severity: P1 — High (breaks the primary checkout funnel; as recorded)

Priority: Low (as recorded; severity/priority pairing should be reviewed during triage)

Reproduction rate: Reported as 3/3 attempts (100% in that sample), although the source also labels the issue intermittent; reproduce rate needs reconfirmation.

Environment: Windows; Chrome v154.0.8037.93 (Official Build, 64-bit).

Preconditions: A booking with 1 Adult and 1 Infant has been initiated, and the user is on the Travelers details form (Step 2).

Steps to reproduce

1. On the Travelers page, trigger the infant-fare Date of Birth validation error.
2. Click the browser's native Back arrow to return to Trip Summary (Step 1) to edit travel dates.

Expected result: Trip Summary loads correctly, shows the previously selected flights, and allows the user to modify the itinerary.

Actual result: The application sometimes shows a blank white area beneath the Trip Summary header. The USD 397.12 total and Continue button remain visible, but the Step 1 indicator is unclickable and the user is trapped on a broken screen.

Notes / evidence: A source note hypothesizes possible state/cache desynchronization between /av/booking/travelers and /av/booking/trip; this is unconfirmed and should not be reported as a proven root cause. Screenshots E-1 and E-2 are included in Section 12. Status was not recorded in the source.

BUG-UI-02 | Passenger details accordion becomes unresponsive after navigating back from payment

Module: Checkout / Passenger Information

Severity: P2 — Medium (blocks passenger data modification; as recorded)

Reproduction rate: 100% (2/2 attempts, as recorded).

Environment: Windows; Chrome v154.0.8037.93 (Official Build, 64-bit).

Status: NEW (as recorded)

Preconditions: A booking with 1 Adult has been initiated; Passenger Information and Booking Holder forms are completed; the user has advanced past Step 2.

Steps to reproduce

1. Select origin, destination, travel dates, and flights for 1 Adult.
2. Enter valid data for Adult 1 and Booking Holder.
3. Click Continue to advance toward payment.
4. Use the browser's native Back button to return to previous steps.
5. Click "Back to personal details" to load Passenger Information (Step 2).
6. Click the dropdown arrow on the Adult 1 accordion to edit passenger information.

Expected result: The Adult 1 accordion expands so the user can edit Gender, Name, Last Name, Date of Birth, and Nationality.

Actual result: The Adult 1 accordion does not expand when clicked. The Booking Holder accordion remains functional, but passenger details cannot be edited unless the user restarts the booking process.

Notes / evidence: The source references a screen recording showing the unresponsive click events. Attach the video separately if it is not included with the final portfolio package.

BUG-VAL-03 | Phone-number field accepts 10 digits with Costa Rica (+506) selected

Module: Checkout / Booking Holder Information

Severity: P3 — Medium (as recorded; confirm the project's severity scale)

Reproduction rate: 100% (as recorded).

Environment: Windows 11; Chrome v154.0.8037.93 (Official Build, 64-bit).

Status: NEW (as recorded)

Preconditions: User is on Step 2 (Travelers) in the guest flight-booking flow.

Steps to reproduce

1. Navigate to Booking Holder Info.
2. Select Costa Rica (+506) from the prefix dropdown.
3. Enter a 10-digit phone number (example recorded: 8326030099).
4. Complete all remaining mandatory fields with valid data.
5. Click Continue.


Expected result: Based on the test author's stated rule, the field should enforce an eight-digit Costa Rican national number, display an inline validation error, and block progression.

Actual result: The field accepts 10 digits and allows the flow to advance with that input.


Notes / evidence: The eight-digit expectation comes from the original test notes. Confirm that Avianca requires country-specific length validation and that the field is intended to accept only a national number before classifying this as a confirmed defect.

12. Evidence

Two screenshots were embedded in the source document. They show the blank Trip Summary content area associated with BUG-UI-01. The referenced screen recording for BUG-UI-02 should be attached separately if available.



Evidence E-1. Trip Summary content area appears blank after browser navigation; route SJO–PTY, 10 Oct–13 Oct, 1 Adult.



Evidence E-2. Trip Summary content area appears blank while the total (USD 397.12) and Continue button remain visible; route SJO–PTY, 10 Oct–13 Oct, 1 Adult and 1 Infant.

Additional evidence to attach

Screen recording referenced in BUG-UI-02 notes (unresponsive Adult 1 accordion). The video was not present as an embedded media file in the supplied DOCX.

13. Exploratory testing notes

These observations were recorded during open-ended product exploration. They are not all represented by dedicated scripted test cases and should be labeled exploratory until formal expected behavior is confirmed.

Booking date horizon

Attempted to select a travel date more than one year in the future. The booking UI did not allow that selection. The exact boundary date and displayed message were not recorded; create a dedicated boundary test if this rule remains in scope.

Passenger quantity and category interactions

The regular passenger selector stopped at 9 passengers and displayed guidance to use Group Travel for more than 9 people. When 9 Adults were selected, the UI reportedly prevented adding other passenger categories except Infants. This interaction was observed but was not validated against a documented rule in the source notes.

Browser Back / checkout state

Using the browser Back button after reaching the payment screen could return the user to seat selection and make it difficult to return to passenger details. The source notes state that a related navigation issue occurred several times. See BUG-UI-01 and BUG-UI-02.

Potential follow-up tests

- Create a dedicated date-boundary case around the maximum booking horizon, with exact boundary dates and observed validation behavior.
- Test the passenger counter at 9 and 10 passengers, including whether the Group Travel route is clear and preserves the user's intent.
- Clarify passenger-category combinations when the adult count reaches its limit.
- Test the infant second-birthday boundary and separately verify fare classification, repricing, error handling, and ability to proceed.
- Verify price updates across several baggage quantities and fare tiers; the current UI tests do not confirm which backend/API mechanism is used.
- Confirm the official country-specific phone-number validation rule before treating the 10-digit input as a defect.

14. Final test summary

The recorded execution covers 10 scripted test cases across passenger policy, baggage pricing, input validation, fare selection, and pre-payment purchase-summary arithmetic. All 10 cases are marked PASS in the supplied notes. Three defects were also documented, including two checkout-navigation issues and one phone-number validation issue requiring confirmation of the expected rule.

Summary item	Result
--------------	--------

Summary item	Result
Scripted cases recorded	10
PASS	10
FAIL	0 recorded
Defects logged	3: BUG-UI-01, BUG-UI-02, BUG-VAL-03
Highest recorded defect severity	P1 — BUG-UI-01 (as recorded)
Evidence included	2 screenshots; one additional screen recording is referenced but not embedded.

Conclusions and follow-up before external sharing

- Resolve the TS-PASS-02 / TC-PASS-02-01 expectation mismatch so the case verifies automatic Child-fare reclassification and repricing, or revise the scenario to match the intended validation behavior.
- Keep the REQ-* statements clearly labeled as portfolio-derived test requirements unless official public policy evidence is linked to each rule.
- Confirm the five-additional-bag cap and country-specific phone-length expectation from authoritative product documentation.
- Review BUG-UI-01 severity versus priority and reconcile its “intermittent” label with the recorded 3/3 reproduction sample.
- Attach the BUG-UI-02 screen recording if available, and capture exact execution date, OS version, and test data in future test runs.

Portfolio positioning

This project demonstrates a manual QA workflow: product mapping, test-basis definition, scenario design, test-case execution, expected-versus-actual comparison, exploratory observations, defect reporting, and evidence capture. The requirement-source limitations and follow-up items are documented deliberately so the report does not overstate what was verified.