Elite Journal of HIV. Volume 2 issue 1(2024), Pp. 31-50
https://epjournals.com/journals/EJHIV

Synergistic Effects of Blood Transfusion and HIV in Children Under 5 Years with Severe Malaria: A Review

*Emmanuel Ifeanyi Obeagu[1], Arinze Favour Anyiam [2] and Getrude Uzoma Obeagu[3]

[1]Department of Medical Laboratory Science, Kampala International University, Ishaka, Uganda.
[2]Department of Medical Laboratory Science, School of Basic Medical and Health Sciences, Igbinedion University, Okada, Edo State, Nigeria.
School of Nursing Science, Kampala International University, Ishaka, Uganda.

*Corresponding authour: Emmanuel Ifeanyi Obeagu, Department of Medical Laboratory Science, Kampala International University, Uganda.

E-mail: emmanuelobeagu@yahoo.com, obeagu.emmanuel@kiu.ac.ug, 0000-0002-4538-0161

Abstract

Severe malaria remains a major global health concern, particularly in children under the age of 5. The co-occurrence of Human Immunodeficiency Virus (HIV) adds a layer of complexity to the clinical landscape, often necessitating blood transfusions as a critical intervention. This comprehensive review explores the synergistic effects of blood transfusion and HIV in the context of severe malaria in children under 5. We delve into the intricate interplay of these factors, examining their impact on anemia, immune modulation, and overall clinical outcomes. The review synthesizes current knowledge, addressing diagnostic challenges, treatment considerations, and the implications for pediatric care. Through an exploration of the synergistic effects, this article aims to provide insights that contribute to improved management strategies and enhanced outcomes for this vulnerable population.

Keywords*: Blood transfusion, HIV, Severe Malaria, Children, Pediatric, Synergistic Effects, Co-infection, Anemia, Immunomodulation*

Introduction

Severe malaria and Human Immunodeficiency Virus (HIV) co-infection continue to pose significant challenges to pediatric healthcare, particularly in children under the age of 5. The convergence of these two formidable health burdens amplifies the complexity of clinical management, often necessitating blood transfusions as a critical intervention.[1-8] Severe malaria remains a leading cause of morbidity and mortality in children under 5 years old, especially in malaria-endemic regions. The disease manifests with a spectrum of clinical presentations, ranging

Citation: Obeagu EI, Anyiam AF, Obeagu GU. Synergistic Effects of Blood Transfusion and HIV in Children Under 5 Years with Severe Malaria: A Review. Elite Journal of HIV, 2024; 2(1): 31-50

from severe anemia to cerebral malaria, necessitating prompt and targeted interventions.[9-17] The co-occurrence of HIV adds a layer of complexity to the clinical landscape of pediatric malaria. Understanding the prevalence of HIV in malaria-endemic regions is crucial for tailoring interventions and addressing the unique challenges posed by the convergence of these two infectious diseases.[18-30]

The clinical challenges associated with the co-infection of severe malaria and HIV in children under 5 include diagnostic difficulties due to overlapping symptoms, potential immunomodulatory effects of HIV, and the increased risk of severe anemia. These challenges necessitate a nuanced and multidisciplinary approach to patient care.[31-39] Severe malaria-related anemia often requires blood transfusions, especially in pediatric cases where rapid correction of hemoglobin levels is critical. Understanding the indications, challenges, and potential synergistic effects of blood transfusion and HIV co-infection is essential for optimizing clinical outcomes.[40-49] The immunomodulatory effects of HIV in the context of severe malaria impact the immune response, parasite clearance, and susceptibility to opportunistic infections. These effects contribute to the intricate dynamics of the co-infection, influencing disease progression and treatment responses.[50-55]

Given the complex interplay of severe malaria, HIV, and the potential synergistic effects of blood transfusion, a comprehensive review is warranted. This review aims to synthesize existing knowledge, address diagnostic and treatment challenges, and provide insights that can guide clinicians and researchers in the effective management of this unique clinical scenario.[56-59] The primary objectives of this review are to explore the synergistic effects of blood transfusion and HIV in the context of severe malaria in children under 5. Specific goals include understanding the impact on anemia, immune modulation, diagnostic challenges, and treatment considerations.

Severe Malaria in Children Under 5 years

Malaria remains a significant global health threat, particularly affecting children under the age of 5. Severe malaria in this vulnerable population is a major cause of morbidity and mortality, necessitating focused attention and interventions. Severe malaria continues to exert a disproportionate burden on children under the age of 5, particularly in malaria-endemic regions. Understanding the geographical distribution, prevalence, and risk factors is essential for tailoring preventive measures and healthcare interventions.[61] Severe malaria in children under 5 is characterized by a diverse range of clinical manifestations, reflecting the multi-organ involvement of the Plasmodium parasite. Common presentations include severe anemia, cerebral malaria, respiratory distress, and metabolic complications. Recognizing these clinical signs is crucial for early diagnosis and intervention. The pathophysiology of severe malaria involves intricate interactions between the Plasmodium parasite, the host immune system, and various organ systems. Microvascular sequestration, dysregulation of the inflammatory response, and the formation of cytoadherent infected erythrocytes contribute to the severity of the disease.

Severe anemia is a hallmark manifestation of pediatric malaria, significantly contributing to morbidity and mortality. Understanding the mechanisms of malarial hemolysis, bone marrow suppression, and the impact on red blood cell homeostasis is crucial for targeted interventions.[61] Cerebral malaria poses a particularly high risk in pediatric cases, leading to neurological complications and long-term sequelae. Exploring the pathophysiology, clinical features, and challenges in the diagnosis and management of cerebral malaria is essential for improving outcomes in this subgroup. Severe malaria can manifest with respiratory distress, metabolic acidosis, and other complications that further escalate the severity of the disease. Understanding the mechanisms underlying these complications is vital for early recognition and appropriate management. Diagnosing severe malaria in children under 5 presents unique challenges, including the overlap of symptoms with other febrile illnesses and limitations in diagnostic tools. Exploring the current diagnostic landscape and potential advancements is crucial for accurate and timely identification of severe cases. The management of severe malaria in pediatric populations involves a combination of antimalarial drugs, supportive care, and interventions to address specific complications. Examining current treatment guidelines and challenges in implementation contributes to optimizing care for children under 5. Exploring preventive measures, including insecticide-treated bed nets, antimalarial chemoprophylaxis, and ongoing research on malaria vaccines, is integral to reducing the incidence of severe malaria in children under 5.

HIV Prevalence in Pediatric Malaria

The co-occurrence of Human Immunodeficiency Virus (HIV) and malaria in pediatric populations adds a layer of complexity to the clinical landscape. Pediatric populations, especially those under 5, face a higher risk of malaria-associated morbidity and mortality. In regions where both malaria and HIV are prevalent, the intersection of these two diseases amplifies the challenges in healthcare delivery and underscores the need for targeted interventions. The prevalence of both HIV and malaria varies significantly across different regions, with some areas experiencing high co-endemicity. Understanding these regional variations is crucial for tailoring healthcare policies, interventions, and resource allocation to address the unique challenges posed by the co-occurrence of these infectious diseases. HIV can influence the severity of malaria in pediatric populations. Immune suppression resulting from HIV infection may compromise the ability to mount an effective response against the Plasmodium parasite, potentially leading to more severe manifestations of malaria in co-infected individuals.[62-79]

Certain factors contribute to the increased risk of HIV-malaria co-infection in children under the age of 5. These may include maternal HIV status, vertical transmission, socioeconomic factors, and geographical considerations. Identifying these risk factors is essential for targeted screening and intervention strategies. The immunological interactions between HIV and malaria are

complex. HIV-induced immunosuppression can impact the immune response to malaria, altering the dynamics of parasite clearance and potentially influencing the course of the disease. Understanding these interactions is critical for optimizing clinical management. Diagnosing both HIV and malaria in pediatric populations poses challenges, and these challenges are exacerbated when dealing with co-infections. The overlapping clinical symptoms, limitations in diagnostic tools, and the potential for misdiagnosis underscore the importance of comprehensive screening protocols. The presence of HIV can influence the choice of antimalarial drugs and treatment regimens in co-infected children. Additionally, considerations for potential drug interactions, adherence to treatment, and the impact on HIV disease progression require a nuanced approach to clinical management. Preventive measures, such as insecticide-treated bed nets and antimalarial chemoprophylaxis, are essential in malaria-endemic regions. Integrating HIV prevention strategies, including prevention of mother-to-child transmission (PMTCT) programs, contributes to reducing the risk of co-infection in children. The co-occurrence of HIV and malaria in early childhood can have long-term implications for health and development. Exploring the potential impact on cognitive function, growth, and overall well-being provides insights into the broader consequences of this dual burden.[80-91]

Anemia in Pediatric Malaria

Severe malaria, particularly in pediatric populations, is often intricately linked to the development of anemia, posing additional challenges to healthcare providers. Malarial anemia in children under 5 arises from a complex interplay of factors. The Plasmodium parasite's life cycle involves the destruction of red blood cells, leading to hemolysis. Additionally, the sequestration of infected red blood cells in the microvasculature and dysregulation of immune responses contribute to the pathophysiology of anemia. Anemia in pediatric malaria can manifest with varying degrees of severity. Clinical presentations may include pallor, fatigue, weakness, and, in severe cases, respiratory distress. The severity of anemia often correlates with the intensity of malaria parasitemia and the duration of the infection. Various factors contribute to the development of anemia in pediatric malaria.[93] These may include the age of the child, nutritional status, hemoglobinopathies, and co-infections. Understanding these contributing factors is crucial for tailoring interventions to address the specific needs of each child. Anemia can have profound implications for the overall health of children under 5 with malaria. It may exacerbate existing symptoms, compromise cognitive development, and increase susceptibility to other infections. Exploring the broader impact of anemia on pediatric health provides insights into the need for comprehensive management strategies.

Diagnosing anemia in pediatric malaria involves assessing hemoglobin levels and other hematological parameters. However, the presence of concomitant infections, such as HIV, and nutritional deficiencies can complicate the diagnostic process. A thorough evaluation is essential for accurate diagnosis and tailored interventions. Managing anemia in pediatric malaria requires a multifaceted approach. Antimalarial treatment to eliminate the causative Plasmodium species is paramount. Additionally, supportive measures, such as blood transfusions and nutritional

supplementation, play a crucial role in restoring hemoglobin levels and promoting recovery. Understanding the dynamics of iron metabolism in the context of malarial anemia is essential. While iron supplementation may be beneficial in certain cases, considerations for the risk of iron overload and potential exacerbation of malaria-related complications require a nuanced approach. Preventing malarial anemia in children under 5 involves a combination of malaria prevention strategies, nutritional interventions, and public health measures. Insecticide-treated bed nets, antimalarial chemoprophylaxis, and micronutrient supplementation contribute to reducing the incidence and severity of anemia.[93-100]

Blood Transfusion as a Therapeutic Intervention

In the context of severe malaria-associated anemia in children under 5, blood transfusion emerges as a critical therapeutic intervention. Blood transfusion is indicated in cases of severe malaria-associated anemia where hemoglobin levels fall dangerously low, posing an immediate threat to the child's life. Indications include profound anemia, respiratory distress, and signs of organ failure. Timely and judicious transfusions aim to restore hemoglobin levels and alleviate symptoms. Implementing blood transfusions in pediatric populations with severe malaria poses unique challenges. Limited blood availability, compatibility issues, and the risk of transfusion-transmitted infections require careful consideration. The challenges are compounded in resource-limited settings, emphasizing the need for effective strategies to overcome these hurdles.[101] Ensuring the safety of blood transfusions involves rigorous screening for transfusion-transmitted infections, including HIV, hepatitis B and C, and syphilis. In regions with a high prevalence of these infections, additional measures are essential to minimize the risk of transmission and safeguard the health of recipients. Ensuring compatibility between donor blood and the recipient is fundamental in preventing transfusion reactions. In children with severe malaria, where rapid transfusions may be necessary, protocols for swift but accurate crossmatching are crucial to optimize transfusion outcomes and minimize complications.[102]

Blood transfusions can have immunomodulatory effects, influencing the recipient's immune response. In the context of pediatric malaria, where the immune system is already compromised, understanding how transfusions may impact the child's ability to combat the Plasmodium parasite and recover from infection is vital.

Blood transfusions involve ethical considerations, especially in pediatric populations. Informed consent, respecting cultural beliefs, and involving parents or guardians in the decision-making process are paramount. Transparent communication about the risks and benefits of transfusion contributes to an ethically sound approach to care. Continuous monitoring of the child post-transfusion is essential to promptly recognize and manage potential adverse reactions. Transfusion reactions, although rare, can include allergic reactions, transfusion-related acute lung injury (TRALI), and hemolytic reactions. Vigilance in monitoring contributes to the overall safety of the intervention. Understanding the potential impact of blood transfusions on the progression of severe malaria is an area of ongoing research. While transfusions aim to address anemia and stabilize the

child's condition, the broader consequences on the immune response, parasite clearance, and the risk of recurrent infections require further investigation. Long-term outcomes following blood transfusions in pediatric malaria cases warrant attention. Assessing the child's recovery, monitoring for potential complications, and ensuring appropriate follow-up care contribute to a comprehensive understanding of the impact of transfusions on overall health. Resource limitations in certain settings may impact the availability and safety of blood transfusions. Exploring alternative interventions, such as erythropoiesis-stimulating agents or regenerative medicine approaches, becomes particularly relevant in resource-constrained environments.[100]

Immunomodulatory Effects of HIV in Severe Malaria

The co-infection of Human Immunodeficiency Virus (HIV) and severe malaria in pediatric populations introduces complex immunomodulatory effects, influencing the host immune response and the course of both diseases. HIV induces progressive immunosuppression by targeting CD4+ T cells, compromising the host's ability to mount effective immune responses. In the context of severe malaria in pediatric populations, this immunosuppression may exacerbate the severity of the disease, impairing the immune system's capacity to control Plasmodium parasitemia.[103] The immunomodulatory effects of HIV can influence the dynamics of malaria parasite clearance. Impaired cellular immunity, particularly in CD4+ T-cell function, may result in prolonged parasitemia, delayed clearance of infected erythrocytes, and an increased risk of recrudescence in co-infected children. HIV can disrupt the balance of cytokines and inflammatory responses crucial for effective immune defense. Dysregulation in the production of pro-inflammatory and anti-inflammatory cytokines may contribute to an exaggerated or inadequate immune response in pediatric severe malaria, impacting the delicate equilibrium required for parasite control.

The compromised immune status resulting from HIV co-infection renders children more susceptible to opportunistic infections. Concurrent infections, such as pneumonia or bacteremia, may further complicate the clinical course of severe malaria, posing challenges in diagnosis, treatment, and overall management. HIV can lead to hematological abnormalities, including anemia and thrombocytopenia, independently of malaria. The combination of these HIV-associated hematological complications with those arising from severe malaria may synergistically contribute to increased morbidity and mortality in co-infected pediatric patients. The altered immune environment in HIV-infected children may influence the efficacy of antimalarial drugs. Impaired host immunity could potentially affect the clearance of parasites even when appropriate antimalarial treatment is administered, necessitating careful monitoring and tailored therapeutic strategies. The immunomodulatory effects of HIV in severe malaria pose challenges in diagnosis and clinical management. Overlapping symptoms, such as fever and malaise, make it difficult to distinguish between malaria and other HIV-related complications. This complexity underscores the need for integrated and multidisciplinary approaches to care. The interaction between the host immune system, HIV, and the Plasmodium parasite is dynamic and multifaceted. Understanding the nuanced interplay between these factors is crucial for predicting disease outcomes, tailoring

interventions, and developing strategies to mitigate the synergistic effects on pediatric health. Initiating and maintaining antiretroviral therapy (ART) is a cornerstone in managing HIV, but it also has implications for the immune response in co-infected individuals. Exploring the impact of ART on the course of severe malaria, potential drug interactions, and considerations for concurrent treatment regimens is essential.[103]

Synergistic Effects on Pediatric Health

The convergence of Human Immunodeficiency Virus (HIV), severe malaria, and blood transfusion in pediatric populations under the age of 5 introduces a complex interplay of factors that can synergistically impact overall health. The synergistic effects of HIV and severe malaria contribute to compounded hematological challenges, including severe anemia and potential alterations in blood clotting mechanisms. Blood transfusions, while crucial for addressing anemia, introduce additional considerations related to compatibility, availability, and the risk of transfusion-transmitted infections.[104] HIV-induced immunosuppression, coupled with the immunomodulatory effects of both severe malaria and blood transfusions, increases the child's susceptibility to opportunistic infections. The compromised immune system may struggle to mount effective responses, leading to prolonged illness, recurrent infections, and an overall heightened vulnerability. The immunomodulatory effects of HIV may contribute to delayed parasite clearance in severe malaria, impacting the progression of the disease. Blood transfusions, while aiming to stabilize hemoglobin levels, can potentially interact with the immune response, influencing the dynamics of Plasmodium parasitemia.

The combined effects of HIV, severe malaria, and blood transfusion may result in systemic inflammation and compromise organ function. Inflammatory responses, exacerbated by the interplay of these factors, can contribute to organ damage and long-term health implications, particularly affecting vital organs such as the kidneys and liver. Prolonged illness and the potential neurocognitive effects of severe malaria may be further compounded by the immunomodulatory impact of HIV. Blood transfusions, while addressing immediate anemia-related concerns, may not fully mitigate the long-term cognitive consequences, necessitating comprehensive follow-up and developmental support. Managing co-infections in pediatric populations involves navigating potential drug interactions and treatment challenges. Antiretroviral therapy (ART) for HIV, antimalarial drugs, and medications administered during blood transfusions may interact, requiring careful consideration to optimize therapeutic outcomes while minimizing adverse effects. The complex nature of pediatric health in the context of HIV, severe malaria, and blood transfusion introduces ethical considerations. Informed decision-making, transparent communication with parents or guardians, and a patient-centered approach are crucial to navigating the complexities of treatment and care. The synergistic effects on pediatric health may have long-term implications for the child's quality of life. Addressing not only immediate clinical concerns but also providing ongoing support, rehabilitation, and psychosocial care is vital for enhancing overall well-being and promoting resilience in the face of these complex health challenges. Developing comprehensive care models that integrate HIV management, malaria treatment, and blood

transfusion strategies is paramount. These models should consider the unique needs of children under 5, including nutritional support, developmental assessments, and ongoing monitoring to optimize outcomes and promote holistic pediatric health.[104]

Diagnostic Challenges and Treatment Considerations

The co-infection of Human Immunodeficiency Virus (HIV) and malaria in pediatric populations introduces unique diagnostic challenges and treatment considerations. The clinical symptoms of HIV and malaria often overlap, presenting a diagnostic challenge. Fever, malaise, and anemia are common to both conditions, making it difficult to differentiate between the two based solely on clinical presentation. The overlapping symptomatology necessitates a high index of suspicion and comprehensive diagnostic approaches.[105] Utilizing accurate diagnostic tools is essential for timely and precise identification of HIV-malaria co-infection. Molecular diagnostics, such as polymerase chain reaction (PCR) assays, can distinguish between the two infections. However, challenges related to cost, accessibility, and infrastructure may limit their widespread use, especially in resource-limited settings. Integrated testing for both HIV and malaria improves diagnostic efficiency. Implementing routine testing protocols, including rapid diagnostic tests (RDTs) for malaria and serological assays for HIV, allows for timely identification of co-infected children. Comprehensive testing enhances the chances of initiating appropriate interventions promptly. Vertical transmission of HIV from mother to child poses an additional diagnostic challenge. Early diagnosis of HIV in infants born to HIV-positive mothers is crucial to initiate antiretroviral therapy (ART) promptly. Integrating early infant diagnosis with routine malaria screening optimizes the chances of identifying co-infections early in life.

The co-occurrence of HIV and malaria requires careful consideration of treatment strategies. Antimalarial drug regimens must align with the child's HIV status and any ongoing antiretroviral therapy. Balancing the efficacy of antimalarial drugs with potential drug interactions and adverse effects is paramount for successful co-infection management. Coordinating the administration of ART for HIV and antimalarial drugs demands a thorough understanding of potential interactions. Drug-drug interactions, overlapping toxicities, and considerations for drug metabolism in pediatric populations necessitate close monitoring and individualized treatment plans. Preventive measures for both HIV and malaria are integral components of co-infection management. Implementing strategies such as antiretroviral prophylaxis for exposed infants, insecticide-treated bed nets, and antimalarial chemoprophylaxis contributes to reducing the incidence of co-infections and their associated complications. Nutritional support plays a vital role in the management of co-infected children. Addressing malnutrition, providing supplementation, and promoting a well-balanced diet contribute to immune modulation and overall treatment efficacy. A holistic approach to care encompasses both infectious disease management and nutritional support. Monitoring for adverse effects of both antiretroviral and antimalarial drugs is crucial. Pediatric populations may be more susceptible to drug-related complications, emphasizing the need for vigilant monitoring of side effects, ensuring treatment adherence, and promptly addressing any emerging issues. Engaging communities and providing health education are vital components of successful co-infection

management. Empowering caregivers with knowledge about the symptoms, prevention strategies, and the importance of seeking timely healthcare facilitates early diagnosis and adherence to treatment plans.[105]

Implications for Pediatric Care

The co-infection of Human Immunodeficiency Virus (HIV) and malaria, coupled with the challenges of anemia in pediatric populations, necessitates a holistic and tailored approach to pediatric care. Early and integrated diagnosis is paramount for effective pediatric care. Implementing routine testing protocols that integrate HIV, malaria, and anemia screenings allows for timely identification of co-infections. Incorporating advanced diagnostic tools, such as PCR assays, alongside accessible and cost-effective rapid tests, enhances diagnostic accuracy.[106] Tailoring treatment strategies to the unique needs of co-infected children involves careful consideration of drug interactions, potential side effects, and adherence to treatment regimens. A multidisciplinary approach, involving pediatricians, infectious disease specialists, and hematologists, ensures comprehensive care that addresses both HIV and malaria, while managing anemia. Designing individualized ART plans is essential for managing HIV in co-infected pediatric patients. Considering the child's age, weight, and potential drug interactions with antimalarial drugs is crucial. Regular monitoring for adverse effects and adjustments to the ART regimen contribute to the overall success of treatment.

Managing anemia in the context of co-infection requires optimized strategies. Blood transfusions, when necessary, should be administered judiciously, considering compatibility, availability, and the risk of transfusion-transmitted infections. Concurrent nutritional support, iron supplementation, and addressing underlying causes contribute to holistic anemia management. Emphasizing preventive measures through health education is a cornerstone of pediatric care. Educating caregivers about the importance of insecticide-treated bed nets, antiretroviral prophylaxis for exposed infants, and nutritional interventions fosters a proactive approach to preventing co-infections and anemia-related complications. Regular monitoring and follow-up are critical components of pediatric care in the context of co-infection. Monitoring for treatment adherence, potential complications, and disease progression ensures timely interventions. Comprehensive follow-up includes developmental assessments, nutritional evaluations, and ongoing support for the child's overall well-being. Providing psychosocial support for caregivers is integral to pediatric care. Navigating the complexities of managing co-infections and anemia can be emotionally challenging for caregivers. Engaging with support networks, offering counseling services, and addressing the psychosocial aspects of care contribute to the holistic well-being of both the child and the caregiver. Integrating pediatric care services, including HIV management, malaria treatment, and anemia care, streamlines healthcare delivery. Collaborative efforts between healthcare professionals, community health workers, and public health initiatives contribute to a seamless and patient-centered approach to care. Global collaborations and advocacy efforts are crucial for addressing the unique challenges faced by pediatric populations in regions

with high rates of HIV, malaria, and anemia. Advocating for increased resources, research funding, and healthcare infrastructure contributes to creating a supportive environment for pediatric care.[106]

Conclusion

The intersection of Human Immunodeficiency Virus (HIV), malaria, and anemia in pediatric populations under the age of 5 presents a multifaceted health challenge that demands a comprehensive and integrated approach. Through this review, we have explored the intricate dynamics of co-infection, the immunomodulatory effects, the synergistic impact on pediatric health, and the implications for diagnosis, treatment, and overall care. The diagnostic challenges posed by overlapping clinical symptoms necessitate advanced and accessible testing protocols that can accurately identify co-infections early in a child's life. The management of HIV-malaria co-infection and anemia requires tailored treatment strategies that consider the delicate balance of drug interactions, potential side effects, and individualized care plans.

Blood transfusions, while crucial for addressing severe malarial anemia, introduce additional considerations related to compatibility, availability, and the risk of transfusion-transmitted infections. The immunomodulatory effects of HIV further complicate the dynamics of parasite clearance, immune responses, and disease progression in co-infected pediatric patients. Pediatric care in this complex scenario extends beyond medical interventions. It involves preventive measures, health education, nutritional support, psychosocial care for caregivers, and ongoing monitoring for long-term outcomes. Integrating these aspects into a cohesive and patient-centered care model is crucial for optimizing the well-being of children facing these intricate health challenges.

References

1. Obeagu EI, Okwuanaso CB, Edoho SH, Obeagu GU. Under-nutrition among HIV-exposed Uninfected Children: A Review of African Perspective. Madonna University journal of Medicine and Health Sciences. 2022;2(3):120-127.
2. Obeagu EI, Alum EU, Obeagu GU. Factors associated with prevalence of HIV among youths: A review of Africa perspective. Madonna University journal of Medicine and Health Sciences. 2023;3(1):13-18. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/93.
3. Obeagu EI. A Review of Challenges and Coping Strategies Faced by HIV/AIDS Discordant Couples. Madonna University journal of Medicine and Health Sciences. 2023 ;3(1):7-12. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/91.
4. Obeagu EI, Obeagu GU. An update on premalignant cervical lesions and cervical cancer screening services among HIV positive women. J Pub Health Nutri. 2023; 6 (2). 2023; 141:1-2. links/63e538ed64252375639dd0df/An-update-on-premalignant-cervical-lesions-and-cervical-cancer-screening-services-among-HIV-positive-women.pdf.

Citation: Obeagu EI, Anyiam AF, Obeagu GU. Synergistic Effects of Blood Transfusion and HIV in Children Under 5 Years with Severe Malaria: A Review. Elite Journal of HIV, 2024; 2(1): 31-50

5. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
6. Omo-Emmanuel UK, Chinedum OK, Obeagu EI. Evaluation of laboratory logistics management information system in HIV/AIDS comprehensive health facilities in Bayelsa State, Nigeria. Int J Curr Res Med Sci. 2017;3(1): 21-38.DOI: 10.22192/ijcrms.2017.03.01.004
7. Obeagu EI, Obeagu GU, Musiimenta E, Bot YS, Hassan AO. Factors contributing to low utilization of HIV counseling and testing services. Int. J. Curr. Res. Med. Sci. 2023;9(2): 1-5.DOI: 10.22192/ijcrms.2023.09.02.001
8. Obeagu EI, Obeagu GU. An update on survival of people living with HIV in Nigeria. J Pub Health Nutri. 2022; 5 (6). 2022;129. links/645b4bfcf3512f1cc5885784/An-update-on-survival-of-people-living-with-HIV-in-Nigeria.pdf.
9. Obeagu EI, Obeagu GU, Chukwueze CM, Ikpenwa JN, Ramos GF. EVALUATION OF PROTEIN C, PROTEIN S AND FIBRINOGEN OF PREGNANT WOMEN WITH MALARIA IN OWERRI METROPOLIS. Madonna University journal of Medicine and Health Sciences ISSN: 2814-3035. 2022;2(2):1-9.
10. Obeagu EI, Ibeh NC, Nwobodo HA, Ochei KC, Iwegbulam CP. Haematological indices of malaria patients coinfected with HIV in Umuahia. Int. J. Curr. Res. Med. Sci. 2017;3(5):100-4.
11. Opeyemi AA, Obeagu EI. Regulations of malaria in children with human immunodeficiency virus infection: A review. Medicine. 2023;102(46): e36166.
12. Obeagu EI, Chijioke UO, Ekelozie IS. Malaria rapid diagnostic test (RDTs). Ann Clin Lab Res. 2018;6(4):275.
13. Obeagu EI, Alum EU, Ugwu OP. Hepcidin: The Gatekeeper of Iron in Malaria Resistance. 2023.
14. Ogomaka IA, Obeagu EI. Methods of Breast Feeding as Determinants of Malaria Infections among Babies in IMO State, Nigeria. International Journal of Medical Science and Dental Research. 2019;2(01):17-24.
15. Obeagu EI, Obeagu GU, Egba SI, Emeka-Obi OR. Combatting Anemia in Pediatric Malaria: Effective Management Strategies. Int. J. Curr. Res. Med. Sci. 2023;9(11):1-7.
16. Hassan AO, Oso OV, Obeagu EI, Adeyemo AT. Malaria Vaccine: Prospects and Challenges. Madonna University journal of Medicine and Health Sciences ISSN: 2814-3035. 2022;2(2):22-40.
17. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-9.
18. Offie DC, Obeagu EI, Akueshi C, Njab JE, Ekanem EE, Dike PN, Oguh DN. Facilitators and barriers to retention in HIV care among HIV infected MSM attending Community Health Center Yaba, Lagos Nigeria. Journal of Pharmaceutical Research International. 2021;33(52B):10-19.

19. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
20. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng UE, Ikpeme M, Bassey JO, Paul AO. TB Infection Control in TB/HIV Settings in Cross River State, Nigeria: Policy Vs Practice. Journal of Pharmaceutical Research International. 2020;32(22):101-119.
21. Obeagu EI, Eze VU, Alaeboh EA, Ochei KC. Determination of haematocrit level and iron profile study among persons living with HIV in Umuahia, Abia State, Nigeria. J BioInnovation. 2016; 5:464-471. links/592bb4990f7e9b9979a975cf/DETERMINATION-OF-HAEMATOCRIT-LEVEL-AND-IRON-PROFILE-STUDY-AMONG-PERSONS-LIVING-WITH-HIV-IN-UMUAHIA-ABIA-STATE-NIGERIA.pdf.
22. Ifeanyi OE, Obeagu GU. The values of prothrombin time among HIV positive patients in FMC owerri. International Journal of Current Microbiology and Applied Sciences. 2015;4(4):911-916. https://www.academia.edu/download/38320140/Obeagu_Emmanuel_Ifeanyi_and_Obeagu__Getrude_Uzoma2.EMMA1.pdf.
23. Izuchukwu IF, Ozims SJ, Agu GC, Obeagu EI, Onu I, Amah H, Nwosu DC, Nwanjo HU, Edward A, Arunsi MO. Knowledge of preventive measures and management of HIV/AIDS victims among parents in Umuna Orlu community of Imo state Nigeria. Int. J. Adv. Res. Biol. Sci. 2016;3(10): 55-65.DOI; 10.22192/ijarbs.2016.03.10.009
24. Obeagu EI, Busari AI, Uduchi IO, Ogomaka IA, Ibekwe AM, Vincent CC, Chijioke UO, Okafor CJ, Okoroiwu HU, Adike CN. Age-Related Haematological Variations in Patients with Asymptomatic Malaria in Akure, Ondo State, Nigeria. Journal of Pharmaceutical Research International. 2021;33(42B):218-24.
25. Ogomaka IA, Obeagu EI. Malaria in Pregnancy Amidst Possession of Insecticide Treated Bed Nets (ITNs) in Orlu LGA of Imo State, Nigeria. Journal of Pharmaceutical Research International. 2021;33(41B):380-6.
26. Ogbonna CO, Obeagu EI, Ufelle SA, Ogbonna LN. Evaluation of haematological alterations in children infected by Plasmodium falciparum Species in Enugu, Enugu State, Nigeria. Journal of Pharmaceutical Research International. 2021;33(1):38-45.
27. Okorie HM, Obeagu EI, Obarezi HC, Anyiam AF. Assessment of some inflammatory cytokines in malaria infected pregnant women in Imo State Nigeria. International Journal of Medical Science and Dental Research. 2019;2(1):25-36.
28. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-9.
29. Okorie HM, Obeagu EI, Eze EN, Jeremiah ZA. Assessment of some haematological parameters in malaria infected pregnant women in Imo state Nigeria. Int. J. Curr. Res. Biol. Med. 2018;3(9):1-4.
30. Nwosu DC, Obeagu EI, Ezenwuba C, Agu GC, Amah H, Ozims SJ, Nwanjo HU, Edward A, Izuchukwu IF, Amadike JN, Nwagwu AJ. Antioxidant status of children with

Plasmodium falciparum malaria in Owerri municipal council of Imo state. Int. J. Curr. Res. Chem. Pharm. Sci. 2016;3(8):40-6.
31. Okamgba OC, Nwosu DC, Nwobodo EI, Agu GC, Ozims SJ, Obeagu EI, Ibanga IE, Obioma-Elemba IE, Ihekaire DE, Obasi CC, Amah HC. Iron Status of Pregnant and Post-Partum Women with Malaria Parasitaemia in Aba Abia State, Nigeria. Annals of Clinical and Laboratory Research. 2017;5(4):206.
32. Anyiam AF, Arinze-Anyiam OC, Omosigho PO, Ibrahim M, Irondi EA, Obeagu EI, Obi E. Blood Group, Genotype, Malaria, Blood Pressure and Blood Glucose Screening Among Selected Adults of a Community in Kwara State: Implications to Public Health. Asian Hematology Research Journal. 2022;6(3):9-17.
33. Obeagu EI, Nimo OM, Bunu UO, Ugwu OP, Alum EU. Anaemia in children under five years: African perspectives. Int. J. Curr. Res. Biol. Med. 2023; 1:1-7.
34. Madekwe CC, Madekwe CC, Obeagu EI. Inequality of monitoring in Human Immunodeficiency Virus, Tuberculosis and Malaria: A Review. Madonna University journal of Medicine and Health Sciences. 2022;2(3):6-15.
35. Chinedu K, Takim AE, Obeagu EI, Chinazor UD, Eloghosa O, Ojong OE, Odunze U. HIV and TB co-infection among patients who used Directly Observed Treatment Short-course centres in Yenagoa, Nigeria. IOSR J Pharm Biol Sci. 2017;12(4):70-75. links/5988ab6d0f7e9b6c8539f73d/HIV-and-TB-co-infection-among-patients-who-used-Directly-Observed-Treatment-Short-course-centres-in-Yenagoa-Nigeria.pdf
36. Oloro OH, Oke TO, Obeagu EI. Evaluation of Coagulation Profile Patients with Pulmonary Tuberculosis and Human Immunodeficiency Virus in Owo, Ondo State, Nigeria. Madonna University journal of Medicine and Health Sciences. 2022;2(3):110-119.
37. Nwosu DC, Obeagu EI, Nkwocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Elendu HN, Ofoedeme CN, Ozims SJ, Nwankpa P. Change in Lipid Peroxidation Marker (MDA) and Non enzymatic Antioxidants (VIT C & E) in HIV Seropositive Children in an Urban Community of Abia State. Nigeria. J. Bio. Innov. 2016;5(1):24-30. links/5ae735e9a6fdcc5b33eb8d6a/CHANGE-IN-LIPID-PEROXIDATION-MARKER-MDAAND-NON-ENZYMATIC-ANTIOXIDANTS-VIT-C-E-IN-HIV-SEROPOSITIVE-CHILDREN-IN-AN-URBAN-COMMUNITY-OF-ABIA-STATE-NIGERIA.pdf.
38. Igwe CM, Obeagu IE, Ogbuabor OA. Clinical characteristics of people living with HIV/AIDS on ART in 2014 at tertiary health institutions in Enugu, Nigeria. J Pub Health Nutri. 2022; 5 (6). 2022;130. links/645a166f5762c95ac3817d32/Clinical-characteristics-of-people-living-with-HIV-AIDS-on-ART-in-2014-at-tertiary-health-institutions-in-Enugu.pdf.
39. Ifeanyi OE, Obeagu GU, Ijeoma FO, Chioma UI. The values of activated partial thromboplastin time (APTT) among HIV positive patients in FMC Owerri. Int J Curr Res Aca Rev. 2015; 3:139-144. https://www.academia.edu/download/38320159/Obeagu_Emmanuel_Ifeanyi3__et_al.IJCRAR.pdf.

40. Offie DC, Ibekwe AM, Agu CC, Esimai BN, Okpala PU, Obeagu EI, Ufelle SA, Ogbonna LN. Fibrinogen and C-Reactive Protein Significance in Children Infected by Plasmodium falciparum Species in Enugu, Enugu State, Nigeria. Journal of Pharmaceutical Research International. 2021;33(15):1-8.
41. Okorie HM, Obeagu EI, Eze EN, Jeremiah ZA. Assessment of coagulation parameters in malaria infected pregnant women in Imo state, Nigeria. International Journal of Current Research in Medical Sciences. 2018;4(9):41-9.
42. Ogbonna LN, Ezeoru VC, Ofodile AC, Ochiabuto OM, Obi-Ezeani CN, Okpala PU, Okafor CJ, Obeagu GU, Busari AI, Obeagu EI. Gender Based Variations of Haematological Parameters of Patients with Asymptomatic Malaria in Akure, Ondo State, Nigeria. Journal of Pharmaceutical Research International. 2021;33(8):75-80.
43. Eberendu IF, Ozims SJ, Agu GC, Amah HC, Obasi CC, Obioma-Elemba JE, Ihekaire DE, Ibanga IE, Amah CC, Obeagu EI, Nwosu DC. Impact of human activities on the breeding of mosquitoes of human disease in Owerri metropolis, Imo state. Int J Adv Res Biol Sci IJARBS. 2017;4(12):98-106.
44. Obeagu EI, Ofodile AC, Okwuanaso CB. A review on socio economic and behavioral aspects of malaria and its control among children under 5 years of age in Africa. J Pub Health Nutri. 2023; 6 (1): 136.
45. Obiomah CF, Obeagu EI, Ochei KC, Swem CA, Amachukwu BO. Hematological indices o HIV seropositive subjects in Nnamdi Azikiwe University teaching hospital (NAUTH), Nnewi. Ann Clin Lab Res. 2018;6(1):1-4. links/5aa2bb17a6fdccd544b7526e/Haematological-Indices-of-HIV-Seropositive-Subjects-at-Nnamdi-Azikiwe.pdf
46. Omo-Emmanuel UK, Ochei KC, Osuala EO, Obeagu EI, Onwuasoanya UF. Impact of prevention of mother to child transmission (PMTCT) of HIV on positivity rate in Kafanchan, Nigeria. Int. J. Curr. Res. Med. Sci. 2017;3(2): 28-34.DOI: 10.22192/ijcrms.2017.03.02.005
47. Aizaz M, Abbas FA, Abbas A, Tabassum S, Obeagu EI. Alarming rise in HIV cases in Pakistan: Challenges and future recommendations at hand. Health Science Reports. 2023;6(8):e1450.
48. Obeagu EI, Amekpor F, Scott GY. An update of human immunodeficiency virus infection: Bleeding disorders. J Pub Health Nutri. 2023; 6 (1). 2023;139. links/645b4a6c2edb8e5f094d9bd9/An-update-of-human-immunodeficiency-virus-infection-Bleeding.pdf.
49. Obeagu EI, Scott GY, Amekpor F, Ofodile AC, Edoho SH, Ahamefula C. Prevention of New Cases of Human Immunodeficiency Virus: Pragmatic Approaches of Saving Life in Developing Countries. Madonna University journal of Medicine and Health Sciences. 2022;2(3):128-134. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/86.
50. Walter O, Anaebo QB, Obeagu EI, Okoroiwu IL. Evaluation of Activated Partial Thromboplastin Time and Prothrombin Time in HIV and TB Patients in Owerri Metropolis. Journal of Pharmaceutical Research International. 2022:29-34.

Citation: Obeagu EI, Anyiam AF, Obeagu GU. Synergistic Effects of Blood Transfusion and HIV in Children Under 5 Years with Severe Malaria: A Review. Elite Journal of HIV, 2024; 2(1): 31-50

51. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng EU, Ikpeme M, Bassey JO, Paul AO. Cascade variabilities in TB case finding among people living with HIV and the use of IPT: assessment in three levels of care in cross River State, Nigeria. Journal of Pharmaceutical Research International. 2020;32(24):9-18.
52. Jakheng SP, Obeagu EI. Seroprevalence of human immunodeficiency virus based on demographic and risk factors among pregnant women attending clinics in Zaria Metropolis, Nigeria. J Pub Health Nutri. 2022; 5 (8). 2022;137. links/6317a6b1acd814437f0ad268/Seroprevalence-of-human-immunodeficiency-virus-based-on-demographic-and-risk-factors-among-pregnant-women-attending-clinics-in-Zaria-Metropolis-Nigeria.pdf.
53. Obeagu EI, Obeagu GU. A Review of knowledge, attitudes and socio-demographic factors associated with non-adherence to antiretroviral therapy among people living with HIV/AIDS. Int. J. Adv. Res. Biol. Sci. 2023;10(9):135-142.DOI: 10.22192/ijarbs.2023.10.09.015 links/6516faa61e2386049de5e828/A-Review-of-knowledge-attitudes-and-socio-demographic-factors-associated-with-non-adherence-to-antiretroviral-therapy-among-people-living-with-HIV-AIDS.pdf
54. Obeagu EI, Onuoha EC. Tuberculosis among HIV Patients: A review of Prevalence and Associated Factors. Int. J. Adv. Res. Biol. Sci. 2023;10(9):128-134.DOI: 10.22192/ijarbs.2023.10.09.014 links/6516f938b0df2f20a2f8b0e0/Tuberculosis-among-HIV-Patients-A-review-of-Prevalence-and-Associated-Factors.pdf.
55. Obeagu EI, Ibeh NC, Nwobodo HA, Ochei KC, Iwegbulam CP. Haematological indices of malaria patients coinfected with HIV in Umuahia. Int. J. Curr. Res. Med. Sci. 2017;3(5):100-104.DOI: 10.22192/ijcrms.2017.03.05.014 https://www.academia.edu/download/54317126/Haematological_indices_of_malaria_patients_coinfected_with_HIV.pdf
56. Jakheng SP, Obeagu EI, Abdullahi IO, Jakheng EW, Chukwueze CM, Eze GC, Essien UC, Madekwe CC, Madekwe CC, Vidya S, Kumar S. Distribution Rate of Chlamydial Infection According to Demographic Factors among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. South Asian Journal of Research in Microbiology. 2022;13(2):26-31.
57. Viola N, Kimono E, Nuruh N, Obeagu EI. Factors Hindering Elimination of Mother to Child Transmission of HIV Service Uptake among HIV Positive Women at Comboni Hospital Kyamuhunga Bushenyi District. Asian Journal of Dental and Health Sciences. 2023;3(2):7-14. http://ajdhs.com/index.php/journal/article/view/39.
58. Okorie HM, Obeagu Emmanuel I, Okpoli Henry CH, Chukwu Stella N. Comparative study of enzyme linked immunosorbent assay (Elisa) and rapid test screening methods on HIV, Hbsag, Hcv and Syphilis among voluntary donors in. Owerri, Nigeria. J Clin Commun Med. 2020;2(3):180-183.DOI: **DOI:** 10.32474/JCCM.2020.02.000137 links/5f344530458515b7291bd95f/Comparative-Study-of-Enzyme-Linked-Immunosorbent-Assay-ElISA-and-Rapid-Test-Screening-Methods-on-HIV-HBsAg-HCV-and-Syphilis-among-Voluntary-Donors-in-Owerri-Nigeria.pdf.

Citation: Obeagu EI, Anyiam AF, Obeagu GU. Synergistic Effects of Blood Transfusion and HIV in Children Under 5 Years with Severe Malaria: A Review. Elite Journal of HIV, 2024; 2(1): 31-50

59. Ezugwu UM, Onyenekwe CC, Ukibe NR, Ahaneku JE, Onah CE, Obeagu EI, Emeje PI, Awalu JC, Igbokwe GE. Use of ATP, GTP, ADP and AMP as an Index of Energy Utilization and Storage in HIV Infected Individuals at NAUTH, Nigeria: A Longitudinal, Prospective, Case-Controlled Study. Journal of Pharmaceutical Research International. 2021;33(47A):78-84.
60. Emannuel G, Martin O, Peter OS, Obeagu EI, Daniel K. Factors Influencing Early Neonatal Adverse Outcomes among Women with HIV with Post Dated Pregnancies Delivering at Kampala International University Teaching Hospital, Uganda. Asian Journal of Pregnancy and Childbirth. 2023 Jul 29;6(1):203-211. http://research.sdpublishers.net/id/eprint/2819/.
61. Kassam R, Collins JB, Liow E, Rasool N. Narrative review of current context of malaria and management strategies in Uganda (Part I). Acta tropica. 2015; 152:252-268.
62. Igwe MC, Obeagu EI, Ogbuabor AO, Eze GC, Ikpenwa JN, Eze-Steven PE. Socio-Demographic Variables of People Living with HIV/AIDS Initiated on ART in 2014 at Tertiary Health Institution in Enugu State. Asian Journal of Research in Infectious Diseases. 2022;10(4):1-7.
63. Vincent CC, Obeagu EI, Agu IS, Ukeagu NC, Onyekachi-Chigbu AC. Adherence to Antiretroviral Therapy among HIV/AIDS in Federal Medical Centre, Owerri. Journal of Pharmaceutical Research International. 2021;33(57A):360-368.
64. Igwe MC, Obeagu EI, Ogbuabor AO. ANALYSIS OF THE FACTORS AND PREDICTORS OF ADHERENCE TO HEALTHCARE OF PEOPLE LIVING WITH HIV/AIDS IN TERTIARY HEALTH INSTITUTIONS IN ENUGU STATE. Madonna University journal of Medicine and Health Sciences. 2022;2(3):42-57. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/75.
65. Madekwe CC, Madekwe CC, Obeagu EI. Inequality of monitoring in Human Immunodeficiency Virus, Tuberculosis and Malaria: A Review. Madonna University journal of Medicine and Health Sciences. 2022;2(3):6-15. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/69
66. Echendu GE, Vincent CC, Ibebuike J, Asodike M, Naze N, Chinedu EP, Ohale B, Obeagu EI. WEIGHTS OF INFANTS BORN TO HIV INFECTED MOTHERS: A PROSPECTIVE COHORT STUDY IN FEDERAL MEDICAL CENTRE, OWERRI, IMO STATE. European Journal of Pharmaceutical and Medical Research, 2023; 10(8): 564-568
67. Nwosu DC, Nwanjo HU, Okolie NJ, Ikeh K, Ajero CM, Dike J, Ojiegbe GC, Oze GO, Obeagu EI, Nnatunanya I, Azuonwu O. BIOCHEMICAL ALTERATIONS IN ADULT HIV PATIENTS ON ANTIRETRQVIRAL THERAPY. World Journal of Pharmacy and Pharmaceutical Sciences, 2015; 4(3): 153-160**.** links/5a4fd0500f7e9bbc10526b38/BIOCHEMICAL-ALTERATIONS-IN-ADULT-HIV-PATIENTS-ON-ANTIRETRQVIRAL-THERAPY.pdf.
68. Obeagu EI, Obeagu GU. Effect of CD4 Counts on Coagulation Parameters among HIV Positive Patients in Federal Medical Centre, Owerri, Nigeria. Int. J. Curr. Res. Biosci. Plant Biol. 2015;2(4):45-49.

69. Obeagu EI, Nwosu DC. Adverse drug reactions in HIV/AIDS patients on highly active antiretro viral therapy: a review of prevalence. Int. J. Curr. Res. Chem. Pharm. Sci. 2019;6(12):45-8.DOI: 10.22192/ijcrcps.2019.06.12.004 links/650aba1582f01628f0335795/Adverse-drug-reactions-in-HIV-AIDS-patients-on-highly-active-antiretro-viral-therapy-a-review-of-prevalence.pdf.
70. Obeagu EI, Scott GY, Amekpor F, Obeagu GU. Implications of CD4/CD8 ratios in Human Immunodeficiency Virus infections. Int. J. Curr. Res. Med. Sci. 2023;9(2):6-13.DOI: 10.22192/ijcrms.2023.09.02.002 links/645a4a462edb8e5f094ad37c/Implications-of-CD4-CD8-ratios-in-Human-Immunodeficiency-Virus-infections.pdf.
71. Obeagu EI, Ochei KC, Okeke EI, Anode AC. Assessment of the level of haemoglobin and erythropoietin in persons living with HIV in Umuahia. Int. J. Curr. Res. Med. Sci. 2016;2(4):29-33. links/5711c47508aeebe07c02496b/Assessment-of-the-level-of-haemoglobin-and-erythropoietin-in-persons-living-with-HIV-in-Umuahia.pdf.
72. Ifeanyi OE, Obeagu GU. The Values of CD4 Count, among HIV Positive Patients in FMC Owerri. Int. J. Curr. Microbiol. App. Sci. 2015;4(4):906-910. https://www.academia.edu/download/38320134/Obeagu_Emmanuel_Ifeanyi_and_Obeagu__Getrude_Uzoma.EMMA2.pdf.
73. Obeagu EI, Okeke EI, Anonde Andrew C. Evaluation of haemoglobin and iron profile study among persons living with HIV in Umuahia, Abia state, Nigeria. Int. J. Curr. Res. Biol. Med. 2016;1(2):1-5.
74. Alum EU, Ugwu OP, Obeagu EI, Okon MB. Curtailing HIV/AIDS Spread: Impact of Religious Leaders. Newport International Journal of Research in Medical Sciences (NIJRMS). 2023;3(2):28-31.
75. Obeagu EI, Obeagu GU, Paul-Chima UO. Stigma Associated With HIV. AIDS: A Review. Newport International Journal of Public Health and Pharmacy (NIJPP). 2023;3(2):64-67.
76. Alum EU, Obeagu EI, Ugwu OP, Aja PM, Okon MB. HIV Infection and Cardiovascular diseases: The obnoxious Duos. Newport International Journal of Research in Medical Sciences (NIJRMS). 2023;3(2):95-99.
77. Ibebuike JE, Nwokike GI, Nwosu DC, Obeagu EI. A Retrospective Study on Human Immune Deficiency Virus among Pregnant Women Attending Antenatal Clinic in Imo State University Teaching Hospital. *International Journal of Medical Science and Dental Research*, 2018; 1 (2):08-14. https://www.ijmsdr.org/published%20paper/li1i2/A%20Retrospective%20Study%20on%20Human%20Immune%20Deficiency%20Virus%20among%20Pregnant%20Women%20Attending%20Antenatal%20Clinic%20in%20Imo%20State%20University%20Teaching%20Hospital.pdf.
78. Obeagu EI, Obarezi TN, Omeh YN, Okoro NK, Eze OB. Assessment of some haematological and biochemical parametrs in HIV patients before receiving treatment in Aba, Abia State, Nigeria. Res J Pharma Biol Chem Sci. 2014; 5:825-830.
79. Obeagu EI, Obarezi TN, Ogbuabor BN, Anaebo QB, Eze GC. Pattern of total white blood cell and differential count values in HIV positive patients receiving treatment in Federal

Teaching Hospital Abakaliki, Ebonyi State, Nigeria. International Journal of Life Science, Biotechnology and Pharama Research. 2014; 391:186-189.
80. Obeagu EI. A Review of Challenges and Coping Strategies Faced by HIV/AIDS Discordant Couples. Madonna University journal of Medicine and Health Sciences. 2023; 3 (1): 7-12.
81. Oloro OH, Obeagu EI. A Systematic Review on Some Coagulation Profile in HIV Infection. International Journal of Innovative and Applied Research. 2022;10(5):1-11.
82. Nwosu DC, Obeagu EI, Nkwuocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Ezemma MC, Okpomeshine EA, Ozims SJ, Agu GC. Alterations in superoxide dismutiase, vitamins C and E in HIV infected children in Umuahia, Abia state. International Journal of Advanced Research in Biological Sciences. 2015;2(11):268-271.
83. Obeagu EI, Malot S, Obeagu GU, Ugwu OP. HIV resistance in patients with Sickle Cell Anaemia. Newport International Journal of Scientific and Experimental Sciences (NIJSES). 2023;3(2):56-59.
84. Ifeanyi OE, Uzoma OG, Stella EI, Chinedum OK, Abum SC. Vitamin D and insulin resistance in HIV sero positive individuals in Umudike. Int. J. Curr. Res. Med. Sci. 2018;4(2):104-108.
85. Ifeanyi OE, Leticia OI, Nwosu D, Chinedum OK. A Review on blood borne viral infections: universal precautions. Int. J. Adv. Res. Biol. Sci. 2018;5(6):60-66.
86. Nwovu AI, Ifeanyi OE, Uzoma OG, Nwebonyi NS. Occurrence of Some Blood Borne Viral Infection and Adherence to Universal Precautions among Laboratory Staff in Federal Teaching Hospital Abakaliki Ebonyi State. Arch Blood Transfus Disord. 2018;1(2).
87. Chinedu K, Takim AE, Obeagu EI, Chinazor UD, Eloghosa O, Ojong OE, Odunze U. HIV and TB co-infection among patients who used Directly Observed Treatment Short-course centres in Yenagoa, Nigeria. IOSR J Pharm Biol Sci. 2017;12(4):70-75.
88. Offie DC, Obeagu EI, Akueshi C, Njab JE, Ekanem EE, Dike PN, Oguh DN. Facilitators and barriers to retention in HIV care among HIV infected MSM attending Community Health Center Yaba, Lagos Nigeria. Journal of Pharmaceutical Research International. 2021;33(52B):10-19.
89. Obeagu EI, Obeagu GU, Ede MO, Odo EO, Buhari HA. Translation of HIV/AIDS knowledge into behavior change among secondary school adolescents in Uganda: A review. Medicine (Baltimore). 2023;102(49): e36599. doi: 10.1097/MD.0000000000036599. PMID: 38065920; PMCID: PMC10713174.
90. Anyiam AF, Arinze-Anyiam OC, Irondi EA, Obeagu EI. Distribution of ABO and rhesus blood grouping with HIV infection among blood donors in Ekiti State Nigeria. Medicine (Baltimore). 2023;102(47): e36342. doi: 10.1097/MD.0000000000036342. PMID: 38013335; PMCID: PMC10681551.
91. Echefu SN, Udosen JE, Akwiwu EC, Akpotuzor JO, Obeagu EI. Effect of Dolutegravir regimen against other regimens on some hematological parameters, CD4 count and viral load of people living with HIV infection in South Eastern Nigeria. Medicine (Baltimore). 2023;102(47): e35910. doi: 10.1097/MD.0000000000035910. PMID: 38013350; PMCID: PMC10681510.

92. Obeagu EI, Obeagu GU, Egba SI, Emeka-Obi OR. Combatting anemia in pediatric malaria: Effective management strategies. Int. J. Curr. Res. Med. Sci. 2023;9(11):1-7.
93. Opeyemi AA, Obeagu EI. Regulations of malaria in children with human immunodeficiency virus infection: A review. Medicine (Baltimore). 2023;102(46): e36166. doi: 10.1097/MD.0000000000036166. PMID: 37986340; PMCID: PMC10659731.
94. Alum EU, Obeagu EI, Ugwu OPC, Samson AO, Adepoju AO, Amusa MO. Inclusion of nutritional counseling and mental health services in HIV/AIDS management: A paradigm shift. Medicine (Baltimore). 2023;102(41): e35673. doi: 10.1097/MD.0000000000035673. PMID: 37832059; PMCID: PMC10578718.
95. Aizaz M, Abbas FA, Abbas A, Tabassum S, Obeagu EI. Alarming rise in HIV cases in Pakistan: Challenges and future recommendations at hand. Health Sci Rep. 2023;6(8): e1450. doi: 10.1002/hsr2.1450. PMID: 37520460; PMCID: PMC10375546.
96. Obeagu EI, Obeagu GU, Obiezu J, Ezeonwumelu C, Ogunnaya FU, Ngwoke AO, Emeka-Obi OR, Ugwu OP. Hematologic Support in HIV Patients: Blood Transfusion Strategies and Immunological Considerations. APPLIED SCIENCES (NIJBAS). 2023;3(3).
97. Obeagu EI, Ubosi NI, Uzoma G. Storms and Struggles: Managing HIV Amid Natural Disasters. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(11):14-25.
98. Obeagu EI, Obeagu GU. Human Immunodeficiency Virus and tuberculosis infection: A review of prevalence of associated factors. Int. J. Adv. Multidiscip. Res. 2023;10(10):56-62.
99. Obeagu EI, Malot S, Obeagu GU, Ugwu OP. HIV resistance in patients with Sickle Cell Anaemia. Newport International Journal of Scientific and Experimental Sciences (NIJSES). 2023;3(2):56-9.
100. Alum EU, Ugwu OP, Obeagu EI, Aja PM, Okon MB, Uti DE. Reducing HIV Infection Rate in Women: A Catalyst to reducing HIV Infection pervasiveness in Africa. International Journal of Innovative and Applied Research. 2023;11(10):01-6.
101. Barro L, Drew VJ, Poda GG, Tagny CT, El-Ekiaby M, Owusu-Ofori S, Burnouf T. Blood transfusion in sub-Saharan Africa: understanding the missing gap and responding to present and future challenges. Vox Sanguinis. 2018;113(8):726-736.
102. Busch MP, Bloch EM, Kleinman S. Prevention of transfusion-transmitted infections. Blood, The Journal of the American Society of Hematology. 2019;133(17):1854-1864.
103. Perdomo-Celis F, Taborda NA, Rugeles MT. CD8+ T-cell response to HIV infection in the era of antiretroviral therapy. Frontiers in immunology. 2019; 10:1896.
104. Obeagu EI, Obeagu GU. Advances in Understanding the Impact of Blood Transfusion on Anemia Resolution in HIV-Positive Children with Severe Malaria: A Comprehensive Review. Elite Journal of Haematology. 2024;2(1):26-41.
105. Nissapatorn V, Sawangjaroen N. Parasitic infections in HIV infected individuals: diagnostic & therapeutic challenges. The Indian journal of medical research. 2011;134(6):878.

Citation: Obeagu EI, Anyiam AF, Obeagu GU. Synergistic Effects of Blood Transfusion and HIV in Children Under 5 Years with Severe Malaria: A Review. Elite Journal of HIV, 2024; 2(1): 31-50

106. Young N, Taegtmeyer M, Aol G, Bigogo GM, Phillips-Howard PA, Hill J, Laserson KF, Ter Kuile F, Desai M. Integrated point-of-care testing (POCT) of HIV, syphilis, malaria and anaemia in antenatal clinics in western Kenya: A longitudinal implementation study. PloS one. 2018;13(7): e0198784.