

## From Awareness to Action: Encouraging Adolescent Engagement in Sickle Cell Disease Prevention

\*Emmanuel Ifeanyi Obeagu<sup>1</sup> and Getrude Uzoma Obeagu<sup>2</sup>

<sup>1</sup>Department of Medical Laboratory Science, Kampala International University, Uganda

<sup>2</sup>School of Nursing Science, Kampala International University, Uganda

\*Corresponding author: Emmanuel Ifeanyi Obeagu, [Department of Medical Laboratory Science, Kampala International University, Uganda, emmanuelobeagu@yahoo.com, ORCID: 0000-0002-4538-0161](#)

### Abstract

Sickle Cell Disease (SCD) remains a significant health challenge, particularly affecting adolescents who encounter unique obstacles in managing the condition. Encouraging adolescent engagement in SCD prevention efforts is crucial for mitigating the disease's impact and enhancing outcomes. This review explores strategies for promoting awareness and fostering active participation among adolescents in SCD prevention initiatives. By examining existing literature, programs, and best practices, this article underscores the importance of empowering adolescents with knowledge, skills, and resources to take proactive measures toward preventing SCD complications. From raising awareness to facilitating access to preventive services and advocating for policy changes, concerted efforts are needed to mobilize adolescents and communities toward effective SCD prevention. Through comprehensive education, empowerment, and community collaboration, we can empower adolescents to play an active role in preventing SCD complications and improving their overall health and well-being.

**Keywords:** *Sickle Cell Disease, Adolescents, Prevention, Awareness, Engagement, Education*

### Introduction

Sickle Cell Disease (SCD) stands as a prevalent inherited blood disorder, posing significant health challenges, particularly for adolescents. The adolescent stage presents a critical period where individuals navigate complex transitions and encounter unique obstacles in managing chronic

**Citation:** Obeagu EI, Obeagu GU. From Awareness to Action: Encouraging Adolescent Engagement in Sickle Cell Disease Prevention. *Elite Journal of Public Health*, 2023; 1 (1): 66-74

conditions like SCD. Engaging adolescents in SCD prevention efforts becomes imperative to mitigate the disease's impact and improve long-term outcomes. Despite advances in medical knowledge and interventions, gaps in awareness, accessibility, and participation persist among adolescents, hindering effective prevention strategies. This introduction sets the stage for exploring various approaches aimed at encouraging adolescent engagement in SCD prevention initiatives, emphasizing the importance of raising awareness and empowering adolescents to take proactive measures toward preventing SCD complications. Awareness and Education: Raising awareness about SCD among adolescents is foundational to fostering engagement in prevention efforts. Comprehensive educational initiatives are crucial for equipping adolescents with the knowledge and understanding of SCD, its causes, symptoms, and preventive measures. Schools, healthcare providers, and community organizations play pivotal roles in delivering targeted SCD education to adolescents, ensuring access to accurate information and resources necessary for informed decision-making regarding preventive strategies such as genetic counseling, screening, and early interventions.<sup>1-10</sup>

Empowering Adolescents: Empowering adolescents with knowledge, skills, and resources is central to fostering active participation in SCD prevention initiatives. Adolescents should be encouraged to take ownership of their health and well-being by advocating for themselves, adopting healthy lifestyle choices, and proactively seeking preventive care. Peer support networks, mentorship programs, and youth-led initiatives provide valuable platforms for adolescents to share experiences, learn from one another, and collaborate on effective prevention strategies, thereby enhancing their sense of agency and self-efficacy in managing SCD. Access to Preventive Services: Ensuring equitable access to preventive services is critical for supporting adolescent engagement in SCD prevention. Healthcare systems must prioritize the provision of genetic counseling, newborn screening, and comprehensive care services for adolescents with SCD. Efforts to mitigate barriers to access, such as financial constraints, transportation issues, and stigma, are essential for enabling adolescents to receive timely and appropriate preventive care, thus reducing the burden of SCD-related complications and improving health outcomes. Community Engagement and Advocacy: Community engagement and advocacy efforts play instrumental roles in mobilizing support for SCD prevention initiatives and addressing systemic barriers to access. Adolescents, parents, healthcare providers, and community leaders can collaborate to raise awareness, promote early detection, and advocate for policies and programs that support SCD prevention. By amplifying the voices of adolescents and communities affected by SCD, advocacy efforts can drive positive change, foster greater investment in prevention initiatives, and ultimately improve outcomes for adolescents living with the disease.<sup>11-20</sup>

### **Awareness and Education**

Raising awareness about Sickle Cell Disease (SCD) among adolescents is crucial for fostering engagement in prevention efforts and promoting informed decision-making regarding their health. Comprehensive educational initiatives are essential for equipping adolescents with the knowledge and understanding of SCD, its causes, symptoms, and preventive measures. Schools, healthcare providers, and community organizations play pivotal roles in delivering targeted SCD education

**Citation:** Obeagu EI, Obeagu GU. From Awareness to Action: Encouraging Adolescent Engagement in Sickle Cell Disease Prevention. *Elite Journal of Public Health*, 2023; 1 (1): 66-74

to adolescents, ensuring access to accurate information and resources necessary for informed decision-making regarding preventive strategies such as genetic counseling, screening, and early interventions. Educational initiatives should be tailored to the unique needs and preferences of adolescents, utilizing engaging and interactive formats such as workshops, presentations, and multimedia materials. Incorporating personal stories and testimonials from individuals living with SCD can help make the information relatable and impactful, fostering empathy and understanding among adolescent audiences. Moreover, educational initiatives should emphasize the importance of early detection and intervention in managing SCD, highlighting the benefits of preventive measures such as newborn screening and regular health check-ups.<sup>21-25</sup>

Peer education and mentorship programs offer valuable opportunities for adolescents to learn from their peers and engage in meaningful discussions about SCD. Peer mentors, who may be adolescents living with SCD or peers who have received training in SCD education, can serve as trusted sources of information and support for their peers. Peer-led educational sessions, support groups, and outreach events provide platforms for adolescents to share experiences, ask questions, and receive guidance from individuals who understand their challenges firsthand. In addition to formal educational settings, digital platforms and social media play increasingly important roles in disseminating SCD education among adolescents. Websites, mobile apps, and social media channels can be utilized to deliver information about SCD, provide access to resources and support services, and facilitate peer-to-peer communication and engagement. Interactive features such as quizzes, videos, and forums can enhance engagement and encourage active participation among adolescent users.<sup>25-27</sup>

### **Empowering Adolescents**

Empowering adolescents with knowledge, skills, and resources is central to fostering active participation in Sickle Cell Disease (SCD) prevention efforts. Adolescents should be encouraged to take ownership of their health and well-being by advocating for themselves, adopting healthy lifestyle choices, and proactively seeking preventive care. Empowerment begins with providing adolescents with comprehensive information about SCD, including its causes, symptoms, and potential complications. This knowledge enables adolescents to understand the importance of preventive measures and make informed decisions about their health. One key aspect of empowerment is encouraging adolescents to become active participants in their healthcare journey. This can involve teaching them how to effectively communicate with healthcare providers, ask questions, and express their preferences and concerns. By empowering adolescents to take an active role in their healthcare, we promote self-advocacy and equip them with the skills needed to navigate the healthcare system and make informed decisions about their treatment and preventive care.<sup>28-32</sup>

Peer support networks, mentorship programs, and youth-led initiatives provide valuable platforms for empowering adolescents with SCD. These programs offer opportunities for adolescents to connect with others who share similar experiences, learn from one another, and receive support and encouragement from peers and mentors. By fostering a sense of community and solidarity,

**Citation:** Obeagu EI, Obeagu GU. From Awareness to Action: Encouraging Adolescent Engagement in Sickle Cell Disease Prevention. *Elite Journal of Public Health*, 2023; 1 (1): 66-74

peer networks empower adolescents to share their experiences, seek advice, and support one another in managing their SCD. Furthermore, empowerment involves equipping adolescents with the tools and resources needed to effectively manage their SCD and make healthy lifestyle choices. This may include providing access to educational materials, self-management resources, and tools for tracking symptoms and medications. Additionally, adolescents should be encouraged to develop skills in stress management, coping strategies, and resilience-building, which can help them navigate the challenges of living with SCD and maintain overall well-being. Ultimately, empowerment is about instilling confidence, resilience, and a sense of agency in adolescents with SCD. By providing them with the knowledge, skills, and support they need to take control of their health and well-being, we empower them to lead fulfilling lives and thrive despite the challenges posed by their condition. Through comprehensive education, peer support, and access to resources, we can ensure that adolescents with SCD have the tools and confidence to advocate for themselves, make informed decisions about their health, and take proactive steps toward preventing SCD-related complications.<sup>32-35</sup>

### **Access to Preventive Services**

Ensuring equitable access to preventive services is critical for supporting adolescent engagement in Sickle Cell Disease (SCD) prevention efforts. Healthcare systems must prioritize the provision of genetic counseling, newborn screening, and comprehensive care services for adolescents with SCD. Early detection and intervention are key components of SCD prevention, as they enable timely management of symptoms and complications, thereby improving health outcomes and quality of life for affected individuals. Genetic counseling plays a crucial role in SCD prevention by providing information and support to individuals and families at risk of inheriting the disease. Adolescents and their families should have access to genetic counseling services to understand their risk of SCD and make informed decisions about family planning, genetic testing, and reproductive options. Culturally sensitive and linguistically appropriate counseling services should be available to ensure accessibility and relevance for diverse populations.<sup>35-38</sup>

Newborn screening programs are essential for early detection of SCD and prompt initiation of interventions to prevent complications. Healthcare systems should ensure that all newborns are screened for SCD shortly after birth, and that follow-up diagnostic testing and counseling are provided for infants identified with the disease. Efforts to improve the accuracy, efficiency, and timeliness of newborn screening programs are critical for maximizing their impact on SCD prevention and early intervention. Comprehensive care services are essential for managing SCD and preventing complications throughout adolescence and beyond. Adolescents with SCD should have access to specialized healthcare providers, including hematologists, pediatricians, and other specialists with expertise in managing the disease. Healthcare systems should also provide access to preventive services such as vaccinations, prophylactic antibiotics, and hydroxyurea therapy, which can help reduce the risk of infections, pain crises, and other complications associated with SCD. Efforts to mitigate barriers to access are essential for ensuring that adolescents with SCD can receive timely and appropriate preventive care. Healthcare systems should address factors such as financial constraints, transportation issues, and lack of awareness or cultural sensitivity that may

**Citation:** Obeagu EI, Obeagu GU. From Awareness to Action: Encouraging Adolescent Engagement in Sickle Cell Disease Prevention. *Elite Journal of Public Health*, 2023; 1 (1): 66-74

prevent adolescents from accessing preventive services. Outreach and education programs targeted at adolescents and their families can help raise awareness about the importance of preventive care and facilitate access to available services.<sup>39-40</sup>

### **Community Engagement and Advocacy**

Community engagement and advocacy play instrumental roles in mobilizing support for Sickle Cell Disease (SCD) prevention initiatives and addressing systemic barriers to access. Adolescents, parents, healthcare providers, and community leaders can collaborate to raise awareness, promote early detection, and advocate for policies and programs that support SCD prevention. By amplifying the voices of adolescents and communities affected by SCD, advocacy efforts can drive positive change, foster greater investment in prevention initiatives, and ultimately improve outcomes for adolescents living with the disease. One key aspect of community engagement is raising awareness about SCD and its impact on individuals and families. Community organizations, schools, and healthcare providers can collaborate to organize educational events, workshops, and outreach activities to raise awareness about the importance of SCD prevention and early intervention. Engaging community members through storytelling, personal testimonies, and interactive activities can help make the information relatable and impactful, fostering empathy and understanding among audiences. Community engagement also involves fostering partnerships and collaborations between stakeholders to support SCD prevention efforts. By bringing together healthcare providers, advocacy organizations, policymakers, and community leaders, we can leverage collective expertise and resources to address systemic barriers to access and improve the quality and availability of preventive services for adolescents with SCD. Collaborative efforts can lead to the development of innovative programs, policies, and initiatives that prioritize SCD prevention and support affected individuals and families.<sup>41-42</sup>

Advocacy plays a crucial role in driving policy changes and allocating resources to support SCD prevention initiatives. Adolescents and their families can advocate for increased funding for research, improved access to healthcare services, and the implementation of policies that support SCD prevention, early detection, and intervention. By sharing their stories, experiences, and perspectives with policymakers and legislators, adolescents can influence decision-making processes and shape policies that address the needs and priorities of individuals living with SCD. Furthermore, advocacy efforts can raise awareness about the social determinants of health that impact SCD outcomes, such as access to education, employment, housing, and healthcare. By advocating for policies that address these social determinants, we can create more equitable opportunities and improve outcomes for adolescents living with SCD and other chronic health conditions. Ultimately, community engagement and advocacy are essential for mobilizing support, driving systemic change, and improving the lives of adolescents affected by SCD. Through collaborative efforts and sustained advocacy, we can build stronger, more resilient communities that support the health and well-being of all individuals, regardless of their health status or background.<sup>43-46</sup>

### **Conclusion**

**Citation:** Obeagu EI, Obeagu GU. From Awareness to Action: Encouraging Adolescent Engagement in Sickle Cell Disease Prevention. *Elite Journal of Public Health*, 2023; 1 (1): 66-74



Community engagement and advocacy are essential components of comprehensive Sickle Cell Disease (SCD) prevention efforts, particularly among adolescents. By mobilizing support, raising awareness, and driving policy changes, community members, healthcare providers, and advocates can work together to address systemic barriers to access, promote early detection, and improve outcomes for adolescents living with SCD. Through collaborative efforts, we can create more supportive and inclusive communities that prioritize the health and well-being of individuals affected by SCD. Community engagement efforts play a crucial role in raising awareness about SCD and its impact on individuals and families. By organizing educational events, workshops, and outreach activities, we can foster greater understanding and empathy among community members, leading to increased support for SCD prevention initiatives. Moreover, fostering partnerships and collaborations between stakeholders enables us to leverage collective expertise and resources to address systemic barriers to access and improve the quality and availability of preventive services for adolescents with SCD.

Advocacy efforts are instrumental in driving policy changes and allocating resources to support SCD prevention initiatives. Adolescents, families, and advocates can advocate for increased funding for research, improved access to healthcare services, and the implementation of policies that support SCD prevention, early detection, and intervention. By sharing their stories and experiences, they can influence decision-making processes and shape policies that address the needs and priorities of individuals living with SCD. Ultimately, community engagement and advocacy are essential for creating more equitable opportunities and improving outcomes for adolescents living with SCD. Through collaborative efforts and sustained advocacy, we can build stronger, more resilient communities that prioritize the health and well-being of all individuals, regardless of their health status or background. By working together, we can make significant strides in preventing SCD-related complications, improving quality of life, and fostering greater support and understanding for adolescents affected by the disease.

## References

1. Ata F, Rahhal A, Malkawi L, Iqbal P, Khamees I, Alhiyari M, Yousaf Z, Qasim H, Alshurafa A, Sardar S, Javed S. Genotypic and phenotypic composition of sickle cell disease in the Arab population-a systematic review. *Pharmacogenomics and Personalized Medicine*. 2023:133-144.
2. Piel FB, Williams TN. Sickle cell anemia: history and epidemiology. *Sickle Cell Anemia: From Basic Science to Clinical Practice*. 2016:23-47.
3. Aneke JC, Okocha CE. Sickle cell disease genetic counseling and testing: A review. *Archives of Medicine and Health Sciences*. 2016;4(1):50-57.
4. Bitoungui VJ, Pule GD, Hanchard N, Ngogang J, Wonkam A. Beta-globin gene haplotypes among cameroonians and review of the global distribution: is there a case for a single sickle mutation origin in Africa? *Omics: a journal of integrative biology*. 2015;19(3):171-179.
5. Obeagu EI, Ochei KC, Nwachukwu BN, Nchuma BO. Sickle cell anaemia: a review. *Scholars Journal of Applied Medical Sciences*. 2015;3(6B):224422-52.

**Citation:** Obeagu EI, Obeagu GU. From Awareness to Action: Encouraging Adolescent Engagement in Sickle Cell Disease Prevention. *Elite Journal of Public Health*, 2023; 1 (1): 66-74

6. Obeagu EI. Erythropoietin in Sickle Cell Anaemia: A Review. *International Journal of Research Studies in Medical and Health Sciences*. 2020;5(2):22-28.
7. Obeagu EI. Sickle Cell Anaemia: Haemolysis and Anemia. *Int. J. Curr. Res. Chem. Pharm. Sci.* 2018;5(10):20-21.
8. Obeagu EI, Muhimbura E, Kagenderezo BP, Uwakwe OS, Nakyeyune S, Obeagu GU. An Update on Interferon Gamma and C Reactive Proteins in Sickle Cell Anaemia Crisis. *J Biomed Sci.* 2022;11(10):84.
9. Obeagu EI, Bunu UO, Obeagu GU, Habimana JB. Antioxidants in the management of sickle cell anaemia: an area to be exploited for the wellbeing of the patients. *International Research in Medical and Health Sciences*. 2023;6(4):12-17.
10. Obeagu EI, Ogunnaya FU, Obeagu GU, Ndidi AC. Sickle cell anaemia: a gestational enigma. *European Journal of Biomedical and Pharmaceutical Sciences*. 2023;10((9): 72-75
11. Obeagu EI. An update on micro RNA in sickle cell disease. *Int J Adv Res Biol Sci.* 2018; 5:157-8.
12. Obeagu EI, Babar Q. Covid-19 and Sickle Cell Anemia: Susceptibility and Severity. *J. Clinical and Laboratory Research*. 2021;3(5):2768-0487.
13. Obeagu EI. Depression in Sickle Cell Anemia: An Overlooked Battle. *Int. J. Curr. Res. Chem. Pharm. Sci.* 2023;10(10):41-.
14. Obeagu EI, Obeagu GU. Evaluation of Hematological Parameters of Sickle Cell Anemia Patients with Osteomyelitis in A Tertiary Hospital in Enugu, Nigeria. *Journal of Clinical and Laboratory Research*. 2023;6(1):2768-0487.
15. Obeagu EI, Dahir FS, Francisca U, Vandu C, Obeagu GU. Hyperthyroidism in sickle cell anaemia. *Int. J. Adv. Res. Biol. Sci.* 2023;10(3):81-89.
16. Njar VE, Ogunnaya FU, Obeagu EI. Knowledge And Prevalence of The Sickle Cell Trait Among Undergraduate Students Of The University Of Calabar. *Prevalence*.;5(100):0-5.
17. Swem CA, Ukaejiofo EO, Obeagu EI, Eluke B. Expression of micro RNA 144 in sickle cell disease. *Int. J. Curr. Res. Med. Sci.* 2018;4(3):26-32.
18. Obeagu EI. Sickle cell anaemia: Historical perspective, Pathophysiology and Clinical manifestations. *Int. J. Curr. Res. Chem. Pharm. Sci.* 2018;5(11):13-15.
19. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. *International Research in Medical and Health Sciences*. 2023 Jun 10;6(2):10-13.
20. Obeagu EI, Mohamod AH. An update on Iron deficiency anaemia among children with congenital heart disease. *Int. J. Curr. Res. Chem. Pharm. Sci.* 2023;10(4):45-48.
21. Edward U, Osuorji VC, Nnodim J, Obeagu EI. Evaluation of Trace Elements in Sickle Cell Anaemia Patients Attending Imo State Specialist Hospital, Owerri. *Madonna University journal of Medicine and Health Sciences*. 2022;2(1):218-234.
22. Umar MI, Aliyu F, Abdullahi MI, Aliyu MN, Isyaku I, Aisha BB, Sadiq RU, Shariff MI, Obeagu EI. Assessment Of Factors Precipitating Sickle Cell Crises Among Under 5-Years Children Attending Sickle Cell Clinic of Murtala Muhammad Specialist Hospital, Kano. *blood*.;11:16.
23. Obeagu EI. Vaso-occlusion and adhesion molecules in sickle cells disease. *Int J Curr Res Med Sci.* 2018;4(11):33-35.

**Citation:** Obeagu EI, Obeagu GU. From Awareness to Action: Encouraging Adolescent Engagement in Sickle Cell Disease Prevention. *Elite Journal of Public Health*, 2023; 1 (1): 66-74

24. Ifeanyi OE, Stella EI, Favour AA. Antioxidants in the Management of Sickle Cell Anaemia. *Int J Hematol Blood Disord*: <https://symbiosisonlinepublishing.com/hematology/hematology25.php>. 2018.
25. Inusa BP, Stewart CE, Mathurin-Charles S, Porter J, Hsu LL, Atoyebi W, De Montalembert M, Diaku-Akinwumi I, Akinola NO, Andemariam B, Abboud MR. Paediatric to adult transition care for patients with sickle cell disease: a global perspective. *The Lancet Haematology*. 2020;7(4): e329-341.
26. Buhari HA, Ahmad AS, Obeagu EI. Current Advances in the Diagnosis and Treatment of Sickle Cell Anaemia. *APPLIED SCIENCES (NIJBAS)*. 2023;4(1).
27. Nnodim J, Uche U, Ifeoma U, Chidozie N, Ifeanyi O, Oluchi AA. Hepcidin and erythropoietin level in sickle cell disease. *British Journal of Medicine and Medical Research*. 2015;8(3):261-5.
28. Obeagu EI. BURDEN OF CHRONIC OSTEOMYELITIS: REVIEW OF ASSOCIATED FACTORS. *Madonna University journal of Medicine and Health Sciences*. 2023;3(1):1-6.
29. Aloh GS, Obeagu EI, Okoroiwu IL, Odo CE, Chibunna OM, Kanu SN, Elemchukwu Q, Okpara KE, Ugwu GU. Antioxidant-Mediated Heinz Bodies Levels of Sick Erythrocytes under Drug-Induced Oxidative Stress. *European Journal of Biomedical and Pharmaceutical sciences*. 2015;2(1):502-507.
30. Obeagu EI, Bot YS, Opoku D, Obeagu GU, Hassan AO. Sick Cell Anaemia: Current Burden in Africa. *International Journal of Innovative and Applied Research*. 2023;11(2):12-14.
31. Obeagu EI, Obeagu GU. Sick Cell Anaemia in Pregnancy: A Review. *International Research in Medical and Health Sciences*. 2023; 6 (2): 10-13.
32. Obeagu EI, Ogbuabor BN, Ikechukwu OA, Chude CN. Haematological parameters among sickle cell anemia patients' state and haemoglobin genotype AA individuals at Michael Okpara University of Agriculture, Umudike, Abia State, Nigeria. *International Journal of Current Microbiology and Applied Sciences*. 2014;3(3):1000-1005.
33. Ifeanyi OE, Nwakaego OB, Angela IO, Nwakaego CC. Haematological parameters among sickle cell anaemia... Emmanuel Ifeanyi1, et al. pdf• Obeagu. *Int. J. Curr. Microbiol. App. Sci*. 2014;3(3):1000-1005.
34. Obeagu EI, Abdirahman BF, Bunu UO, Obeagu GU. Obsterics characteristics that effect the newborn outcomes. *Int. J. Adv. Res. Biol. Sci*. 2023;10(3):134-143.
35. Obeagu EI, Opoku D, Obeagu GU. Burden of nutritional anaemia in Africa: A Review. *Int. J. Adv. Res. Biol. Sci*. 2023;10(2):160-163.
36. Ifeanyi E. Erythropoietin (Epo) Level in Sick Cell Anaemia (HbSS) With Falciparum Malaria Infection in University Health Services, Michael Okpara University of Agriculture, Umudike, Abia State, Nigeria. *Paripex - Indian Journal of Research*, 2015; 4(6): 258-259
37. Ifeanyi OE, Nwakaego OB, Angela IO, Nwakaego CC. Haematological parameters among sickle cell anaemia patients in steady state and haemoglobin genotype AA individuals at Michael Okpara, University of Agriculture, Umudike, Abia State, Nigeria. *Int. J. Curr. Microbiol. App. Sci*. 2014;3(3):1000-1005.

**Citation:** Obeagu EI, Obeagu GU. From Awareness to Action: Encouraging Adolescent Engagement in Sick Cell Disease Prevention. *Elite Journal of Public Health*, 2023; 1 (1): 66-74



38. Ifeanyi OE, Stanley MC, Nwakaego OB. Comparative analysis of some haematological parameters in sickle cell patients in steady and crisis state at Michael Okpara University of agriculture, Umudike, Abia state, Nigeria. *Int. J. Curr. Microbiol. App. Sci.* 2014;3(3):1046-1050.
39. Ifeanyi EO, Uzoma GO. Malaria and The Sickle Cell Trait: Conferring Selective Protective Advantage to Malaria. *J Clin Med Res.* 2020; 2:1-4.
40. Isa H, Okocha E, Adegoke SA, Nnebe-Agumadu U, Kuliya-Gwarzo A, Sopekan A, Ofakunrin AO, Ugwu N, Hassan AA, Ohiaeri C, Madu A. Strategies to improve healthcare services for patients with sickle cell disease in Nigeria: The perspectives of stakeholders. *Frontiers in Genetics.* 2023; 14:1052444.
41. Martinez RM, Osei-Anto HA, McCormick M, National Academies of Sciences, Engineering, and Medicine. Community Engagement and Patient Advocacy. In *Addressing Sickle Cell Disease: A Strategic Plan and Blueprint for Action 2020*. National Academies Press (US).
42. Issom DZ. Digital Health Interventions to Empower People with Sickle Cell Disease: Toward Patient-Led Design. In *Sickle Cell Disease 2022*. Intech Open.
43. Obeagu EI, Obeagu GU. From Classroom to Home: Strengthening the Continuum of Sickle Cell Disease Knowledge. *Elite Journal of Health Science*, 2023; 1(1):23-29
44. Obeagu EI, Obeagu GU. Incorporating Sickle Cell Disease Curriculum in Schools: An Effective Approach. *Elite Journal of Health Science*, 2023; 1(1):30-36
45. Obeagu EI, Obeagu GU. Community Leaders as Educators: Mobilizing for Sickle Cell Disease Reduction. *Elite Journal of Health Science*, 2023; 1(1):37-43
46. Obeagu EI, Obeagu GU. Peer-to-Peer Learning Networks: Sickle Cell Disease Education Among Adolescents. *Elite Journal of Public Health*, 2023; 1 (1): 34-41