Elite Journal of Public Health. Volume 1 issue 1(2023), Pp. 1-11
https://epjournals.com/journals/EJPH

Harnessing Technology for Effective Sickle Cell Disease Awareness Among Ugandan Adolescents: A Review

*Emmanuel Ifeanyi Obeagu[1], Christiana Uchenna Ezeanya[2] and Getrude Uzoma Obeagu[3]

[1]Department of Medical Laboratory Science, Kampala International University, Uganda.
[2]Department of Computer Science, National Open University of Nigeria
[3]School of Nursing Science, Kampala International University, Uganda.

*Corresponding author: Emmanuel Ifeanyi Obeagu, Department of Medical Laboratory Science, Kampala International University, Uganda. emmanuelobeagu@yahoo.com, obeagu.emmanuel@kiu.ac.ug 0000-0002-4538-0161

Abstract

Sickle Cell Disease (SCD) poses a significant health challenge among adolescents in Uganda, necessitating innovative approaches for awareness and education. This review examines the role of technology in enhancing SCD awareness, with a focus on mobile applications, social media, telemedicine, and educational games. Through an exploration of existing initiatives, challenges, and future prospects, this review aims to shed light on the potential of technology to empower Ugandan adolescents in the effective management of Sickle Cell Disease. The synthesis of evidence presented in this review provides valuable insights for healthcare professionals, policymakers, and technology developers seeking to address the unique needs of this vulnerable population.

Keywords*: Sickle Cell Disease, Adolescents, Technology, Awareness, Uganda, Mobile Applications, Health Inequities*

Introduction

Sickle Cell Disease (SCD) stands as a persistent public health concern in Uganda, particularly among adolescents who grapple with the challenges of managing this genetic disorder. The impact of SCD on the health and well-being of Ugandan adolescents underscores the urgency to explore innovative strategies for awareness and education. In this context, technology emerges as a powerful ally, offering diverse tools such as mobile applications, social media, telemedicine, and educational games to effectively engage and inform this demographic.[1-15] Uganda, with its unique socio-cultural landscape and diverse population, requires targeted approaches to address the

Citation: Obeagu EI, Ezeanya CU, Obeagu GU. Harnessing Technology for Effective Sickle Cell Disease Awareness Among Ugandan Adolescents: A Review. Elite Journal of Public Health, 2023; 1 (1): 1-11

complexities associated with SCD awareness.[16] The integration of technology into awareness campaigns holds the potential to transcend geographical barriers, improve accessibility to information, and empower adolescents to proactively manage their condition.

Sickle Cell Disease, an inherited blood disorder characterized by abnormal hemoglobin, is prevalent in Uganda, with a high carrier rate and a considerable impact on public health.[17] Adolescents face the dual burden of navigating the challenges associated with their formative years while managing the complexities of SCD, including pain crises, anemia, and increased susceptibility to infections. The need for targeted and accessible information becomes crucial in empowering this demographic to make informed decisions about their health and well-being.[18-27] The rapid advancement of technology in recent years has transformed how health information is disseminated and accessed globally. In the Ugandan context, where access to traditional healthcare resources may be limited, technology serves as a promising avenue to bridge gaps in awareness. This review explores the potential of technology-driven interventions to reach Ugandan adolescents, offering them a platform to acquire knowledge, engage with support networks, and actively participate in the management of SCD.

This paper aims to comprehensively assess the impact of technology, including mobile applications, social media, telemedicine, and educational games, on SCD awareness among Ugandan adolescents. By examining existing initiatives, identifying challenges, and envisioning future directions, this review seeks to inform healthcare professionals, policymakers, and technology developers about the opportunities and considerations involved in harnessing technology for SCD awareness in Uganda.

Mobile Applications

Mobile applications represent a dynamic and accessible tool for delivering targeted information, support, and resources to Ugandan adolescents grappling with Sickle Cell Disease (SCD).[28] As smartphones become increasingly prevalent, exploring the landscape of existing mobile applications and their potential impact on SCD awareness is crucial. Several mobile applications have been developed globally to address the informational needs of individuals living with SCD.[29] In the Ugandan context, assessing the availability and effectiveness of such apps is essential. Noteworthy applications include those offering educational content about SCD, symptom tracking functionalities, medication reminders, and community engagement features. Effective SCD-related apps should provide comprehensive and accurate information about the disease, its management, and available support systems. Symptom tracking features enable users to monitor their health, aiding both self-awareness and communication with healthcare providers. Medication reminders are particularly vital for adolescents managing chronic conditions like SCD, promoting adherence to treatment plans. Additionally, community engagement features foster a sense of belonging and support, crucial for individuals dealing with the challenges of SCD.[30-41]

The effectiveness of these features relies on user engagement and satisfaction. Assessing user feedback, app ratings, and outcomes in terms of increased awareness and improved self-management can provide valuable insights into the impact of mobile applications in the Ugandan context. Despite their potential benefits, SCD-related mobile applications face challenges. Accessibility, both in terms of smartphone ownership and internet connectivity, may limit their reach in certain regions. Digital literacy, especially among older demographics, could pose a barrier to effective app usage. Moreover, the cultural relevance of app content must be carefully considered to ensure it resonates with the target audience.[42] To maximize the impact of mobile applications for SCD awareness in Uganda, future developments should focus on tailoring content to local contexts, improving user interface and experience, and addressing accessibility issues. Collaboration between developers, healthcare professionals, and community stakeholders can further enhance the relevance and effectiveness of these apps.

Social Media

Social media platforms have become integral parts of daily life for many, especially among the younger demographic, making them potent tools for disseminating information and fostering community engagement. Popular social media platforms, including Facebook, Twitter, Instagram, and TikTok, offer diverse opportunities to share information, stories, and resources related to SCD.[43] Understanding the preferences and usage patterns of Ugandan adolescents on these platforms is crucial for tailoring awareness campaigns effectively. Additionally, the influence of local influencers and community leaders on social media can be harnessed to amplify the reach and impact of SCD awareness initiatives. Examining successful social media campaigns related to SCD can provide insights into effective strategies.[44] Engaging content, such as personal stories, infographics, and interactive challenges, can capture the attention of adolescents and promote information sharing. Collaborations with healthcare professionals, influencers, and advocacy groups can further enhance the credibility and reach of SCD awareness messages on social media. While social media offers a wide reach, challenges such as misinformation, stigma, and varying levels of digital literacy must be addressed. Developing culturally sensitive and accurate content, along with implementing moderation strategies to counteract misinformation, is essential. Moreover, promoting open discussions about SCD on social media can contribute to destigmatizing the condition and fostering a supportive online community.

Social media platforms provide an opportunity to build virtual communities where adolescents with SCD can connect, share experiences, and offer support.[45] Establishing dedicated groups or pages that focus on SCD awareness, treatment updates, and success stories can create a sense of belonging and empowerment among Ugandan adolescents living with the condition. As social media continues to evolve, incorporating emerging trends such as live streaming, virtual reality, and augmented reality into SCD awareness campaigns can enhance engagement. Regularly adapting strategies based on platform updates and user preferences is essential for maintaining relevance and effectiveness.

Telemedicine

Telemedicine has emerged as a transformative approach to healthcare delivery, particularly in regions facing challenges related to accessibility. Telemedicine encompasses a range of services, including virtual consultations, remote monitoring, and telehealth initiatives.[46] In Uganda, where access to healthcare facilities can be limited, telemedicine presents an opportunity to bridge the gap and provide timely and efficient healthcare services to adolescents with SCD. The integration of telemedicine services into existing healthcare systems requires collaboration between healthcare providers, policymakers, and technology developers. Assessing the effectiveness of telemedicine in SCD management involves examining patient outcomes, satisfaction levels, and the impact on healthcare accessibility. Virtual consultations can facilitate timely communication between adolescents and healthcare professionals, enabling proactive management of SCD symptoms and reducing the need for frequent in-person visits. Remote monitoring tools can empower individuals to track their health parameters, promoting self-awareness and early intervention.

Despite its potential benefits, telemedicine faces challenges in Uganda, such as limited internet infrastructure, device availability, and digital literacy. Tailoring telemedicine solutions to accommodate these challenges, perhaps through mobile-based platforms with low bandwidth requirements, can enhance accessibility. Additionally, raising awareness about the benefits of telemedicine and providing training for healthcare professionals and patients can address concerns related to digital literacy.

Ensuring that telemedicine solutions are culturally sensitive is crucial for their successful implementation in Uganda. Understanding local beliefs, practices, and preferences can help in developing telemedicine platforms that align with the cultural context, fostering trust and acceptance among Ugandan adolescents and their families. The future of telemedicine in SCD management lies in continued technological advancements and the incorporation of artificial intelligence for personalized healthcare solutions.[47] Innovations such as remote diagnostics, wearable devices, and predictive analytics can further enhance the capabilities of telemedicine in providing targeted and efficient care for Ugandan adolescents with SCD.

Educational Games

Harnessing the power of gamification is an innovative and engaging strategy to educate and empower Ugandan adolescents about Sickle Cell Disease (SCD). Educational games present a unique opportunity to transform learning into an enjoyable and interactive experience. In the context of SCD awareness, games can convey crucial information about the disease, its symptoms, and management strategies in a way that is both entertaining and memorable.[48] Designing games that align with the cultural context and preferences of Ugandan adolescents ensures greater engagement and effectiveness. Successful educational games for SCD awareness incorporate informative content, interactive challenges, and real-life scenarios.[49] These games can cover various aspects of SCD, including symptom recognition, medication adherence, and lifestyle

choices. Integrating culturally relevant characters, settings, and narratives can enhance the relatability of the game, fostering a deeper connection with the target audience.[49-54] Research suggests that game-based learning can lead to higher levels of knowledge retention compared to traditional educational methods. Assessing the impact of educational games on SCD knowledge retention among Ugandan adolescents can provide valuable insights into the efficacy of this approach. Monitoring changes in awareness, attitudes, and behavior related to SCD after engaging with educational games can offer quantitative measures of success.

To maximize the impact of educational games, considerations for accessibility and inclusivity are paramount. Ensuring that the games are accessible on a variety of devices, including smartphones and low-cost tablets, addresses potential barriers related to technology access. Furthermore, designing games that cater to different learning styles and literacy levels ensures inclusivity among the diverse population of Ugandan adolescents. Collaboration with educational institutions to integrate SCD educational games into the school curriculum can enhance their reach and impact. By aligning with existing educational frameworks, these games become a structured and systematic part of the learning process, reinforcing SCD awareness and understanding over time.[53] The evolution of technology opens doors for continued innovation in educational games. Virtual reality (VR) and augmented reality (AR) can further enhance the immersive and educational aspects of games, providing a more engaging and personalized learning experience for Ugandan adolescents. Continued research and development in this field hold the potential to create increasingly effective and culturally relevant educational games.

Challenges and Considerations

Despite the promising potential of technology-driven approaches in raising Sickle Cell Disease (SCD) awareness among Ugandan adolescents, several challenges and considerations must be addressed to ensure the effectiveness and inclusivity of these initiatives. One of the primary challenges in leveraging technology for SCD awareness is the varying levels of internet accessibility across different regions of Uganda.[55] In remote or underserved areas, limited access to the internet may hinder the adoption of online platforms, including mobile applications, social media, and telemedicine. Bridging the digital divide through infrastructure development and community-based internet access initiatives is crucial for reaching a wider audience. The success of technology-driven awareness campaigns relies on the digital literacy of the target population. Adolescents, parents, and healthcare providers need to be familiar with and comfortable using digital tools. Tailoring interventions to accommodate varying levels of digital literacy, providing training programs, and ensuring user-friendly interfaces are essential considerations for the successful implementation of technology-driven SCD awareness initiatives.

Uganda's diverse cultural landscape necessitates a careful consideration of cultural norms, beliefs, and practices when implementing technology-driven awareness campaigns. Content should be culturally sensitive, relevant, and respectful to avoid potential misunderstandings or resistance. Collaborating with local communities, cultural experts, and healthcare professionals ensures that

technology-driven initiatives align with the cultural context of Ugandan adolescents. SCD is often accompanied by stigma, misinformation, and misconceptions within communities.[56] Leveraging technology to disseminate accurate information is critical in dispelling myths and reducing stigma. However, there is a risk of perpetuating misinformation through online platforms. Implementing robust fact-checking mechanisms, partnering with reputable healthcare organizations, and involving community leaders can help mitigate the spread of inaccurate information. In the context of telemedicine and mobile applications, ensuring the privacy and security of personal health information is paramount. Adolescents and their families need reassurance that their data is handled securely. Complying with data protection regulations, implementing encryption measures, and transparently communicating data security practices are essential steps in building trust among users. Socioeconomic disparities may limit access to technology devices, smartphones, or high-speed internet connections. Initiatives should consider the economic challenges faced by certain communities and explore strategies to provide equitable access. Collaboration with non-governmental organizations (NGOs) and governmental agencies can help address these disparities and ensure that technology-driven awareness campaigns reach marginalized populations. Existing health inequities in Uganda may impact the distribution of benefits from technology-driven initiatives. Efforts should be made to identify and address disparities in access to healthcare resources, ensuring that technology-driven solutions do not inadvertently exacerbate existing inequalities. Promoting inclusivity and equal access for all adolescents, regardless of their socio-economic status, is vital.

Recommendations

Addressing the challenge of internet accessibility is crucial for the success of technology-driven initiatives. Governments, in collaboration with private sector entities and NGOs, should invest in improving internet infrastructure, especially in remote and underserved areas. Community-based internet access initiatives and mobile data affordability programs can contribute to bridging the digital divide. Implementing digital literacy programs targeted at adolescents, parents, and healthcare providers will enhance the adoption and effective use of technology-driven platforms. Workshops, training sessions, and educational materials should be designed to accommodate varying levels of digital literacy and foster a more informed and confident user base.

Developing culturally sensitive content is essential to ensure that technology-driven initiatives resonate with the diverse cultural landscape of Uganda. Collaboration with local communities, cultural experts, and healthcare professionals can help create content that is respectful, relevant, and inclusive. Regular feedback and adjustments based on community input are crucial for maintaining cultural appropriateness. To counter misinformation, technology-driven initiatives should incorporate robust fact-checking mechanisms. Collaborating with healthcare professionals, reputable organizations, and community leaders can contribute to the accuracy of information. Clear communication about the sources of information and transparent disclosure of data accuracy can build trust among users. Implementing stringent privacy and data security measures is imperative to ensure user trust in telemedicine and mobile applications. Compliance with data

protection regulations, encryption of sensitive information, and transparent communication about data security practices are fundamental steps in safeguarding user privacy.

Designing technology-driven initiatives with inclusivity in mind is essential to address socioeconomic disparities. Considering the economic challenges faced by certain communities, initiatives should explore strategies such as subsidies, partnerships with NGOs, or government support to provide equal access to technology resources. Fostering collaboration between healthcare professionals, technology developers, policymakers, NGOs, and community leaders is crucial for the success of SCD awareness initiatives. Integration of technology-driven approaches into existing healthcare systems, educational curricula, and community outreach programs will ensure a comprehensive and sustained impact. Implementing robust monitoring and evaluation mechanisms is essential to assess the effectiveness and impact of technology-driven initiatives. Regular assessments of user engagement, knowledge retention, and changes in health behaviors should guide continuous improvements and adaptations to meet the evolving needs of Ugandan adolescents.

Conclusion

The intersection of technology and healthcare presents a promising frontier for advancing awareness, education, and proactive management of Sickle Cell Disease (SCD) among Ugandan adolescents. Through an in-depth exploration of mobile applications, social media, telemedicine, and educational games, this review highlights the potential of technology-driven interventions in addressing the unique challenges associated with SCD in Uganda. Telemedicine, as a means of improving healthcare accessibility, offers virtual consultations, remote monitoring, and telehealth initiatives that can positively impact SCD management. Educational games, infused with culturally relevant content and interactive features, provide an enjoyable and effective method for enhancing awareness and understanding among Ugandan adolescents.

References

1. Obeagu EI, Ochei KC, Nwachukwu BN, Nchuma BO. Sickle cell anaemia: a review. Scholars Journal of Applied Medical Sciences. 2015;3(6B):224422-52.
2. Obeagu EI. Erythropoeitin in Sickle Cell Anaemia: A Review. International Journal of Research Studies in Medical and Health Sciences. 2020;5(2):22-28.
3. Obeagu EI. Sickle Cell Anaemia: Haemolysis and Anemia. Int. J. Curr. Res. Chem. Pharm. Sci. 2018;5(10):20-21.
4. Obeagu EI, Muhimbura E, Kagenderezo BP, Uwakwe OS, Nakyeyune S, Obeagu GU. An Update on Interferon Gamma and C Reactive Proteins in Sickle Cell Anaemia Crisis. J Biomed Sci. 2022;11(10):84.
5. Obeagu EI, Bunu UO, Obeagu GU, Habimana JB. Antioxidants in the management of sickle cell anaemia: an area to be exploited for the wellbeing of the patients. International Research in Medical and Health Sciences. 2023;6(4):12-17.

Citation: Obeagu EI, Ezeanya CU, Obeagu GU. Harnessing Technology for Effective Sickle Cell Disease Awareness Among Ugandan Adolescents: A Review. Elite Journal of Public Health, 2023; 1 (1): 1-11

6. Obeagu EI, Ogunnaya FU, Obeagu GU, Ndidi AC. Sickle cell anaemia: a gestational enigma. European Journal of Biomedical and Pharmaceutical Sciences. 2023;10((9): 72-75
7. Obeagu EI. An update on micro RNA in sickle cell disease. Int J Adv Res Biol Sci. 2018;5:157-158.
8. Obeagu EI, Babar Q. Covid-19 and Sickle Cell Anemia: Susceptibility and Severity. J. Clinical and Laboratory Research. 2021;3(5):2768-0487.
9. Obeagu EI, Obeagu GU, Igwe MC, Alum EU, Ugwu OP. Men's Essential roles in the Management of Sickle Cell Anemia. Newport International Journal of Scientific and Experimental Sciences 4(2):20-29. https://doi.org/10.59298/NIJSES/2023/10.3.1111
10. Obeagu EI. Depression in Sickle Cell Anemia: An Overlooked Battle. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(10):41-.
11. Obeagu EI, Obeagu GU. Evaluation of Hematological Parameters of Sickle Cell Anemia Patients with Osteomyelitis in A Tertiary Hospital in Enugu, Nigeria. Journal of Clinical and Laboratory Research.2023;6(1):2768-0487.
12. Obeagu EI, Dahir FS, Francisca U, Vandu C, Obeagu GU. Hyperthyroidism in sickle cell anaemia. Int. J. Adv. Res. Biol. Sci. 2023;10(3):81-9.
13. Obeagu EI, Obeagu GU, Akinleye CA, Igwe MC. Nosocomial infections in sickle cell anemia patients: Prevention through multi-disciplinary approach: A review. Medicine. 2023;102(48):e36462.
14. Njar VE, Ogunnaya FU, Obeagu EI. Knowledge And Prevalence of The Sickle Cell Trait Among Undergraduate Students of The University of Calabar. Prevalence. 2023;5(100):0-5.
15. Swem CA, Ukaejiofo EO, Obeagu EI, Eluke B. Expression of micro RNA 144 in sickle cell disease. Int. J. Curr. Res. Med. Sci. 2018;4(3):26-32.
16. Cociña C, Frediani AA, Butcher S, Levy C, Acuto M. Addressing urban inequalities: co-creating pathways through research and practice. Environment and Urbanization. 2022;34(2):269-77.
17. Egesa WI, Nakalema G, Waibi WM, Turyasiima M, Amuje E, Kiconco G, Odoch S, Kumbakulu PK, Abdirashid S, Asiimwe D. Sickle cell disease in children and adolescents: a review of the historical, clinical, and public health perspective of sub-saharan africa and beyond. International Journal of Pediatrics. 2022.
18. Obeagu EI, Nimo OM, Bunu UO, Ugwu OP, Alum EU. Anaemia in children under five years: African perspectives. Int. J. Curr. Res. Biol. Med. 2023; 1:1-7.
19. Obeagu EI. Sickle cell anaemia: Historical perspective, Pathophysiology and Clinical manifestations. Int. J. Curr. Res. Chem. Pharm. Sci. 2018;5(11):13-15.
20. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. International Research in Medical and Health Sciences. 2023;6(2):10-13.
21. Obeagu EI, Mohamod AH. An update on Iron deficiency anaemia among children with congenital heart disease. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(4):45-48.

22. Edward U, Osuorji VC, Nnodim J, Obeagu EI. Evaluationof Trace Elements in Sickle Cell Anaemia Patients Attending Imo State Specialist Hospital, Owerri. Madonna University journal of Medicine and Health Sciences ISSN: 2814-3035. 2022;2(1):218-234.
23. Umar MI, Aliyu F, Abdullahi MI, Aliyu MN, Isyaku I, Aisha BB, Sadiq RU, Shariff MI, Obeagu EI. Assessment Of Factors Precipitating Sickle Cell Crises Among Under 5-Years Children Attending Sickle Cell Clinic of Murtala Muhammad Specialist Hospital, Kano. blood.;11:16.
24. Obeagu EI. Vaso-occlusion and adhesion molecules in sickle cells disease. Int J Curr Res Med Sci. 2018;4(11):33-35.
25. Ifeanyi OE, Stella EI, Favour AA. Antioxidants in the Management of Sickle Cell Anaemia. Int J Hematol Blood Disord (Internet) 2018 (cited 2021 Mar 4); 3. Available from: https://symbiosisonlinepublishing. com/hematology/hema tology25. php. 2018 Sep.
26. Buhari HA, Ahmad AS, Obeagu EI. Current Advances in the Diagnosis and Treatment of Sickle Cell Anaemia. APPLIED SCIENCES (NIJBAS). 2023;4(1).
27. Nnodim J, Uche U, Ifeoma U, Chidozie N, Ifeanyi O, Oluchi AA. Hepcidin and erythropoietin level in sickle cell disease. British Journal of Medicine and Medical Research. 2015;8(3):261-265.
28. Ibemere SO. *Exploring Sickle Cell Disease Care and Management Within the Context of the Kono District of Sierra Leone* (Doctoral dissertation, University of Cincinnati). 2023.
29. Issom DZ, Henriksen A, Woldaregay AZ, Rochat J, Lovis C, Hartvigsen G. Factors influencing motivation and engagement in mobile health among patients with sickle cell disease in low-prevalence, high-income countries: qualitative exploration of patient requirements. JMIR Human Factors. 2020;7(1): e14599.
30. Obeagu EI. Burden Of Chronic Osteomylitis: Review of Associated Factors. Madonna University journal of Medicine and Health Sciences. 2023;3(1):1-6.
31. Aloh GS, Obeagu EI, Okoroiwu IL, Odo CE, Chibunna OM, Kanu SN, Elemchukwu Q, Okpara KE, Ugwu GU. Antioxidant-Mediated Heinz Bodies Levels of Sickle Erythrocytes under Drug-Induced Oxidative Stress. European Journal of Biomedical and Pharmaceutical sciences. 2015;2(1):502-507.
32. Obeagu EI, Malot S, Obeagu GU, Ugwu OP. HIV resistance in patients with Sickle Cell Anaemia. Newport International Journal of Scientific and Experimental Sciences (NIJSES). 2023;3(2):56-59.
33. Obeagu EI, Bot YS, Opoku D, Obeagu GU, Hassan AO. Sickle Cell Anaemia: Current Burden in Africa. International Journal of Innovative and Applied Research. 2023;11(2):12-14.
34. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. International Research in Medical and Health Sciences. 2023; 6 (2): 10-13.
35. Obeagu EI, Ogbuabor BN, Ikechukwu OA, Chude CN. Haematological parameters among sickle cell anemia patients' state and haemoglobin genotype AA individuals at Michael Okpara University of Agriculture, Umudike, Abia State, Nigeria. International Journal of Current Microbiology and Applied Sciences. 2014;3(3):1000-1005.

36. Ifeanyi OE, Nwakaego OB, Angela IO, Nwakaego CC. Haematological parameters among sickle cell anaemia... Emmanuel Ifeanyi1, et al. pdf• Obeagu. Int. J. Curr. Microbiol. App. Sci. 2014;3(3):1000-1005.
37. Obeagu EI, Abdirahman BF, Bunu UO, Obeagu GU. Obsterics characteristics that effect the newborn outcomes. Int. J. Adv. Res. Biol. Sci. 2023;10(3):134-143.
38. Obeagu EI, Opoku D, Obeagu GU. Burden of nutritional anaemia in Africa: A Review. Int. J. Adv. Res. Biol. Sci. 2023;10(2):160-163.
39. Ifeanyi E. Erythropoietin (Epo) Level in Sickle Cell Anaemia (HbSS) With Falciparum Malaria Infection in University Health Services, Michael Okpara University of Agriculture, Umudike, Abia State, Nigeria. Paripex - Indian Journal of Research, 2015; 4(6): 258-259
40. Ifeanyi OE, Nwakaego OB, Angela IO, Nwakaego CC. Haematological parameters among sickle cell anaemia patients in steady state and haemoglobin genotype AA individuals at Michael Okpara, University of Agriculture, Umudike, Abia State, Nigeria. Int. J. Curr. Microbiol. App. Sci. 2014;3(3):1000-1005.
41. Ifeanyi OE, Stanley MC, Nwakaego OB. Comparative analysis of some haematological parameters in sickle cell patients in steady and crisis state at michael okpara University of agriculture, Umudike, Abia state, Nigeria. Int. J. Curr. Microbiol. App. Sci. 2014;3(3):1046-1050.
42. Ifeanyi EO, Uzoma GO. Malaria and The Sickle Cell Trait: Conferring Selective Protective Advantage to Malaria. J Clin Med Res. 2020; 2:1-4.
43. Alatorre S, Schwarz AG, Egan KA, Feldman AR, Rosa M, Wang ML. Exploring Social Media Preferences for Healthy Weight Management Interventions Among Adolescents of Color: Mixed Methods Study. JMIR Pediatrics and Parenting. 2023;6:e43961.
44. Rosca E, Taylor KM. Delivering societal impact through supply chain design: insights from B Corps. International Journal of Operations & Production Management. 2023.
45. Crosby LE, Joffe NE, Kidwell KM, Harry O, McTate EA, Nwankwo C, Hood AM. Perceptions of a self-management intervention for adolescents with sickle cell disease. Clinical Practice in Pediatric Psychology. 2022;10(1):79.
46. Haleem A, Javaid M, Singh RP, Suman R. Telemedicine for healthcare: Capabilities, features, barriers, and applications. Sensors international. 2021; 2:100117.
47. Addissouky TA, El Sayed IE, Ali MM, Wang Y, El Baz A, Elarabany N, Khalil AA. Shaping the future of cardiac wellness: exploring revolutionary approaches in disease management and prevention. Journal of Clinical Cardiology. 2024;5(1):6-29.
48. Utrankar A, Mayo-Gamble TL, Allen W, Novak L, Kassim AA, Bonnet K, Schlundt D, Murry VM, Jackson GP, DeBaun M, Cronin RM. Technology use and preferences to support clinical practice guideline awareness and adherence in individuals with sickle cell disease. Journal of the American Medical Informatics Association. 2018;25(8):976-988.
49. Poku BA, Pilnick A. Research knowledge transfer to improve the care and support of adolescents with sickle cell disease in Ghana. Health Expectations. 2022;25(5):2515-24.
50. Obeagu EI, Obeagu GU. Implications of climatic change on sickle cell anemia: A review. Medicine. 2024;103(6): e37127.

Citation: Obeagu EI, Ezeanya CU, Obeagu GU. Harnessing Technology for Effective Sickle Cell Disease Awareness Among Ugandan Adolescents: A Review. Elite Journal of Public Health, 2023; 1 (1): 1-11

51. Obeagu EI, Ubosi NI, Obeagu GU, Egba SI, Bluth MH. Understanding apoptosis in sickle cell anemia patients: Mechanisms and implications. Medicine. 2024;103(2): e36898.
52. Obeagu EI, Obeagu GU, Hauwa BA. Optimizing Maternal Health: Addressing Hemolysis in Pregnant Women with Sickle Cell Anemia. Journal home page: http://www. journalijiar. com.;12(01).
53. Obeagu EI. Maximizing longevity: erythropoietin's impact on sickle cell anemia survival rates. Annals of Medicine and Surgery. 2024:10-97.
54. Obeagu EI, Ogunnaya FU, Obeagu GU, Ndidi AC. Sickle cell anaemia: a gestational enigma. Migration. 2023; 17:18.
55. Hegemann L, Narasimhan V, Marfo K, Kuma-Aboagye P, Ofori-Acquah S, Odame I. Bridging the Access Gap for Comprehensive Sickle Cell Disease Management Across Sub-Saharan Africa: Learnings for Other Global Health Interventions? Annals of Global Health. 2023;89(1).
56. Udhayashankar K, Franklin PD, Nuta CJ, Cherue AK, Haq H, Thompson D, Tubman VN. Determinants of retention in care of newborns diagnosed with sickle cell disease in Liberia: Results from a mixed-methods study of caregivers. PLOS Global Public Health. 2023;3(4): e0001705.

Citation: Obeagu EI, Ezeanya CU, Obeagu GU. Harnessing Technology for Effective Sickle Cell Disease Awareness Among Ugandan Adolescents: A Review. Elite Journal of Public Health, 2023; 1 (1): 1-11