Elite Journal of Nursing and Health Sciences. Volume 1 issue 1(2023), Pp.1-12 https://epjournals.com/journals/EJNHS

The Vital Role of Antioxidants in Enhancing Fertility and Pregnancy Success: A Review

*Emmanuel Ifeanyi Obeagu¹ and Getrude Uzoma Obeagu²

Abstract

Antioxidants play a crucial role in maintaining reproductive health by combating oxidative stress, which has been implicated in various fertility issues and pregnancy complications. This review article provides a comprehensive overview of the mechanisms underlying the impact of antioxidants on fertility enhancement and pregnancy success. It examines the relationship between oxidative stress and reproductive outcomes, explores the sources of antioxidants, and evaluates the evidence supporting their efficacy in improving fertility and pregnancy outcomes. Furthermore, it discusses the potential mechanisms through which antioxidants exert their beneficial effects, including protection against DNA damage, enhancement of oocyte and sperm quality, regulation of hormonal balance, and improvement of uterine receptivity. Additionally, this review highlights the importance of antioxidant supplementation in both men and women undergoing fertility treatments and those seeking natural conception. Overall, understanding the role of antioxidants in reproductive health can guide the development of personalized strategies to optimize fertility and enhance pregnancy success.

Keywords: Antioxidants, Fertility, Pregnancy, Oxidative stress, Reproductive health, Infertility, Nutritional supplements

Introduction

Infertility and subfertility pose significant challenges to individuals and couples worldwide, affecting approximately 10-15% of reproductive-aged couples. While various factors contribute to fertility issues, emerging research suggests that oxidative stress plays a pivotal role in compromising reproductive health. Oxidative stress occurs when there is an imbalance between **Citation**: Obeagu EI, Obeagu GU. The Vital Role of Antioxidants in Enhancing Fertility and Pregnancy Success: A Review. Elite Journal of Nursing and Health Science, 2023; 1(1):1-12

¹Department of Medical Laboratory Science, Kampala International University, Uganda

²School of Nursing Science, Kampala International University, Uganda

^{*}Corresponding authour: Emmanuel Ifeanyi Obeagu, <u>Department of Medical Laboratory Science</u>, <u>Kampala International University, Uganda, emmanuelobeagu@yahoo.com, ORCID:</u> 0000-0002-4538-0161

the production of reactive oxygen species (ROS) and the body's ability to neutralize them with antioxidants. In the context of reproduction, excessive ROS levels can damage sperm, oocytes, and reproductive tissues, leading to impaired fertility, recurrent miscarriages, and pregnancy complications. Antioxidants, a diverse group of molecules that neutralize ROS and prevent oxidative damage, have garnered considerable attention for their potential to improve fertility outcomes. These compounds are found in a wide range of foods, supplements, and natural sources, offering promising avenues for intervention in both natural conception and assisted reproductive technologies (ART). By scavenging free radicals and protecting cellular structures from oxidative damage, antioxidants play a crucial role in maintaining the delicate balance required for optimal reproductive function. This review aims to provide a comprehensive overview of the role of antioxidants in enhancing fertility and promoting pregnancy success.

Oxidative Stress and Reproductive Health

Oxidative stress is a condition characterized by an imbalance between the production of reactive oxygen species (ROS) and the body's ability to detoxify or neutralize these harmful molecules through antioxidants. In the context of reproductive health, oxidative stress arises when the generation of ROS exceeds the antioxidant capacity of reproductive tissues, including the ovaries, testes, and uterus. ROS are highly reactive molecules derived from oxygen metabolism, and while they play essential roles in physiological processes such as cell signaling and immune response, excessive ROS production can lead to cellular damage and dysfunction. Sources and Consequences of Oxidative Stress: Several factors contribute to oxidative stress in the reproductive system, including environmental toxins, pollutants, lifestyle factors (such as smoking and excessive alcohol consumption), inflammation, infections, and metabolic disorders. In females, oxidative stress can impair oocyte quality, disrupt follicular development, and compromise embryo implantation and early pregnancy. In males, it can damage sperm DNA, impair sperm motility and function, and reduce overall sperm quality, leading to male infertility. Additionally, oxidative stress has been implicated in various reproductive disorders, including polycystic ovary syndrome (PCOS), endometriosis, and recurrent miscarriages. 17-32

Impact on Fertility and Pregnancy Outcomes: Oxidative stress plays a significant role in the pathophysiology of infertility, affecting both natural conception and assisted reproductive technologies (ART). High levels of ROS in the reproductive tract can decrease sperm viability and fertilization potential, impair embryo development, and increase the risk of pregnancy loss. Furthermore, oxidative stress has been linked to adverse pregnancy outcomes, such as preeclampsia, gestational diabetes, preterm birth, and intrauterine growth restriction. The detrimental effects of oxidative stress on reproductive health highlight the importance of addressing this imbalance to optimize fertility and promote successful pregnancies. Role of Antioxidants in Mitigating Oxidative Damage: Antioxidants are molecules that neutralize ROS and prevent oxidative damage by donating electrons or scavenging free radicals. Endogenous antioxidants, such as superoxide dismutase (SOD), catalase, and glutathione peroxidase, are produced by the body and act as the first line of defense against oxidative stress. Additionally, exogenous antioxidants derived from dietary sources, including vitamins C and E, selenium, coenzyme Q10, and polyphenols, can enhance the body's antioxidant capacity and protect Citation: Obeagu EI, Obeagu GU. The Vital Role of Antioxidants in Enhancing Fertility and Pregnancy Success: A Review. Elite Journal of Nursing and Health Science, 2023; 1(1):1-12

reproductive tissues from oxidative damage. By counteracting ROS production and enhancing cellular antioxidant defenses, antioxidants play a crucial role in maintaining reproductive health and optimizing fertility outcomes.³³⁻⁴⁶

Mechanisms of Antioxidant Action

The mechanisms through which antioxidants exert their beneficial effects on reproductive health are multifaceted and encompass various cellular processes. One of the primary mechanisms by which antioxidants safeguard reproductive health is by protecting DNA integrity. ROS can induce DNA strand breaks, base modifications, and chromosomal abnormalities, leading to mutations and genomic instability in germ cells and embryos.⁴⁷ Antioxidants, such as vitamin C, vitamin E, and glutathione, scavenge free radicals and prevent oxidative damage to DNA molecules, thereby preserving genetic integrity and reducing the risk of genetic abnormalities in gametes and embryos. 48 By maintaining genomic stability, antioxidants contribute to the production of highquality gametes and support successful fertilization and embryonic development. Antioxidants play a crucial role in improving the quality of both oocytes and sperm, which are essential for successful fertilization and embryo development. Oxidative stress can impair oocyte maturation, decrease oocyte competence, and compromise embryo quality, leading to reduced fertility and increased risk of pregnancy loss. Similarly, ROS-induced sperm damage, such as lipid peroxidation and DNA fragmentation, can impair sperm motility, viability, and fertilization potential. Antioxidants mitigate oxidative damage to gametes by neutralizing ROS and preserving membrane integrity, mitochondrial function, and chromatin structure, thus enhancing the quality of oocytes and sperm and promoting successful conception.

Antioxidants play a role in modulating the endocrine system and maintaining hormonal balance, which is crucial for reproductive function. ROS can disrupt hormonal signaling pathways by affecting the synthesis, secretion, and activity of reproductive hormones, including folliclestimulating hormone (FSH), luteinizing hormone (LH), estrogen, progesterone, and testosterone.⁴⁹ Antioxidants, such as coenzyme O10 and selenium, regulate the production of hormones, protect endocrine glands from oxidative damage, and enhance hormonal sensitivity and responsiveness. By restoring hormonal balance, antioxidants promote ovulation, support follicular development, and optimize reproductive function in both males and females. Antioxidants contribute to the establishment and maintenance of a receptive uterine environment essential for embryo implantation and pregnancy establishment. Oxidative stress can impair endometrial receptivity by disrupting the balance between pro-inflammatory and anti-inflammatory factors, altering cytokine production, and impairing vascularization and tissue remodeling processes. Antioxidants, such as N-acetylcysteine (NAC) and resveratrol, mitigate endometrial oxidative stress, reduce inflammation, and enhance endometrial receptivity by promoting angiogenesis, modulating immune responses, and improving uterine blood flow. By optimizing uterine receptivity, antioxidants support embryo implantation and early pregnancy establishment, ultimately improving pregnancy success rates.

Antioxidants and Fertility Enhancement

Antioxidants have emerged as promising agents for enhancing fertility by mitigating the detrimental effects of oxidative stress on reproductive function. Numerous studies have demonstrated the efficacy of antioxidants in enhancing fertility parameters and promoting conception in both men and women. Clinical trials and observational studies have shown that antioxidant supplementation can improve sperm quality, including sperm count, motility, morphology, and DNA integrity, in men with idiopathic infertility or suboptimal semen parameters. Additionally, antioxidant therapy has been associated with increased pregnancy rates and reduced time to conception in couples undergoing fertility treatments or attempting to conceive naturally. In women, oxidative stress can disrupt ovarian function, leading to irregular menstrual cycles and ovulatory dysfunction. Antioxidants, such as vitamin E, coenzyme Q10, and Nacetylcysteine (NAC), have been shown to restore menstrual regularity, improve ovulatory function, and increase the likelihood of spontaneous ovulation in women with conditions such as polycystic ovary syndrome (PCOS) or unexplained infertility. By reducing oxidative stress and enhancing ovarian responsiveness to hormonal stimuli, antioxidants support follicular development, promote ovulation, and optimize reproductive function in women. Antioxidant supplementation has been extensively studied as a therapeutic intervention for male infertility, given the critical role of oxidative stress in sperm dysfunction. Clinical trials have reported improvements in sperm quality and fertility outcomes following antioxidant therapy in men with conditions such as varicocele, asthenozoospermia, and idiopathic infertility. Antioxidants, such as vitamin C, vitamin E, selenium, and zinc, protect sperm from oxidative damage, enhance sperm motility and viability, and reduce sperm DNA fragmentation, ultimately improving male fertility potential and increasing the chances of successful conception. 50-64

Antioxidants and Pregnancy Success

Antioxidants play a critical role in promoting pregnancy success by safeguarding reproductive health, supporting embryo development, and reducing the risk of pregnancy complications.⁶⁵ Oxidative stress can impair embryo implantation and early pregnancy development by disrupting endometrial receptivity, compromising embryo quality, and increasing the risk of implantation failure and early pregnancy loss.⁶⁹ Antioxidants, such as vitamin C, vitamin E, and resveratrol, mitigate oxidative damage to the endometrium, reduce inflammation, and enhance uterine receptivity by promoting angiogenesis, modulating immune responses, and improving blood flow to the uterus. By creating a favorable uterine environment for embryo implantation and early embryo development, antioxidants support successful pregnancy establishment and reduce the incidence of implantation failure and miscarriage. Oxidative stress has been implicated in the pathophysiology of various pregnancy complications, including preeclampsia, gestational diabetes, preterm birth, and intrauterine growth restriction. Antioxidants help mitigate oxidative damage to maternal and fetal tissues, protect against placental dysfunction, and attenuate inflammatory responses associated with pregnancy complications. Clinical trials and observational studies have demonstrated that antioxidant supplementation, either alone or in combination with other interventions, can reduce the incidence and severity of pregnancy complications, improve maternal and fetal outcomes, and enhance overall pregnancy success rates. In the context of assisted reproductive technologies (ART), antioxidant supplementation has been shown to improve pregnancy rates and enhance the success of fertility treatments, such as in vitro Citation: Obeagu EI, Obeagu GU. The Vital Role of Antioxidants in Enhancing Fertility and Pregnancy Success: A Review. Elite Journal of Nursing and Health Science, 2023; 1(1):1-12

fertilization (IVF) and intracytoplasmic sperm injection (ICSI). Antioxidants protect gametes and embryos from oxidative damage during the ART procedures, optimize embryo quality, and increase implantation and pregnancy rates. Additionally, antioxidant therapy may mitigate the adverse effects of oxidative stress induced by ovarian stimulation protocols and ART-related procedures, thereby improving treatment outcomes and reducing the risk of cycle cancellations and pregnancy loss. ⁷⁰⁻⁷⁹

Clinical Considerations and Recommendations

Clinical considerations and recommendations regarding antioxidant supplementation in the context of fertility and pregnancy require careful assessment of individual patient needs. underlying conditions, and treatment goals.⁸⁰ Healthcare providers should consider the specific antioxidant formulations and dosages based on the patient's age, reproductive history, underlying medical conditions, and treatment protocols. Commonly used antioxidants include vitamins C and E, coenzyme Q10, selenium, zinc, and N-acetylcysteine (NAC). However, the optimal combination and dosage of antioxidants may vary depending on the individual's unique circumstances. It is essential to consult evidence-based guidelines and clinical studies to guide antioxidant selection and dosing regimens. Antioxidant supplementation should ideally begin before conception and continue throughout pregnancy to maximize its potential benefits. Preconceptional use of antioxidants can help optimize reproductive health, protect gametes from oxidative damage, and support early embryo development. During pregnancy, antioxidants can mitigate oxidative stress, reduce the risk of pregnancy complications, and promote maternal and fetal well-being. Healthcare providers should provide guidance on the appropriate timing and duration of antioxidant supplementation based on the patient's fertility status, treatment plan, and gestational age.

Antioxidant therapy should be tailored to the specific needs and underlying causes of infertility in each patient. Healthcare providers should conduct a comprehensive evaluation of the patient's medical history, lifestyle factors, and reproductive health parameters to identify potential sources of oxidative stress and determine the most appropriate antioxidant interventions. Individualized treatment plans may include a combination of lifestyle modifications, dietary recommendations, and targeted antioxidant supplementation to address underlying oxidative imbalances and optimize fertility outcomes. While antioxidants are generally considered safe and well-tolerated, healthcare providers should be mindful of potential risks and contraindications associated with antioxidant supplementation. High doses of certain antioxidants may have adverse effects or interact with medications, particularly in patients with pre-existing medical conditions or nutrient deficiencies. It is essential to educate patients about potential side effects, monitor for adverse reactions, and adjust antioxidant regimens accordingly to ensure safety and efficacy. 81-84

Conclusion

Antioxidants represent a promising therapeutic approach for optimizing fertility and improving pregnancy outcomes by counteracting the detrimental effects of oxidative stress on the reproductive system. Accumulating evidence supports their efficacy in enhancing both male and **Citation**: Obeagu EI, Obeagu GU. The Vital Role of Antioxidants in Enhancing Fertility and Pregnancy Success: A Review. Elite Journal of Nursing and Health Science, 2023; 1(1):1-12

female fertility, as well as promoting successful pregnancies, particularly in individuals undergoing assisted reproductive technologies. However, further research is needed to elucidate optimal supplementation strategies, identify biomarkers of oxidative stress, and explore potential interactions with other treatments. By integrating antioxidant therapy into clinical practice and promoting lifestyle modifications to enhance antioxidant intake, healthcare providers can empower individuals to take proactive steps towards achieving their reproductive goals and ensuring healthier pregnancies.

References

- 1. Inhorn MC, Patrizio P. Infertility around the globe: new thinking on gender, reproductive technologies and global movements in the 21st century. Human reproduction update. 2015;21(4):411-26.
- 2. Inhorn MC. Infertility, in vitro fertilization, and fertility preservation: Global perspectives. In The Routledge Handbook of Anthropology and Reproduction 2021; 217-232. Routledge.
- 3. Withers M. Infertility among women in low-and middle-income countries. InHandbook of Global Health 2021; 885-910. Cham: Springer International Publishing.
- 4. Crawford S, Smith RA, Kuwabara SA, Grigorescu V. Risks factors and treatment use related to infertility and impaired fecundity among reproductive-aged women. Journal of Women's Health. 2017;26(5):500-10.
- 5. Obeagu EI, Njar VE, Obeagu GU. Infertility: Prevalence and consequences. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(7):43-50.
- 6. Amadi NM, Achukwu PU, Anoh NV, Obeagu EI, Achukwu NO, Odo OF. Reproductive Organ Activities of Morinda lucida Ethanol Root Extract on Male and Female Albino Rats Tramadol HCL Induced Infertility. Journal of Pharmaceutical Research International. 2021;33(46B):287-95.
- 7. Obeagu EI, Bunu UO, Obeagu GU, Habimana JB. Antioxidants in the management of sickle cell anaemia: an area to be exploited for the wellbeing of the patients. International Research in Medical and Health Sciences. 2023;6(4):12-7.
- 8. Obeagu EI, Ubosi NI, Uzoma G. Antioxidant Supplementation in Pregnancy: Effects on Maternal and Infant Health. Int. J. Adv. Multidiscip. Res. 2023;10(11):60-70.
- 9. Obeagu EI, Obeagu GU. Utilization of Antioxidants in the management of diabetes mellitus patients. J Diabetes Clin Prac. 2018;1(102):2.
- 10. Nwosu DC, Obeagu EI, Nkwocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Elendu HN, Ofoedeme CN, Ozims SJ, Nwankpa P. Change in Lipid Peroxidation Marker (MDA) and Non enzymatic Antioxidants (VIT C & E) in HIV Seropositive Children in an Urban Community of Abia State. Nigeria. J. Bio. Innov. 2016;5(1):24-30.
- 11. Nwosu DC, Obeagu EI, Ezenwuba C, Agu GC, Amah H, Ozims SJ, Nwanjo HU, Edward A, Izuchukwu IF, Amadike JN, Nwagwu AJ. Antioxidant status of children with Plasmodium falciparum malaria in Owerri municipal council of Imo state. Int. J. Curr. Res. Chem. Pharm. Sci. 2016;3(8):40-6.
- 12. Obeagu EI, Agreen FC. Anaemia among pregnant women: A review of African pregnant teenagers. J Pub Health Nutri. 2023; 6 (1). 2023;138. links/63da799664fc860638054562/Anaemia-among-pregnant-women-A-review-of-African-pregnant-teenagers.pdf.

- 13. Obeagu EI, Ezimah AC, Obeagu GU. Erythropoietin in the anaemias of pregnancy: a review. Int J Curr Res Chem Pharm Sci. 2016;3(3):10-8. https://links/5710fae108ae846f4ef05afb/ERYTHROPOIETIN-IN-THE-ANAEMIAS-OF-PREGNANCY-A-REVIEW.pdf.
- 14. Obeagu EI, Adepoju OJ, Okafor CJ, Obeagu GU, Ibekwe AM, Okpala PU, Agu CC. Assessment of Haematological Changes in Pregnant Women of Ido, Ondo State, Nigeria. J Res Med Dent Sci. 2021;9(4):145-8. https://links/608a6728a6fdccaebdf52d94/Assessment-of-Haematological-Changes-in-Pregnant-Women-of-Ido-Ondo.pdf.
- 15. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. International Research in Medical and Health Sciences. 2023 ;6(2):10-3. http://irmhs.com/index.php/irmhs/article/view/111.
- 16. Jakheng SP, Obeagu EI. Seroprevalence of human immunodeficiency virus based on demographic and risk factors among pregnant women attending clinics in Zaria Metropolis, Nigeria. J Pub Health Nutri. 2022; 5 (8). 2022;137. links/6317a6b1acd814437f0ad268/Seroprevalence-of-human-immunodeficiency-virus-based-on-demographic-and-risk-factors-among-pregnant-women-attending-clinics-in-Zaria-Metropolis-Nigeria.pdf.
- 17. Adwas AA, Elsayed A, Azab AE, Quwaydir FA. Oxidative stress and antioxidant mechanisms in human body. J. Appl. Biotechnol. Bioeng. 2019;6(1):43-47.
- 18. Ezimah UA, Obeagu EI, Ezimah CO, Ezimah A, Nto NJ. Diarrhoeal diseases of acquired immunodeficiency syndrome stimulate more depletion of total antioxidant status. Int. J. Adv. Multidiscip. Res. 2016;3(4):23-25.
- 19. Aloh GS, Obeagu EI, Okoroiwu IL, Odo CE, Chibunna OM, Kanu SN, Elemchukwu Q, Okpara KE, Ugwu GU. Antioxidant-Mediated Heinz Bodies Levels of Sickle Erythrocytes under Drug-Induced Oxidative Stress. European Journal of Biomedical and Pharmaceutical sciences. 2015;2(1):502-507.
- 20. Nwakuilite A, Nwanjo HU, Nwosu DC, Obeagu EI. EVALUATION OF ENZYME ANTIOXIDANTS IN STREPTOZOCIN INDUCED DIABETIC RATS TREATED WITH MORINGA OLEIFERA LEAF POWDER. European Journal of Biomedical. 2020;7(11):285-8.
- 21. Ifeanyi OE. A review on free radicals and antioxidants. Int. J. Curr. Res. Med. Sci. 2018;4(2):123-133.
- 22. Akinpelu M, Gamade SM, Akinbo F, Adeniyi TD, Elizebeth AF, Obeagu EI. Histopathological and Biochemical Effect of Vitamin C and D on Phosphine-Induced Hepatotoxicity in Wistar Rats. Asian Journal of Dental and Health Sciences. 2023;3(2):18-22.
- 23. Obeagu EI, Obeagu GU, Chukwueze CM, Ikpenwa JN, Ramos GF. Evaluation of Protein C, Protein S and Fibrinogen of Pregnant Women with Malaria in Owerri Metropolis. Madonna University journal of Medicine and Health Sciences. 2022;2(2):1-9.
- 24. Obeagu EI, Ikpenwa JN, Chukwueze CM, Obeagu GU. Evaluation of protein C, protein S and fibrinogen of pregnant women in Owerri Metropolis. Madonna University Journal of Medicine and Health Sciences. 2022;2(1):292-8. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/57.

- 25. Obeagu EI, Obeagu GU, Adepoju OJ. Evaluation of haematological parameters of pregnant women based on age groups in Olorunsogo road area of Ido, Ondo state. J. Bio. Innov11 (3). 2022:936-941.
- 26. Obeagu EI. An update on utilization of antenatal care among pregnant Women in Nigeria. Int. J. Curr. Res. Chem. Pharm. Sci. 2022;9(9): 21-6.DOI: 10.22192/ijcrcps.2022.09.09.003
- 27. Okoroiwu IL, Obeagu EI, Obeagu GU. Determination of clot retraction in preganant women attending antenatal clinic in federal medical centre Owerri, Nigeria. Madonna University Journal of Medicine and Health Sciences. 2022;2(2):91-97. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/67.
- 28. Obeagu EI, Hassan AO, Adepoju OJ, Obeagu GU, Okafor CJ. Evaluation of Changes in Haematological Parameters of Pregnant Women Based on Gestational Age at Olorunsogo Road Area of Ido, Ondo State. Nigeria. Journal of Research in Medical and Dental Science. 2021;9(12):462-.links/61b1e32f0c4bfb675178bfa7/Evaluation-of-Changes-in-Haematological-Parameters-of-Pregnant-Women-Based-on-Gestational-Age-at-Olorunsogo-Road-Area-of-Ido-Ondo-State-Nigeria.pdf.
- 29. Anyiam AF, Obeagu EI, Obi E, Omosigho PO, Irondi EA, Arinze-Anyiam OC, Asiyah MK. ABO blood groups and gestational diabetes among pregnant women attending University of Ilorin Teaching Hospital, Kwara State, Nigeria. International Journal of Research and Reports in Hematology. 2022 Jun 21;5(2):113-121.
- 30. Obeagu EI. Gestational Thrombocytopaenia. J Gynecol Women's Health. 2023;25(3):556163. links/64b01aa88de7ed28ba95fccb/Gestational-Thrombocytopaenia.pdf.
- 31. Jakheng SP, Obeagu EI, Abdullahi IO, Jakheng EW, Chukwueze CM, Eze GC, Essien UC, Madekwe CC, Madekwe CC, Vidya S, Kumar S. Distribution Rate of Chlamydial Infection According to Demographic Factors among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. South Asian Journal of Research in Microbiology. 2022;13(2):26-31.
- 32. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-9.
- 33. Ribas-Maynou J, Yeste M. Oxidative stress in male infertility: causes, effects in assisted reproductive techniques, and protective support of antioxidants. Biology. 2020;9(4):77.
- 34. Chen SJ, Allam JP, Duan YG, Haidl G. Influence of reactive oxygen species on human sperm functions and fertilizing capacity including therapeutical approaches. Archives of gynecology and obstetrics. 2013; 288:191-199.
- 35. Nwakulite A, Obeagu EI, Eze R, Ugochi VE, Vincent CC, Okafor CJ, Chukwurah EF, Unaeze BC, Amaechi CO, Okwuanaso CB, Chukwuani U. Estimation of Serum Glutathione Peroxidase in Streptozotocin Induced Diabetic Rat Treated with Bitter Leaf Extract. Journal of Pharmaceutical Research International. 2021;33(30B):200-6.
- 36. Ifeanyi OE, Stella EI, Favour AA. Antioxidants In the Management of Sickle Cell Anaemia. Int J Hematol Blood Disord (Internet) 2018 (cited 2021 Mar 4); 3. Available from: https://symbiosisonlinepublishing. com/hematology/hema tology25. php. 2018 S.

- 37. Obeagu EI, Abdirahman BF, Bunu UO, Obeagu GU. Obsterics characteristics that effect the newborn outcomes. Int. J. Adv. Res. Biol. Sci. 2023;10(3): 134-43.DOI: 10.22192/ijarbs.2023.10.03.016
- 38. Obeagu EI, Ogunnaya FU. PREGNANCYINDUCED HAEMATOLOGICAL CHANGES: A KEY TO MARTERNAL AND CHILD HEALTH. European Journal of Biomedical. 2023;10(8):42-43. links/64c890bddb38b20d6dad2c5c/PREGNANCY-INDUCED-HAEMATOLOGICAL-CHANGES-A-KEY-TO-MARTERNAL-AND-CHILD-HEALTH.pdf.
- 39. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
- 40. Okamgba OC, Nwosu DC, Nwobodo EI, Agu GC, Ozims SJ, Obeagu EI, Ibanga IE, Obioma-Elemba IE, Ihekaire DE, Obasi CC, Amah HC. Iron Status of Pregnant and Post-Partum Women with Malaria Parasitaemia in Aba Abia State, Nigeria. Annals of Clinical and Laboratory Research. 2017;5(4):206. links/5ea97df145851592d6a8acf2/Iron-Status-of-Pregnant-and-Post-Partum-Women-with-Malaria-Parasitaemia-in-Aba-Abia-State-Nigeria.pdf.
- 41. Eze RI, Obeagu EI, Edet FN. Frequency of Rh Antigen C And c among pregnant women in Sub-Urban area in Eastern Nigeria. Madonna Uni J Med Health Sci. 2021;1(1):19-30.
- 42. Obeagu EI, Ofodile AC, Okwuanaso CB. A review of urinary tract infections in pregnant women: Risks factors. J Pub Health Nutri. 2023; 6 (1). 2023; 137:26-35. links/63c3a9116fe15d6a571e8bba/A-review-of-urinary-tract-infections-in-pregnant-women-Risks-factors.pdf.
- 43. Obeagu EI, Obeagu GU, Musiimenta E. Post partum haemorrhage among pregnant women: Update on risks factors. Int. J. Curr. Res. Med. Sci. 2023;9(2): 14-17.DOI: 10.22192/ijcrms.2023.09.02.003
- 44. Obeagu EI, Obeagu GU, Ogunnaya FU. Deep vein thrombosis in pregnancy: A review of prevalence and risk factors. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(8): 14-21.DOI: 10.22192/ijcrcps.2023.10.08.002
- 45. Jakheng SP, Obeagu EI, Jakheng EW, Uwakwe OS, Eze GC, Obeagu GU, Vidya S, Kumar S. Occurrence of Chlamydial Infection Based on Clinical Symptoms and Clinical History among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. International Journal of Research and Reports in Gynaecology. 2022;5(3):98-105.
- 46. Okorie HM, Obeagu EI, Eze EN, Jeremiah ZA. Assessment of some haematological parameters in malaria infected pregnant women in Imo state Nigeria. Int. J. Curr. Res. Biol. Med. 2018;3(9): 1-4.DOI: 10.22192/ijcrbm.2018.03.09.001
- 47. García-Rodríguez A, Gosálvez J, Agarwal A, Roy R, Johnston S. DNA damage and repair in human reproductive cells. International Journal of Molecular Sciences. 2018;20(1):31.
- 48. Beygi Z, Forouhari S, Mahmoudi E, Hayat SM, Nourimand F. Role of oxidative stress and antioxidant supplementation in male fertility. Current Molecular Medicine. 2021;21(4):265-282.
- 49. Zheng W, Feng N, Wang Y, Noll L, Xu S, Liu X, Lu N, Zou H, Gu J, Yuan Y, Liu X. Effects of zearalenone and its derivatives on the synthesis and secretion of mammalian sex steroid hormones: A review. Food and chemical toxicology. 2019; 126:262-276.

- 50. Onyenweaku FC, Amah HC, Obeagu EI, Nwandikor UU, Onwuasoanya UF. Prevalence of asymptomatic bacteriuria and its antibiotic susceptibility pattern in pregnant women attending private ante natal clinics in Umuahia Metropolitan. Int J Curr Res Biol Med. 2017;2(2): 13-23.DOI: 10.22192/ijcrbm.2017.02.02.003
- 51. Okoroiwu IL, Chinedu-Madu JU, Obeagu EI, Vincent CC, Ochiabuto OM, Ibekwe AM, Amaechi CO, Agu CC, Anoh NV, Amadi NM. Evaluation of Iron Status, Haemoglobin and Protein Levels of Pregnant Women in Owerri Metropolis. Journal of Pharmaceutical Research International. 2021;33(27A):36-43.
- 52. Obeagu EI, Njar VE, Obeagu GU. Infertility: Prevalence and Consequences. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(7):43-50.
- 53. Emeka-Obi OR, Ibeh NC, Obeagu EI, Okorie HM. Evaluation of levels of some inflammatory cytokines in preeclamptic women in owerri. Journal of Pharmaceutical Research International. 2021;33(42A):53-65.
- 54. Obeagu EI, Faduma MH, Uzoma G. Ectopic Pregnancy: A Review. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(4): 40-4.DOI: 10.22192/ijcrcps.2023.10.04.004
- 55. Obeagu EI, Gamade SM, Obeagu GU. The roles of Neutrophils in pregnancy. Int. J. Curr. Res. Med. Sci. 2023;9(5): 31-35.DOI: 10.22192/ijcrms.2023.09.05.005
- 56. Eze R, Obeagu EI, Nwakulite A, Okoroiwu IL, Vincent CC, Okafor CJ, Chukwurah EF, Chijioke UO, Amaechi CO. Evaluation of Copper Status and Some Red Cell Parameters of Pregnant Women in Enugu State, South Eastern Nigeria. Journal of Pharmaceutical Research International. 2021;33(30A):67-71.
- 57. Obeagu EI, Obeagu GU. Molar Pregnancy: Update of prevalence and risk factors. Int. J. Curr. Res. Med. Sci. 2023;9(7): 25-28.DOI: 10.22192/ijcrms.2023.09.07.005
- 58. Obeagu EI, Bunu UO. Factors that influence unmet need for family planning. International Journal of Current Research in Biology and Medicine. 2023;8(1):23-27.
- 59. Ibebuike JE, Ojie CA, Nwokike GI, Obeagu EI, Nwosu DC, Nwanjo HU, Agu GC, Ezenwuba CO, Nwagu SA, Akujuobi AU. Barriers to utilization of maternal health services in southern senatorial district of Cross Rivers state, Nigeria. International Journal of Advanced Multidisciplinary Research. 2017;4(8): 1-9.DOI: 10.22192/ijamr.2017.04.08.001
- 60. Emannuel G, Martin O, Peter OS, Obeagu EI, Daniel K. Factors Influencing Early Neonatal Adverse Outcomes among Women with HIV with Post Dated Pregnancies Delivering at Kampala International University Teaching Hospital, Uganda. Asian Journal of Pregnancy and Childbirth. 2023;6(1):203-211. http://research.sdpublishers.net/id/eprint/2819/.
- 61. Okorie HM, Obeagu EI, Eze EN, Jeremiah ZA. Assessment of coagulation parameters in malaria infected pregnant women in Imo state, Nigeria. International Journal of Current Research in Medical Sciences. 2018;4(9): 41-9.DOI: 10.22192/ijcrms.2018.04.09.006
- 62. Obeagu EI, Obeagu GU. Postpartum haemorrhage among women delivering through spontaneous vaginal delivery: Prevalence and risk factors. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(8): 22-6.DOI: 10.22192/ijcrcps.2023.10.08.003
- 63. Obeagu E, Eze RI, Obeagu EI, Nnatuanya IN, Dara EC. ZINC LEVEL IN APPARENTLY PREGNANT WOMEN IN URBAN AREA. Madonna University journal of Medicine and

- Health Sciences. 2022;2(1):134-48. https://www.journal.madonnauniversity.edu.ng/index.php/medicine/article/view/40.
- 64. Ogomaka IA, Obeagu EI. Malaria in Pregnancy Amidst Possession of Insecticide Treated Bed Nets (ITNs) in Orlu LGA of Imo State, Nigeria. Journal of Pharmaceutical Research International. 2021;33(41B):380-386.
- 65. Al-Gubory KH, Fowler PA, Garrel C. The roles of cellular reactive oxygen species, oxidative stress and antioxidants in pregnancy outcomes. The international journal of biochemistry & cell biology. 2010;42(10):1634-1650.
- 66. Lu J, Wang Z, Cao J, Chen Y, Dong Y. A novel and compact review on the role of oxidative stress in female reproduction. Reproductive Biology and Endocrinology. 2018; 16:1-8.
- 67. Dutta S, Sengupta P, Izuka E, Menuba I, Nwagha U. Oxidative and nitrosative stress and female reproduction: Roles of oxidants and antioxidants. Journal of Integrated Science and Technology. 2024;12(3):754-.
- 68. Liaqat Ali Khan N, Nafee T, Shao T, Hart AR, Elliott S, Ola B, Heath PR, Fazeli A. Dysregulation in Multiple Transcriptomic Endometrial Pathways Is Associated with Recurrent Implantation Failure and Recurrent Early Pregnancy Loss. International journal of molecular sciences. 2022;23(24):16051.
- 69. Máté G, Bernstein LR, Török AL. Endometriosis is a cause of infertility. Does reactive oxygen damage to gametes and embryos play a key role in the pathogenesis of infertility caused by endometriosis? Frontiers in endocrinology. 2018; 9:419855.
- 70. Obeagu EI, Ogunnaya FU, Obeagu GU, Ndidi AC. SICKLE CELL ANAEMIA: A GESTATIONAL ENIGMA. migration. 2023; 17:18.
- 71. Ifeanyi OE, Uzoma OG. A review on erythropietin in pregnancy. J. Gynecol. Womens Health.

 2018;8(3):1-4.

 https://www.academia.edu/download/56538560/A_Review_on_Erythropietin_in_Pregnancy.pdf.
- 72. Ifeanyi OE. A review on pregnancy and haematology. Int. J. Curr. Res. Biol. Med. 2018;3(5): 26-8.DOI: 10.22192/ijcrbm.2018.03.05.006
- 73. Nwosu DC, Nwanjo HU, Obeagu EI, Ibebuike JE, Ezeama MC. Ihekireh. Changes in liver enzymes and lipid profile of pregnant women with malaria in Owerri, Nigeria. International Journal of Current Research and Academic Review. 2015;3(5):376-383.
- 74. Ibebuike JE, Ojie CA, Nwokike GI, Obeagu EI, Nwosu DC, Nwanjo HU, Agu GC, Ezenwuba CO, Nwagu SA, Akujuobi AU. Factors that influence women's utilization of primary health care services in Calabar Cros river state, Nigeria. Int. J. Curr. Res. Chem. Pharm. Sci. 2017;4(7):28-33.
- 75. Eze R, Ezeah GA, Obeagu EI, Omeje C, Nwakulite A. Evaluation of iron status and some haematological parameters of pregnant women in Enugu, South Eastern Nigeria. World Journal of Pharmaceutical and Medical Research. 2021;7(5):251-4.
- 76. Elemchukwu Q, Obeagu EI, Ochei KC. Prevalence of Anaemia among Pregnant Women in Braithwaite Memorial Specialist Hospital (BMSH) Port Harcourt. IOSR Journal of Pharmacy and Biological Sciences. 2014;9(5):59-64.
- 77. Akandinda M, Obeagu EI, Katonera MT. Non Governmental Organizations and Women's Health Empowerment in Uganda: A Review. Asian Research Journal of Gynaecology and Obstetrics. 2022;8(3):12-26.

- 78. Vidya S. Sunil Kumar Shango Patience Emmanuel Jakheng, Emmanuel Ifeanyi Obeagu, Emmanuel William Jakheng, Onyekachi Splendid Uwakwe, Gloria Chizoba Eze, and Getrude Uzoma Obeagu (2022). Occurrence of Chlamydial Infection Based on Clinical Symptoms and Clinical History among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. International Journal of Research and Reports in Gynaecology.;5(3):98-105.
- 79. Gamde MS, Obeagu EI. Iron Deficiency Anaemia: Enemical To Pregnancy. European Journal of Biomedical. 2023;10(9):272-275. links/64f63358827074313ffaae7b/IRON-DEFICIENCY-ANAEMIA-ENEMICAL-TO-PREGNANCY.pdf.
- 80. Torres-Arce E, Vizmanos B, Babio N, Marquez-Sandoval F, Salas-Huetos A. Dietary antioxidants in the treatment of male infertility: counteracting oxidative stress. Biology. 2021;10(3):241.
- 81. Emeka-Obi OR, Ibeh NC, Obeagu EI, Okorie HM. Evaluation of levels of some inflammatory cytokines in preeclamptic women in owerri. Journal of Pharmaceutical Research International. 2021;33(42A):53-65.
- 82. Emeka-Obi OR, Ibeh NC, Obeagu EI, Okorie HM. Studies of Some Haemostatic Variables in Preeclamptic Women in Owerri, Imo State, Nigeria. Journal of Pharmaceutical Research International. 2021;33(42B):39-48.
- 83. Obeagu EI, Obeagu GU. Postpartum haemorrhage among women delivering through spontaneous vaginal delivery: Prevalence and risk factors. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(8):22-26.
- 84. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. International Research in Medical and Health Sciences. 2023;6(2):10-13.