Unmasking the Truth: Addressing Stigma in the Fight Against HIV

*Emmanuel Ifeanyi Obeagu¹ and Getrude Uzoma Obeagu²

Abstract

The persistent stigma surrounding HIV remains a significant obstacle in the global efforts to combat the epidemic effectively. This review article aims to dissect the multifaceted dimensions of HIV stigma and explore strategies to unmask the truth about its detrimental impact on prevention, care, and support for those affected by the virus. By examining the social, cultural, and institutional aspects of stigma, the article underscores the urgency of addressing and dismantling these barriers. It delves into the repercussions of stigma on prevention and treatment, emphasizing the need for awareness, education, advocacy, and empowerment as essential tools in the fight against HIV stigma. The role of healthcare providers, community engagement, and societal attitudes is scrutinized to underscore the importance of fostering inclusivity and understanding. As the HIV landscape evolves, the article concludes by outlining potential future directions, emphasizing the necessity for ongoing research and collaborative efforts to create a stigma-free environment and promote holistic well-being for individuals living with HIV.

Keywords: HIV stigma, awareness, education, advocacy, discrimination, prevention, healthcare, community, empowerment, societal attitudes, inclusivity

Introduction

¹Department of Medical Laboratory Science, Kampala International University, Uganda.

²School of Nursing Science, Kampala International University, Uganda.

^{*}Corresponding authour: Emmanuel Ifeanyi Obeagu, <u>Department of Medical Laboratory Science</u>, <u>Kampala International University, Uganda, emmanuelobeagu@yahoo.com, ORCID:</u> 0000-0002-4538-0161

Despite considerable progress in the medical understanding and treatment of HIV, persistent stigma remains a formidable barrier to effective HIV prevention, care, and support globally. HIV stigma, rooted in deep-seated societal attitudes, discrimination, and misinformation, continues to marginalize and adversely impact individuals living with HIV/AIDS. This introduction provides an overview of the pervasive nature of HIV stigma, highlighting its multifaceted dimensions and the urgent need to unmask the truth surrounding it. HIV stigma encompasses a complex web of societal, cultural, and institutional biases that contribute to the perpetuation of stereotypes, discrimination, and fear surrounding the virus. Such stigmas not only hinder individuals from seeking testing and treatment but also undermine efforts to create a supportive and inclusive environment necessary for successful HIV prevention and care programs. HIV-17 The consequences of HIV stigma are far-reaching, affecting not only the physical and mental well-being of those living with HIV but also hindering broader public health goals. This includes impeding efforts to achieve global targets such as the UNAIDS 90-90-90 targets, which aim to diagnose 90% of all HIV-positive individuals, provide antiretroviral therapy for 90% of those diagnosed, and achieve viral suppression for 90% of those treated by 2030.

This paper seeks to shed light on the critical dimensions of HIV stigma and underscore the necessity of addressing and dismantling these barriers to pave the way for more effective HIV prevention, treatment, and support.

Dimensions of HIV Stigma

HIV stigma manifests in a myriad of dimensions, deeply rooted in societal, cultural, and institutional contexts. Unraveling these dimensions is crucial for understanding the complex challenges faced by individuals affected by HIV and developing targeted strategies to address and eradicate stigma. The social dimension of HIV stigma is characterized by prejudiced attitudes, fear, and discrimination directed towards individuals living with HIV. Stereotypes and misconceptions contribute to the isolation and alienation of those affected, fostering an environment where individuals may hesitate to disclose their HIV status due to the fear of judgment, rejection, or social ostracism. ¹⁹⁻²³ Cultural beliefs and norms play a significant role in shaping attitudes towards HIV. ²⁴ Stigma can be deeply ingrained in cultural practices, perpetuating myths about the transmission of the virus and reinforcing discriminatory behaviors. Understanding and challenging these cultural dimensions are essential for developing culturally sensitive interventions that resonate with diverse communities.

HIV stigma is often institutionalized through policies, laws, and healthcare practices that discriminate against individuals based on their HIV status.²⁵ Legal frameworks, discriminatory healthcare practices, and workplace policies can contribute to the marginalization of those living with HIV. Addressing these institutional dimensions is crucial for creating an environment that upholds the rights and dignity of individuals affected by HIV. Stigma is further compounded when intersecting with other forms of discrimination, such as gender, sexual orientation, race, or socioeconomic status.²⁶ The intersectionality of stigma creates unique challenges for certain

populations, exacerbating the social, economic, and health disparities they face. Recognizing and addressing these intersections are vital for developing inclusive and targeted interventions.

Individuals living with HIV may internalize societal prejudices, leading to self-stigma.²⁷ This internalized shame or guilt can hinder their ability to seek healthcare, disclose their status, or engage in supportive communities. Strategies to combat self-stigma involve fostering self-empowerment, resilience, and mental health support. The media plays a pivotal role in shaping public perceptions of HIV. Sensationalism, misinformation, and stigmatizing portrayals in the media can contribute to the perpetuation of negative stereotypes. Conversely, responsible media coverage can be a powerful tool in dispelling myths, promoting awareness, and challenging societal attitudes.²⁸⁻³² The words used to describe HIV and individuals living with the virus can carry significant stigma. Stigmatizing language and labels contribute to negative perceptions and stereotypes. Advocacy for person-centered, non-stigmatizing language is essential for fostering a more empathetic and understanding discourse.

The Impact of Stigma on Prevention and Treatment

HIV stigma exerts a profound influence on both the prevention of new infections and the effective treatment and care of individuals living with HIV. The fear of stigma can significantly impede individuals from accessing essential healthcare services, disclosing their HIV status, and engaging in preventive measures. Stigma surrounding HIV often deters individuals from seeking voluntary testing and diagnosis. The fear of social judgment, discrimination, and rejection may lead to delayed or avoided testing, hindering the early identification of HIV-positive individuals. This delay in diagnosis can result in delayed initiation of treatment and an increased risk of transmitting the virus to others. Stigma can contribute to a reluctance to disclose one's HIV status, even to close friends and family. This secrecy may result in a lack of emotional and social support, which is crucial for the well-being of individuals living with HIV. The fear of rejection and isolation can exacerbate mental health challenges and hinder the development of strong support networks.

Stigma can negatively affect adherence to antiretroviral therapy (ART). Individuals may fear the disclosure of their medication or face discrimination in healthcare settings, leading to non-adherence. Poor adherence not only jeopardizes the health of the individual but also increases the risk of developing drug-resistant strains of the virus, further complicating treatment options. ³⁸⁻⁴² Stigma contributes to delays in accessing healthcare services, including routine medical care and specialized HIV treatment. Individuals may avoid seeking medical attention until their condition becomes critical, leading to more complex health issues and a diminished response to treatment. Timely access to healthcare is crucial for managing HIV effectively. ⁴³⁻⁴⁷ The psychological toll of stigma can lead to mental health challenges for individuals living with HIV. Internalized stigma and the fear of discrimination can result in anxiety, depression, and decreased overall well-being. Mental health challenges, if left unaddressed, can further impact one's ability to engage in preventive behaviors and adhere to treatment regimens. Stigma often extends beyond the healthcare setting, affecting various aspects of an individual's life. Discrimination in the workplace, education, and social relationships can lead to social isolation and economic hardship.

These broader consequences can, in turn, influence an individual's ability to prioritize their health and engage in preventive and treatment measures.

Unmasking Stigma Through Awareness and Education

Awareness and education play pivotal roles in dismantling the layers of stigma associated with HIV, fostering empathy, dispelling myths, and empowering individuals and communities. Central to unmasking HIV stigma is the dissemination of accurate information about the virus, its transmission, and treatment. Educational campaigns should prioritize providing clear and scientifically sound information to counteract misconceptions and challenge stigmatizing beliefs. Utilizing various media channels, including online platforms, social media, and community events, helps reach diverse audiences. Conducting community-based workshops and seminars fosters direct engagement with diverse communities. These events can address specific cultural nuances, correct misinformation, and provide a platform for open discussions. By involving community members in the conversation, these initiatives promote a sense of shared responsibility and dispel stigmatizing attitudes. Integrating comprehensive HIV education into school curricula is essential for reaching younger generations. Age-appropriate and culturally sensitive educational materials can equip students with the knowledge to challenge stereotypes, reduce fear, and cultivate a generation that is empathetic and informed about HIV and its impact.

Incorporating media literacy programs into educational initiatives can empower individuals to critically analyze and challenge stigmatizing portrayals of HIV in the media. These programs educate the public on responsible reporting practices, encouraging media outlets to contribute positively to the narrative surrounding HIV. 50 Personal testimonials and storytelling humanize the experience of living with HIV, providing a powerful tool for dismantling stigma. Sharing real-life stories of resilience, courage, and overcoming stigma helps individuals relate to the human face of HIV, challenging preconceived notions and fostering empathy. Designing culturally tailored awareness campaigns ensures that educational materials resonate with specific communities. Understanding cultural nuances, languages, and belief systems is crucial for crafting messages that are accessible, relatable, and effective in challenging stigma within diverse populations. Harnessing the reach of online platforms and social media is instrumental in reaching a global audience. Engaging and shareable content, infographics, and interactive campaigns can amplify the impact of awareness initiatives, encouraging open conversations, and challenging stigmatizing narratives in virtual spaces. Peer-led education programs empower individuals within communities to become advocates for change. Training peers to disseminate accurate information, challenge stigma, and provide support creates a network of informed individuals who can influence attitudes within their social circles. Collaborating with influencers, celebrities, and HIV advocates can amplify the reach and impact of awareness campaigns. Public figures can leverage their platforms to challenge stigma, share educational content, and foster conversations that contribute to changing societal attitudes towards HIV.⁵¹ Implementing continuous monitoring and evaluation mechanisms ensures the effectiveness of awareness and education initiatives. Collecting data on knowledge retention, attitude shifts, and behavioral changes allows for ongoing refinement of strategies, ensuring that campaigns remain relevant and impactful.

Advocacy and Empowerment

Advocacy and empowerment are essential components in the fight against HIV stigma, working to change societal attitudes, challenge discriminatory policies, and empower individuals and communities affected by HIV. Advocacy efforts often focus on legal initiatives and policy changes to protect the rights of individuals living with HIV. Working towards the removal of discriminatory laws and policies, and the implementation of comprehensive anti-discrimination measures, is crucial for creating an environment that upholds the dignity and rights of those affected by HIV. Community-led advocacy groups play a pivotal role in challenging stigma at the grassroots level. These groups, comprised of individuals directly affected by HIV, work to raise awareness, advocate for policy change, and provide a platform for collective empowerment. By amplifying the voices of those with lived experiences, these groups contribute to changing public perceptions and challenging systemic stigma. Collaborative efforts on a global scale are instrumental in addressing the broader socio-economic and political determinants of HIV stigma. Engaging with international organizations, NGOs, and advocacy networks helps create a unified voice against stigma, fosters cross-cultural understanding, and promotes best practices in advocacy strategies.⁵⁰

Advocacy for legislation that protects the rights of individuals living with HIV is essential. This includes laws that prevent discrimination in healthcare, employment, education, and housing. Legal frameworks should uphold the principle that everyone, regardless of their HIV status, deserves equal rights and opportunities.⁵¹ Advocacy initiatives often include targeted stigma reduction campaigns. These campaigns aim to challenge stereotypes, dispel myths, and encourage empathy. Using a combination of media, community events, and online platforms, stigma reduction campaigns actively engage with the public to shift attitudes and promote understanding.⁵² Empowering healthcare providers through education is crucial for ensuring that individuals living with HIV receive non-discriminatory and respectful care. Advocacy efforts should focus on training healthcare professionals to address implicit biases, provide culturally competent care, and contribute to a healthcare environment free from stigma. Empowering vulnerable communities involves capacity-building initiatives that equip individuals with the skills and knowledge to advocate for their rights. This may include training on legal literacy, communication strategies, and community organizing to ensure that marginalized populations are active participants in the fight against HIV stigma. Recognizing the intersectionality of stigma, advocacy efforts should address the unique challenges faced by individuals at the crossroads of multiple forms of discrimination, such as gender-based discrimination, racial prejudice, or LGBTQ+ discrimination. Intersectional advocacy ensures that the fight against HIV stigma is inclusive and equitable. Engaging celebrities and influencers in advocacy efforts can significantly amplify the impact of stigma reduction campaigns. Their visibility and influence can help reach broader audiences, challenge societal attitudes, and contribute to shifting the narrative surrounding HIV. Empowering individuals to disclose their HIV status, if they choose to do so, is a critical aspect of advocacy. Encouraging visibility through personal stories, testimonials, and public figures openly addressing their HIV status contributes to normalizing the conversation around HIV and challenging stigmatizing beliefs.

Healthcare Approaches

Within the realm of healthcare, addressing and dismantling HIV stigma requires a comprehensive and multifaceted approach. Healthcare providers play a central role in creating an environment that is supportive, non-discriminatory, and conducive to the well-being of individuals living with HIV. Healthcare professionals should undergo cultural competency training to better understand the diverse backgrounds and experiences of individuals living with HIV. This training equips providers with the skills to offer non-judgmental and culturally sensitive care, fostering an environment of trust and respect.⁵³ Incorporating stigma reduction training into the education of healthcare staff is crucial for fostering empathy and challenging implicit biases. By addressing misconceptions and stereotypes related to HIV, healthcare providers can contribute to a more supportive and stigma-free care environment. Designing healthcare spaces that actively work to reduce stigma involves creating welcoming and inclusive environments. This includes signage, literature, and imagery that promote diversity and affirm the rights of individuals living with HIV. Stigma-free spaces help patients feel more comfortable seeking care and disclosing their HIV status. Implementing non-discriminatory practices within healthcare settings is essential. Policies that explicitly prohibit discrimination based on HIV status, along with clear mechanisms for reporting and addressing discriminatory incidents, create an environment where individuals feel safe and respected.

Normalizing routine HIV screening and testing is an important healthcare approach. By incorporating HIV testing into regular healthcare practices, the stigma associated with seeking a specific HIV test is diminished. Routine testing helps identify new cases early and contributes to timely access to care. Integrating HIV care into general healthcare services helps reduce the isolation often associated with specialized HIV clinics. Offering comprehensive care within general healthcare settings minimizes the stigma attached to seeking specific HIV-related services and promotes holistic health management.⁵³ Recognizing and addressing intersectionality within healthcare involves understanding the unique challenges faced by individuals at the intersection of multiple forms of discrimination. This may include tailored services for LGBTO+ populations, racial minorities, or other marginalized groups to ensure equitable and accessible healthcare. Providing supportive counseling services is integral to addressing the psychological impact of HIV stigma. Mental health professionals can offer counseling to individuals living with HIV, addressing the emotional challenges associated with stigma, disclosure, and managing a chronic condition. Empowering patients through education is key to reducing stigma. Providing individuals with information about their rights, treatment options, and ways to actively engage in their healthcare fosters a sense of control and self-efficacy, contributing to overall well-being. Collaborating with community-based organizations and advocacy groups enhances healthcare approaches to stigma reduction. By actively engaging with these organizations, healthcare providers can gain insights into the unique challenges faced by the community and work collaboratively to develop targeted interventions.⁵²

Fostering Inclusive Communities

Creating communities that are inclusive and supportive is essential for challenging and dismantling HIV stigma. Inclusive communities empower individuals living with HIV, reduce social isolation, and contribute to a more empathetic and understanding society. Implementing community education programs raises awareness about HIV, dispels myths, and provides accurate information. Workshops, seminars, and informational campaigns can be organized to engage community members in open and informed discussions about HIV, contributing to increased understanding and empathy.⁵⁴ Establishing peer support networks connects individuals living with HIV, allowing them to share experiences, challenges, and triumphs. Peer support provides a sense of community and understanding, reducing the isolation often associated with an HIV diagnosis and fostering a supportive environment. Facilitating open dialogues and conversations about HIV within the community breaks down barriers and challenges stigmatizing beliefs. Community forums, town hall meetings, and panel discussions can provide platforms for individuals to share their stories and for community members to ask questions and gain insights. Offering cultural and religious sensitivity training to community leaders and influencers helps create an environment that is respectful of diverse beliefs and practices. This training encourages leaders to promote understanding and acceptance, reducing the stigma associated with HIV within cultural and religious contexts.

Integrating comprehensive HIV education into school curricula not only informs young people about the virus but also contributes to creating future generations that are knowledgeable, empathetic, and understanding. Inclusive education programs help reduce stigma by fostering an environment of acceptance.⁵⁵ Embracing and celebrating diversity within the community sends a powerful message of inclusivity. Community events, cultural celebrations, and festivals can be organized to highlight the richness of diversity, fostering an environment where individuals of all backgrounds feel valued and included. Engaging in community art and media projects allows individuals to express their experiences and perspectives creatively. Art exhibitions, storytelling projects, and community-led media campaigns contribute to changing public perceptions about HIV and challenging stigmatizing narratives. Encouraging the use of non-stigmatizing language within the community is crucial. Language shapes perceptions, and communities can foster inclusive communication by promoting respectful terminology and discouraging stigmatizing labels associated with HIV. Enlisting the support of community leaders, influencers, and role models is instrumental in challenging stigma. These figures can use their influence to promote understanding, challenge discriminatory practices, and foster a culture of acceptance within the community. Collaborating with healthcare providers to ensure accessible and inclusive services within the community is vital. This involves advocating for healthcare settings that actively work to reduce stigma, promote privacy, and offer culturally competent care. 52 Providing counseling services within the community helps address the psychological impact of HIV stigma. Accessible mental health services contribute to community members' well-being by offering support, coping mechanisms, and strategies for navigating the challenges associated with stigma. Forming partnerships with local organizations, NGOs, and advocacy groups enhances community efforts to challenge stigma. These collaborations leverage collective resources, expertise, and community networks to implement targeted interventions and foster a stigma-free environment.

Shifting Societal Attitudes

Transforming societal attitudes is a critical component of the larger effort to unmask the truth about HIV stigma. Societal attitudes influence public perceptions, shape policies, and impact the daily lives of individuals living with HIV. Collaborating with media outlets to advocate for responsible reporting on HIV helps shape public narratives. Media can play a powerful role in challenging stigma by avoiding sensationalism, providing accurate information, and portraying individuals living with HIV in a non-stigmatizing manner.⁵² Engaging celebrities and public figures in advocacy efforts can significantly influence societal attitudes. Celebrities can use their platforms to raise awareness, share personal stories, and challenge stigmatizing beliefs, contributing to a more positive public discourse on HIV. Integrating comprehensive HIV education into school curricula not only informs students but also influences societal attitudes over time. By fostering an understanding of HIV from an early age, educational programs contribute to the creation of more inclusive and empathetic future generations. Hosting community awareness events, such as health fairs, workshops, and town hall meetings, provides opportunities for direct engagement with the public. These events can challenge misconceptions, answer questions, and promote open conversations about HIV, fostering a more informed and accepting society.

Incorporating public art and creative initiatives into public spaces can capture attention and challenge societal attitudes. Art installations, murals, and other creative projects can serve as powerful tools to provoke thought, convey messages of inclusivity, and challenge stigmatizing beliefs. Leveraging social media platforms for activism helps reach wide audiences and challenge stigmatizing narratives. Hashtag campaigns, storytelling initiatives, and interactive content can spark conversations, share diverse perspectives, and foster a more supportive online community. Engaging with religious and faith-based groups is crucial for shifting societal attitudes, as these institutions often hold significant influence. Collaborating on education programs, outreach initiatives, and fostering conversations within faith communities contributes to a more inclusive and understanding perspective on HIV.⁵² Advocating for anti-stigma legislation at local, national, and international levels contributes to the creation of a legal framework that supports individuals living with HIV. Legal protections send a strong signal to society about the unacceptability of discrimination based on HIV status. Building relationships with influential opinion leaders, including academics, thought leaders, and influencers, helps shape public opinion. Encouraging these leaders to speak out against stigma and share accurate information can influence broader societal attitudes. In times of crisis, such as the global HIV/AIDS epidemic, humanitarian efforts that prioritize empathy, support, and inclusivity contribute to changing societal attitudes. Humanitarian initiatives can reshape public perceptions by highlighting the shared humanity of those affected by HIV. Promoting inclusive language in public discourse is essential for challenging stigmatizing labels and stereotypes. Encouraging respectful and person-centered language in public discussions, media, and policymaking contributes to a more empathetic societal narrative. Providing education for healthcare providers on the impact of societal attitudes is crucial. By promoting understanding and sensitivity among healthcare professionals, the healthcare system can become a vehicle for challenging and changing broader societal beliefs about HIV.

Recommendations

Implement and expand comprehensive educational programs that address HIV stigma at various levels – from schools and workplaces to healthcare settings. Promote accurate information, challenge misconceptions, and emphasize empathy and understanding. Advocate for responsible reporting in the media regarding HIV. Encourage accurate portrayals of individuals living with HIV, challenge sensationalism, and work towards reducing the stigmatizing language and imagery associated with HIV in the media. Advocate for the implementation and strengthening of legal protections and anti-discrimination policies at local, national, and international levels. Ensure that these policies explicitly address discrimination based on HIV status in various domains, including healthcare, employment, education, and housing.

Prioritize cultural competency and stigma reduction training for healthcare providers. Equip them with the skills to offer non-discriminatory, culturally sensitive care that respects the rights and dignity of individuals living with HIV. Strengthen and expand peer support networks for individuals living with HIV. These networks provide a platform for sharing experiences, challenges, and successes, fostering a sense of community and reducing social isolation. Support and empower community-led advocacy groups. These groups, comprised of individuals directly affected by HIV, can play a crucial role in raising awareness, advocating for policy change, and challenging societal attitudes at the grassroots level. Adopt intersectional approaches to address the unique challenges faced by individuals at the intersection of multiple forms of discrimination. Tailor interventions to be inclusive and responsive to the diverse needs of various communities.

Promote campaigns advocating for inclusive language in public discourse. Encourage the use of non-stigmatizing terminology in media, healthcare, and community conversations to reshape public perceptions of HIV. Foster collaborations with religious and faith-based organizations to address HIV stigma within faith communities. Engage in dialogue, share information, and work towards creating spaces that are inclusive and supportive of individuals living with HIV. Develop youth-focused initiatives that integrate comprehensive HIV education into school curricula and youth-oriented programs. Encourage open discussions about HIV, relationships, and sexual health to promote understanding from an early age. Leverage online platforms and social media for advocacy and awareness. Engage influencers, celebrities, and online communities to amplify messages challenging HIV stigma and promoting understanding.

Support continuous research on the impact of stigma and the effectiveness of interventions. Regularly evaluate the success of stigma reduction programs to refine strategies and ensure ongoing relevance. Advocate for and ensure the provision of inclusive healthcare services. Collaborate with healthcare providers to create environments that actively work to reduce stigma, uphold privacy, and offer culturally competent care. Foster global collaboration and knowledge exchange. Share successful strategies and interventions between countries and regions to create a collective and coordinated effort in combating HIV stigma on a global scale. Prioritize mental health support services for individuals affected by HIV. Recognize the psychological impact of

stigma and ensure that counseling services are accessible and tailored to the unique needs of those living with HIV.

Conclusion

In the ongoing battle against HIV stigma, it is evident that a multi-dimensional and collaborative approach is essential. The journey to unmask the truth about HIV stigma requires concerted efforts from individuals, communities, healthcare systems, and policymakers. This comprehensive strategy encompasses education, advocacy, healthcare initiatives, community engagement, and a reshaping of societal attitudes. Educational programs serve as the bedrock, dispelling myths, providing accurate information, and fostering understanding from an early age. Media responsibility becomes paramount in shaping public perceptions, and advocacy efforts, both at the community and global levels, work towards legal protections, anti-discrimination policies, and the eradication of systemic biases.

Within healthcare, a cultural shift is imperative. Training healthcare providers to offer non-discriminatory care, integrating HIV care into general healthcare settings, and advocating for inclusive healthcare services contribute to creating an environment where individuals feel supported and respected. Communities play a central role in fostering inclusivity. Peer support networks reduce social isolation, community-based initiatives challenge stereotypes, and collaborations with religious organizations create spaces that are accepting and empathetic. Shifting societal attitudes requires a reevaluation of language, media representation, and engagement with influential figures. It involves celebrating diversity, challenging stereotypes, and promoting inclusivity in all aspects of life. The fight against HIV stigma is not only a public health imperative but a moral obligation. By implementing the recommendations outlined, we can collectively unmask the truth about HIV stigma, create environments that are empathetic and understanding, and ultimately work towards a world where individuals living with HIV are free from the burden of stigma. Through continuous collaboration, education, and advocacy, we can pave the way for a future that prioritizes compassion, inclusivity, and the overall well-being of all individuals, regardless of their HIV status.

References

- 1. Babel RA, Wang P, Alessi EJ, Raymond HF, Wei C. Stigma, HIV risk, and access to HIV prevention and treatment services among men who have sex with men (MSM) in the United States: a scoping review. AIDS and Behavior. 2021:1-31.
- 2. Singh H, Chauhan CK, Choudhary K, Meena G, Phadke P, Lachyan A, Khunger N. Navigating Complexities in HIV Care: Challenges, Solutions, and Strategies. International STD Research & Reviews. 2023;12(2):56-62.
- 3. Odimegwu CO, Akinyemi JO, Alabi OO. HIV-stigma in Nigeria: review of research studies, policies, and Programmes. AIDS research and treatment. 2017.

- 4. Obeagu EI, Obeagu GU, Odo EO, Igwe MC, Ugwu OP, Alum EU, Racheal P. Combatting Stigma: Essential Steps in Halting HIV Spread. IAA Journal of Applied Sciences 11(1):22-29, 2024.
- 5. Obeagu EI, Okwuanaso CB, Edoho SH, Obeagu GU. Under-nutrition among HIV-exposed Uninfected Children: A Review of African Perspective. Madonna University journal of Medicine and Health Sciences. 2022;2(3):120-127.
- 6. Obeagu EI, Alum EU, Obeagu GU. Factors associated with prevalence of HIV among youths: A review of Africa perspective. Madonna University journal of Medicine and Health Sciences. 2023;3(1):13-18. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/93.
- 7. Obeagu EI. A Review of Challenges and Coping Strategies Faced by HIV/AIDS Discordant Couples. Madonna University journal of Medicine and Health Sciences. 2023;3(1):7-12. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/91.
- 8. Obeagu EI, Obeagu GU. An update on premalignant cervical lesions and cervical cancer screening services among HIV positive women. J Pub Health Nutri. 2023; 6 (2). 2023; 141:1-2. links/63e538ed64252375639dd0df/An-update-on-premalignant-cervical-lesions-and-cervical-cancer-screening-services-among-HIV-positive-women.pdf.
- 9. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
- Omo-Emmanuel UK, Chinedum OK, Obeagu EI. Evaluation of laboratory logistics management information system in HIV/AIDS comprehensive health facilities in Bayelsa State, Nigeria. Int J Curr Res Med Sci. 2017;3(1): 21-38.DOI: 10.22192/ijcrms.2017.03.01.004
- 11. Obeagu EI, Obeagu GU, Musiimenta E, Bot YS, Hassan AO. Factors contributing to low utilization of HIV counseling and testing services. Int. J. Curr. Res. Med. Sci. 2023;9(2): 1-5.DOI: 10.22192/ijcrms.2023.09.02.001
- 12. Obeagu EI, Obeagu GU. An update on survival of people living with HIV in Nigeria. J Pub Health Nutri. 2022; 5 (6). 2022;129. links/645b4bfcf3512f1cc5885784/An-update-on-survival-of-people-living-with-HIV-in-Nigeria.pdf.
- 13. Offie DC, Obeagu EI, Akueshi C, Njab JE, Ekanem EE, Dike PN, Oguh DN. Facilitators and barriers to retention in HIV care among HIV infected MSM attending Community Health Center Yaba, Lagos Nigeria. Journal of Pharmaceutical Research International. 2021;33(52B):10-19.
- 14. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
- 15. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng UE, Ikpeme M, Bassey JO, Paul AO. TB Infection Control in TB/HIV Settings in Cross River State, Nigeria: Policy Vs Practice. Journal of Pharmaceutical Research International. 2020;32(22):101-119.
- 16. Obeagu EI, Eze VU, Alaeboh EA, Ochei KC. Determination of haematocrit level and iron profile study among persons living with HIV in Umuahia, Abia State, Nigeria. J

- BioInnovation. 2016; 5:464-471. Innks/592bb4990f7e9b9979a975cf/DETERMINATION-OF-HAEMATOCRIT-LEVEL-AND-IRON-PROFILE-STUDY-AMONG-PERSONS-LIVING-WITH-HIV-IN-UMUAHIA-ABIA-STATE-NIGERIA.pdf.
- 17. Ifeanyi OE, Obeagu GU. The values of prothrombin time among HIV positive patients in FMC owerri. International Journal of Current Microbiology and Applied Sciences. 2015;4(4):911-916. https://www.academia.edu/download/38320140/Obeagu Emmanuel Ifeanyi and Obeag
 - https://www.academia.edu/download/38320140/Obeagu_Emmanuel_Ifeanyi_and_Obeagu_Getrude_Uzoma2.EMMA1.pdf.
- 18. Stangl AL, Earnshaw VA, Logie CH, Van Brakel W, C. Simbayi L, Barré I, Dovidio JF. The Health Stigma and Discrimination Framework: a global, crosscutting framework to inform research, intervention development, and policy on health-related stigmas. BMC medicine. 2019; 17:1-3.
- 19. Izuchukwu IF, Ozims SJ, Agu GC, Obeagu EI, Onu I, Amah H, Nwosu DC, Nwanjo HU, Edward A, Arunsi MO. Knowledge of preventive measures and management of HIV/AIDS victims among parents in Umuna Orlu community of Imo state Nigeria. Int. J. Adv. Res. Biol. Sci. 2016;3(10): 55-65.DOI; 10.22192/ijarbs.2016.03.10.009
- 20. Chinedu K, Takim AE, Obeagu EI, Chinazor UD, Eloghosa O, Ojong OE, Odunze U. HIV and TB co-infection among patients who used Directly Observed Treatment Short-course centres in Yenagoa, Nigeria. IOSR J Pharm Biol Sci. 2017;12(4):70-75. links/5988ab6d0f7e9b6c8539f73d/HIV-and-TB-co-infection-among-patients-who-used-Directly-Observed-Treatment-Short-course-centres-in-Yenagoa-Nigeria.pdf
- 21. Oloro OH, Oke TO, Obeagu EI. Evaluation of Coagulation Profile Patients with Pulmonary Tuberculosis and Human Immunodeficiency Virus in Owo, Ondo State, Nigeria. Madonna University journal of Medicine and Health Sciences. 2022;2(3):110-119.
- 22. Nwosu DC, Obeagu EI, Nkwocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Elendu HN, Ofoedeme CN, Ozims SJ, Nwankpa P. Change in Lipid Peroxidation Marker (MDA) and Non enzymatic Antioxidants (VIT C & E) in HIV Seropositive Children in an Urban Community of Abia State. Nigeria. J. Bio. Innov. 2016;5(1):24-30. https://links/5ae735e9a6fdcc5b33eb8d6a/CHANGE-IN-LIPID-PEROXIDATION-MARKER-MDAAND-NON-ENZYMATIC-ANTIOXIDANTS-VIT-C-E-IN-HIV-SEROPOSITIVE-CHILDREN-IN-AN-URBAN-COMMUNITY-OF-ABIA-STATE-NIGERIA.pdf.
- 23. Igwe CM, Obeagu IE, Ogbuabor OA. Clinical characteristics of people living with HIV/AIDS on ART in 2014 at tertiary health institutions in Enugu, Nigeria. J Pub Health Nutri. 2022; 5 (6). 2022;130. Links/645a166f5762c95ac3817d32/Clinical-characteristics-of-people-living-with-HIV-AIDS-on-ART-in-2014-at-tertiary-health-institutions-in-Enugu.pdf.
- 24. Airhihenbuwa CO, Webster JD. Culture and African contexts of HIV/AIDS prevention, care and support. Sahara-J: Journal of Social Aspects of HIV/AIDS. 2004;1(1):4-13.
- 25. Chambers LA, Rueda S, Baker DN, Wilson MG, Deutsch R, Raeifar E, Rourke SB, Team TS. Stigma, HIV and health: a qualitative synthesis. BMC public health. 2015; 15:1-7.
- 26. Rai SS, Peters RM, Syurina EV, Irwanto I, Naniche D, Zweekhorst MB. Intersectionality and health-related stigma: insights from experiences of people living with stigmatized health conditions in Indonesia. International journal for equity in health. 2020; 19:1-5.

- 27. Turan B, Budhwani H, Fazeli PL, Browning WR, Raper JL, Mugavero MJ, Turan JM. How does stigma affect people living with HIV? The mediating roles of internalized and anticipated HIV stigma in the effects of perceived community stigma on health and psychosocial outcomes. AIDS and Behavior. 2017:283-291.
- 28. Ifeanyi OE, Obeagu GU, Ijeoma FO, Chioma UI. The values of activated partial thromboplastin time (APTT) among HIV positive patients in FMC Owerri. Int J Curr Res Aca Rev. 2015; 3:139-144. https://www.academia.edu/download/38320159/Obeagu_Emmanuel_Ifeanyi3__et_al.IJC RAR.pdf.
- 29. Obiomah CF, Obeagu EI, Ochei KC, Swem CA, Amachukwu BO. Hematological indices o HIV seropositive subjects in Nnamdi Azikiwe University teaching hospital (NAUTH), Nnewi. Ann Clin Lab Res. 2018;6(1):1-4. https://links/5aa2bb17a6fdccd544b7526e/Haematological-Indices-of-HIV-Seropositive-Subjects-at-Nnamdi-Azikiwe.pdf
- 30. Omo-Emmanuel UK, Ochei KC, Osuala EO, Obeagu EI, Onwuasoanya UF. Impact of prevention of mother to child transmission (PMTCT) of HIV on positivity rate in Kafanchan, Nigeria. Int. J. Curr. Res. Med. Sci. 2017;3(2): 28-34.DOI: 10.22192/ijcrms.2017.03.02.005
- 31. Aizaz M, Abbas FA, Abbas A, Tabassum S, Obeagu EI. Alarming rise in HIV cases in Pakistan: Challenges and future recommendations at hand. Health Science Reports. 2023;6(8):e1450.
- 32. Obeagu EI, Amekpor F, Scott GY. An update of human immunodeficiency virus infection: Bleeding disorders. J Pub Health Nutri. 2023; 6 (1). 2023;139. links/645b4a6c2edb8e5f094d9bd9/An-update-of-human-immunodeficiency-virus-infection-Bleeding.pdf.
- 33. Obeagu EI, Scott GY, Amekpor F, Ofodile AC, Edoho SH, Ahamefula C. Prevention of New Cases of Human Immunodeficiency Virus: Pragmatic Approaches of Saving Life in Developing Countries. Madonna University journal of Medicine and Health Sciences. 2022;2(3):128-134. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/86.
- 34. Walter O, Anaebo QB, Obeagu EI, Okoroiwu IL. Evaluation of Activated Partial Thromboplastin Time and Prothrombin Time in HIV and TB Patients in Owerri Metropolis. Journal of Pharmaceutical Research International. 2022:29-34.
- 35. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng EU, Ikpeme M, Bassey JO, Paul AO. Cascade variabilities in TB case finding among people living with HIV and the use of IPT: assessment in three levels of care in cross River State, Nigeria. Journal of Pharmaceutical Research International. 2020;32(24):9-18.
- 36. Jakheng SP, Obeagu EI. Seroprevalence of human immunodeficiency virus based on demographic and risk factors among pregnant women attending clinics in Zaria Metropolis, Nigeria. J Pub Health Nutri. 2022; 5 (8). 2022;137. links/6317a6b1acd814437f0ad268/Seroprevalence-of-human-immunodeficiency-virus-based-on-demographic-and-risk-factors-among-pregnant-women-attending-clinics-in-Zaria-Metropolis-Nigeria.pdf.

- 37. Obeagu EI, Obeagu GU. A Review of knowledge, attitudes and socio-demographic factors associated with non-adherence to antiretroviral therapy among people living with HIV/AIDS. Int. J. Adv. Res. Biol. Sci. 2023;10(9):135-142.DOI: 10.22192/ijarbs.2023.10.09.015 links/6516faa61e2386049de5e828/A-Review-of-knowledge-attitudes-and-socio-demographic-factors-associated-with-non-adherence-to-antiretroviral-therapy-among-people-living-with-HIV-AIDS.pdf
- 38. Obeagu EI, Onuoha EC. Tuberculosis among HIV Patients: A review of Prevalence and Associated Factors. Int. J. Adv. Res. Biol. Sci. 2023;10(9):128-134.DOI: 10.22192/ijarbs.2023.10.09.014 links/6516f938b0df2f20a2f8b0e0/Tuberculosis-among-HIV-Patients-A-review-of-Prevalence-and-Associated-Factors.pdf.
- 39. Obeagu EI, Ibeh NC, Nwobodo HA, Ochei KC, Iwegbulam CP. Haematological indices of malaria patients coinfected with HIV in Umuahia. Int. J. Curr. Res. Med. Sci. 2017;3(5):100-104.DOI: 10.22192/ijcrms.2017.03.05.014 https://www.academia.edu/download/54317126/Haematological_indices_of_malaria_patients coinfected with HIV.pdf
- 40. Jakheng SP, Obeagu EI, Abdullahi IO, Jakheng EW, Chukwueze CM, Eze GC, Essien UC, Madekwe CC, Madekwe CC, Vidya S, Kumar S. Distribution Rate of Chlamydial Infection According to Demographic Factors among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. South Asian Journal of Research in Microbiology. 2022;13(2):26-31.
- 41. Viola N, Kimono E, Nuruh N, Obeagu EI. Factors Hindering Elimination of Mother to Child Transmission of HIV Service Uptake among HIV Positive Women at Comboni Hospital Kyamuhunga Bushenyi District. Asian Journal of Dental and Health Sciences. 2023;3(2):7-14. http://ajdhs.com/index.php/journal/article/view/39.
- 42. Okorie HM, Obeagu Emmanuel I, Okpoli Henry CH, Chukwu Stella N. Comparative study of enzyme linked immunosorbent assay (Elisa) and rapid test screening methods on HIV, Hbsag, Hcv and Syphilis among voluntary donors in. Owerri, Nigeria. J Clin Commun Med. 2020;2(3):180-183.DOI: DOI: 10.32474/JCCM.2020.02.000137 links/5f344530458515b7291bd95f/Comparative-Study-of-Enzyme-Linked-Immunosorbent-Assay-ElISA-and-Rapid-Test-Screening-Methods-on-HIV-HBsAg-HCV-and-Syphilis-among-Voluntary-Donors-in-Owerri-Nigeria.pdf.
- 43. Ezugwu UM, Onyenekwe CC, Ukibe NR, Ahaneku JE, Onah CE, Obeagu EI, Emeje PI, Awalu JC, Igbokwe GE. Use of ATP, GTP, ADP and AMP as an Index of Energy Utilization and Storage in HIV Infected Individuals at NAUTH, Nigeria: A Longitudinal, Prospective, Case-Controlled Study. Journal of Pharmaceutical Research International. 2021;33(47A):78-84.
- 44. Emannuel G, Martin O, Peter OS, Obeagu EI, Daniel K. Factors Influencing Early Neonatal Adverse Outcomes among Women with HIV with Post Dated Pregnancies Delivering at Kampala International University Teaching Hospital, Uganda. Asian Journal of Pregnancy and Childbirth. 2023 Jul 29;6(1):203-211. http://research.sdpublishers.net/id/eprint/2819/.
- 45. Igwe MC, Obeagu EI, Ogbuabor AO, Eze GC, Ikpenwa JN, Eze-Steven PE. Socio-Demographic Variables of People Living with HIV/AIDS Initiated on ART in 2014 at

- Tertiary Health Institution in Enugu State. Asian Journal of Research in Infectious Diseases. 2022;10(4):1-7.
- 46. Vincent CC, Obeagu EI, Agu IS, Ukeagu NC, Onyekachi-Chigbu AC. Adherence to Antiretroviral Therapy among HIV/AIDS in Federal Medical Centre, Owerri. Journal of Pharmaceutical Research International. 2021;33(57A):360-368.
- 47. Igwe MC, Obeagu EI, Ogbuabor AO. ANALYSIS OF THE FACTORS AND PREDICTORS OF ADHERENCE TO HEALTHCARE OF PEOPLE LIVING WITH HIV/AIDS IN TERTIARY HEALTH INSTITUTIONS IN ENUGU STATE. Madonna University journal of Medicine and Health Sciences. 2022;2(3):42-57. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/75.
- 48. Deblonde J, Sasse A, Del Amo J, Burns F, Delpech V, Cowan S, Levoy M, Keith L, Pharris A, Amato-Gauci A, Noori T. Restricted access to antiretroviral treatment for undocumented migrants: a bottle neck to control the HIV epidemic in the EU/EEA. BMC Public Health. 2015; 15:1-3.
- 49. Kirby DB, Laris BA, Rolleri LA. Sex and HIV education programs: their impact on sexual behaviors of young people throughout the world. Journal of adolescent Health. 2007;40(3):206-17.
- 50. Parker WM, Becker-Benton A. Experiences in conducting participatory communication research for HIV prevention globally: translating critical dialog into action through action media. Frontiers in Public Health. 2016; 4:128.
- 51. Olmedo A, Milner-Gulland EJ, Challender DW, Cugnière L, Dao HT, Nguyen LB, Nuno A, Potier E, Ribadeneira M, Thomas-Walters L, Wan AK. A scoping review of celebrity endorsement in environmental campaigns and evidence for its effectiveness. Conservation Science and Practice. 2020;2(10):e261.
- 52. Klugman B. Effective social justice advocacy: a theory-of-change framework for assessing progress. Reproductive health matters. 2011;19(38):146-62.
- 53. Betancourt JR, Corbett J, Bondaryk MR. Addressing disparities and achieving equity: cultural competence, ethics, and health-care transformation. Chest. 2014;145(1):143-8.
- 54. Kang'ethe SM, Xabendlini S. Exploring myths associated with HIV/AIDS with examples from a few countries of the world. Journal of Human Ecology. 2014;46(1):55-61.
- 55. Rotheram-Borus MJ, Swendeman D, Chovnick G. The past, present, and future of HIV prevention: integrating behavioral, biomedical, and structural intervention strategies for the next generation of HIV prevention. Annual review of clinical psychology. 2009; 5:143-67.