Elite Journal of Medical Sciences. Volume 1 issue 1(2023), Pp.1-13
https://epjournals.com/journals/EJMS

Harnessing the Power of Antioxidant-Rich Diet for Preconception Health: A Review

*Emmanuel Ifeanyi Obeagu[1] and Getrude Uzoma Obeagu[2]

[1]Department of Medical Laboratory Science, Kampala International University, Uganda

[2]School of Nursing Science, Kampala International University, Uganda

*Corresponding authour: Emmanuel Ifeanyi Obeagu, Department of Medical Laboratory Science, Kampala International University, Uganda, emmanuelobeagu@yahoo.com, ORCID: 0000-0002-4538-0161

Abstract

Preconception health is a pivotal determinant of reproductive success, exerting profound effects on fertility, pregnancy outcomes, and the health of future generations. Increasing evidence suggests that dietary intake of antioxidants, abundant in fruits, vegetables, nuts, and seeds, holds significant promise in optimizing preconception health by combating oxidative stress. This comprehensive review explores the impact of antioxidant-rich diets on various facets of preconception health, including fertility, reproductive function, and pregnancy outcomes. It elucidates the mechanisms underlying the beneficial effects of antioxidants, evaluates the role of specific antioxidants in promoting reproductive health, and discusses dietary recommendations to enhance antioxidant intake during the preconception period. Furthermore, it underscores the importance of personalized nutrition interventions and lifestyle modifications in optimizing preconception health and fostering healthy pregnancies. By synthesizing current evidence and highlighting future directions, this review provides valuable insights into harnessing the potential of antioxidant-rich diets to support optimal preconception health and improve reproductive outcomes.

Keywords: *Antioxidants, Preconception health, Diet, Reproductive health, Oxidative stress, Fertility, Pregnancy outcomes*

Introduction

The period preceding conception is increasingly recognized as a critical window for influencing reproductive health and pregnancy outcomes. Preconception health encompasses a range of factors, including nutrition, lifestyle habits, and environmental exposures, which collectively

shape the physiological milieu in which conception occurs. Of particular importance is the role of oxidative stress, an imbalance between reactive oxygen species (ROS) production and antioxidant defense mechanisms, which has been implicated in various reproductive disorders and adverse pregnancy outcomes. In recent years, there has been growing interest in the potential of dietary antioxidants to mitigate oxidative stress and optimize preconception health. The significance of oxidative stress in preconception health lies in its detrimental effects on reproductive function. Excessive ROS production can disrupt follicular development, impair oocyte quality, and compromise sperm function, thereby compromising fertility. Moreover, oxidative stress can negatively impact embryo implantation, placental development, and fetal growth, increasing the risk of pregnancy complications such as miscarriage, preeclampsia, and gestational diabetes. As such, strategies to modulate oxidative stress through dietary interventions have garnered considerable attention in the field of reproductive medicine.[1-15]

Antioxidants are a diverse group of compounds that neutralize ROS and prevent oxidative damage to cellular structures. Found abundantly in fruits, vegetables, whole grains, and nuts, these bioactive molecules exert their protective effects by scavenging free radicals, enhancing antioxidant enzyme activity, and modulating signaling pathways involved in oxidative stress response. Epidemiological studies have provided compelling evidence linking higher dietary intake of antioxidants with improved fertility outcomes, reduced risk of pregnancy complications, and enhanced offspring health. Despite the growing body of evidence supporting the role of antioxidants in preconception health, several challenges remain. Variability in dietary intake, bioavailability of antioxidants, and individual differences in antioxidant requirements underscore the need for personalized nutrition interventions tailored to specific patient populations. Moreover, translating research findings into clinical practice requires careful consideration of dietary patterns, supplementation strategies, and lifestyle modifications to optimize antioxidant status and promote reproductive wellness.[16-25]

Mechanisms of Action of Antioxidants

The mechanisms through which antioxidants exert their beneficial effects on preconception health are multifaceted and involve intricate cellular processes. Antioxidants act as scavengers, neutralizing harmful free radicals and ROS generated during normal cellular metabolism and in response to environmental stressors. Free radicals, such as superoxide anion (O2•−), hydroxyl radical (•OH), and hydrogen peroxide (H2O2), can cause oxidative damage to lipids, proteins, and nucleic acids, disrupting cellular function and contributing to reproductive dysfunction. Antioxidants donate electrons or hydrogen atoms to stabilize free radicals, preventing them from initiating chain reactions and minimizing oxidative damage to reproductive tissues. Oxidative stress can impair the structure and function of reproductive organs, including the ovaries, testes, and uterus, by inducing lipid peroxidation, protein oxidation, and DNA damage. Antioxidants mitigate oxidative damage by preserving membrane integrity, maintaining mitochondrial function, and preventing DNA strand breaks and mutations. By protecting germ cells, oocytes, sperm, and uterine tissues from oxidative injury, antioxidants help maintain reproductive function and optimize fertility outcomes.[26-30]

Oxidative stress and inflammation are closely intertwined processes that contribute to reproductive disorders and pregnancy complications. Antioxidants exert anti-inflammatory effects by inhibiting the production of pro-inflammatory cytokines, such as tumor necrosis factor-alpha (TNF-α) and interleukin-6 (IL-6), and modulating immune cell activity. By attenuating inflammatory responses in the reproductive tract, antioxidants help reduce tissue damage, promote tissue repair, and create a favorable environment for conception and pregnancy. Antioxidants not only scavenge free radicals directly but also enhance the activity of endogenous antioxidant enzymes, such as superoxide dismutase (SOD), catalase (CAT), and glutathione peroxidase (GPx). These enzymes play critical roles in detoxifying ROS and maintaining redox homeostasis within cells. Antioxidants, such as vitamin C, vitamin E, selenium, and zinc, support the function of antioxidant enzymes by providing essential cofactors and substrates, thereby amplifying the cellular antioxidant defense mechanisms and bolstering resilience against oxidative stress.[31-35]

Impact of Antioxidant-Rich Diet on Fertility

The impact of an antioxidant-rich diet on fertility is profound, as dietary antioxidants play a crucial role in maintaining reproductive health and optimizing fertility outcomes. Antioxidants, such as vitamins C and E, selenium, and coenzyme Q10, protect sperm cells from oxidative damage, preserve sperm membrane integrity, and enhance sperm motility, thereby increasing the likelihood of successful fertilization. Higher intake of antioxidant-rich foods, such as fruits, vegetables, nuts, and seeds, has been associated with higher sperm quality and improved male fertility in both observational and interventional studies. In women, oxidative stress can disrupt ovarian function and impair ovulatory function, leading to menstrual irregularities and infertility. Antioxidants, such as vitamin D, vitamin E, and omega-3 fatty acids, have been shown to regulate hormonal balance, reduce inflammation, and improve ovarian responsiveness to hormonal stimuli. Dietary antioxidants may promote regular menstrual cycles, support follicular development, and enhance ovulation, thereby increasing the chances of conception. Observational studies have suggested a positive association between higher intake of antioxidant-rich foods and improved ovulatory function in women attempting to conceive.[36-40]

Oxidative stress has been implicated in the pathophysiology of male and female infertility, as well as pregnancy complications. Antioxidant-rich diets help mitigate oxidative stress by neutralizing free radicals, enhancing antioxidant enzyme activity, and reducing oxidative damage to reproductive tissues. By maintaining redox balance and protecting gametes from oxidative injury, dietary antioxidants create a favorable environment for conception and support reproductive health in both men and women. Clinical trials have reported reductions in markers of oxidative stress and improvements in fertility parameters following antioxidant supplementation or dietary interventions. Antioxidants play a role in modulating hormonal signaling pathways involved in reproductive function. For example, vitamin D has been shown to regulate steroid hormone production, enhance insulin sensitivity, and improve ovarian function in women with polycystic ovary syndrome (PCOS). Similarly, omega-3 fatty acids may exert anti-inflammatory effects and regulate prostaglandin synthesis, which can influence menstrual cycle regularity and ovulatory function. By supporting hormonal balance, antioxidant-rich diets may improve fertility outcomes and increase the likelihood of conception.[41-50]

Role of Antioxidants in Reproductive Function

The role of antioxidants in reproductive function is multifaceted, encompassing various aspects of male and female fertility, gamete quality, and embryo development. Antioxidants play a crucial role in preserving ovarian reserve and supporting follicular development in women. Oxidative stress can accelerate the depletion of ovarian follicles and impair oocyte quality, leading to diminished fertility and an increased risk of age-related infertility. Antioxidants, such as vitamin C, vitamin E, and coenzyme Q10, protect ovarian follicles from oxidative damage, enhance follicular maturation, and promote the selection of high-quality oocytes for ovulation. By mitigating oxidative stress within the ovarian microenvironment, antioxidants help maintain reproductive function and optimize fertility potential in women. Oocyte quality is a critical determinant of embryo development and pregnancy success. Oxidative stress can impair oocyte maturation, spindle assembly, and chromosome segregation, leading to aneuploidy and reduced embryo viability. Antioxidants protect oocytes from oxidative damage, preserve mitochondrial function, and maintain genomic integrity, thereby improving oocyte quality and developmental competence. Studies have shown that supplementation with antioxidants, such as resveratrol and melatonin, can enhance oocyte maturation, increase fertilization rates, and improve embryo quality in women undergoing assisted reproductive technologies (ART).[51-60]

Antioxidants contribute to the regulation of hormonal balance and menstrual cycle parameters, which are essential for normal reproductive function. Hormones such as estrogen, progesterone, follicle-stimulating hormone (FSH), and luteinizing hormone (LH) play critical roles in follicular development, ovulation, and endometrial receptivity. Oxidative stress can disrupt hormonal signaling pathways and impair ovarian function, leading to menstrual irregularities and infertility. Antioxidants help modulate hormone synthesis, enhance hormone receptor sensitivity, and promote cyclic regularity, thereby supporting optimal reproductive function and fertility outcomes. Antioxidants are essential for maintaining maternal and fetal health during pregnancy by protecting against oxidative stress-induced damage. Pregnancy is characterized by increased metabolic demands, hormonal changes, and oxidative burden, which can overwhelm antioxidant defenses and lead to pregnancy complications such as preeclampsia, gestational diabetes, and intrauterine growth restriction. Antioxidants, such as vitamin C, vitamin E, and selenium, mitigate oxidative stress in the placenta, reduce inflammation, and improve placental function, thereby reducing the risk of adverse pregnancy outcomes and promoting fetal growth and development.[61-65]

Antioxidants and Pregnancy Outcomes

Antioxidants play a crucial role in influencing pregnancy outcomes by mitigating oxidative stress and promoting maternal and fetal health throughout gestation. Oxidative stress has been implicated in the pathophysiology of pregnancy complications such as preeclampsia, gestational diabetes mellitus (GDM), preterm birth, and intrauterine growth restriction (IUGR). Antioxidants counteract oxidative damage to maternal and fetal tissues, reduce inflammation, and improve placental function, thereby lowering the risk of adverse pregnancy outcomes. Clinical studies have demonstrated that antioxidant supplementation, either alone or in combination with other

interventions, can decrease the incidence and severity of pregnancy complications, leading to improved maternal and neonatal outcomes. The placenta plays a critical role in supporting fetal growth and development by facilitating nutrient and oxygen exchange between the maternal and fetal circulations. Oxidative stress can impair placental development and function, leading to placental insufficiency and fetal growth restriction. Antioxidants protect the placenta from oxidative damage, enhance trophoblast function, and improve placental blood flow, thereby optimizing nutrient delivery to the fetus and promoting normal fetal growth. Studies have shown that antioxidant supplementation during pregnancy can improve placental health and function, leading to better pregnancy outcomes.[66-70]

Oxidative stress during pregnancy can disrupt fetal development and increase the risk of congenital anomalies and developmental abnormalities. Antioxidants protect fetal tissues from oxidative damage, preserve DNA integrity, and support organogenesis, thereby reducing the risk of birth defects and developmental disorders. Maternal antioxidant status during pregnancy has been associated with fetal neurodevelopmental outcomes, highlighting the importance of adequate antioxidant intake for promoting optimal fetal growth and development. Antioxidants contribute to maternal well-being during pregnancy by reducing oxidative stress-induced inflammation, alleviating pregnancy-related symptoms, and supporting maternal immune function. Additionally, antioxidants protect fetal tissues from oxidative damage, reduce the risk of neonatal complications such as respiratory distress syndrome and neonatal jaundice, and promote overall neonatal health. Studies have shown that maternal antioxidant supplementation can improve birth weight, reduce the incidence of low birth weight and small-for-gestational-age infants, and enhance neonatal outcomes.[71-75]

Dietary Recommendations for Preconception Health

Dietary recommendations for preconception health aim to optimize nutritional status, support reproductive function, and enhance fertility outcomes. Prioritize a balanced diet that includes a variety of nutrient-dense foods from all food groups, including fruits, vegetables, whole grains, lean proteins, and healthy fats. Aim for a diverse intake of colorful fruits and vegetables to maximize antioxidant intake and support overall health. Incorporate antioxidant-rich foods into your daily diet to combat oxidative stress and promote reproductive wellness. Focus on foods high in vitamins C and E, selenium, zinc, and other phytochemicals with antioxidant properties. Examples include berries, citrus fruits, leafy greens, nuts, seeds, legumes, and colorful vegetables. Omega-3 fatty acids, particularly EPA (eicosapentaenoic acid) and DHA (docosahexaenoic acid), are essential for reproductive health and fetal development. Include fatty fish (such as salmon, mackerel, and sardines), flaxseeds, chia seeds, walnuts, and fortified foods in your diet to ensure an adequate intake of omega-3 fatty acids.[76-78]

Folate is crucial for preventing neural tube defects and supporting early embryonic development. Consume folate-rich foods such as leafy greens, legumes, fortified grains, citrus fruits, and avocadoes. Consider taking a prenatal vitamin containing folic acid or methylfolate as part of your preconception care plan. Iron is essential for oxygen transport and energy metabolism, and adequate iron stores are important for fertility and pregnancy. Include iron-rich foods such as lean

meats, poultry, fish, beans, lentils, tofu, fortified cereals, and dark leafy greens in your diet. Consider pairing iron-rich foods with vitamin C-rich foods to enhance iron absorption. Minimize intake of processed foods, sugary snacks, and beverages high in added sugars, as they can contribute to inflammation, insulin resistance, and hormonal imbalances that may affect fertility. Choose whole, unprocessed foods whenever possible and prioritize nutrient-dense options. Drink plenty of water throughout the day to stay hydrated and support overall health. Aim for at least eight glasses of water per day, and adjust your fluid intake based on individual needs, activity level, and climate. Limit alcohol consumption and avoid excessive caffeine intake, as both may negatively impact fertility and pregnancy outcomes. Consider reducing alcohol intake to moderate levels and limiting caffeine intake to less than 200-300 milligrams per day (equivalent to 1-2 cups of coffee). Consult with a healthcare provider or registered dietitian to develop a personalized preconception nutrition plan tailored to your specific needs, dietary preferences, and medical history. Consider discussing any nutrient deficiencies, dietary restrictions, or supplementation needs to optimize your preconception health.[79-82]

Personalized Nutrition Interventions and Lifestyle Modifications

Personalized nutrition interventions and lifestyle modifications are essential components of preconception care, as they address individual needs, preferences, and health concerns to optimize reproductive health and fertility outcomes. Conduct a thorough nutritional assessment to evaluate dietary habits, nutrient intake, and potential nutrient deficiencies. Consider factors such as age, weight, medical history, dietary restrictions, cultural preferences, and lifestyle habits when designing personalized nutrition plans. Identify specific nutrient needs and prioritize targeted interventions to address deficiencies or imbalances that may impact reproductive health. Common nutrients of concern during the preconception period include folate, iron, omega-3 fatty acids, vitamin D, and antioxidants. Tailor dietary recommendations and supplementation protocols to meet individual nutrient requirements. Individualize dietary recommendations based on individual preferences, cultural background, and dietary patterns. Consider incorporating traditional foods, cultural cuisines, and culinary practices into the diet to ensure compliance and enjoyment. Provide practical guidance on meal planning, grocery shopping, and cooking techniques to facilitate dietary changes.[83-84]

Address lifestyle factors that may influence fertility and reproductive health, such as physical activity, stress management, sleep quality, and exposure to environmental toxins. Encourage regular exercise, stress reduction techniques (e.g., mindfulness, yoga), adequate sleep hygiene, and avoidance of tobacco, alcohol, and recreational drugs. Support healthy weight management strategies for individuals who are overweight or obese, as excess body weight can negatively impact fertility and pregnancy outcomes. Provide guidance on portion control, balanced meals, mindful eating, and physical activity to achieve and maintain a healthy weight prior to conception. Consider the role of gut health in reproductive function and explore strategies to optimize gastrointestinal health through dietary modifications and probiotic supplementation. Encourage consumption of fiber-rich foods, fermented foods, and prebiotic-rich foods to support a diverse gut microbiota and enhance nutrient absorption. Monitor progress regularly and make adjustments to nutrition and lifestyle interventions as needed based on individual response, feedback, and

evolving health status. Encourage open communication and ongoing support to empower individuals to make sustainable lifestyle changes and achieve their preconception health goals. Collaborate with a multidisciplinary team of healthcare professionals, including physicians, registered dietitians, nurses, and mental health specialists, to provide comprehensive preconception care. Coordinate care, share information, and integrate complementary interventions to optimize patient outcomes and support holistic wellness.[82-84]

Conclusion

Antioxidant-rich diets offer a promising approach for optimizing preconception health and improving reproductive outcomes by mitigating oxidative stress and promoting overall well-being. By incorporating nutrient-dense foods rich in antioxidants into their diet, individuals can enhance fertility, support reproductive function, and reduce the risk of pregnancy complications. Furthermore, personalized nutrition interventions and lifestyle modifications tailored to individual needs can maximize the benefits of antioxidant-rich diets and pave the way for healthier pregnancies and long-term offspring health.

References

1. Inhorn MC, Patrizio P. Infertility around the globe: new thinking on gender, reproductive technologies and global movements in the 21st century. Human reproduction update. 2015;21(4):411-26.
2. Inhorn MC. Infertility, in vitro fertilization, and fertility preservation: Global perspectives. InThe Routledge Handbook of Anthropology and Reproduction 2021; 217-232. Routledge.
3. Withers M. Infertility among women in low-and middle-income countries. InHandbook of Global Health 2021; 885-910. Cham: Springer International Publishing.
4. Crawford S, Smith RA, Kuwabara SA, Grigorescu V. Risks factors and treatment use related to infertility and impaired fecundity among reproductive-aged women. Journal of Women's Health. 2017;26(5):500-10.
5. Obeagu EI, Njar VE, Obeagu GU. Infertility: Prevalence and consequences. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(7):43-50.
6. Amadi NM, Achukwu PU, Anoh NV, Obeagu EI, Achukwu NO, Odo OF. Reproductive Organ Activities of Morinda lucida Ethanol Root Extract on Male and Female Albino Rats Tramadol HCL Induced Infertility. Journal of Pharmaceutical Research International. 2021;33(46B):287-95.
7. Obeagu EI, Bunu UO, Obeagu GU, Habimana JB. Antioxidants in the management of sickle cell anaemia: an area to be exploited for the wellbeing of the patients. International Research in Medical and Health Sciences. 2023;6(4):12-7.
8. Obeagu EI, Ubosi NI, Uzoma G. Antioxidant Supplementation in Pregnancy: Effects on Maternal and Infant Health. Int. J. Adv. Multidiscip. Res. 2023;10(11):60-70.
9. Obeagu EI, Obeagu GU. Utilization of Antioxidants in the management of diabetes mellitus patients. J Diabetes Clin Prac. 2018;1(102):2.
10. Nwosu DC, Obeagu EI, Nkwocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Elendu HN, Ofoedeme CN, Ozims SJ, Nwankpa P. Change in Lipid Peroxidation Marker (MDA)

and Non enzymatic Antioxidants (VIT C & E) in HIV Seropositive Children in an Urban Community of Abia State. Nigeria. J. Bio. Innov. 2016;5(1):24-30.

11. Nwosu DC, Obeagu EI, Ezenwuba C, Agu GC, Amah H, Ozims SJ, Nwanjo HU, Edward A, Izuchukwu IF, Amadike JN, Nwagwu AJ. Antioxidant status of children with Plasmodium falciparum malaria in Owerri municipal council of Imo state. Int. J. Curr. Res. Chem. Pharm. Sci. 2016;3(8):40-6.
12. Obeagu EI, Agreen FC. Anaemia among pregnant women: A review of African pregnant teenagers. J Pub Health Nutri. 2023; 6 (1). 2023;138. links/63da799664fc860638054562/Anaemia-among-pregnant-women-A-review-of-African-pregnant-teenagers.pdf.
13. Obeagu EI, Ezimah AC, Obeagu GU. Erythropoietin in the anaemias of pregnancy: a review. Int J Curr Res Chem Pharm Sci. 2016;3(3):10-8. links/5710fae108ae846f4ef05afb/ERYTHROPOIETIN-IN-THE-ANAEMIAS-OF-PREGNANCY-A-REVIEW.pdf.
14. Obeagu EI, Adepoju OJ, Okafor CJ, Obeagu GU, Ibekwe AM, Okpala PU, Agu CC. Assessment of Haematological Changes in Pregnant Women of Ido, Ondo State, Nigeria. J Res Med Dent Sci. 2021;9(4):145-8. links/608a6728a6fdccaebdf52d94/Assessment-of-Haematological-Changes-in-Pregnant-Women-of-Ido-Ondo.pdf.
15. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. International Research in Medical and Health Sciences. 2023 ;6(2):10-3. http://irmhs.com/index.php/irmhs/article/view/111.
16. Jakheng SP, Obeagu EI. Seroprevalence of human immunodeficiency virus based on demographic and risk factors among pregnant women attending clinics in Zaria Metropolis, Nigeria. J Pub Health Nutri. 2022; 5 (8). 2022;137. links/6317a6b1acd814437f0ad268/Seroprevalence-of-human-immunodeficiency-virus-based-on-demographic-and-risk-factors-among-pregnant-women-attending-clinics-in-Zaria-Metropolis-Nigeria.pdf.
17. Adwas AA, Elsayed A, Azab AE, Quwaydir FA. Oxidative stress and antioxidant mechanisms in human body. J. Appl. Biotechnol. Bioeng. 2019;6(1):43-47.
18. Ezimah UA, Obeagu EI, Ezimah CO, Ezimah A, Nto NJ. Diarrhoeal diseases of acquired immunodeficiency syndrome stimulate more depletion of total antioxidant status. Int. J. Adv. Multidiscip. Res. 2016;3(4):23-25.
19. Aloh GS, Obeagu EI, Okoroiwu IL, Odo CE, Chibunna OM, Kanu SN, Elemchukwu Q, Okpara KE, Ugwu GU. Antioxidant-Mediated Heinz Bodies Levels of Sickle Erythrocytes under Drug-Induced Oxidative Stress. European Journal of Biomedical and Pharmaceutical sciences. 2015;2(1):502-507.
20. Nwakuilite A, Nwanjo HU, Nwosu DC, Obeagu EI. EVALUATION OF ENZYME ANTIOXIDANTS IN STREPTOZOCIN INDUCED DIABETIC RATS TREATED WITH MORINGA OLEIFERA LEAF POWDER. European Journal of Biomedical. 2020;7(11):285-8.
21. Ifeanyi OE. A review on free radicals and antioxidants. Int. J. Curr. Res. Med. Sci. 2018;4(2):123-133.
22. Akinpelu M, Gamade SM, Akinbo F, Adeniyi TD, Elizebeth AF, Obeagu EI. Histopathological and Biochemical Effect of Vitamin C and D on Phosphine-Induced

Hepatotoxicity in Wistar Rats. Asian Journal of Dental and Health Sciences. 2023;3(2):18-22.
23. Obeagu EI, Obeagu GU, Chukwueze CM, Ikpenwa JN, Ramos GF. Evaluation of Protein C, Protein S and Fibrinogen of Pregnant Women with Malaria in Owerri Metropolis. Madonna University journal of Medicine and Health Sciences. 2022;2(2):1-9.
24. Obeagu EI, Ikpenwa JN, Chukwueze CM, Obeagu GU. Evaluation of protein C, protein S and fibrinogen of pregnant women in Owerri Metropolis. Madonna University Journal of Medicine and Health Sciences. 2022;2(1):292-8. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/57.
25. Obeagu EI, Obeagu GU, Adepoju OJ. Evaluation of haematological parameters of pregnant women based on age groups in Olorunsogo road area of Ido, Ondo state. J. Bio. Innov11 (3). 2022:936-941.
26. Obeagu EI. An update on utilization of antenatal care among pregnant Women in Nigeria. Int. J. Curr. Res. Chem. Pharm. Sci. 2022;9(9): 21-6.DOI: 10.22192/ijcrcps.2022.09.09.003
27. Okoroiwu IL, Obeagu EI, Obeagu GU. Determination of clot retraction in preganant women attending antenatal clinic in federal medical centre Owerri, Nigeria. Madonna University Journal of Medicine and Health Sciences. 2022;2(2):91-97. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/67.
28. Obeagu EI, Hassan AO, Adepoju OJ, Obeagu GU, Okafor CJ. Evaluation of Changes in Haematological Parameters of Pregnant Women Based on Gestational Age at Olorunsogo Road Area of Ido, Ondo State. Nigeria. Journal of Research in Medical and Dental Science. 2021;9(12):462-.links/61b1e32f0c4bfb675178bfa7/Evaluation-of-Changes-in-Haematological-Parameters-of-Pregnant-Women-Based-on-Gestational-Age-at-Olorunsogo-Road-Area-of-Ido-Ondo-State-Nigeria.pdf.
29. Anyiam AF, Obeagu EI, Obi E, Omosigho PO, Irondi EA, Arinze-Anyiam OC, Asiyah MK. ABO blood groups and gestational diabetes among pregnant women attending University of Ilorin Teaching Hospital, Kwara State, Nigeria. International Journal of Research and Reports in Hematology. 2022 Jun 21;5(2):113-121.
30. Obeagu EI. Gestational Thrombocytopaenia. J Gynecol Women's Health. 2023;25(3):556163. links/64b01aa88de7ed28ba95fccb/Gestational-Thrombocytopaenia.pdf.
31. Jakheng SP, Obeagu EI, Abdullahi IO, Jakheng EW, Chukwueze CM, Eze GC, Essien UC, Madekwe CC, Madekwe CC, Vidya S, Kumar S. Distribution Rate of Chlamydial Infection According to Demographic Factors among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. South Asian Journal of Research in Microbiology. 2022;13(2):26-31.
32. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-9.
33. Ribas-Maynou J, Yeste M. Oxidative stress in male infertility: causes, effects in assisted reproductive techniques, and protective support of antioxidants. Biology. 2020;9(4):77.

34. Chen SJ, Allam JP, Duan YG, Haidl G. Influence of reactive oxygen species on human sperm functions and fertilizing capacity including therapeutical approaches. Archives of gynecology and obstetrics. 2013; 288:191-199.
35. Nwakulite A, Obeagu EI, Eze R, Ugochi VE, Vincent CC, Okafor CJ, Chukwurah EF, Unaeze BC, Amaechi CO, Okwuanaso CB, Chukwuani U. Estimation of Serum Glutathione Peroxidase in Streptozotocin Induced Diabetic Rat Treated with Bitter Leaf Extract. Journal of Pharmaceutical Research International. 2021;33(30B):200-6.
36. Ifeanyi OE, Stella EI, Favour AA. Antioxidants In the Management of Sickle Cell Anaemia. Int J Hematol Blood Disord (Internet) 2018 (cited 2021 Mar 4); 3. Available from: https://symbiosisonlinepublishing. com/hematology/hema tology25. php. 2018 S.
37. Obeagu EI, Abdirahman BF, Bunu UO, Obeagu GU. Obsterics characteristics that effect the newborn outcomes. Int. J. Adv. Res. Biol. Sci. 2023;10(3): 134-43.DOI: 10.22192/ijarbs.2023.10.03.016
38. Obeagu EI, Ogunnaya FU. PREGNANCYINDUCED HAEMATOLOGICAL CHANGES: A KEY TO MARTERNAL AND CHILD HEALTH. European Journal of Biomedical. 2023;10(8):42-43. links/64c890bddb38b20d6dad2c5c/PREGNANCY-INDUCED-HAEMATOLOGICAL-CHANGES-A-KEY-TO-MARTERNAL-AND-CHILD-HEALTH.pdf.
39. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
40. Okamgba OC, Nwosu DC, Nwobodo EI, Agu GC, Ozims SJ, Obeagu EI, Ibanga IE, Obioma-Elemba IE, Ihekaire DE, Obasi CC, Amah HC. Iron Status of Pregnant and Post-Partum Women with Malaria Parasitaemia in Aba Abia State, Nigeria. Annals of Clinical and Laboratory Research. 2017;5(4):206. links/5ea97df145851592d6a8acf2/Iron-Status-of-Pregnant-and-Post-Partum-Women-with-Malaria-Parasitaemia-in-Aba-Abia-State-Nigeria.pdf.
41. Eze RI, Obeagu EI, Edet FN. Frequency of Rh Antigen C And c among pregnant women in Sub-Urban area in Eastern Nigeria. Madonna Uni J Med Health Sci. 2021;1(1):19-30.
42. Obeagu EI, Ofodile AC, Okwuanaso CB. A review of urinary tract infections in pregnant women: Risks factors. J Pub Health Nutri. 2023; 6 (1). 2023; 137:26-35. links/63c3a9116fe15d6a571e8bba/A-review-of-urinary-tract-infections-in-pregnant-women-Risks-factors.pdf.
43. Obeagu EI, Obeagu GU, Musiimenta E. Post partum haemorrhage among pregnant women: Update on risks factors. Int. J. Curr. Res. Med. Sci. 2023;9(2): 14-17.DOI: 10.22192/ijcrms.2023.09.02.003
44. Obeagu EI, Obeagu GU, Ogunnaya FU. Deep vein thrombosis in pregnancy: A review of prevalence and risk factors. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(8): 14-21.DOI: 10.22192/ijcrcps.2023.10.08.002
45. Jakheng SP, Obeagu EI, Jakheng EW, Uwakwe OS, Eze GC, Obeagu GU, Vidya S, Kumar S. Occurrence of Chlamydial Infection Based on Clinical Symptoms and Clinical History among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. International Journal of Research and Reports in Gynaecology. 2022;5(3):98-105.

46. Okorie HM, Obeagu EI, Eze EN, Jeremiah ZA. Assessment of some haematological parameters in malaria infected pregnant women in Imo state Nigeria. Int. J. Curr. Res. Biol. Med. 2018;3(9): 1-4.DOI: 10.22192/ijcrbm.2018.03.09.001
47. García-Rodríguez A, Gosálvez J, Agarwal A, Roy R, Johnston S. DNA damage and repair in human reproductive cells. International Journal of Molecular Sciences. 2018;20(1):31.
48. Beygi Z, Forouhari S, Mahmoudi E, Hayat SM, Nourimand F. Role of oxidative stress and antioxidant supplementation in male fertility. Current Molecular Medicine. 2021;21(4):265-282.
49. Zheng W, Feng N, Wang Y, Noll L, Xu S, Liu X, Lu N, Zou H, Gu J, Yuan Y, Liu X. Effects of zearalenone and its derivatives on the synthesis and secretion of mammalian sex steroid hormones: A review. Food and chemical toxicology. 2019; 126:262-276.
50. Onyenweaku FC, Amah HC, Obeagu EI, Nwandikor UU, Onwuasoanya UF. Prevalence of asymptomatic bacteriuria and its antibiotic susceptibility pattern in pregnant women attending private ante natal clinics in Umuahia Metropolitan. Int J Curr Res Biol Med. 2017;2(2): 13-23.DOI: 10.22192/ijcrbm.2017.02.02.003
51. Okoroiwu IL, Chinedu-Madu JU, Obeagu EI, Vincent CC, Ochiabuto OM, Ibekwe AM, Amaechi CO, Agu CC, Anoh NV, Amadi NM. Evaluation of Iron Status, Haemoglobin and Protein Levels of Pregnant Women in Owerri Metropolis. Journal of Pharmaceutical Research International. 2021;33(27A):36-43.
52. Obeagu EI, Njar VE, Obeagu GU. Infertility: Prevalence and Consequences. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(7):43-50.
53. Emeka-Obi OR, Ibeh NC, Obeagu EI, Okorie HM. Evaluation of levels of some inflammatory cytokines in preeclamptic women in owerri. Journal of Pharmaceutical Research International. 2021;33(42A):53-65.
54. Obeagu EI, Faduma MH, Uzoma G. Ectopic Pregnancy: A Review. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(4): 40-4.DOI: 10.22192/ijcrcps.2023.10.04.004
55. Obeagu EI, Gamade SM, Obeagu GU. The roles of Neutrophils in pregnancy. Int. J. Curr. Res. Med. Sci. 2023;9(5): 31-35.DOI: 10.22192/ijcrms.2023.09.05.005
56. Eze R, Obeagu EI, Nwakulite A, Okoroiwu IL, Vincent CC, Okafor CJ, Chukwurah EF, Chijioke UO, Amaechi CO. Evaluation of Copper Status and Some Red Cell Parameters of Pregnant Women in Enugu State, South Eastern Nigeria. Journal of Pharmaceutical Research International. 2021;33(30A):67-71.
57. Obeagu EI, Obeagu GU. Molar Pregnancy: Update of prevalence and risk factors. Int. J. Curr. Res. Med. Sci. 2023;9(7): 25-28.DOI: 10.22192/ijcrms.2023.09.07.005
58. Obeagu EI, Bunu UO. Factors that influence unmet need for family planning. International Journal of Current Research in Biology and Medicine. 2023;8(1):23-27.
59. Ibebuike JE, Ojie CA, Nwokike GI, Obeagu EI, Nwosu DC, Nwanjo HU, Agu GC, Ezenwuba CO, Nwagu SA, Akujuobi AU. Barriers to utilization of maternal health services in southern senatorial district of Cross Rivers state, Nigeria. International Journal of Advanced Multidisciplinary Research. 2017;4(8): 1-9.DOI: 10.22192/ijamr.2017.04.08.001
60. Emannuel G, Martin O, Peter OS, Obeagu EI, Daniel K. Factors Influencing Early Neonatal Adverse Outcomes among Women with HIV with Post Dated Pregnancies Delivering at Kampala International University Teaching Hospital, Uganda. Asian Journal

of Pregnancy and Childbirth. 2023;6(1):203-211. http://research.sdpublishers.net/id/eprint/2819/.
61. Okorie HM, Obeagu EI, Eze EN, Jeremiah ZA. Assessment of coagulation parameters in malaria infected pregnant women in Imo state, Nigeria. International Journal of Current Research in Medical Sciences. 2018;4(9): 41-9.DOI: 10.22192/ijcrms.2018.04.09.006
62. Obeagu EI, Obeagu GU. Postpartum haemorrhage among women delivering through spontaneous vaginal delivery: Prevalence and risk factors. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(8): 22-6.DOI: 10.22192/ijcrcps.2023.10.08.003
63. Obeagu E, Eze RI, Obeagu EI, Nnatuanya IN, Dara EC. ZINC LEVEL IN APPARENTLY PREGNANT WOMEN IN URBAN AREA. Madonna University journal of Medicine and Health Sciences. 2022;2(1):134-48. https://www.journal.madonnauniversity.edu.ng/index.php/medicine/article/view/40.
64. Ogomaka IA, Obeagu EI. Malaria in Pregnancy Amidst Possession of Insecticide Treated Bed Nets (ITNs) in Orlu LGA of Imo State, Nigeria. Journal of Pharmaceutical Research International. 2021;33(41B):380-386.
65. Al-Gubory KH, Fowler PA, Garrel C. The roles of cellular reactive oxygen species, oxidative stress and antioxidants in pregnancy outcomes. The international journal of biochemistry & cell biology. 2010;42(10):1634-1650.
66. Lu J, Wang Z, Cao J, Chen Y, Dong Y. A novel and compact review on the role of oxidative stress in female reproduction. Reproductive Biology and Endocrinology. 2018; 16:1-8.
67. Dutta S, Sengupta P, Izuka E, Menuba I, Nwagha U. Oxidative and nitrosative stress and female reproduction: Roles of oxidants and antioxidants. Journal of Integrated Science and Technology. 2024;12(3):754-.
68. Liaqat Ali Khan N, Nafee T, Shao T, Hart AR, Elliott S, Ola B, Heath PR, Fazeli A. Dysregulation in Multiple Transcriptomic Endometrial Pathways Is Associated with Recurrent Implantation Failure and Recurrent Early Pregnancy Loss. International journal of molecular sciences. 2022;23(24):16051.
69. Máté G, Bernstein LR, Török AL. Endometriosis is a cause of infertility. Does reactive oxygen damage to gametes and embryos play a key role in the pathogenesis of infertility caused by endometriosis? Frontiers in endocrinology. 2018; 9:419855.
70. Obeagu EI, Ogunnaya FU, Obeagu GU, Ndidi AC. SICKLE CELL ANAEMIA: A GESTATIONAL ENIGMA. migration. 2023; 17:18.
71. Ifeanyi OE, Uzoma OG. A review on erythropietin in pregnancy. J. Gynecol. Womens Health. 2018;8(3):1-4. https://www.academia.edu/download/56538560/A_Review_on_Erythropietin_in_Pregnancy.pdf.
72. Ifeanyi OE. A review on pregnancy and haematology. Int. J. Curr. Res. Biol. Med. 2018;3(5): 26-8.DOI: 10.22192/ijcrbm.2018.03.05.006
73. Nwosu DC, Nwanjo HU, Obeagu EI, Ibebuike JE, Ezeama MC. Ihekireh. Changes in liver enzymes and lipid profile of pregnant women with malaria in Owerri, Nigeria. International Journal of Current Research and Academic Review. 2015;3(5):376-383.
74. Ibebuike JE, Ojie CA, Nwokike GI, Obeagu EI, Nwosu DC, Nwanjo HU, Agu GC, Ezenwuba CO, Nwagu SA, Akujuobi AU. Factors that influence women's utilization of

primary health care services in Calabar Cros river state, Nigeria. Int. J. Curr. Res. Chem. Pharm. Sci. 2017;4(7):28-33.
75. Eze R, Ezeah GA, Obeagu EI, Omeje C, Nwakulite A. Evaluation of iron status and some haematological parameters of pregnant women in Enugu, South Eastern Nigeria. World Journal of Pharmaceutical and Medical Research. 2021;7(5):251-4.
76. Elemchukwu Q, Obeagu EI, Ochei KC. Prevalence of Anaemia among Pregnant Women in Braithwaite Memorial Specialist Hospital (BMSH) Port Harcourt. IOSR Journal of Pharmacy and Biological Sciences. 2014;9(5):59-64.
77. Akandinda M, Obeagu EI, Katonera MT. Non Governmental Organizations and Women's Health Empowerment in Uganda: A Review. Asian Research Journal of Gynaecology and Obstetrics. 2022;8(3):12-26.
78. Vidya S. Sunil Kumar Shango Patience Emmanuel Jakheng, Emmanuel Ifeanyi Obeagu, Emmanuel William Jakheng, Onyekachi Splendid Uwakwe, Gloria Chizoba Eze, and Getrude Uzoma Obeagu (2022). Occurrence of Chlamydial Infection Based on Clinical Symptoms and Clinical History among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. International Journal of Research and Reports in Gynaecology.;5(3):98-105.
79. Gamde MS, Obeagu EI. Iron Deficiency Anaemia: Enemical To Pregnancy. European Journal of Biomedical. 2023;10(9):272-275. links/64f63358827074313ffaae7b/IRON-DEFICIENCY-ANAEMIA-ENEMICAL-TO-PREGNANCY.pdf.
80. Torres-Arce E, Vizmanos B, Babio N, Marquez-Sandoval F, Salas-Huetos A. Dietary antioxidants in the treatment of male infertility: counteracting oxidative stress. Biology. 2021;10(3):241.
81. Emeka-Obi OR, Ibeh NC, Obeagu EI, Okorie HM. Evaluation of levels of some inflammatory cytokines in preeclamptic women in owerri. Journal of Pharmaceutical Research International. 2021;33(42A):53-65.
82. Emeka-Obi OR, Ibeh NC, Obeagu EI, Okorie HM. Studies of Some Haemostatic Variables in Preeclamptic Women in Owerri, Imo State, Nigeria. Journal of Pharmaceutical Research International. 2021;33(42B):39-48.
83. Obeagu EI, Obeagu GU. Postpartum haemorrhage among women delivering through spontaneous vaginal delivery: Prevalence and risk factors. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(8):22-26.
84. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. International Research in Medical and Health Sciences. 2023;6(2):10-13.