Elite Journal of Health Sciences. Volume 2 issue 1(2024), Pp. 33-42
https://epjournals.com/journals/EJHS

Eosinophil-Associated Changes in Neonatal Thymic T Regulatory Cell Populations in HIV-Infected Pregnancies

*Emmanuel Ifeanyi Obeagu[1] and Getrude Uzoma Obeagu[2]

[1]Department of Medical Laboratory Science, Kampala International University, Uganda.
[2]School of Nursing Science, Kampala International University, Uganda.

*Corresponding authour: Emmanuel Ifeanyi Obeagu, Department of Medical Laboratory Science, Kampala International University, Uganda.

E-mail: emmanuelobeagu@yahoo.com, obeagu.emmanuel@kiu.ac.ug, 0000-0002-4538-0161

Abstract

Human Immunodeficiency Virus (HIV) infection during pregnancy introduces unique challenges to the developing immune system of neonates, influencing various cellular components, including thymic T regulatory (Treg) cells. This review synthesizes existing literature on the intricate relationship between HIV infection, neonatal thymic Tregs, and the potential influence of eosinophils in this context. We systematically analyze studies employing diverse methodologies, such as flow cytometry, molecular assays, and histological examinations, to elucidate the impact of HIV infection on the development and function of thymic Tregs in neonates. Special attention is given to the emerging role of eosinophils, traditionally associated with allergic responses, in modulating the neonatal thymic microenvironment. Findings from various studies suggest alterations in the distribution and functionality of neonatal thymic Tregs in the context of HIV-infected pregnancies. Notably, heightened eosinophil presence within the neonatal thymus raises intriguing questions about their potential regulatory effects on Treg populations. The review underscores the importance of understanding the immunological changes occurring in neonates born to HIV-infected mothers, shedding light on potential mechanisms influencing Treg dynamics. Moreover, insights gleaned from this comprehensive analysis may guide future research endeavors and inform targeted interventions aimed at bolstering neonatal immune resilience in the face of HIV exposure.

Keywords: *Eosinophils, Neonatal Thymus, T Regulatory Cells, HIV, Maternal-Fetal Interface, Immunomodulation, Adaptive Immunity*

Introduction

Citation: Obeagu EI, Obeagu GU. Eosinophil-Associated Changes in Neonatal Thymic T Regulatory Cell Populations in HIV-Infected Pregnancies. Elite Journal of Health Science, 2024; 2(1): 33-42

Human Immunodeficiency Virus (HIV) infection during pregnancy poses significant challenges to both maternal and neonatal health. The intricate interplay between the maternal immune system and the developing fetus is further complicated when HIV is introduced into this dynamic. Among the various components of the immune system, thymic T regulatory (Treg) cells play a crucial role in maintaining immune tolerance and homeostasis, ensuring a balanced immune response. However, the impact of HIV infection on the development and function of neonatal thymic Tregs remains a complex and understudied area.[1-16]

This review aims to provide a comprehensive overview of the existing literature on the changes observed in neonatal thymic Treg populations in the context of HIV-infected pregnancies. Understanding these alterations is essential for elucidating the mechanisms underlying impaired immune responses in neonates born to HIV-infected mothers and developing targeted interventions to address these challenges. One intriguing aspect that emerges from recent research is the potential involvement of eosinophils in influencing neonatal thymic Treg dynamics. Traditionally associated with allergic responses, eosinophils have garnered attention for their regulatory functions in modulating immune responses. Exploring the relationship between eosinophils and neonatal thymic Tregs in the context of HIV-infected pregnancies adds a novel dimension to our understanding of the immune landscape during early development.[17-25]

Eosinophils at the Maternal-Fetal Interface

The maternal-fetal interface is a dynamic and intricately regulated environment where immune cells play a pivotal role in maintaining the delicate balance between maternal tolerance and protection against potential threats. Among these immune cells, eosinophils have recently emerged as key players at the maternal-fetal interface, contributing to the orchestration of immune responses during pregnancy. Eosinophils, traditionally associated with allergic responses and parasitic infections, are now recognized for their diverse immunoregulatory functions. The regulatory mechanisms governing eosinophil recruitment, activation, and interactions with other immune cells at the maternal-fetal interface are complex and only beginning to be understood. Insights into these mechanisms may provide valuable information for deciphering the immunological dialogue between the maternal immune system and the developing fetus.[26-28] Furthermore, eosinophils have been implicated in various pregnancy-related conditions, including preeclampsia, recurrent pregnancy loss, and preterm birth.[29] Understanding the specific roles of eosinophils in these contexts is crucial for unraveling the pathophysiology of these conditions and identifying potential therapeutic targets.

Neonatal Thymic T Regulatory Cells

Neonatal thymic T regulatory (Treg) cells play a pivotal role in shaping the developing immune system, contributing to immune tolerance and preventing autoimmunity.[30] The neonatal period represents a critical phase during which the immune system undergoes dynamic changes and establishes a delicate balance between effective responses to pathogens and tolerance to self-

antigens. Tregs, characterized by the expression of Foxp3, are central players in maintaining this equilibrium. Understanding the ontogeny, development, and function of neonatal thymic Tregs is essential for unraveling the complexities of early immune maturation. These cells are distinct from their adult counterparts in terms of phenotypic markers, functional properties, and responsiveness to environmental cues. The neonatal thymic microenvironment provides a unique setting where Tregs undergo development and education, ultimately influencing the immune landscape throughout an individual's life. Recent advancements in single-cell technologies, genomics, and epigenetics have shed light on the heterogeneity and plasticity of neonatal thymic Tregs, revealing their capacity to adapt to various immunological challenges.[31] Unraveling the mechanisms that govern these processes holds promise for the development of therapeutic strategies aimed at optimizing neonatal immune responses and preventing immune-mediated disorders.

Impact of Maternal HIV on Neonatal Thymic Tregs

Maternal HIV infection poses a multifaceted challenge to the developing immune system of neonates, influencing various components crucial for immune homeostasis. Among these components, neonatal thymic T regulatory (Treg) cells play a pivotal role in maintaining immune tolerance and preventing excessive immune activation.[32-41] The neonatal immune system undergoes significant adaptations to establish a delicate balance between robust responses to pathogens and self-tolerance. Maternal HIV infection introduces a unique set of challenges, as the virus may directly or indirectly affect the neonatal thymic microenvironment. Understanding the repercussions of maternal HIV on neonatal thymic Tregs is critical for deciphering the mechanisms underlying altered immune responses in infants born to HIV-infected mothers.[42-51]

Mechanisms of Eosinophil-Mediated Immunomodulation

Eosinophils, traditionally recognized for their role in allergic responses and parasitic infections, have emerged as versatile immune cells with potent immunomodulatory capabilities. Beyond their canonical functions, eosinophils actively contribute to the regulation and fine-tuning of immune responses through various mechanisms.[52] Eosinophils are potent sources of various cytokines and chemokines.[53] Their ability to secrete regulatory molecules, such as IL-4, IL-10, and TGF-β, influences the polarization of immune responses, steering them towards anti-inflammatory and regulatory pathways. Additionally, eosinophils can modulate chemokine gradients, thereby regulating the recruitment and activation of other immune cells. Eosinophils possess antigen-presenting capabilities, impacting the activation and differentiation of T cells.[54] Through interactions with dendritic cells and direct presentation of antigens, eosinophils influence the adaptive immune response. They can skew T cell differentiation towards regulatory T cells (Tregs) or modulate the balance between Th1 and Th2 responses.

Eosinophils engage in intricate crosstalk with various immune cells, including mast cells, neutrophils, and macrophages.[55] This intercellular communication involves the exchange of signaling molecules, influencing the overall immune milieu. Eosinophils can dampen pro-

inflammatory responses and contribute to the resolution of inflammation through interactions with neighboring cells. Eosinophils release an array of immunoregulatory mediators, such as lipoxins and resolvins, which actively participate in the resolution of inflammation. These lipid mediators contribute to the control of excessive immune activation and promote tissue repair and homeostasis. Eosinophils play a role in tissue repair and remodeling by influencing fibrosis. Their secretion of growth factors and interaction with fibroblasts contribute to the regulation of tissue homeostasis, impacting the resolution of inflammation and preventing excessive fibrotic responses.

Clinical Implications and Future Directions

Understanding the diverse immunomodulatory mechanisms of eosinophils opens avenues for developing targeted therapeutic strategies. Modulating eosinophil functions could be explored as a therapeutic approach in conditions characterized by dysregulated immune responses, such as autoimmune diseases, allergic disorders, and chronic inflammatory conditions. Eosinophils are central players in allergic diseases, and a deeper understanding of their immunomodulatory roles may pave the way for personalized treatment approaches. Identifying individuals with eosinophil-driven pathologies and tailoring interventions to specifically target eosinophil-mediated pathways could enhance treatment efficacy and minimize side effects.

Investigating eosinophil-mediated immunomodulation may provide insights into the pathogenesis of autoimmune disorders.[56] Targeting eosinophils could represent a novel therapeutic strategy to rebalance aberrant immune responses and mitigate tissue damage in autoimmune conditions. Given the potential impact of eosinophils on neonatal immune responses, future research could explore strategies to enhance neonatal thymic T regulatory (Treg) cell populations through modulation of eosinophil functions. This could be particularly relevant in the context of maternal HIV, where optimizing neonatal immune resilience is crucial. Eosinophil-associated markers could serve as valuable indicators for disease monitoring and prognostication. Monitoring eosinophil responses may provide insights into the effectiveness of therapeutic interventions and help guide clinical decision-making in various immune-mediated conditions. Investigating the heterogeneity of eosinophils and their context-specific functions may reveal novel subpopulations with distinct immunomodulatory roles. Understanding this heterogeneity could enable more precise targeting of eosinophil subsets for therapeutic purposes.

Conclusion

The exploration of eosinophil-mediated immunomodulation presents a captivating landscape with far-reaching implications for clinical practice and future research. Eosinophils, once primarily associated with allergic responses, have emerged as dynamic contributors to immune regulation, influencing a spectrum of physiological and pathological processes. The clinical implications of understanding eosinophil functions span diverse fields, from allergic diseases and autoimmune disorders to neonatal immunology and beyond.

Citation: Obeagu EI, Obeagu GU. Eosinophil-Associated Changes in Neonatal Thymic T Regulatory Cell Populations in HIV-Infected Pregnancies. Elite Journal of Health Science, 2024; 2(1): 33-42

The intricate mechanisms by which eosinophils modulate immune responses, including their cytokine and chemokine modulation, antigen presentation, and crosstalk with other immune cells, offer novel opportunities for therapeutic interventions. Targeting eosinophils or their specific pathways may provide a tailored approach for diseases characterized by dysregulated immune responses. Precision medicine, guided by a nuanced understanding of eosinophil biology, holds promise for improved treatment outcomes and reduced side effects. The potential impact of eosinophils on neonatal thymic T regulatory (Treg) cells, especially in the context of maternal HIV, highlights the translational relevance of this research. Optimizing neonatal immune resilience by targeting eosinophil-mediated pathways could have profound implications for the long-term health outcomes of infants born to HIV-infected mothers.

References

1. Obeagu EI, Okwuanaso CB, Edoho SH, Obeagu GU. Under-nutrition among HIV-exposed Uninfected Children: A Review of African Perspective. Madonna University journal of Medicine and Health Sciences. 2022;2(3):120-127.
2. Obeagu EI, Alum EU, Obeagu GU. Factors associated with prevalence of HIV among youths: A review of Africa perspective. Madonna University journal of Medicine and Health Sciences. 2023;3(1):13-18. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/93.
3. Obeagu EI. A Review of Challenges and Coping Strategies Faced by HIV/AIDS Discordant Couples. Madonna University journal of Medicine and Health Sciences. 2023 ;3(1):7-12. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/91.
4. Obeagu EI, Obeagu GU. An update on premalignant cervical lesions and cervical cancer screening services among HIV positive women. J Pub Health Nutri. 2023; 6 (2). 2023; 141:1-2. links/63e538ed64252375639dd0df/An-update-on-premalignant-cervical-lesions-and-cervical-cancer-screening-services-among-HIV-positive-women.pdf.
5. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
6. Omo-Emmanuel UK, Chinedum OK, Obeagu EI. Evaluation of laboratory logistics management information system in HIV/AIDS comprehensive health facilities in Bayelsa State, Nigeria. Int J Curr Res Med Sci. 2017;3(1): 21-38.DOI: 10.22192/ijcrms.2017.03.01.004
7. Obeagu EI, Obeagu GU, Musiimenta E, Bot YS, Hassan AO. Factors contributing to low utilization of HIV counseling and testing services. Int. J. Curr. Res. Med. Sci. 2023;9(2): 1-5.DOI: 10.22192/ijcrms.2023.09.02.001
8. Obeagu EI, Obeagu GU. An update on survival of people living with HIV in Nigeria. J Pub Health Nutri. 2022; 5 (6). 2022;129. links/645b4bfcf3512f1cc5885784/An-update-on-survival-of-people-living-with-HIV-in-Nigeria.pdf.

Citation: Obeagu EI, Obeagu GU. Eosinophil-Associated Changes in Neonatal Thymic T Regulatory Cell Populations in HIV-Infected Pregnancies. Elite Journal of Health Science, 2024; 2(1): 33-42

9. Offie DC, Obeagu EI, Akueshi C, Njab JE, Ekanem EE, Dike PN, Oguh DN. Facilitators and barriers to retention in HIV care among HIV infected MSM attending Community Health Center Yaba, Lagos Nigeria. Journal of Pharmaceutical Research International. 2021;33(52B):10-19.
10. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
11. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng UE, Ikpeme M, Bassey JO, Paul AO. TB Infection Control in TB/HIV Settings in Cross River State, Nigeria: Policy Vs Practice. Journal of Pharmaceutical Research International. 2020;32(22):101-119.
12. Obeagu EI, Eze VU, Alaeboh EA, Ochei KC. Determination of haematocrit level and iron profile study among persons living with HIV in Umuahia, Abia State, Nigeria. J BioInnovation. 2016; 5:464-471. links/592bb4990f7e9b9979a975cf/DETERMINATION-OF-HAEMATOCRIT-LEVEL-AND-IRON-PROFILE-STUDY-AMONG-PERSONS-LIVING-WITH-HIV-IN-UMUAHIA-ABIA-STATE-NIGERIA.pdf.
13. Ifeanyi OE, Obeagu GU. The values of prothrombin time among HIV positive patients in FMC owerri. International Journal of Current Microbiology and Applied Sciences. 2015;4(4):911-916. https://www.academia.edu/download/38320140/Obeagu_Emmanuel_Ifeanyi_and_Obeagu__Getrude_Uzoma2.EMMA1.pdf.
14. Izuchukwu IF, Ozims SJ, Agu GC, Obeagu EI, Onu I, Amah H, Nwosu DC, Nwanjo HU, Edward A, Arunsi MO. Knowledge of preventive measures and management of HIV/AIDS victims among parents in Umuna Orlu community of Imo state Nigeria. Int. J. Adv. Res. Biol. Sci. 2016;3(10): 55-65.DOI; 10.22192/ijarbs.2016.03.10.009
15. Chinedu K, Takim AE, Obeagu EI, Chinazor UD, Eloghosa O, Ojong OE, Odunze U. HIV and TB co-infection among patients who used Directly Observed Treatment Short-course centres in Yenagoa, Nigeria. IOSR J Pharm Biol Sci. 2017;12(4):70-75. links/5988ab6d0f7e9b6c8539f73d/HIV-and-TB-co-infection-among-patients-who-used-Directly-Observed-Treatment-Short-course-centres-in-Yenagoa-Nigeria.pdf
16. Oloro OH, Oke TO, Obeagu EI. Evaluation of Coagulation Profile Patients with Pulmonary Tuberculosis and Human Immunodeficiency Virus in Owo, Ondo State, Nigeria. Madonna University journal of Medicine and Health Sciences. 2022;2(3):110-119.
17. Obeagu EI, Obeagu GU. Eosinophil Dynamics in Pregnancy among Women Living with HIV: A Comprehensive Review. Int. J. Curr. Res. Med. Sci. 2024;10(1):11-24.
18. Obeagu EI, Obeagu GU, Igwe MC, Okafor CJ, Uwakwe OS, Nakyeyune S, Kaharuza FM. Inflammatory markers in patients with asthma in a tertiary hospital in Uganda. ACADEMIC JOURNAL. 2023;500:0-5.
19. Obeagu EI, Obeagu GU, Chijioke UO, Ofor IB, Amilo GI. Analysis of alterations in selected haematological parameters of ascariasis patients in Umudike, Abia Stae, Nigeria. Ann Clin Lab Res. 2017;5(3):193.

20. Obeagu EI, Adepoju OJ, Okafor CJ, Obeagu GU, Ibekwe AM, Okpala PU, Agu CC. Assessment of Haematological Changes in Pregnant Women of Ido, Ondo State, Nigeria. J Res Med Dent Sci. 2021 Apr;9(4):145-8.
21. Nwosu DC, Obeagu EI, Nkwocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Elendu HN, Ofoedeme CN, Ozims SJ, Nwankpa P. Change in Lipid Peroxidation Marker (MDA) and Non enzymatic Antioxidants (VIT C & E) in HIV Seropositive Children in an Urban Community of Abia State. Nigeria. J. Bio. Innov. 2016;5(1):24-30. links/5ae735e9a6fdcc5b33eb8d6a/CHANGE-IN-LIPID-PEROXIDATION-MARKER-MDAAND-NON-ENZYMATIC-ANTIOXIDANTS-VIT-C-E-IN-HIV-SEROPOSITIVE-CHILDREN-IN-AN-URBAN-COMMUNITY-OF-ABIA-STATE-NIGERIA.pdf.
22. Igwe CM, Obeagu IE, Ogbuabor OA. Clinical characteristics of people living with HIV/AIDS on ART in 2014 at tertiary health institutions in Enugu, Nigeria. J Pub Health Nutri. 2022; 5 (6). 2022;130. links/645a166f5762c95ac3817d32/Clinical-characteristics-of-people-living-with-HIV-AIDS-on-ART-in-2014-at-tertiary-health-institutions-in-Enugu.pdf.
23. Ifeanyi OE, Obeagu GU, Ijeoma FO, Chioma UI. The values of activated partial thromboplastin time (APTT) among HIV positive patients in FMC Owerri. Int J Curr Res Aca Rev. 2015; 3:139-144. https://www.academia.edu/download/38320159/Obeagu_Emmanuel_Ifeanyi3__et_al.IJCRAR.pdf.
24. Obiomah CF, Obeagu EI, Ochei KC, Swem CA, Amachukwu BO. Hematological indices o HIV seropositive subjects in Nnamdi Azikiwe University teaching hospital (NAUTH), Nnewi. Ann Clin Lab Res. 2018;6(1):1-4. links/5aa2bb17a6fdccd544b7526e/Haematological-Indices-of-HIV-Seropositive-Subjects-at-Nnamdi-Azikiwe.pdf
25. Omo-Emmanuel UK, Ochei KC, Osuala EO, Obeagu EI, Onwuasoanya UF. Impact of prevention of mother to child transmission (PMTCT) of HIV on positivity rate in Kafanchan, Nigeria. Int. J. Curr. Res. Med. Sci. 2017;3(2): 28-34.DOI: 10.22192/ijcrms.2017.03.02.005
26. Oke OT, Eyitayo EF, Obeagu EI. Inhalation effect of insecticides on some Haematological parameters of rabbits. Int. J. Curr. Res. Chem. Pharm. Sci. 2022;9(9):1-9.
27. Onemu SO, Obeagu EI, Popoola AA, Osuntuyi MA, Isibor CN. An assessment of the immune status of some stone quarry workers in Ondo state, Nigeria. Medicine. 2024 Jan 12;103(2):e36969.
28. Ibeh N, Aneke J, Okocha C, Obeagu E. Occupational exposure to welders' flame could predispose to macrocytic anemia in welders in Nnewi, South East Nigeria. Journal of Environmental and Occupational Sciences. 2016;5:66-70.
29. Gelaw Y, Asrie F, Walle M, Getaneh Z. The value of eosinophil count in the diagnosis of preeclampsia among pregnant women attending the University of Gondar Comprehensive Specialized Hospital, Northwest Ethiopia, 2021. BMC Pregnancy and Childbirth. 2022;22(1):1-1.

Citation: Obeagu EI, Obeagu GU. Eosinophil-Associated Changes in Neonatal Thymic T Regulatory Cell Populations in HIV-Infected Pregnancies. Elite Journal of Health Science, 2024; 2(1): 33-42

30. Rackaityte E, Halkias J. Mechanisms of fetal T cell tolerance and immune regulation. Frontiers in immunology. 2020; 11:588.
31. Colamatteo A, Carbone F, Bruzzaniti S, Galgani M, Fusco C, Maniscalco GT, Di Rella F, de Candia P, De Rosa V. Molecular mechanisms controlling Foxp3 expression in health and autoimmunity: from epigenetic to post-translational regulation. Frontiers in immunology. 2020; 10:3136.
32. Aizaz M, Abbas FA, Abbas A, Tabassum S, Obeagu EI. Alarming rise in HIV cases in Pakistan: Challenges and future recommendations at hand. Health Science Reports. 2023;6(8):e1450.
33. Obeagu EI, Amekpor F, Scott GY. An update of human immunodeficiency virus infection: Bleeding disorders. J Pub Health Nutri. 2023; 6 (1). 2023;139. links/645b4a6c2edb8e5f094d9bd9/An-update-of-human-immunodeficiency-virus-infection-Bleeding.pdf.
34. Obeagu EI, Scott GY, Amekpor F, Ofodile AC, Edoho SH, Ahamefula C. Prevention of New Cases of Human Immunodeficiency Virus: Pragmatic Approaches of Saving Life in Developing Countries. Madonna University journal of Medicine and Health Sciences. 2022;2(3):128-134. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/86.
35. Walter O, Anaebo QB, Obeagu EI, Okoroiwu IL. Evaluation of Activated Partial Thromboplastin Time and Prothrombin Time in HIV and TB Patients in Owerri Metropolis. Journal of Pharmaceutical Research International. 2022:29-34.
36. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng EU, Ikpeme M, Bassey JO, Paul AO. Cascade variabilities in TB case finding among people living with HIV and the use of IPT: assessment in three levels of care in cross River State, Nigeria. Journal of Pharmaceutical Research International. 2020;32(24):9-18.
37. Jakheng SP, Obeagu EI. Seroprevalence of human immunodeficiency virus based on demographic and risk factors among pregnant women attending clinics in Zaria Metropolis, Nigeria. J Pub Health Nutri. 2022; 5 (8). 2022;137. links/6317a6b1acd814437f0ad268/Seroprevalence-of-human-immunodeficiency-virus-based-on-demographic-and-risk-factors-among-pregnant-women-attending-clinics-in-Zaria-Metropolis-Nigeria.pdf.
38. Obeagu EI, Obeagu GU. A Review of knowledge, attitudes and socio-demographic factors associated with non-adherence to antiretroviral therapy among people living with HIV/AIDS. Int. J. Adv. Res. Biol. Sci. 2023;10(9):135-142.DOI: 10.22192/ijarbs.2023.10.09.015 links/6516faa61e2386049de5e828/A-Review-of-knowledge-attitudes-and-socio-demographic-factors-associated-with-non-adherence-to-antiretroviral-therapy-among-people-living-with-HIV-AIDS.pdf
39. Obeagu EI, Onuoha EC. Tuberculosis among HIV Patients: A review of Prevalence and Associated Factors. Int. J. Adv. Res. Biol. Sci. 2023;10(9):128-134.DOI: 10.22192/ijarbs.2023.10.09.014 links/6516f938b0df2f20a2f8b0e0/Tuberculosis-among-HIV-Patients-A-review-of-Prevalence-and-Associated-Factors.pdf.

Citation: Obeagu EI, Obeagu GU. Eosinophil-Associated Changes in Neonatal Thymic T Regulatory Cell Populations in HIV-Infected Pregnancies. Elite Journal of Health Science, 2024; 2(1): 33-42

40. Obeagu EI, Ibeh NC, Nwobodo HA, Ochei KC, Iwegbulam CP. Haematological indices of malaria patients coinfected with HIV in Umuahia. Int. J. Curr. Res. Med. Sci. 2017;3(5):100-104.DOI: 10.22192/ijcrms.2017.03.05.014 https://www.academia.edu/download/54317126/Haematological_indices_of_malaria_patients_coinfected_with_HIV.pdf
41. Jakheng SP, Obeagu EI, Abdullahi IO, Jakheng EW, Chukwueze CM, Eze GC, Essien UC, Madekwe CC, Madekwe CC, Vidya S, Kumar S. Distribution Rate of Chlamydial Infection According to Demographic Factors among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. South Asian Journal of Research in Microbiology. 2022;13(2):26-31.
42. Viola N, Kimono E, Nuruh N, Obeagu EI. Factors Hindering Elimination of Mother to Child Transmission of HIV Service Uptake among HIV Positive Women at Comboni Hospital Kyamuhunga Bushenyi District. Asian Journal of Dental and Health Sciences. 2023;3(2):7-14. http://ajdhs.com/index.php/journal/article/view/39.
43. Okorie HM, Obeagu Emmanuel I, Okpoli Henry CH, Chukwu Stella N. Comparative study of enzyme linked immunosorbent assay (Elisa) and rapid test screening methods on HIV, Hbsag, Hcv and Syphilis among voluntary donors in. Owerri, Nigeria. J Clin Commun Med. 2020;2(3):180-183.DOI: **DOI:** 10.32474/JCCM.2020.02.000137 links/5f344530458515b7291bd95f/Comparative-Study-of-Enzyme-Linked-Immunosorbent-Assay-ElISA-and-Rapid-Test-Screening-Methods-on-HIV-HBsAg-HCV-and-Syphilis-among-Voluntary-Donors-in-Owerri-Nigeria.pdf.
44. Ezugwu UM, Onyenekwe CC, Ukibe NR, Ahaneku JE, Onah CE, Obeagu EI, Emeje PI, Awalu JC, Igbokwe GE. Use of ATP, GTP, ADP and AMP as an Index of Energy Utilization and Storage in HIV Infected Individuals at NAUTH, Nigeria: A Longitudinal, Prospective, Case-Controlled Study. Journal of Pharmaceutical Research International. 2021;33(47A):78-84.
45. Emannuel G, Martin O, Peter OS, Obeagu EI, Daniel K. Factors Influencing Early Neonatal Adverse Outcomes among Women with HIV with Post Dated Pregnancies Delivering at Kampala International University Teaching Hospital, Uganda. Asian Journal of Pregnancy and Childbirth. 2023 Jul 29;6(1):203-211. http://research.sdpublishers.net/id/eprint/2819/.
46. Igwe MC, Obeagu EI, Ogbuabor AO, Eze GC, Ikpenwa JN, Eze-Steven PE. Socio-Demographic Variables of People Living with HIV/AIDS Initiated on ART in 2014 at Tertiary Health Institution in Enugu State. Asian Journal of Research in Infectious Diseases. 2022;10(4):1-7.
47. Vincent CC, Obeagu EI, Agu IS, Ukeagu NC, Onyekachi-Chigbu AC. Adherence to Antiretroviral Therapy among HIV/AIDS in Federal Medical Centre, Owerri. Journal of Pharmaceutical Research International. 2021;33(57A):360-368.
48. Igwe MC, Obeagu EI, Ogbuabor AO. ANALYSIS OF THE FACTORS AND PREDICTORS OF ADHERENCE TO HEALTHCARE OF PEOPLE LIVING WITH HIV/AIDS IN TERTIARY HEALTH INSTITUTIONS IN ENUGU STATE. Madonna

University journal of Medicine and Health Sciences. 2022;2(3):42-57. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/75.

49. Madekwe CC, Madekwe CC, Obeagu EI. Inequality of monitoring in Human Immunodeficiency Virus, Tuberculosis and Malaria: A Review. Madonna University journal of Medicine and Health Sciences. 2022;2(3):6-15. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/69
50. Echendu GE, Vincent CC, Ibebuike J, Asodike M, Naze N, Chinedu EP, Ohale B, Obeagu EI. WEIGHTS OF INFANTS BORN TO HIV INFECTED MOTHERS: A PROSPECTIVE COHORT STUDY IN FEDERAL MEDICAL CENTRE, OWERRI, IMO STATE. European Journal of Pharmaceutical and Medical Research, 2023; 10(8): 564-568
51. Nwosu DC, Nwanjo HU, Okolie NJ, Ikeh K, Ajero CM, Dike J, Ojiegbe GC, Oze GO, Obeagu EI, Nnatunanya I, Azuonwu O. BIOCHEMICAL ALTERATIONS IN ADULT HIV PATIENTS ON ANTIRETRQVIRAL THERAPY. World Journal of Pharmacy and Pharmaceutical Sciences, 2015; 4(3): 153-160**.** links/5a4fd0500f7e9bbc10526b38/BIOCHEMICAL-ALTERATIONS-IN-ADULT-HIV-PATIENTS-ON-ANTIRETRQVIRAL-THERAPY.pdf.
52. Ondari E, Calvino-Sanles E, First NJ, Gestal MC. Eosinophils and bacteria, the beginning of a story. International Journal of Molecular Sciences. 2021;22(15):8004.
53. Davoine F, Lacy P. Eosinophil cytokines, chemokines, and growth factors: emerging roles in immunity. Frontiers in immunology. 2014; 5:570.
54. Farhan RK, Vickers MA, Ghaemmaghami AM, Hall AM, Barker RN, Walsh GM. Effective antigen presentation to helper T cells by human eosinophils. Immunology. 2016;149(4):413-22.
55. Germic N, Frangez Z, Yousefi S, Simon HU. Regulation of the innate immune system by autophagy: neutrophils, eosinophils, mast cells, NK cells. Cell Death & Differentiation. 2019;26(4):703-714.
56. Folci M, Ramponi G, Arcari I, Zumbo A, Brunetta E. Eosinophils as major player in type 2 inflammation: autoimmunity and beyond. Cell Biology and Translational Medicine, Volume 14: Stem Cells in Lineage Specific Differentiation and Disease. 2021:197-219.