Promising Strategies for Mitigating HIV Transmission in Uganda

*Emmanuel Ifeanyi Obeagu¹, Matthew Chibunna Igwe² and Getrude Uzoma Obeagu³

¹Department of Medical Laboratory Science, Kampala International University, Uganda.

²Department of Public Health, Kampala International University, Uganda.

³School of Nursing Science, Kampala International University, Uganda.

Abstract

HIV/AIDS remains a significant public health challenge in Uganda, necessitating effective strategies for its mitigation. This paper explores promising interventions aimed at reducing HIV transmission rates in Uganda. Drawing upon a comprehensive review of literature, the study investigates various multifaceted approaches including behavioral, biomedical, and structural interventions that have shown promise in addressing the complex dynamics of HIV transmission. Behavioral interventions encompass targeted education, awareness campaigns, and stigma reduction initiatives aimed at changing high-risk behaviors. Biomedical interventions focus on the promotion of HIV testing, access to antiretroviral therapy (ART), pre-exposure prophylaxis (PrEP), and innovative biomedical technologies. Additionally, structural interventions examine the social determinants influencing HIV transmission, addressing issues of poverty, gender inequality, and healthcare accessibility. This review highlights the efficacy, challenges, and implications of these strategies within the Ugandan context. It underscores the importance of integrated approaches, community engagement, and policy support in creating sustainable and impactful interventions to mitigate HIV transmission in Uganda. This synthesis contributes to the discourse on evidence-based practices and informs future directions for combating the HIV epidemic in Uganda and similar settings globally.

Keywords: HIV/AIDS, Uganda, Transmission mitigation, Antiretroviral therapy (ART), Preexposure prophylaxis (PrEP), Stigma reduction, public health interventions

^{*}Corresponding authour: Emmanuel Ifeanyi Obeagu, <u>Department of Medical Laboratory Science</u>, <u>Kampala International University, Uganda, emmanuelobeagu@yahoo.com, ORCID:</u> 0000-0002-4538-0161

Introduction

The HIV/AIDS epidemic continues to exert a profound impact on public health in Uganda, persistently challenging the nation's healthcare systems and social fabric. Despite substantial strides made in combating the disease, the persistent rate of new HIV infections underscores the urgent need for an in-depth examination of existing prevention strategies and the identification of innovative approaches tailored to Uganda's unique socio-cultural landscape.² Uganda has grappled with the HIV/AIDS epidemic for decades, witnessing both successes and setbacks in its efforts to control the spread of the virus.³ While commendable progress has been made in increasing access to antiretroviral therapy (ART), reducing mother-to-child transmission, and raising awareness, the nation continues to bear a substantial burden of HIV infections.⁴ Understanding the prevalence rates, regional disparities, affected demographics, and evolving trends in new infections forms a crucial backdrop for strategic interventions aimed at curbing transmission.⁵ Multiple sociocultural, economic, and healthcare-related factors contribute to the persistent transmission of HIV in Uganda. Stigma, gender inequalities, poverty, limited access to healthcare services, and education disparities act as complex barriers hindering effective prevention efforts. Examining these determinants in-depth is pivotal to designing targeted interventions that address the multifaceted challenges impeding successful HIV prevention and control.⁸ Uganda has implemented diverse strategies and interventions to combat HIV transmission, ranging from public awareness campaigns to provision of prevention and treatment services. Evaluating the successes, limitations, and gaps in the current prevention landscape provides critical insights into areas where interventions have been effective and where enhancements are urgently needed.⁹

This paper aims to synthesize existing knowledge, explore innovative strategies, and offer evidence-based recommendations to strengthen Uganda's response against HIV transmission. By amalgamating proven interventions with emerging approaches, addressing socio-cultural determinants, and emphasizing community engagement, this publication endeavors to contribute to the optimization of HIV prevention efforts in Uganda. Recognizing the urgency and severity of the HIV/AIDS epidemic, this review underscores the necessity of adopting and implementing innovative strategies. It highlights the imperative of a multi-sectoral approach, collaboration between stakeholders, resource allocation, and sustained commitment to effectively reduce the burden of new HIV infections in Uganda. This paper sets the stage for an in-depth exploration of current strategies, promising interventions, and recommendations crucial for mitigating HIV transmission in Uganda. By identifying gaps and proposing comprehensive strategies, this publication aims to inform policy formulation and guide actionable steps towards a more effective and impactful response to the HIV/AIDS epidemic in Uganda.

HIV in Uganda

HIV remains a significant public health concern in Uganda, although the country has made notable progress in addressing the HIV/AIDS epidemic over the years. ¹⁰ Uganda has a history of high HIV prevalence rates, with the epidemic being especially severe in the 1980s and 1990s. During that period, the country experienced one of the most devastating HIV/AIDS epidemics globally. ¹ Over

the years, concerted efforts have led to a decline in HIV prevalence rates. According to UNAIDS data, the prevalence rate among adults aged 15 to 49 decreased from around 7.3% in the early 2000s to approximately 5.7% in recent years. HIV prevalence rates vary across different regions of Uganda, with some areas experiencing higher rates than others. Heterosexual transmission remains the primary mode of HIV transmission in Uganda, accounting for the majority of new infections. Certain groups, including young people, women, sex workers, men who have sex with men (MSM), and people who inject drugs, face a higher risk of HIV infection due to various social, economic, and behavioral factors. Efforts to prevent mother-to-child transmission of HIV (PMTCT) have shown progress, but challenges in accessing healthcare services persist. Healthcare services persist.

Uganda has made significant strides in expanding access to antiretroviral therapy. Efforts to increase coverage and improve treatment adherence have contributed to reducing AIDS-related deaths. Uganda has implemented various prevention strategies, including public awareness campaigns, condom distribution, voluntary counseling and testing (VCT), and programs targeting key affected populations. Persistent stigma associated with HIV/AIDS remains a barrier to prevention, testing, and treatment efforts. Disparities in access to healthcare services, particularly in rural or underserved areas, pose challenges to effective HIV prevention and treatment. Addressing gender inequalities, promoting education, empowering women, and engaging communities are crucial to further reducing HIV transmission rates. While Uganda has made progress in its response to HIV/AIDS, sustained efforts are essential to continue reducing new infections, improving access to treatment and care, addressing socio-cultural barriers, and ensuring comprehensive healthcare services for all affected populations. Ongoing commitment, innovative strategies, and targeted interventions are crucial to further mitigate the impact of HIV in Uganda.

Epidemiological Overview of HIV in Uganda

Uganda faced a severe HIV/AIDS epidemic in the late 1980s and early 1990s, with prevalence rates reaching alarming levels and having a profound impact on the population. Subsequent years have seen a reduction in HIV prevalence rates, indicating positive trends in prevention and treatment efforts. According to estimates, the prevalence among adults aged 15 to 49 has decreased from approximately 7.3% in the early 2000s to around 5.7% in recent years. HIV prevalence rates vary across different regions of Uganda, with certain areas experiencing higher rates than others. Urban centers and certain regions have higher prevalence compared to rural areas. Heterosexual transmission remains the predominant mode of HIV transmission in Uganda. Other routes, such as mother-to-child transmission and, to a lesser extent, injecting drug use, contribute to a smaller proportion of new infections. Certain populations, including young people, women, key affected populations like sex workers, men who have sex with men (MSM), and people who inject drugs, are at higher risk due to various socio-cultural, economic, and behavioral factors. Uganda has made considerable strides in scaling up access to antiretroviral therapy (ART). Efforts have been made to expand coverage and improve treatment adherence, resulting in reduced AIDS-related deaths.

The country has implemented various prevention strategies, including public awareness campaigns, condom distribution, voluntary counseling and testing (VCT), and programs targeting key populations. Stigma associated with HIV/AIDS remains a barrier to prevention, testing, and treatment. Addressing stigma and discrimination is crucial for effective interventions. Disparities in access to healthcare, especially in rural or underserved areas, pose challenges to effective prevention and treatment efforts. Addressing gender disparities, promoting education, empowering women, and engaging communities are vital for sustained progress in reducing HIV transmission rates. While Uganda has made progress in its response to HIV/AIDS, continued efforts are necessary to further reduce new infections, improve access to treatment and care, and address socio-cultural barriers. Sustained commitment, innovative strategies, and targeted interventions are essential to further mitigate the impact of HIV in Uganda.

Current Strategies and Interventions

In Uganda, several strategies and interventions have been implemented to combat HIV/AIDS, aiming to reduce new infections, improve access to treatment and care, and address the sociocultural barriers associated with the epidemic.³³ Uganda has made significant strides in expanding access to ART for individuals living with HIV. Efforts have been made to increase coverage, improve treatment adherence, and ensure sustained access to medications.³⁴ PMTCT initiatives focus on preventing transmission of HIV from mother to child during pregnancy, childbirth, and breastfeeding. These programs provide antiretroviral medications to HIV-positive pregnant women to reduce the risk of transmission to their infants.³⁵ VCT services aim to encourage individuals to undergo HIV testing voluntarily. This approach facilitates early diagnosis, promotes awareness, and encourages behavior change. 36 Encouraging the use of condoms as part of HIV prevention efforts. This involves the distribution of condoms and education campaigns to promote consistent and correct condom use.³⁷ Various public awareness campaigns use multiple media platforms, community engagement, and educational materials to disseminate information about HIV prevention, testing, treatment, and reducing stigma. ³⁸ Tailored programs focus on specific groups at higher risk of HIV infection, including sex workers, men who have sex with men (MSM), people who inject drugs, and other marginalized populations. These interventions address their unique needs and challenges.³⁹ Engaging communities and community-based organizations to create awareness, deliver services, and provide support to those affected by HIV/AIDS. These programs foster community participation and ownership of prevention and care initiatives. 40 Efforts to integrate HIV services with other healthcare services, such as sexual and reproductive health services, tuberculosis (TB) screening, and family planning, to ensure a comprehensive approach to health care.⁴¹

Training healthcare workers and building their capacity to deliver quality HIV/AIDS-related services, including prevention, testing, counseling, and treatment.⁴² Promoting education, empowerment, and gender equality, particularly among women and young people, to address socio-cultural factors contributing to HIV transmission and stigma.⁴³ These interventions, implemented by the government, non-governmental organizations (NGOs), healthcare facilities, and community-based organizations, aim to address the multifaceted aspects of the HIV/AIDS

epidemic in Uganda. Ongoing commitment, resource allocation, and innovation in these strategies are crucial for sustaining progress and further reducing the impact of HIV/AIDS in the country.⁴⁴

Promising Approaches and Innovations

In the fight against HIV/AIDS in Uganda, several promising approaches and innovative strategies have emerged to augment existing interventions and further reduce transmission rates. ⁴⁵ Pre-Exposure Prophylaxis (PrEP) involves providing antiretroviral drugs to HIV-negative individuals at high risk of HIV infection. This approach has shown effectiveness in reducing the risk of HIV acquisition, particularly among key populations with heightened vulnerability. ⁴⁶ Engaging with atrisk communities through targeted outreach programs that provide education, testing, counseling, and support services. These programs aim to reach populations that may face barriers to accessing traditional healthcare settings. ⁴⁷

Implementing comprehensive and age-appropriate sex education programs in schools and communities. These initiatives aim to equip young people with knowledge about HIV prevention, safe sex practices, and the importance of regular testing.

Tailoring interventions to address the specific needs of marginalized populations, including sex workers, MSM, transgender individuals, people who inject drugs, and refugees. Empowerment, access to healthcare, and reducing stigma are key components of these programs.⁴⁴ Utilizing mobile technology, social media platforms, and digital health tools for disseminating HIV/AIDS information, promoting behavioral change, and facilitating remote counseling and testing services, especially in underserved areas. 48 Introducing self-testing kits and home-based services to enhance accessibility and convenience for individuals who may not seek traditional healthcare settings for HIV testing. Improving linkages between HIV testing, treatment, and care services to ensure seamless transitions for individuals diagnosed with HIV. This includes immediate access to treatment upon diagnosis. 49 Engaging peers and community leaders as educators and advocates within their communities. Peer support programs offer counseling, guidance, and social support to individuals living with HIV/AIDS.⁵⁰ Integrating HIV services with sexual and reproductive health services, including family planning and maternal healthcare, to provide holistic care and reach a broader population.⁵¹ Encouraging and supporting ongoing research initiatives to explore new prevention and treatment modalities, including vaccines, microbicides, and novel therapeutic approaches. These promising approaches and innovations, coupled with sustained efforts, community engagement, and multi-sectoral collaboration, offer opportunities to further strengthen Uganda's response to HIV/AIDS.⁵² Continual evaluation, adaptation, and scaling up of successful strategies are crucial in achieving sustained progress in reducing HIV transmission rates and improving the overall health and well-being of affected populations.

Recommendations for Action

Invest in improving healthcare infrastructure, particularly in rural and underserved areas, to ensure equitable access to HIV prevention, testing, treatment, and care services. Expand coverage of ART by ensuring uninterrupted drug supplies, enhancing treatment adherence support, and optimizing **Citation**: Obeagu EI, Igwe MC, Obeagu GU. Promising Strategies for Mitigating HIV Transmission in Uganda. Elite Journal of Public Health, 2024; 2 (3): 8-21

early initiation of therapy for all diagnosed with HIV. Tailor prevention programs to address the specific needs of key affected populations, emphasizing comprehensive sex education, access to preventive measures like PrEP, and community engagement. Implement campaigns to reduce HIV-related stigma and discrimination, promoting empathy, understanding, and supportive environments for individuals living with HIV/AIDS. Integrate HIV services with other healthcare services, such as sexual and reproductive health, mental health, and substance abuse treatment, to provide holistic care. Foster community engagement by involving community leaders, peer educators, and affected individuals in the planning, implementation, and monitoring of HIV/AIDS programs. Expand access to HIV testing and counseling services through innovative approaches, including mobile clinics, self-testing kits, and community-based testing initiatives. Address socioeconomic factors contributing to HIV transmission, such as poverty, gender inequality, lack of education, and unemployment, through targeted interventions and empowerment programs. Support and invest in research for new prevention methods, treatment modalities, and innovative technologies to advance the fight against HIV/AIDS. Develop and implement policies that support evidence-based interventions, resource allocation, and sustainable funding for HIV/AIDS programs at local, regional, and national levels. Establish robust monitoring and evaluation systems to assess the impact, effectiveness, and efficiency of HIV/AIDS programs and interventions, allowing for data-driven decision-making and continuous improvement. Foster collaboration among government agencies, NGOs, healthcare providers, international organizations, and community-based groups to strengthen the collective response to HIV/AIDS.

By implementing these recommendations, Uganda can further enhance its response to HIV/AIDS, reduce transmission rates, improve access to treatment and care, and alleviate the impact of the epidemic on affected communities. Continual commitment, funding, and adaptation of strategies based on evolving needs and evidence will be pivotal in achieving sustained progress in combating HIV/AIDS.⁵³⁻⁹²

Conclusion

The fight against HIV/AIDS in Uganda necessitates a multifaceted approach that encompasses comprehensive strategies, community engagement, and innovative interventions. While significant strides have been made in reducing HIV transmission rates and expanding access to treatment and care, persistent challenges remain. Uganda's response to HIV/AIDS requires sustained commitment, resource allocation, and collaborative efforts across various sectors. Addressing socio-cultural barriers, reducing stigma, and ensuring equitable access to healthcare services are paramount for further progress. The promising approaches, such as targeted interventions for key populations, leveraging new technologies, and integrating services, offer avenues for enhancing the effectiveness of HIV/AIDS programs. Strengthening healthcare infrastructure, scaling up access to antiretroviral therapy, and empowering communities through education and engagement are crucial steps toward achieving sustainable outcomes.

Continual evaluation, adaptation of strategies based on evidence, and investment in research and innovation will be vital in navigating the evolving landscape of HIV/AIDS in Uganda. By implementing the recommendations, fostering partnerships, and prioritizing the needs of affected **Citation**: Obeagu EI, Igwe MC, Obeagu GU. Promising Strategies for Mitigating HIV Transmission in Uganda. Elite Journal of Public Health, 2024; 2 (3): 8-21

communities, Uganda can continue its journey towards mitigating the impact of HIV/AIDS, reducing transmission rates, and improving the overall health and well-being of its population. Sustained commitment, collaboration, and a unified effort from all stakeholders will be instrumental in achieving the shared goal of an HIV/AIDS-free Uganda.

References

- 1. Asiimwe D, Kibombo R, Neema S. Focus group discussions on social cultural factors impacting on HIV/AIDS in Uganda. Makerere Institute of Social Research.; 2003.
- 2. Kohnert D. On the socio-economic impact of pandemics in Africa-Lessons learned from COVID-19, Trypanosomiasis, HIV, Yellow Fever and Cholera. Trypanosomiasis, HIV, Yellow Fever and Cholera (May 6, 2021). 2021.
- 3. Doyle S. Pandemics and soft power: HIV/AIDS and Uganda on the global stage. Journal of global history. 2020;15(3):478-92.
- 4. Aizire J, G Fowler M, M Coovadia H. Operational issues and barriers to implementation of prevention of mother-to-child transmission of HIV (PMTCT) interventions in Sub-Saharan Africa. Current HIV Research. 2013;11(2):144-59.
- 5. Cheshmehzangi A, Sedrez M, Ren J, Kong D, Shen Y, Bao S, Xu J, Su Z, Dawodu A. The effect of mobility on the spread of COVID-19 in light of regional differences in the European Union. Sustainability. 2021;13(10):5395.
- 6. Bezabhe WM, Chalmers L, Bereznicki LR, Peterson GM, Bimirew MA, Kassie DM. Barriers and facilitators of adherence to antiretroviral drug therapy and retention in care among adult HIV-positive patients: a qualitative study from Ethiopia. PloS one. 2014;9(5): e97353.
- 7. Stangl AL, Earnshaw VA, Logie CH, Van Brakel W, C. Simbayi L, Barré I, Dovidio JF. The Health Stigma and Discrimination Framework: a global, crosscutting framework to inform research, intervention development, and policy on health-related stigmas. BMC medicine. 2019; 17:1-3.
- 8. Mundeva H, Snyder J, Ngilangwa DP, Kaida A. Ethics of task shifting in the health workforce: exploring the role of community health workers in HIV service delivery in low-and middle-income countries. BMC medical ethics. 2018;19(1):1-1.
- 9. Mburu G, Iorpenda K, Muwanga F. Expanding the role of community mobilization to accelerate progress towards ending vertical transmission of HIV in Uganda: the Networks model. Journal of the international AIDS society. 2012; 15:17386.
- 10. Mirkuzie AH, Ali S, Abate E, Worku A, Misganaw A. Progress towards the 2020 fast track HIV/AIDS reduction targets across ages in Ethiopia as compared to neighboring countries using global burden of diseases 2017 data. BMC Public Health. 2021; 21:1-0.
- 11. Low-Beer D, Stoneburner R. Uganda and the Challenge of HIV/AIDS. In The political economy of AIDS in Africa 2017: 165-190. Routledge.
- 12. Spiegel PB, Bennedsen AR, Claass J, Bruns L, Patterson N, Yiweza D, Schilperoord M. Prevalence of HIV infection in conflict-affected and displaced people in seven sub-Saharan African countries: a systematic review. The Lancet. 2007;369(9580):2187-95.
- 13. Baral S, Holland CE, Shannon K, Logie C, Semugoma P, Sithole B, Papworth E, Drame F, Beyrer C. Enhancing benefits or increasing harms: community responses for HIV among

- men who have sex with men, transgender women, female sex workers, and people who inject drugs. JAIDS Journal of Acquired Immune Deficiency Syndromes. 2014;66: S319-28.
- 14. Aizire J, G Fowler M, M Coovadia H. Operational issues and barriers to implementation of prevention of mother-to-child transmission of HIV (PMTCT) interventions in Sub-Saharan Africa. Current HIV Research. 2013;11(2):144-59.
- 15. Deeks SG, Lewin SR, Havlir DV. The end of AIDS: HIV infection as a chronic disease. The lancet. 2013;382(9903):1525-33.
- 16. Bwambale FM, Ssali SN, Byaruhanga S, Kalyango JN, Karamagi CA. Voluntary HIV counselling and testing among men in rural western Uganda: implications for HIV prevention. BMC public health. 2008; 8:1-2.
- 17. Ayieko J, Brown L, Anthierens S, Van Rie A, Getahun M, Charlebois ED, Petersen ML, Clark TD, Kamya MR, Cohen CR, Bukusi EA. "Hurdles on the path to 90-90-90 and beyond": qualitative analysis of barriers to engagement in HIV care among individuals in rural East Africa in the context of test-and-treat. PloS one. 2018;13(8): e0202990.
- 18. Douthit N, Kiv S, Dwolatzky T, Biswas S. Exposing some important barriers to health care access in the rural USA. Public health. 2015;129(6):611-20.
- 19. Krishnan S, Dunbar MS, Minnis AM, Medlin CA, Gerdts CE, Padian NS. Poverty, gender inequities, and women's risk of human immunodeficiency virus/AIDS. Annals of the New York Academy of Sciences. 2008;1136(1):101-10.
- 20. Nakanjako D, Mirembe FM, Beyeza-Kashesya J, Coutinho A. Scaling up HIV/AIDS care among women in sub-Saharan Africa: Cross-cultural barriers. Women, Motherhood and Living with HIV/AIDS: A Cross-Cultural Perspective. 2013:249-65.
- 21. De Waal A. The challenge of HIV/AIDS. InTowards a new map of Africa 2012: 137-156. Routledge.
- 22. Hurtado I, Alastrue I, Ferreros I, Del Amo J, Santos C, Tasa T, Hernandez-Aguado I, Perez-Hoyos S. Trends in HIV testing, serial HIV prevalence and HIV incidence among people attending a Center for AIDS Prevention from 1988 to 2003. Sexually transmitted infections. 2007;83(1):23-8.
- 23. Amornkul PN, Vandenhoudt H, Nasokho P, Odhiambo F, Mwaengo D, Hightower A, Buve A, Misore A, Vulule J, Vitek C, Glynn J. HIV prevalence and associated risk factors among individuals aged 13-34 years in Rural Western Kenya. PloS one. 2009;4(7): e6470.
- 24. Spiegel PB, Bennedsen AR, Claass J, Bruns L, Patterson N, Yiweza D, Schilperoord M. Prevalence of HIV infection in conflict-affected and displaced people in seven sub-Saharan African countries: a systematic review. The Lancet. 2007;369(9580):2187-95.
- 25. Okware SI. Review of social challenges of heterosexual transmission of HIV/AIDS in Uganda. AIDS Updates-Recent Advances and New Perspectives. 2021.
- 26. Fitzgerald-Husek A, Van Wert MJ, Ewing WF, Grosso AL, Holland CE, Katterl R, Rosman L, Agarwal A, Baral SD. Measuring stigma affecting sex workers (SW) and men who have sex with men (MSM): a systematic review. PloS one. 2017;12(11): e0188393.
- 27. Zakumumpa H, Rujumba J, Kwiringira J, Katureebe C, Spicer N. Understanding implementation barriers in the national scale-up of differentiated ART delivery in Uganda. BMC health services research. 2020;20(1):1-6.

- 28. Bwambale FM, Ssali SN, Byaruhanga S, Kalyango JN, Karamagi CA. Voluntary HIV counselling and testing among men in rural western Uganda: implications for HIV prevention. BMC public health. 2008; 8:1-2.
- 29. Stangl AL, Lloyd JK, Brady LM, Holland CE, Baral S. A systematic review of interventions to reduce HIV-related stigma and discrimination from 2002 to 2013: how far have we come? Journal of the International AIDS Society. 2013; 16:18734.
- 30. Kim JC, Watts CH. Gaining a foothold: tackling poverty, gender inequality, and HIV in Africa. Bmj. 2005;331(7519):769-72.
- 31. Orza L, Bass E, Bell E, Crone ET, Damji N, Dilmitis S, Tremlett L, Aidarus N, Stevenson J, Bensaid S, Kenkem C. In women's eyes: key barriers to women's access to HIV treatment and a rights-based approach to their sustained well-being. Health and human rights. 2017;19(2):155.
- 32. Schwartländer B, Stover J, Hallett T, Atun R, Avila C, Gouws E, Bartos M, Ghys PD, Opuni M, Barr D, Alsallaq R. Towards an improved investment approach for an effective response to HIV/AIDS. The Lancet. 2011;377(9782):2031-41.
- 33. Bajunirwe F, Akakimpa D, Tumwebaze FP, Abongomera G, Mugyenyi PN, Kityo CM. Persistence of traditional and emergence of new structural drivers and factors for the HIV epidemic in rural Uganda; A qualitative study. Plos one. 2019;14(11): e0211084.
- 34. MacCarthy S, Saya U, Samba C, Birungi J, Okoboi S, Linnemayr S. "How am I going to live?": exploring barriers to ART adherence among adolescents and young adults living with HIV in Uganda. BMC public health. 2018;18(1):1-1.
- 35. Ghoma Linguissi LS, Sagna T, Soubeiga ST, Gwom LC, Nkenfou CN, Obiri-Yeboah D, Ouattara AK, Pietra V, Simpore J. Prevention of mother-to-child transmission (PMTCT) of HIV: a review of the achievements and challenges in Burkina-Faso. HIV/AIDS-Research and Palliative Care. 2019:165-77.
- 36. Mahato PK, Bi P, Burgess T. Voluntary Counseling and Testing (VCT) services and its role in HIV/AIDS prevention and management in Nepal. South East Asian Journal of Public Health. 2013;3(1):10-6.
- 37. Hearst N, Chen S. Condom promotion for AIDS prevention in the developing world: is it working? Studies in family planning. 2004 Mar;35(1):39-47.
- 38. Cao B, Gupta S, Wang J, Hightow-Weidman LB, Muessig KE, Tang W, Pan S, Pendse R, Tucker JD. Social media interventions to promote HIV testing, linkage, adherence, and retention: systematic review and meta-analysis. Journal of medical Internet research. 2017;19(11): e394.
- 39. Pettifor A, Nguyen NL, Celum C, Cowan FM, Go V, Hightow-Weidman L. Tailored combination prevention packages and PrEP for young key populations. Journal of the International AIDS Society. 2015; 18:19434.
- 40. Kloos H, Wuhib T, Mariam DH, Lindtjorn B. Community-based organizations in HIV/AIDS prevention, patient care and control in Ethiopia. Ethiopian Journal of Health Development. 2003;17(4).
- 41. Joseph Davey D, Myer L, Bukusi E, Ramogola-Masire D, Kilembe W, Klausner JD. Integrating human immunodeficiency virus and reproductive, maternal and child, and tuberculosis health services within national health systems. Current HIV/AIDS Reports. 2016; 13:170-6.

- 42. Burlew R, Puckett A, Bailey R, Caffrey M, Brantley S. Assessing the relevance, efficiency, and sustainability of HIV/AIDS in-service training in Nigeria. Human resources for health. 2014; 12:1-2.
- 43. Iwelunmor J, Ezeanolue EE, Airhihenbuwa CO, Obiefune MC, Ezeanolue CO, Ogedegbe GG. Socio-cultural factors influencing the prevention of mother-to-child transmission of HIV in Nigeria: a synthesis of the literature. BMC Public Health. 2014;14(1):1-3.
- 44. Tumwesige W, Namatovu P, Bahar OS, Byansi W, McKay MM, Ssewamala FM. Engaging community and governmental partners in improving health and mental health outcomes for children and adolescents impacted by HIV/AIDS in Uganda. Pediatric medicine (Hong Kong, China). 2021.
- 45. Schwartländer B, Stover J, Hallett T, Atun R, Avila C, Gouws E, Bartos M, Ghys PD, Opuni M, Barr D, Alsallaq R. Towards an improved investment approach for an effective response to HIV/AIDS. The Lancet. 2011;377(9782):2031-41.
- 46. Okwundu CI, Uthman OA, Okoromah CA. Antiretroviral pre-exposure prophylaxis (PrEP) for preventing HIV in high-risk individuals. Cochrane database of systematic reviews. 2012(7).
- 47. Biag M, Castrechini S. Coordinated strategies to help the whole child: Examining the contributions of full-service community schools. Journal of Education for Students Placed at Risk (JESPAR). 2016;21(3):157-73.
- 48. Duthely LM, Sanchez-Covarrubias AP. Digitized HIV/AIDS treatment adherence interventions: a review of recent SMS/texting mobile health applications and implications for theory and practice. Frontiers in communication. 2020; 5:530164.
- 49. Straub DM, Tanner AE. Health-care transition from adolescent to adult services for young people with HIV. The Lancet Child & Adolescent Health. 2018;2(3):214-22.
- 50. Catone K, Saunders M, Perez W, Harris E, Miller-Gootnick R. Agency into Action: Teachers as Leaders and Advocates for Public Education, Communities, and Social Justice. Teacher Leadership & Advocacy. Annenberg Institute for School Reform at Brown University. 2017.
- 51. Warren CE, Mayhew SH, Hopkins J. The current status of research on the integration of sexual and reproductive health and HIV services. Studies in family planning. 2017;48(2):91-105.
- 52. Mahlangu P, Goudge J, Vearey J. Towards a framework for multisector and multilevel collaboration: case of HIV and AIDS governance in South Africa. Global Health Action. 2019;12(1):1617393.
- 53. Obeagu EI, Okwuanaso CB, Edoho SH, Obeagu GU. Under-nutrition among HIV-exposed Uninfected Children: A Review of African Perspective. Madonna University journal of Medicine and Health Sciences. 2022;2(3):120-127.
- 54. Obeagu EI, Alum EU, Obeagu GU. Factors associated with prevalence of HIV among youths: A review of Africa perspective. Madonna University journal of Medicine and Health Sciences. 2023;3(1):13-18. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/93.
- 55. Obeagu EI. A Review of Challenges and Coping Strategies Faced by HIV/AIDS Discordant Couples. Madonna University journal of Medicine and Health Sciences. 2023

- ;3(1):7-12. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/91.
- 56. Obeagu EI, Obeagu GU. An update on premalignant cervical lesions and cervical cancer screening services among HIV positive women. J Pub Health Nutri. 2023; 6 (2). 2023; 141:1-2. links/63e538ed64252375639dd0df/An-update-on-premalignant-cervical-lesions-and-cervical-cancer-screening-services-among-HIV-positive-women.pdf.
- 57. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
- 58. Omo-Emmanuel UK, Chinedum OK, Obeagu EI. Evaluation of laboratory logistics management information system in HIV/AIDS comprehensive health facilities in Bayelsa State, Nigeria. Int J Curr Res Med Sci. 2017;3(1): 21-38.DOI: 10.22192/ijcrms.2017.03.01.004
- 59. Obeagu EI, Obeagu GU, Musiimenta E, Bot YS, Hassan AO. Factors contributing to low utilization of HIV counseling and testing services. Int. J. Curr. Res. Med. Sci. 2023;9(2): 1-5.DOI: 10.22192/ijcrms.2023.09.02.001
- 60. Obeagu EI, Obeagu GU. An update on survival of people living with HIV in Nigeria. J Pub Health Nutri. 2022; 5 (6). 2022;129. links/645b4bfcf3512f1cc5885784/An-update-on-survival-of-people-living-with-HIV-in-Nigeria.pdf.
- 61. Offie DC, Obeagu EI, Akueshi C, Njab JE, Ekanem EE, Dike PN, Oguh DN. Facilitators and barriers to retention in HIV care among HIV infected MSM attending Community Health Center Yaba, Lagos Nigeria. Journal of Pharmaceutical Research International. 2021;33(52B):10-19.
- 62. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
- 63. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng UE, Ikpeme M, Bassey JO, Paul AO. TB Infection Control in TB/HIV Settings in Cross River State, Nigeria: Policy Vs Practice. Journal of Pharmaceutical Research International. 2020;32(22):101-119.
- 64. Obeagu EI, Eze VU, Alaeboh EA, Ochei KC. Determination of haematocrit level and iron profile study among persons living with HIV in Umuahia, Abia State, Nigeria. J BioInnovation. 2016; 5:464-471. Inn. Living-WITH-HIV-IN-UMUAHIA-ABIA-STATE-NIGERIA.pdf.
- 65. Ifeanyi OE, Obeagu GU. The values of prothrombin time among HIV positive patients in FMC owerri. International Journal of Current Microbiology and Applied Sciences. 2015;4(4):911-916. https://www.academia.edu/download/38320140/Obeagu_Emmanuel_Ifeanyi_and_Obeagu_Getrude_Uzoma2.EMMA1.pdf.
- 66. Izuchukwu IF, Ozims SJ, Agu GC, Obeagu EI, Onu I, Amah H, Nwosu DC, Nwanjo HU, Edward A, Arunsi MO. Knowledge of preventive measures and management of HIV/AIDS victims among parents in Umuna Orlu community of Imo state Nigeria. Int. J. Adv. Res. Biol. Sci. 2016;3(10): 55-65.DOI; 10.22192/ijarbs.2016.03.10.009

- 67. Chinedu K, Takim AE, Obeagu EI, Chinazor UD, Eloghosa O, Ojong OE, Odunze U. HIV and TB co-infection among patients who used Directly Observed Treatment Short-course centres in Yenagoa, Nigeria. IOSR J Pharm Biol Sci. 2017;12(4):70-75. https://links/5988ab6d0f7e9b6c8539f73d/HIV-and-TB-co-infection-among-patients-who-used-Directly-Observed-Treatment-Short-course-centres-in-Yenagoa-Nigeria.pdf
- 68. Oloro OH, Oke TO, Obeagu EI. Evaluation of Coagulation Profile Patients with Pulmonary Tuberculosis and Human Immunodeficiency Virus in Owo, Ondo State, Nigeria. Madonna University journal of Medicine and Health Sciences. 2022;2(3):110-119.
- 69. Nwosu DC, Obeagu EI, Nkwocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Elendu HN, Ofoedeme CN, Ozims SJ, Nwankpa P. Change in Lipid Peroxidation Marker (MDA) and Non enzymatic Antioxidants (VIT C & E) in HIV Seropositive Children in an Urban Community of Abia State. Nigeria. J. Bio. Innov. 2016;5(1):24-30. links/5ae735e9a6fdcc5b33eb8d6a/CHANGE-IN-LIPID-PEROXIDATION-MARKER-MDAAND-NON-ENZYMATIC-ANTIOXIDANTS-VIT-C-E-IN-HIV-SEROPOSITIVE-CHILDREN-IN-AN-URBAN-COMMUNITY-OF-ABIA-STATE-NIGERIA.pdf.
- 70. Igwe CM, Obeagu IE, Ogbuabor OA. Clinical characteristics of people living with HIV/AIDS on ART in 2014 at tertiary health institutions in Enugu, Nigeria. J Pub Health Nutri. 2022; 5 (6). 2022;130. Links/645a166f5762c95ac3817d32/Clinical-characteristics-of-people-living-with-HIV-AIDS-on-ART-in-2014-at-tertiary-health-institutions-in-Enugu.pdf.
- 71. Ifeanyi OE, Obeagu GU, Ijeoma FO, Chioma UI. The values of activated partial thromboplastin time (APTT) among HIV positive patients in FMC Owerri. Int J Curr Res Aca Rev. 2015; 3:139-144. https://www.academia.edu/download/38320159/Obeagu_Emmanuel_Ifeanyi3_et_al.IJC RAR.pdf.
- 72. Obiomah CF, Obeagu EI, Ochei KC, Swem CA, Amachukwu BO. Hematological indices o HIV seropositive subjects in Nnamdi Azikiwe University teaching hospital (NAUTH), Nnewi. Ann Clin Lab Res. 2018;6(1):1-4. https://links/5aa2bb17a6fdccd544b7526e/Haematological-Indices-of-HIV-Seropositive-Subjects-at-Nnamdi-Azikiwe.pdf
- 73. Omo-Emmanuel UK, Ochei KC, Osuala EO, Obeagu EI, Onwuasoanya UF. Impact of prevention of mother to child transmission (PMTCT) of HIV on positivity rate in Kafanchan, Nigeria. Int. J. Curr. Res. Med. Sci. 2017;3(2): 28-34.DOI: 10.22192/ijcrms.2017.03.02.005
- 74. Aizaz M, Abbas FA, Abbas A, Tabassum S, Obeagu EI. Alarming rise in HIV cases in Pakistan: Challenges and future recommendations at hand. Health Science Reports. 2023;6(8):e1450.
- 75. Obeagu EI, Amekpor F, Scott GY. An update of human immunodeficiency virus infection: Bleeding disorders. J Pub Health Nutri. 2023; 6 (1). 2023;139. links/645b4a6c2edb8e5f094d9bd9/An-update-of-human-immunodeficiency-virus-infection-Bleeding.pdf.
- 76. Obeagu EI, Scott GY, Amekpor F, Ofodile AC, Edoho SH, Ahamefula C. Prevention of New Cases of Human Immunodeficiency Virus: Pragmatic Approaches of Saving Life in

- Developing Countries. Madonna University journal of Medicine and Health Sciences. 2022;2(3):128-134.
- https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/86.
- 77. Walter O, Anaebo QB, Obeagu EI, Okoroiwu IL. Evaluation of Activated Partial Thromboplastin Time and Prothrombin Time in HIV and TB Patients in Owerri Metropolis. Journal of Pharmaceutical Research International. 2022:29-34.
- 78. Odo M, Ochei KC, Obeagu EI, Barinaadaa A, Eteng EU, Ikpeme M, Bassey JO, Paul AO. Cascade variabilities in TB case finding among people living with HIV and the use of IPT: assessment in three levels of care in cross River State, Nigeria. Journal of Pharmaceutical Research International. 2020;32(24):9-18.
- 79. Jakheng SP, Obeagu EI. Seroprevalence of human immunodeficiency virus based on demographic and risk factors among pregnant women attending clinics in Zaria Metropolis, Nigeria. J Pub Health Nutri. 2022; 5 (8). 2022;137. links/6317a6b1acd814437f0ad268/Seroprevalence-of-human-immunodeficiency-virus-based-on-demographic-and-risk-factors-among-pregnant-women-attending-clinics-in-Zaria-Metropolis-Nigeria.pdf.
- 80. Obeagu EI, Obeagu GU. A Review of knowledge, attitudes and socio-demographic factors associated with non-adherence to antiretroviral therapy among people living with HIV/AIDS. Int. J. Adv. Res. Biol. Sci. 2023;10(9):135-142.DOI: 10.22192/ijarbs.2023.10.09.015 links/6516faa61e2386049de5e828/A-Review-of-knowledge-attitudes-and-socio-demographic-factors-associated-with-non-adherence-to-antiretroviral-therapy-among-people-living-with-HIV-AIDS.pdf
- 81. Obeagu EI, Onuoha EC. Tuberculosis among HIV Patients: A review of Prevalence and Associated Factors. Int. J. Adv. Res. Biol. Sci. 2023;10(9):128-134.DOI: 10.22192/ijarbs.2023.10.09.014 links/6516f938b0df2f20a2f8b0e0/Tuberculosis-among-HIV-Patients-A-review-of-Prevalence-and-Associated-Factors.pdf.
- 82. Obeagu EI, Ibeh NC, Nwobodo HA, Ochei KC, Iwegbulam CP. Haematological indices of malaria patients coinfected with HIV in Umuahia. Int. J. Curr. Res. Med. Sci. 2017;3(5):100-104.DOI: 10.22192/ijcrms.2017.03.05.014 https://www.academia.edu/download/54317126/Haematological indices of malaria patients coinfected with HIV.pdf
- 83. Jakheng SP, Obeagu EI, Abdullahi IO, Jakheng EW, Chukwueze CM, Eze GC, Essien UC, Madekwe CC, Madekwe CC, Vidya S, Kumar S. Distribution Rate of Chlamydial Infection According to Demographic Factors among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. South Asian Journal of Research in Microbiology. 2022;13(2):26-31.
- 84. Viola N, Kimono E, Nuruh N, Obeagu EI. Factors Hindering Elimination of Mother to Child Transmission of HIV Service Uptake among HIV Positive Women at Comboni Hospital Kyamuhunga Bushenyi District. Asian Journal of Dental and Health Sciences. 2023;3(2):7-14. http://ajdhs.com/index.php/journal/article/view/39.
- 85. Okorie HM, Obeagu Emmanuel I, Okpoli Henry CH, Chukwu Stella N. Comparative study of enzyme linked immunosorbent assay (Elisa) and rapid test screening methods on HIV, Hbsag, Hcv and Syphilis among voluntary donors in. Owerri, Nigeria. J Clin Commun Med. 2020;2(3):180-183.DOI: **DOI:** 10.32474/JCCM.2020.02.000137

- <u>links/5f344530458515b7291bd95f/Comparative-Study-of-Enzyme-Linked-Immunosorbent-Assay-ElISA-and-Rapid-Test-Screening-Methods-on-HIV-HBsAg-HCV-and-Syphilis-among-Voluntary-Donors-in-Owerri-Nigeria.pdf.</u>
- 86. Ezugwu UM, Onyenekwe CC, Ukibe NR, Ahaneku JE, Onah CE, Obeagu EI, Emeje PI, Awalu JC, Igbokwe GE. Use of ATP, GTP, ADP and AMP as an Index of Energy Utilization and Storage in HIV Infected Individuals at NAUTH, Nigeria: A Longitudinal, Prospective, Case-Controlled Study. Journal of Pharmaceutical Research International. 2021;33(47A):78-84.
- 87. Emannuel G, Martin O, Peter OS, Obeagu EI, Daniel K. Factors Influencing Early Neonatal Adverse Outcomes among Women with HIV with Post Dated Pregnancies Delivering at Kampala International University Teaching Hospital, Uganda. Asian Journal of Pregnancy and Childbirth. 2023 Jul 29;6(1):203-211. http://research.sdpublishers.net/id/eprint/2819/.
- 88. Igwe MC, Obeagu EI, Ogbuabor AO, Eze GC, Ikpenwa JN, Eze-Steven PE. Socio-Demographic Variables of People Living with HIV/AIDS Initiated on ART in 2014 at Tertiary Health Institution in Enugu State. Asian Journal of Research in Infectious Diseases. 2022;10(4):1-7.
- 89. Vincent CC, Obeagu EI, Agu IS, Ukeagu NC, Onyekachi-Chigbu AC. Adherence to Antiretroviral Therapy among HIV/AIDS in Federal Medical Centre, Owerri. Journal of Pharmaceutical Research International. 2021;33(57A):360-368.
- 90. Igwe MC, Obeagu EI, Ogbuabor AO. ANALYSIS OF THE FACTORS AND PREDICTORS OF ADHERENCE TO HEALTHCARE OF PEOPLE LIVING WITH HIV/AIDS IN TERTIARY HEALTH INSTITUTIONS IN ENUGU STATE. Madonna University journal of Medicine and Health Sciences. 2022;2(3):42-57. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/75.
- 91. Madekwe CC, Madekwe CC, Obeagu EI. Inequality of monitoring in Human Immunodeficiency Virus, Tuberculosis and Malaria: A Review. Madonna University journal of Medicine and Health Sciences. 2022;2(3):6-15. https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/69
- 92. Echendu GE, Vincent CC, Ibebuike J, Asodike M, Naze N, Chinedu EP, Ohale B, Obeagu EI. WEIGHTS OF INFANTS BORN TO HIV INFECTED MOTHERS: A PROSPECTIVE COHORT STUDY IN FEDERAL MEDICAL CENTRE, OWERRI, IMO STATE. European Journal of Pharmaceutical and Medical Research, 2023; 10(8): 564-568