



**UNIVERSITY OF BOHOL**  
**College of Engineering, Technology, Architecture, and Fine Arts**  
**DR. CECILIO PUTONG ST., TAGBILARAN CITY**



Second Semester

# **SOLAR LIGHT TRACKER**

**In Partial Fulfillment of the Requirements for CPEP 322 course**

Submitted to:

**Engr. Liduvina L. Namocatcat**

Instructor

Submitted by:

**CAPILI, ROD VINCENT O.**

BSCpE-3

**May 2025**

# TABLE OF CONTENTS

<b><u>CHAPTERS</u></b>	<b><u>PAGE</u></b>
<b>FINALS .....</b>	<b>3</b>
Introduction.....	4
<b>SOLAR LIGHT TRACKER .....</b>	<b>5</b>
Problem Requirements .....	6
Scope and Limitations.....	6
Analysis .....	7
Design and Implementation.....	7
Testing and Debugging .....	8
Future Development.....	8
<b>STUDENT INFORMATION .....</b>	<b>9</b>
Rod Vincent O. Capili.....	10

# FINALS

## INTRODUCTION

Assembly language, often regarded as a bridge between high-level programming languages and machine code, plays a crucial role in the field of computer science and engineering. It is a low-level programming language that provides a symbolic representation of a computer's binary instructions, enabling programmers to write code that is closely aligned with the hardware architecture. Unlike high-level languages, which abstract away the details of the underlying machine, assembly language offers precise control over system resources, making it indispensable for tasks that require direct hardware manipulation, optimization, and performance tuning.

The relevance of assembly language extends beyond mere historical significance; it remains fundamental in areas such as embedded systems, operating system development, and performance-critical applications. By understanding assembly language, programmers gain deep insights into how computers execute instructions at the most granular level. This knowledge is essential for debugging complex software issues, developing firmware, and creating efficient code that maximizes the capabilities of the processor. Furthermore, assembly language serves as an educational tool that enriches one's comprehension of computer architecture and the interaction between software and hardware.

The purpose of studying assembly language is multifaceted. Primarily, it equips learners and professionals with the skills to write programs that can directly interface with hardware components, bypassing the layers of abstraction present in higher-level languages. This direct interaction is vital for optimizing system performance and ensuring reliability in critical applications. Additionally, proficiency in assembly language fosters a deeper appreciation for the intricacies of computer operations, encouraging more efficient and effective programming practices. Ultimately, the study of assembly language cultivates a foundational understanding that empowers individuals to innovate and troubleshoot at the core of computing technology.

# **SOLAR LIGHT TRACKER**

## **PROBLEM REQUIREMENTS**

- **Sunlight Detection Accuracy**

The system must accurately detect the direction of the strongest sunlight using two or more Light Dependent Resistors (LDRs) positioned on the solar panel to measure light intensity differences

- **Servo Motor Control**

The Arduino must control one or more servo motors to adjust the solar panel's orientation smoothly and precisely, ensuring it continuously faces the sun's position throughout the day

- **Power Efficiency**

The solar tracker system should operate with minimal power consumption, ideally powered by the Arduino board itself or a low-voltage battery, without requiring an external power source for the servo motor

- **Real-Time Tracking**

The system must continuously monitor light intensity and adjust the solar panel position in real time to maximize energy absorption from sunrise to sunset

- **Mechanical Range of Motion**

The servo motor(s) must provide sufficient range of motion to cover the sun's path, typically from east to west (and optionally north to south), to ensure full tracking capability

- **Robustness and Stability**

The tracker must maintain stable positioning without unnecessary oscillations or jitter when light intensity differences are minimal, using a threshold or error margin to avoid constant small adjustments

## **SCOPE AND LIMITATIONS**

The scope of the solar light tracker using Arduino IDE encompasses the design and implementation of a single-axis tracking system that automatically adjusts the solar panel's position to maximize sunlight exposure throughout the

day. The system utilizes Light Dependent Resistors (LDRs) to detect light intensity and servo motors controlled by an Arduino microcontroller to orient the panel accordingly. This project aims to improve the efficiency of solar energy capture compared to static panels, making it suitable for small to medium-scale solar setups. However, the limitations include its reliance on fair weather conditions, as heavy rain or dust can affect sensor accuracy and mechanical components. Additionally, the prototype typically supports only single-axis movement, restricting its ability to track the sun's elevation changes fully, and it may lack water resistance and robustness for harsh outdoor environments. Future improvements could include expanding to dual-axis tracking, enhancing sensor precision, and incorporating weatherproofing measures to increase durability and performance in diverse conditions.

## **ANALYSIS**

The analysis of the solar light tracker system reveals that leveraging Arduino IDE for programming provides a flexible and accessible platform for controlling sensor inputs and servo motor outputs, making it ideal for prototyping and educational purposes. By using Light Dependent Resistors (LDRs) to measure sunlight intensity, the system can effectively determine the optimal direction for solar panel alignment, which is critical for maximizing energy absorption. However, the single-axis tracking approach, while simpler and cost-effective, limits the system's ability to follow the sun's elevation changes, potentially reducing overall efficiency compared to dual-axis trackers. Furthermore, the mechanical precision of servo motors and the responsiveness of the control algorithm directly impact the system's performance, requiring careful calibration to avoid oscillations or lag in tracking. Environmental factors such as weather conditions and sensor sensitivity also play a significant role in the system's reliability, highlighting the need for robust design considerations. Overall, the analysis underscores the balance between complexity, cost, and performance in developing an effective solar tracking solution using Arduino technology.

## DESIGN AND IMPLEMENTATION

```
#include <avr/io.h>
.global start
.global loop_asm          ; Exported entry point for main loop

; Constants
.section .rodata
.equ  LDR1,    0           ; Analog pin A0
.equ  LDR2,    1           ; Analog pin A1
.equ  LED1,    2           ; Digital pin 2
.equ  LED2,    3           ; Digital pin 3
.equ  SERVO_PIN, 3         ; Servo pin on PB3 (Digital pin 11)
.equ  ERROR,    10
.equ  LIGHT_THRESHOLD, 500
.equ  CENTER_POS, 90       ; Servo center position

; Allocate variable storage
.section .bss
.comm Spoint, 1           ; Byte variable to store servo position

; Code section begins
.section .text

start:
; Initialize the stack pointer (SP = RAMEND = 0x08FF)
ldi   r16, 0xFF           ; Load low byte of RAMEND
out   0x3D, r16           ; SPL = 0xFF
```

Figure 1: Assembly Code

## TESTING AND DEBUGGING



Figure 2: Actual Product

## FUTURE DEVELOPMENT

Future development of the solar light tracker can focus on adding dual-axis tracking to improve efficiency by following the sun's elevation and direction. Using more precise sensors and incorporating wireless communication for remote monitoring would enhance performance and usability. Weatherproofing and stronger mechanical parts are also important for durability. Additionally, smarter



control algorithms could adapt to changing weather and seasonal patterns, making the system more reliable and energy-efficient.

# STUDENT INFORMATION

## CURRICULUM VITAE

**ROD VINCENT O. CAPILI**  
**PUROK 6 - BAYANIHAN, TAGUIHON,**  
**BACLAYON, BOHOL, PHILIPPINES 6301**

<https://bit.ly/4kq6Efg>

*"If it is to be, it is up to me."*



---

### **PROFILE**

Date of Birth : May 15, 2002  
Place of Birth : Tagbilaran City, Bohol  
Nationality : Filipino  
Status : Single  
Gender : Male  
Contact Number : 09106724856  
Email : rvocapili@universityofbohol.edu.ph

### **EDUCATIONAL BACKGROUND:**

Primary : Immaculata High School  
Baclayon, Bohol  
2017 - 2018  
Tertiary : University of Bohol  
Tagbilaran City, Bohol  
2019 - 2020  
Tertiary : University of Bohol  
Tagbilaran City, Bohol  
Bachelor of Science in Computer Engineering  
2024 – present

### **PROJECTS:**

Final Project : Solar Light Tracker  
Project Link : <http://bit.ly/3HqorVE>