Day 12 | Task 2

Creation and insertion of data:


```
❯ sqlite3 d_12_t2.db
SQLite version 3.54.0 2026-10-09 15:46:58
Enter ".help" for usage hints.
SQLite-3.54 d_12_t2.db-> CREATE TABLE EldenRingStats (
    Class TEXT PRIMARY KEY,
    Vigor INTEGER,
    Mind INTEGER,
    Endurance INTEGER,
    Strength INTEGER,
    Dexterity INTEGER,
    Intelligence INTEGER,
    Faith INTEGER,
    Arcane INTEGER
);
SQLite-3.54 d_12_t2.db-> INSERT INTO EldenRingStats
(Class, Vigor, Mind, Endurance, Strength, Dexterity, Intelligence, Faith, Arcane)
VALUES
('Vagabond', 15, 10, 11, 14, 13, 9, 9, 7),
('Warrior', 11, 12, 11, 10, 16, 10, 8, 9),
('Hero', 14, 9, 12, 16, 9, 7, 8, 11),
('Bandit', 10, 11, 10, 9, 13, 9, 8, 14),
('Astrologer', 9, 15, 9, 8, 12, 16, 7, 9),
('Prophet', 10, 14, 8, 11, 10, 7, 16, 10),
('Samurai', 12, 11, 13, 12, 15, 9, 8, 8),
('Prisoner', 11, 12, 11, 11, 14, 14, 6, 9),
('Confessor', 10, 13, 10, 12, 12, 9, 14, 9),
('Wretch', 10, 10, 10, 10, 10, 10, 10, 10);
SQLite-3.54 d_12_t2.db-> select * from eldenringstats
                    ;-> ;
```

Class	Vigor	Mind	Endurance	Strength	Dexterity	Intelligence	Faith	Arcane
Vagabond	15	10	11	14	13	9	9	7
Warrior	11	12	11	10	16	10	8	9
Hero	14	9	12	16	9	7	8	11
Bandit	10	11	10	9	13	9	8	14
Astrologer	9	15	9	8	12	16	7	9
Prophet	10	14	8	11	10	7	16	10
Samurai	12	11	13	12	15	9	8	8
Prisoner	11	12	11	11	14	14	6	9
Confessor	10	13	10	12	12	9	14	9
Wretch	10	10	10	10	10	10	10	10

1. calculate total stats

None

```
select class, vigor + mind + endurance +
strength + dexterity + intelligence + faith
+ arcane as totalstats from eldenringstats
order by totalstats desc;
```




```
SQLite-3.54 d_12_t2.db-> select class, vigor + mind + e
```

Class	totalstats
Confessor	89
Vagabond	88
Samurai	88
Prisoner	88
Warrior	87
Hero	86
Prophet	86
Astrologer	85
Bandit	84
Wretch	80

2. find classes with above-average intelligence

None

```
select class, intelligence from
eldenringstats where intelligence > (select
avg(intelligence) from eldenringstats)
order by intelligence desc;
```




```
SQLite-3.54 d_12_t2.db-> select class, intellig
```

Class	Intelligence
Astrologer	16
Prisoner	14

3. count classes by faith stat

None


```
select faith, count(*) as classcount from
eldenringstats group by faith order by
faith desc;
```



4. find stats with an average of at least 12

None


```
select 'vigor' as stat, avg(vigor) as
averagevalue from eldenringstats having
avg(vigor) >= 12 union all select
'strength', avg(strength) from
eldenringstats having avg(strength) >= 12
union all select 'dexterity',
avg(dexterity) from eldenringstats having
avg(dexterity) >= 12;
```



5. find classes with high intelligence or faith

None

```
select class, intelligence, faith from eldenringstats where intelligence >= 14 or faith >= 14 order by intelligence desc, faith desc;
```




```
SQLite-3.54 d_12_t2.db-> select class, intelli
```

Class	Intelligence	Faith
Astrologer	16	7
Prisoner	14	6
Confessor	9	14
Prophet	7	16

6. rank classes by strength

None

```
select class, strength, rank() over (order by strength desc) as strengthrank from eldenringstats;
```




```
SQLite-3.54 d_12_t2.db-> select class, strength, rank
```

Class	Strength	strengthrank
Hero	16	1
Vagabond	14	2
Samurai	12	3
Confessor	12	3
Prophet	11	5
Prisoner	11	5
Warrior	10	7
Wretch	10	7
Bandit	9	9
Astrologer	8	10

7. categorize classes by total stats

None


```
select class, vigor + mind + endurance +
strength + dexterity + intelligence + faith
+ arcane as totalstats, case when vigor +
mind + endurance + strength + dexterity +
intelligence + faith + arcane >= 100 then
'high' when vigor + mind + endurance +
strength + dexterity + intelligence + faith
+ arcane >= 90 then 'medium' else 'low' end
as statcategory from eldenringstats order
by totalstats desc;
```



8. Find classes with Vigor between 10 and 13

None


```
select class, vigor from eldenringstats where
vigor between 10 and 13;
```



9. Find classes whose Intelligence is higher than their Faith

None


```
select class, intelligence, faith from
eldenringstats where intelligence > faith;
```



10. Find the average stats for each class

None

```
select class, round((vigor + mind + endurance +
strength + dexterity + intelligence + faith +
arcane) / 8.0, 2) as averagestat from
eldenringstats order by averagestat desc;
```



Class	averagestat
Confessor	11.13
Vagabond	11.0
Samurai	11.0
Prisoner	11.0
Warrior	10.88
Hero	10.75
Prophet	10.75
Astrologer	10.63
Bandit	10.5
Wretch	10.0