

Fincore Game Wrapper

Error and Message Handling Guidelines

Prepared by:	Damir Veapi
Version:	1.0
Issue Date:	11/04/19
Classification:	Restricted

DOCUMENT HISTORY	2
OVERVIEW	3
GENERAL ERROR HANDLING	4
How to suspend the game	4
Common errors	4
Wallet message error	4
How to resume	4
Valid response with wallet message	5
SPECIFIC ERRORS	6
unsettledTicketExists	6
noUnsettledTicket (scratchcard only)	6
noFreeSpinAvailable	6
freeSpinAvailable	6
requestBlocked	6
GameWrapper.init error	6

Document History

Version	Changelist
1.0	Initial version

Overview

While Game Wrapper is in use, it may return errors or special situation messages which should be handled by the game client. It is important to handle these situations consistently and in a way that doesn't confuse the player or lead to more errors. This document thus provides a set of guidelines on how these various situations should be handled by the game client.

General Error Handling

When making RGS calls, game client will receive any errors as rejected promises. The wrapper will then also emit a '*game-pause*' event whenever the game should suspend its state.

How to suspend the game

Time of error	Behaviour
During game start (before ' <i>refresh</i> '):	disable spin button
Refresh:	disable spin button
Before spin (<i>getAccount</i>):	disable spin button
Spin:	loop reel animations indefinitely
Freespin:	loop reel animations indefinitely
Before close (<i>getAccount</i>):	pause win animations
Close:	disable spin button

Common errors

Suspend state according to the table above.

Wallet message error

1. Suspend state according to the table above.
2. When '*game-resume*' is received, reset the game to its last state and resume.

How to resume

Call with error response	Behaviour
Spin	Revert reel to its previous starting position, or if that's not possible, revert to game start. Enable spin button
Close	Repeat the 'close' call to close the game correctly
GetAccount	Proceed with the next pending RGS call.

Valid response with wallet message

1. Suspend state according to the table above.
- 2a. Promise will resolve when the message is closed. Game continues normally, no special actions needed.

OR

- 2b. You may resume the game when '*game-resume*' is received.

Specific Errors

This is a list of errors that must be handled by the game client in a specific manner.

unsettledTicketExists

Try calling `refresh` to recover. Keep the reels spinning until the unsettled game is set up.

noUnsettledTicket (scratchcard only)

Reset the game and any animations to the starting state.

noFreeSpinAvailable

Call `refresh` or check the `nextAction` of the last response to recover.

freeSpinAvailable

Call `fre spin` and enter fre spin mode if it is not active.

requestBlocked

An important message or an error is blocking RGS requests. If the game hasn't entered a paused state, it should do so according to the guidelines at the top of this section.

GameWrapper.init error

In case of an error during Game Wrapper initialization, the wrapper will throw a `GameWrapperError`. The wrapper won't be initialized, so the game should show a "*Technical error*" message and allow the player to reload or go back to lobby.