

Xamarin - FootballScore

1.0

Generated by Doxygen 1.8.14



# Contents

<b>1</b>	<b>Namespace Index</b>	<b>1</b>
1.1	Packages . . . . .	1
<b>2</b>	<b>Hierarchical Index</b>	<b>3</b>
2.1	Class Hierarchy . . . . .	3
<b>3</b>	<b>Class Index</b>	<b>15</b>
3.1	Class List . . . . .	15
<b>4</b>	<b>File Index</b>	<b>21</b>
4.1	File List . . . . .	21
<b>5</b>	<b>Namespace Documentation</b>	<b>31</b>
5.1	Package android . . . . .	31
5.2	Package android.support . . . . .	31
5.3	Package android.support.design . . . . .	31
5.4	Package android.support.design.widget . . . . .	31
5.5	Package android.support.graphics . . . . .	32
5.6	Package android.support.graphics.drawable . . . . .	32
5.7	Package android.support.graphics.drawable.animated . . . . .	32
5.8	Package android.support.v4 . . . . .	32
5.9	Package android.support.v7 . . . . .	32
5.10	Package android.support.v7.app . . . . .	33
5.11	Package android.support.v7.appcompat . . . . .	33
5.12	Package android.support.v7.cardview . . . . .	33

5.13	Package android.support.v7.mediarouter . . . . .	33
5.14	Package android.support.v7.recyclerview . . . . .	33
5.15	Package android.support.v7.widget . . . . .	33
5.16	Package md5270abb39e60627f0f200893b490a1ade . . . . .	34
5.17	Package md57018357d52b54713cd814fbd5262dd1f . . . . .	34
5.18	Package md5b60ffeb829f638581ab2bb9b1a7f4f3f . . . . .	34
5.19	Package md5ec2e2772f76de7e64e0148801db2bb13 . . . . .	36
5.20	Package md5fa8f98893c985e6b8df6ddd18b21cb3a . . . . .	36
5.21	Package mono . . . . .	36
5.22	Package mono.android . . . . .	37
5.23	Package mono.android.app . . . . .	37
5.24	Package mono.android.support . . . . .	37
5.25	Package mono.android.support.design . . . . .	37
5.26	Package mono.android.support.design.widget . . . . .	37
5.27	Package mono.android.support.v4 . . . . .	38
5.28	Package mono.android.support.v4.app . . . . .	38
5.29	Package mono.android.support.v4.content . . . . .	38
5.30	Package mono.android.support.v4.media . . . . .	38
5.31	Package mono.android.support.v4.media.session . . . . .	38
5.32	Package mono.android.support.v4.os . . . . .	38
5.33	Package mono.android.support.v4.view . . . . .	39
5.34	Package mono.android.support.v4.widget . . . . .	39
5.35	Package mono.android.support.v7 . . . . .	39
5.36	Package mono.android.support.v7.app . . . . .	39
5.37	Package mono.android.support.v7.widget . . . . .	39
5.38	Package projekt . . . . .	40
5.39	PROJEKT.Namespace.Reference . . . . .	40
5.40	Package projekt.droid . . . . .	40
5.41	PROJEKT.Droid.Namespace.Reference . . . . .	40
5.42	PROJEKT.Droid.DependencyServices.Namespace.Reference . . . . .	40
5.43	PROJEKT.Droid.Renderers.Namespace.Reference . . . . .	41
5.44	PROJEKT.Models.Namespace.Reference . . . . .	41
5.45	PROJEKT.Models.API.Namespace.Reference . . . . .	41
5.46	PROJEKT.Models.Extensions.Namespace.Reference . . . . .	42
5.47	PROJEKT.Models.Interfaces.Namespace.Reference . . . . .	42
5.48	PROJEKT.ViewModels.Namespace.Reference . . . . .	42
5.49	PROJEKT.Views.Namespace.Reference . . . . .	43
5.50	PROJEKT.Views.Controls.Namespace.Reference . . . . .	43

<b>6</b>	<b>Class Documentation</b>	<b>45</b>
6.1	mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor Class Reference . .	45
6.1.1	Constructor & Destructor Documentation . . . . .	45
6.1.1.1	ActionBar_OnMenuVisibilityListenerImplementor() . . . . .	45
6.1.2	Member Function Documentation . . . . .	45
6.1.2.1	monodroidAddReference() . . . . .	46
6.1.2.2	monodroidClearReferences() . . . . .	46
6.1.2.3	onMenuVisibilityChanged() . . . . .	46
6.1.3	Member Data Documentation . . . . .	46
6.1.3.1	__md_methods . . . . .	46
6.2	mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor Class Reference . . .	46
6.2.1	Constructor & Destructor Documentation . . . . .	47
6.2.1.1	ActionBar_OnNavigationListenerImplementor() . . . . .	47
6.2.2	Member Function Documentation . . . . .	47
6.2.2.1	monodroidAddReference() . . . . .	47
6.2.2.2	monodroidClearReferences() . . . . .	47
6.2.2.3	onNavigationItemSelected() . . . . .	47
6.2.3	Member Data Documentation . . . . .	48
6.2.3.1	__md_methods . . . . .	48
6.3	mono.android.support.v7.app.ActionBar_TabListenerImplementor Class Reference . . . . .	48
6.3.1	Constructor & Destructor Documentation . . . . .	48
6.3.1.1	ActionBar_TabListenerImplementor() . . . . .	48
6.3.2	Member Function Documentation . . . . .	49
6.3.2.1	monodroidAddReference() . . . . .	49
6.3.2.2	monodroidClearReferences() . . . . .	49
6.3.2.3	onTabReselected() . . . . .	49
6.3.2.4	onTabSelected() . . . . .	49
6.3.2.5	onTabUnselected() . . . . .	49
6.3.3	Member Data Documentation . . . . .	49
6.3.3.1	__md_methods . . . . .	50

6.4	mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor Class Reference . . . . .	50
6.4.1	Constructor & Destructor Documentation . . . . .	50
6.4.1.1	ActionMenuView_OnMenuItemClickListenerImplementor() . . . . .	50
6.4.2	Member Function Documentation . . . . .	50
6.4.2.1	monodroidAddReference() . . . . .	51
6.4.2.2	monodroidClearReferences() . . . . .	51
6.4.2.3	onMenuItemClick() . . . . .	51
6.4.3	Member Data Documentation . . . . .	51
6.4.3.1	__md_methods . . . . .	51
6.5	mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor Class Reference . . . . .	51
6.5.1	Constructor & Destructor Documentation . . . . .	52
6.5.1.1	ActionProvider_SubUiVisibilityListenerImplementor() . . . . .	52
6.5.2	Member Function Documentation . . . . .	52
6.5.2.1	monodroidAddReference() . . . . .	52
6.5.2.2	monodroidClearReferences() . . . . .	52
6.5.2.3	onSubUiVisibilityChanged() . . . . .	52
6.5.3	Member Data Documentation . . . . .	53
6.5.3.1	__md_methods . . . . .	53
6.6	mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor Class Reference . . . . .	53
6.6.1	Constructor & Destructor Documentation . . . . .	53
6.6.1.1	ActionProvider_VisibilityListenerImplementor() . . . . .	53
6.6.2	Member Function Documentation . . . . .	54
6.6.2.1	monodroidAddReference() . . . . .	54
6.6.2.2	monodroidClearReferences() . . . . .	54
6.6.2.3	onActionProviderVisibilityChanged() . . . . .	54
6.6.3	Member Data Documentation . . . . .	54
6.6.3.1	__md_methods . . . . .	54
6.7	md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer Class Reference . . . . .	54
6.7.1	Constructor & Destructor Documentation . . . . .	55
6.7.1.1	ActionSheetRenderer() [1/3] . . . . .	55

6.7.1.2	ActionSheetRenderer() [2/3]	55
6.7.1.3	ActionSheetRenderer() [3/3]	55
6.7.2	Member Function Documentation	55
6.7.2.1	cancel()	56
6.7.2.2	monodroidAddReference()	56
6.7.2.3	monodroidClearReferences()	56
6.7.2.4	onAttachedToWindow()	56
6.7.2.5	onClick()	56
6.7.2.6	onCreate()	56
6.7.3	Member Data Documentation	56
6.7.3.1	__md_methods	57
6.8	md5b60feb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer Class Reference	57
6.8.1	Constructor & Destructor Documentation	57
6.8.1.1	ActivityIndicatorRenderer() [1/3]	57
6.8.1.2	ActivityIndicatorRenderer() [2/3]	58
6.8.1.3	ActivityIndicatorRenderer() [3/3]	58
6.8.2	Member Function Documentation	58
6.8.2.1	monodroidAddReference()	58
6.8.2.2	monodroidClearReferences()	58
6.8.3	Member Data Documentation	58
6.8.3.1	__md_methods	58
6.9	md5b60feb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView Class Reference	59
6.9.1	Constructor & Destructor Documentation	59
6.9.1.1	AHorizontalScrollView() [1/4]	59
6.9.1.2	AHorizontalScrollView() [2/4]	59
6.9.1.3	AHorizontalScrollView() [3/4]	60
6.9.1.4	AHorizontalScrollView() [4/4]	60
6.9.2	Member Function Documentation	60
6.9.2.1	monodroidAddReference()	60
6.9.2.2	monodroidClearReferences()	60

6.9.2.3	onInterceptTouchEvent()	60
6.9.2.4	onScrollChanged()	60
6.9.2.5	onTouchEvent()	61
6.9.3	Member Data Documentation	61
6.9.3.1	__md_methods	61
6.10	android.support.v7.app.AlertDialog_IDialogInterfaceOnCancelListenerImplementor Class Reference	61
6.10.1	Constructor & Destructor Documentation	61
6.10.1.1	AlertDialog_IDialogInterfaceOnCancelListenerImplementor()	62
6.10.2	Member Function Documentation	62
6.10.2.1	monodroidAddReference()	62
6.10.2.2	monodroidClearReferences()	62
6.10.2.3	onCancel()	62
6.10.3	Member Data Documentation	62
6.10.3.1	__md_methods	62
6.11	android.support.v7.app.AlertDialog_IDialogInterfaceOnClickListenerImplementor Class Reference	63
6.11.1	Constructor & Destructor Documentation	63
6.11.1.1	AlertDialog_IDialogInterfaceOnClickListenerImplementor()	63
6.11.2	Member Function Documentation	63
6.11.2.1	monodroidAddReference()	63
6.11.2.2	monodroidClearReferences()	63
6.11.2.3	onClick()	64
6.11.3	Member Data Documentation	64
6.11.3.1	__md_methods	64
6.12	android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor Class Reference	64
6.12.1	Constructor & Destructor Documentation	64
6.12.1.1	AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor()	65
6.12.2	Member Function Documentation	65
6.12.2.1	monodroidAddReference()	65
6.12.2.2	monodroidClearReferences()	65
6.12.2.3	onClick()	65



6.12.3	Member Data Documentation . . . . .	65
6.12.3.1	__md_methods . . . . .	65
6.13	md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity Class Reference . . . . .	66
6.13.1	Constructor & Destructor Documentation . . . . .	66
6.13.1.1	AndroidActivity() . . . . .	66
6.13.2	Member Function Documentation . . . . .	66
6.13.2.1	monodroidAddReference() . . . . .	66
6.13.2.2	monodroidClearReferences() . . . . .	66
6.13.3	Member Data Documentation . . . . .	67
6.13.3.1	__md_methods . . . . .	67
6.14	PROJEKT.Droid.Resource.Animation Class Reference . . . . .	67
6.14.1	Member Data Documentation . . . . .	67
6.14.1.1	abc_fade_in . . . . .	67
6.14.1.2	abc_fade_out . . . . .	68
6.14.1.3	abc_grow_fade_in_from_bottom . . . . .	68
6.14.1.4	abc_popup_enter . . . . .	68
6.14.1.5	abc_popup_exit . . . . .	68
6.14.1.6	abc_shrink_fade_out_from_bottom . . . . .	68
6.14.1.7	abc_slide_in_bottom . . . . .	68
6.14.1.8	abc_slide_in_top . . . . .	68
6.14.1.9	abc_slide_out_bottom . . . . .	68
6.14.1.10	abc_slide_out_top . . . . .	69
6.14.1.11	design_bottom_sheet_slide_in . . . . .	69
6.14.1.12	design_bottom_sheet_slide_out . . . . .	69
6.14.1.13	design_fab_in . . . . .	69
6.14.1.14	design_fab_out . . . . .	69
6.14.1.15	design_snackbar_in . . . . .	69
6.14.1.16	design_snackbar_out . . . . .	69
6.15	PROJEKT.App Class Reference . . . . .	70
6.15.1	Detailed Description . . . . .	70

6.15.2	Constructor & Destructor Documentation . . . . .	70
6.15.2.1	App() . . . . .	70
6.15.3	Property Documentation . . . . .	70
6.15.3.1	CompetitionId . . . . .	71
6.15.3.2	Height . . . . .	71
6.15.3.3	Width . . . . .	71
6.16	mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor Class Reference . . . . .	71
6.16.1	Constructor & Destructor Documentation . . . . .	72
6.16.1.1	AppBarLayout_OnOffsetChangedListenerImplementor() . . . . .	72
6.16.2	Member Function Documentation . . . . .	72
6.16.2.1	monodroidAddReference() . . . . .	72
6.16.2.2	monodroidClearReferences() . . . . .	72
6.16.2.3	onOffsetChanged() . . . . .	72
6.16.3	Member Data Documentation . . . . .	72
6.16.3.1	__md_methods . . . . .	72
6.17	mono.android.app.ApplicationRegistration Class Reference . . . . .	73
6.17.1	Member Function Documentation . . . . .	73
6.17.1.1	registerApplications() . . . . .	73
6.18	PROJEKT.Models.Extensions.AssetsImageExtension Class Reference . . . . .	73
6.18.1	Detailed Description . . . . .	74
6.18.2	Member Function Documentation . . . . .	74
6.18.2.1	GetSource() . . . . .	74
6.18.2.2	ProvideValue() . . . . .	74
6.18.3	Property Documentation . . . . .	74
6.18.3.1	Source . . . . .	74
6.19	PROJEKT.Droid.Resource.Attribute Class Reference . . . . .	75
6.19.1	Member Data Documentation . . . . .	80
6.19.1.1	actionBarDivider . . . . .	81
6.19.1.2	actionBarItemBackground . . . . .	81
6.19.1.3	actionBarPopupTheme . . . . .	81

6.19.1.4	actionBarSize	81
6.19.1.5	actionBarSplitStyle	81
6.19.1.6	actionBarStyle	81
6.19.1.7	actionBarTabBarStyle	81
6.19.1.8	actionBarTabStyle	81
6.19.1.9	actionBarTabTextStyle	82
6.19.1.10	actionBarTheme	82
6.19.1.11	actionBarWidgetTheme	82
6.19.1.12	actionButtonStyle	82
6.19.1.13	actionDropDownStyle	82
6.19.1.14	actionLayout	82
6.19.1.15	actionMenuTextAppearance	82
6.19.1.16	actionMenuTextColor	82
6.19.1.17	actionModeBackground	83
6.19.1.18	actionModeCloseButtonStyle	83
6.19.1.19	actionModeCloseDrawable	83
6.19.1.20	actionModeCopyDrawable	83
6.19.1.21	actionModeCutDrawable	83
6.19.1.22	actionModeFindDrawable	83
6.19.1.23	actionModePasteDrawable	83
6.19.1.24	actionModePopupWindowStyle	83
6.19.1.25	actionModeSelectAllDrawable	84
6.19.1.26	actionModeShareDrawable	84
6.19.1.27	actionModeSplitBackground	84
6.19.1.28	actionModeStyle	84
6.19.1.29	actionModeWebSearchDrawable	84
6.19.1.30	actionOverflowButtonStyle	84
6.19.1.31	actionOverflowMenuStyle	84
6.19.1.32	actionProviderClass	84
6.19.1.33	actionViewClass	85

6.19.1.34 activityChooserViewStyle . . . . .	85
6.19.1.35 alertDialogButtonGroupStyle . . . . .	85
6.19.1.36 alertDialogCenterButtons . . . . .	85
6.19.1.37 alertDialogStyle . . . . .	85
6.19.1.38 alertDialogTheme . . . . .	85
6.19.1.39 allowStacking . . . . .	85
6.19.1.40 arrowHeadLength . . . . .	85
6.19.1.41 arrowShaftLength . . . . .	86
6.19.1.42 autoCompleteTextViewStyle . . . . .	86
6.19.1.43 background . . . . .	86
6.19.1.44 backgroundSplit . . . . .	86
6.19.1.45 backgroundStacked . . . . .	86
6.19.1.46 backgroundTint . . . . .	86
6.19.1.47 backgroundTintMode . . . . .	86
6.19.1.48 barLength . . . . .	86
6.19.1.49 behavior_hideable . . . . .	87
6.19.1.50 behavior_overlapTop . . . . .	87
6.19.1.51 behavior_peekHeight . . . . .	87
6.19.1.52 borderlessButtonStyle . . . . .	87
6.19.1.53 borderWidth . . . . .	87
6.19.1.54 bottomSheetDialogTheme . . . . .	87
6.19.1.55 bottomSheetStyle . . . . .	87
6.19.1.56 buttonBarButtonStyle . . . . .	87
6.19.1.57 buttonBarNegativeButtonStyle . . . . .	88
6.19.1.58 buttonBarNeutralButtonStyle . . . . .	88
6.19.1.59 buttonBarPositiveButtonStyle . . . . .	88
6.19.1.60 buttonBarStyle . . . . .	88
6.19.1.61 buttonPanelSideLayout . . . . .	88
6.19.1.62 buttonStyle . . . . .	88
6.19.1.63 buttonStyleSmall . . . . .	88

6.19.1.64 buttonTint . . . . .	88
6.19.1.65 buttonTintMode . . . . .	89
6.19.1.66 cardBackgroundColor . . . . .	89
6.19.1.67 cardCornerRadius . . . . .	89
6.19.1.68 cardElevation . . . . .	89
6.19.1.69 cardMaxElevation . . . . .	89
6.19.1.70 cardPreventCornerOverlap . . . . .	89
6.19.1.71 cardUseCompatPadding . . . . .	89
6.19.1.72 checkboxStyle . . . . .	89
6.19.1.73 checkedTextViewStyle . . . . .	90
6.19.1.74 closeIcon . . . . .	90
6.19.1.75 closeItemLayout . . . . .	90
6.19.1.76 collapseContentDescription . . . . .	90
6.19.1.77 collapsedTitleGravity . . . . .	90
6.19.1.78 collapsedTitleTextAppearance . . . . .	90
6.19.1.79 collapseIcon . . . . .	90
6.19.1.80 color . . . . .	90
6.19.1.81 colorAccent . . . . .	91
6.19.1.82 colorButtonNormal . . . . .	91
6.19.1.83 colorControlActivated . . . . .	91
6.19.1.84 colorControlHighlight . . . . .	91
6.19.1.85 colorControlNormal . . . . .	91
6.19.1.86 colorPrimary . . . . .	91
6.19.1.87 colorPrimaryDark . . . . .	91
6.19.1.88 colorSwitchThumbNormal . . . . .	91
6.19.1.89 commitIcon . . . . .	92
6.19.1.90 contentInsetEnd . . . . .	92
6.19.1.91 contentInsetLeft . . . . .	92
6.19.1.92 contentInsetRight . . . . .	92
6.19.1.93 contentInsetStart . . . . .	92

6.19.1.94	contentPadding	92
6.19.1.95	contentPaddingBottom	92
6.19.1.96	contentPaddingLeft	92
6.19.1.97	contentPaddingRight	93
6.19.1.98	contentPaddingTop	93
6.19.1.99	contentScrim	93
6.19.1.100	controlBackground	93
6.19.1.101	counterEnabled	93
6.19.1.102	counterMaxLength	93
6.19.1.103	counterOverflowTextAppearance	93
6.19.1.104	counterTextAppearance	93
6.19.1.105	customNavigationLayout	94
6.19.1.106	defaultQueryHint	94
6.19.1.107	dialogPreferredPadding	94
6.19.1.108	dialogTheme	94
6.19.1.109	displayOptions	94
6.19.1.110	divider	94
6.19.1.111	dividerHorizontal	94
6.19.1.112	dividerPadding	94
6.19.1.113	dividerVertical	95
6.19.1.114	drawableSize	95
6.19.1.115	drawerArrowStyle	95
6.19.1.116	dropdownListPreferredItemHeight	95
6.19.1.117	dropDownListViewStyle	95
6.19.1.118	editTextBackground	95
6.19.1.119	editTextColor	95
6.19.1.120	editTextStyle	95
6.19.1.121	elevation	96
6.19.1.122	errorEnabled	96
6.19.1.123	errorTextAppearance	96

6.19.1.124	expandActivityOverflowButtonDrawable . . . . .	96
6.19.1.125	expanded . . . . .	96
6.19.1.126	expandedTitleGravity . . . . .	96
6.19.1.127	expandedTitleMargin . . . . .	96
6.19.1.128	expandedTitleMarginBottom . . . . .	96
6.19.1.129	expandedTitleMarginEnd . . . . .	97
6.19.1.130	expandedTitleMarginStart . . . . .	97
6.19.1.131	expandedTitleMarginTop . . . . .	97
6.19.1.132	expandedTitleTextAppearance . . . . .	97
6.19.1.133	externalRouteEnabledDrawable . . . . .	97
6.19.1.134	fabSize . . . . .	97
6.19.1.135	foregroundInsidePadding . . . . .	97
6.19.1.136	gapBetweenBars . . . . .	97
6.19.1.137	golcon . . . . .	98
6.19.1.138	headerLayout . . . . .	98
6.19.1.139	height . . . . .	98
6.19.1.140	hideOnContentScroll . . . . .	98
6.19.1.141	hintAnimationEnabled . . . . .	98
6.19.1.142	hintEnabled . . . . .	98
6.19.1.143	hintTextAppearance . . . . .	98
6.19.1.144	homeAsUpIndicator . . . . .	98
6.19.1.145	homeLayout . . . . .	99
6.19.1.146	con . . . . .	99
6.19.1.147	conifiedByDefault . . . . .	99
6.19.1.148	imageButtonStyle . . . . .	99
6.19.1.149	indeterminateProgressStyle . . . . .	99
6.19.1.150	initialActivityCount . . . . .	99
6.19.1.151	insetForeground . . . . .	99
6.19.1.152	isLightTheme . . . . .	99
6.19.1.153	itemBackground . . . . .	100

6.19.1.154itemIconTint . . . . .	100
6.19.1.155itemPadding . . . . .	100
6.19.1.156itemTextAppearance . . . . .	100
6.19.1.157itemTextColor . . . . .	100
6.19.1.158keylines . . . . .	100
6.19.1.159layout . . . . .	100
6.19.1.160layout_anchor . . . . .	100
6.19.1.161layout_anchorGravity . . . . .	101
6.19.1.162layout_behavior . . . . .	101
6.19.1.163layout_collapseMode . . . . .	101
6.19.1.164layout_collapseParallaxMultiplier . . . . .	101
6.19.1.165layout_keyline . . . . .	101
6.19.1.166layout_scrollFlags . . . . .	101
6.19.1.167layout_scrollInterpolator . . . . .	101
6.19.1.168layoutManager . . . . .	101
6.19.1.169listChoiceBackgroundIndicator . . . . .	102
6.19.1.170listDividerAlertDialog . . . . .	102
6.19.1.171listItemLayout . . . . .	102
6.19.1.172listLayout . . . . .	102
6.19.1.173listPopupWindowStyle . . . . .	102
6.19.1.174listPreferredItemHeight . . . . .	102
6.19.1.175listPreferredItemHeightLarge . . . . .	102
6.19.1.176listPreferredItemHeightSmall . . . . .	102
6.19.1.177listPreferredItemPaddingLeft . . . . .	103
6.19.1.178listPreferredItemPaddingRight . . . . .	103
6.19.1.179logo . . . . .	103
6.19.1.180logoDescription . . . . .	103
6.19.1.181maxActionInlineWidth . . . . .	103
6.19.1.182maxButtonHeight . . . . .	103
6.19.1.183measureWithLargestChild . . . . .	103



6.19.1.184mediaRouteAudioTrackDrawable . . . . .	103
6.19.1.185mediaRouteBluetoothIconDrawable . . . . .	104
6.19.1.186mediaRouteButtonStyle . . . . .	104
6.19.1.187mediaRouteCastDrawable . . . . .	104
6.19.1.188mediaRouteChooserPrimaryTextStyle . . . . .	104
6.19.1.189mediaRouteChooserSecondaryTextStyle . . . . .	104
6.19.1.190mediaRouteCloseDrawable . . . . .	104
6.19.1.191mediaRouteCollapseGroupDrawable . . . . .	104
6.19.1.192mediaRouteConnectingDrawable . . . . .	104
6.19.1.193mediaRouteControllerPrimaryTextStyle . . . . .	105
6.19.1.194mediaRouteControllerSecondaryTextStyle . . . . .	105
6.19.1.195mediaRouteControllerTitleTextStyle . . . . .	105
6.19.1.196MediaRouteControllerWindowBackground . . . . .	105
6.19.1.197mediaRouteDefaultIconDrawable . . . . .	105
6.19.1.198mediaRouteExpandGroupDrawable . . . . .	105
6.19.1.199mediaRouteOffDrawable . . . . .	105
6.19.1.200mediaRouteOnDrawable . . . . .	105
6.19.1.201mediaRoutePauseDrawable . . . . .	106
6.19.1.202mediaRoutePlayDrawable . . . . .	106
6.19.1.203mediaRouteSpeakerGroupIconDrawable . . . . .	106
6.19.1.204mediaRouteSpeakerIconDrawable . . . . .	106
6.19.1.205mediaRouteTvIconDrawable . . . . .	106
6.19.1.206menu . . . . .	106
6.19.1.207multiChoiceItemLayout . . . . .	106
6.19.1.208navigationContentDescription . . . . .	106
6.19.1.209navigationIcon . . . . .	107
6.19.1.210navigationMode . . . . .	107
6.19.1.211overlapAnchor . . . . .	107
6.19.1.212paddingEnd . . . . .	107
6.19.1.213paddingStart . . . . .	107

6.19.1.214	panelBackground . . . . .	107
6.19.1.215	panelMenuListTheme . . . . .	107
6.19.1.216	panelMenuListWidth . . . . .	107
6.19.1.217	popupMenuStyle . . . . .	108
6.19.1.218	popupTheme . . . . .	108
6.19.1.219	popupWindowStyle . . . . .	108
6.19.1.220	preserveIconSpacing . . . . .	108
6.19.1.221	pressedTranslationZ . . . . .	108
6.19.1.222	progressBarPadding . . . . .	108
6.19.1.223	progressBarStyle . . . . .	108
6.19.1.224	queryBackground . . . . .	108
6.19.1.225	queryHint . . . . .	109
6.19.1.226	radioButtonStyle . . . . .	109
6.19.1.227	ratingBarStyle . . . . .	109
6.19.1.228	ratingBarStyleIndicator . . . . .	109
6.19.1.229	ratingBarStyleSmall . . . . .	109
6.19.1.230	reverseLayout . . . . .	109
6.19.1.231	rippleColor . . . . .	109
6.19.1.232	searchHintIcon . . . . .	109
6.19.1.233	searchIcon . . . . .	110
6.19.1.234	searchViewStyle . . . . .	110
6.19.1.235	seekBarStyle . . . . .	110
6.19.1.236	selectableItemBackground . . . . .	110
6.19.1.237	selectableItemBackgroundBorderless . . . . .	110
6.19.1.238	showAsAction . . . . .	110
6.19.1.239	showDividers . . . . .	110
6.19.1.240	showText . . . . .	110
6.19.1.241	singleChoiceItemLayout . . . . .	111
6.19.1.242	spanCount . . . . .	111
6.19.1.243	spinBars . . . . .	111

6.19.1.244	spinnerDropDownItemStyle . . . . .	111
6.19.1.245	spinnerStyle . . . . .	111
6.19.1.246	splitTrack . . . . .	111
6.19.1.247	srcCompat . . . . .	111
6.19.1.248	stackFromEnd . . . . .	111
6.19.1.249	state_above_anchor . . . . .	112
6.19.1.250	statusBarBackground . . . . .	112
6.19.1.251	statusBarScrim . . . . .	112
6.19.1.252	submitBackground . . . . .	112
6.19.1.253	subtitle . . . . .	112
6.19.1.254	subtitleTextAppearance . . . . .	112
6.19.1.255	subtitleTextColor . . . . .	112
6.19.1.256	subtitleTextStyle . . . . .	112
6.19.1.257	suggestionRowLayout . . . . .	113
6.19.1.258	switchMinWidth . . . . .	113
6.19.1.259	switchPadding . . . . .	113
6.19.1.260	switchStyle . . . . .	113
6.19.1.261	switchTextAppearance . . . . .	113
6.19.1.262	tabBackground . . . . .	113
6.19.1.263	tabContentStart . . . . .	113
6.19.1.264	tabGravity . . . . .	113
6.19.1.265	tabIndicatorColor . . . . .	114
6.19.1.266	tabIndicatorHeight . . . . .	114
6.19.1.267	tabMaxWidth . . . . .	114
6.19.1.268	tabMinWidth . . . . .	114
6.19.1.269	tabMode . . . . .	114
6.19.1.270	tabPadding . . . . .	114
6.19.1.271	tabPaddingBottom . . . . .	114
6.19.1.272	tabPaddingEnd . . . . .	114
6.19.1.273	tabPaddingStart . . . . .	115

6.19.1.274	tabPaddingTop . . . . .	115
6.19.1.275	tabSelectedTextColor . . . . .	115
6.19.1.276	tabTextAppearance . . . . .	115
6.19.1.277	tabTextColor . . . . .	115
6.19.1.278	textAllCaps . . . . .	115
6.19.1.279	textAppearanceLargePopupMenu . . . . .	115
6.19.1.280	textAppearanceListItem . . . . .	115
6.19.1.281	textAppearanceListItemSmall . . . . .	116
6.19.1.282	textAppearanceSearchResultSubtitle . . . . .	116
6.19.1.283	textAppearanceSearchResultTitle . . . . .	116
6.19.1.284	textAppearanceSmallPopupMenu . . . . .	116
6.19.1.285	textColorAlertDialogListItem . . . . .	116
6.19.1.286	textColorError . . . . .	116
6.19.1.287	textColorSearchUrl . . . . .	116
6.19.1.288	theme . . . . .	116
6.19.1.289	thickness . . . . .	117
6.19.1.290	thumbTextPadding . . . . .	117
6.19.1.291	title . . . . .	117
6.19.1.292	titleEnabled . . . . .	117
6.19.1.293	titleMarginBottom . . . . .	117
6.19.1.294	titleMarginEnd . . . . .	117
6.19.1.295	titleMargins . . . . .	117
6.19.1.296	titleMarginStart . . . . .	117
6.19.1.297	titleMarginTop . . . . .	118
6.19.1.298	titleTextAppearance . . . . .	118
6.19.1.299	titleTextColor . . . . .	118
6.19.1.300	titleTextStyle . . . . .	118
6.19.1.301	toolbarId . . . . .	118
6.19.1.302	toolbarNavigationButtonStyle . . . . .	118
6.19.1.303	toolbarStyle . . . . .	118

6.19.1.304track . . . . .	118
6.19.1.305useCompatPadding . . . . .	119
6.19.1.306voicelcon . . . . .	119
6.19.1.307windowActionBar . . . . .	119
6.19.1.308windowActionBarOverlay . . . . .	119
6.19.1.309windowActionModeOverlay . . . . .	119
6.19.1.310windowFixedHeightMajor . . . . .	119
6.19.1.311windowFixedHeightMinor . . . . .	119
6.19.1.312windowFixedWidthMajor . . . . .	119
6.19.1.313windowFixedWidthMinor . . . . .	120
6.19.1.314windowMinWidthMajor . . . . .	120
6.19.1.315windowMinWidthMinor . . . . .	120
6.19.1.316windowNoTitle . . . . .	120
6.20 md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView Class Reference . . . . .	120
6.20.1 Constructor & Destructor Documentation . . . . .	121
6.20.1.1 BaseCellView() [1/4] . . . . .	121
6.20.1.2 BaseCellView() [2/4] . . . . .	121
6.20.1.3 BaseCellView() [3/4] . . . . .	121
6.20.1.4 BaseCellView() [4/4] . . . . .	121
6.20.2 Member Function Documentation . . . . .	121
6.20.2.1 monodroidAddReference() . . . . .	122
6.20.2.2 monodroidClearReferences() . . . . .	122
6.20.3 Member Data Documentation . . . . .	122
6.20.3.1 __md_methods . . . . .	122
6.21 PROJEKT.Droid.Resource.Boolean Class Reference . . . . .	122
6.21.1 Member Data Documentation . . . . .	122
6.21.1.1 abc_action_bar_embed_tabs . . . . .	122
6.21.1.2 abc_action_bar_embed_tabs_pre_jb . . . . .	123
6.21.1.3 abc_action_bar_expanded_action_views_exclusive . . . . .	123
6.21.1.4 abc_allow_stacked_button_bar . . . . .	123

6.21.1.5	abc_config_actionMenuItemAllCaps . . . . .	123
6.21.1.6	abc_config_allowActionMenuItemTextWithIcon . . . . .	123
6.21.1.7	abc_config_closeDialogWhenTouchOutside . . . . .	123
6.21.1.8	abc_config_showMenuShortcutsWhenKeyboardPresent . . . . .	123
6.22	md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer Class Reference . . . . .	124
6.22.1	Constructor & Destructor Documentation . . . . .	124
6.22.1.1	BoxRenderer() [1/3] . . . . .	124
6.22.1.2	BoxRenderer() [2/3] . . . . .	124
6.22.1.3	BoxRenderer() [3/3] . . . . .	124
6.22.2	Member Function Documentation . . . . .	125
6.22.2.1	monodroidAddReference() . . . . .	125
6.22.2.2	monodroidClearReferences() . . . . .	125
6.22.2.3	onTouchEvent() . . . . .	125
6.22.3	Member Data Documentation . . . . .	125
6.22.3.1	__md_methods . . . . .	125
6.23	md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable Class Reference . . . . .	125
6.23.1	Constructor & Destructor Documentation . . . . .	126
6.23.1.1	ButtonDrawable() . . . . .	126
6.23.2	Member Function Documentation . . . . .	126
6.23.2.1	draw() . . . . .	126
6.23.2.2	getOpacity() . . . . .	126
6.23.2.3	isStateful() . . . . .	126
6.23.2.4	monodroidAddReference() . . . . .	127
6.23.2.5	monodroidClearReferences() . . . . .	127
6.23.2.6	onStateChange() . . . . .	127
6.23.2.7	setAlpha() . . . . .	127
6.23.2.8	setColorFilter() . . . . .	127
6.23.3	Member Data Documentation . . . . .	127
6.23.3.1	__md_methods . . . . .	127
6.24	md5270abb39e60627f0f200893b490a1ade.ButtonRenderer Class Reference . . . . .	128

6.24.1	Constructor & Destructor Documentation . . . . .	128
6.24.1.1	ButtonRenderer() [1/3] . . . . .	128
6.24.1.2	ButtonRenderer() [2/3] . . . . .	128
6.24.1.3	ButtonRenderer() [3/3] . . . . .	129
6.24.2	Member Function Documentation . . . . .	129
6.24.2.1	monodroidAddReference() . . . . .	129
6.24.2.2	monodroidClearReferences() . . . . .	129
6.24.2.3	onLayout() . . . . .	129
6.24.2.4	onViewAttachedToWindow() . . . . .	129
6.24.2.5	onViewDetachedFromWindow() . . . . .	129
6.24.3	Member Data Documentation . . . . .	130
6.24.3.1	__md_methods . . . . .	130
6.25	md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer Class Reference . . . . .	130
6.25.1	Constructor & Destructor Documentation . . . . .	130
6.25.1.1	ButtonRenderer() [1/3] . . . . .	131
6.25.1.2	ButtonRenderer() [2/3] . . . . .	131
6.25.1.3	ButtonRenderer() [3/3] . . . . .	131
6.25.2	Member Function Documentation . . . . .	131
6.25.2.1	monodroidAddReference() . . . . .	131
6.25.2.2	monodroidClearReferences() . . . . .	131
6.25.2.3	onClick() . . . . .	131
6.25.2.4	onFocusChange() . . . . .	132
6.25.2.5	onLayout() . . . . .	132
6.25.2.6	onTouch() . . . . .	132
6.25.2.7	onTouchEvent() . . . . .	132
6.25.2.8	onViewAttachedToWindow() . . . . .	132
6.25.2.9	onViewDetachedFromWindow() . . . . .	132
6.25.3	Member Data Documentation . . . . .	133
6.25.3.1	__md_methods . . . . .	133
6.26	md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer Class Reference . . . . .	133

6.26.1	Constructor & Destructor Documentation . . . . .	133
6.26.1.1	ButtonRenderer() [1/3] . . . . .	133
6.26.1.2	ButtonRenderer() [2/3] . . . . .	134
6.26.1.3	ButtonRenderer() [3/3] . . . . .	134
6.26.2	Member Function Documentation . . . . .	134
6.26.2.1	monodroidAddReference() . . . . .	134
6.26.2.2	monodroidClearReferences() . . . . .	134
6.26.2.3	onLayout() . . . . .	134
6.26.2.4	onViewAttachedToWindow() . . . . .	134
6.26.2.5	onViewDetachedFromWindow() . . . . .	135
6.26.3	Member Data Documentation . . . . .	135
6.26.3.1	__md_methods . . . . .	135
6.27	md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonClickListener Class Reference .	135
6.27.1	Constructor & Destructor Documentation . . . . .	135
6.27.1.1	ButtonRenderer_ButtonClickListener() . . . . .	136
6.27.2	Member Function Documentation . . . . .	136
6.27.2.1	monodroidAddReference() . . . . .	136
6.27.2.2	monodroidClearReferences() . . . . .	136
6.27.2.3	onClick() . . . . .	136
6.27.3	Member Data Documentation . . . . .	136
6.27.3.1	__md_methods . . . . .	136
6.28	md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonClickListener Class Reference .	137
6.28.1	Constructor & Destructor Documentation . . . . .	137
6.28.1.1	ButtonRenderer_ButtonClickListener() . . . . .	137
6.28.2	Member Function Documentation . . . . .	137
6.28.2.1	monodroidAddReference() . . . . .	137
6.28.2.2	monodroidClearReferences() . . . . .	137
6.28.2.3	onClick() . . . . .	138
6.28.3	Member Data Documentation . . . . .	138
6.28.3.1	__md_methods . . . . .	138



6.29	md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonTouchListener Class Reference	138
6.29.1	Constructor & Destructor Documentation	138
6.29.1.1	ButtonRenderer_ButtonTouchListener()	139
6.29.2	Member Function Documentation	139
6.29.2.1	monodroidAddReference()	139
6.29.2.2	monodroidClearReferences()	139
6.29.2.3	onTouch()	139
6.29.3	Member Data Documentation	139
6.29.3.1	__md_methods	139
6.30	md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonTouchListener Class Reference	140
6.30.1	Constructor & Destructor Documentation	140
6.30.1.1	ButtonRenderer_ButtonTouchListener()	140
6.30.2	Member Function Documentation	140
6.30.2.1	monodroidAddReference()	140
6.30.2.2	monodroidClearReferences()	140
6.30.2.3	onTouch()	141
6.30.3	Member Data Documentation	141
6.30.3.1	__md_methods	141
6.31	mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor Class Reference	141
6.31.1	Constructor & Destructor Documentation	141
6.31.1.1	CancellationSignal_OnCancelListenerImplementor()	142
6.31.2	Member Function Documentation	142
6.31.2.1	monodroidAddReference()	142
6.31.2.2	monodroidClearReferences()	142
6.31.2.3	onCancel()	142
6.31.3	Member Data Documentation	142
6.31.3.1	__md_methods	142
6.32	md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter Class Reference	143
6.32.1	Constructor & Destructor Documentation	143
6.32.1.1	CarouselPagerAdapter()	143

6.32.2	Member Function Documentation . . . . .	143
6.32.2.1	destroyItem() . . . . .	143
6.32.2.2	getCount() . . . . .	144
6.32.2.3	getItemPosition() . . . . .	144
6.32.2.4	instantiateItem() . . . . .	144
6.32.2.5	isViewFromObject() . . . . .	144
6.32.2.6	monodroidAddReference() . . . . .	144
6.32.2.7	monodroidClearReferences() . . . . .	144
6.32.2.8	onPageScrolled() . . . . .	144
6.32.2.9	onPageScrollStateChanged() . . . . .	145
6.32.2.10	onPageSelected() . . . . .	145
6.32.3	Member Data Documentation . . . . .	145
6.32.3.1	__md_methods . . . . .	145
6.33	md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer Class Reference . . . . .	145
6.33.1	Constructor & Destructor Documentation . . . . .	146
6.33.1.1	CarouselPageRenderer() [1/3] . . . . .	146
6.33.1.2	CarouselPageRenderer() [2/3] . . . . .	146
6.33.1.3	CarouselPageRenderer() [3/3] . . . . .	146
6.33.2	Member Function Documentation . . . . .	146
6.33.2.1	monodroidAddReference() . . . . .	146
6.33.2.2	monodroidClearReferences() . . . . .	146
6.33.2.3	onAttachedToWindow() . . . . .	147
6.33.2.4	onDetachedFromWindow() . . . . .	147
6.33.2.5	onLayout() . . . . .	147
6.33.2.6	onPageScrolled() . . . . .	147
6.33.2.7	onPageScrollStateChanged() . . . . .	147
6.33.2.8	onPageSelected() . . . . .	147
6.33.3	Member Data Documentation . . . . .	147
6.33.3.1	__md_methods . . . . .	148
6.34	md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer Class Reference . . . . .	148

6.34.1	Constructor & Destructor Documentation . . . . .	148
6.34.1.1	CarouselPageRenderer() [1/3] . . . . .	148
6.34.1.2	CarouselPageRenderer() [2/3] . . . . .	149
6.34.1.3	CarouselPageRenderer() [3/3] . . . . .	149
6.34.2	Member Function Documentation . . . . .	149
6.34.2.1	monodroidAddReference() . . . . .	149
6.34.2.2	monodroidClearReferences() . . . . .	149
6.34.2.3	onAttachedToWindow() . . . . .	149
6.34.2.4	onDetachedFromWindow() . . . . .	149
6.34.2.5	onLayout() . . . . .	150
6.34.2.6	onMeasure() . . . . .	150
6.34.3	Member Data Documentation . . . . .	150
6.34.3.1	__md_methods . . . . .	150
6.35	md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer Class Reference . . . . .	150
6.35.1	Constructor & Destructor Documentation . . . . .	151
6.35.1.1	CarouselRenderer() [1/4] . . . . .	151
6.35.1.2	CarouselRenderer() [2/4] . . . . .	151
6.35.1.3	CarouselRenderer() [3/4] . . . . .	151
6.35.1.4	CarouselRenderer() [4/4] . . . . .	151
6.35.2	Member Function Documentation . . . . .	151
6.35.2.1	draw() . . . . .	152
6.35.2.2	monodroidAddReference() . . . . .	152
6.35.2.3	monodroidClearReferences() . . . . .	152
6.35.2.4	onSizeChanged() . . . . .	152
6.35.3	Member Data Documentation . . . . .	152
6.35.3.1	__md_methods . . . . .	152
6.36	PROJEKT.Droid.Renderers.CarouselRenderer Class Reference . . . . .	153
6.36.1	Member Function Documentation . . . . .	153
6.36.1.1	Draw() . . . . .	153
6.36.1.2	OnElementChanged() . . . . .	153

6.36.1.3	OnSizeChanged()	153
6.37	md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter Class Reference	154
6.37.1	Constructor & Destructor Documentation	154
6.37.1.1	CellAdapter() [1/2]	154
6.37.1.2	CellAdapter() [2/2]	154
6.37.2	Member Function Documentation	154
6.37.2.1	monodroidAddReference()	155
6.37.2.2	monodroidClearReferences()	155
6.37.2.3	onActionItemClicked() [1/2]	155
6.37.2.4	onActionItemClicked() [2/2]	155
6.37.2.5	onCreateActionMode() [1/2]	155
6.37.2.6	onCreateActionMode() [2/2]	155
6.37.2.7	onDestroyActionMode() [1/2]	156
6.37.2.8	onDestroyActionMode() [2/2]	156
6.37.2.9	onItemClick()	156
6.37.2.10	onItemLongClick()	156
6.37.2.11	onPrepareActionMode() [1/2]	156
6.37.2.12	onPrepareActionMode() [2/2]	156
6.37.3	Member Data Documentation	157
6.37.3.1	__md_methods	157
6.38	md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer_RendererHolder Class Reference	157
6.38.1	Constructor & Destructor Documentation	157
6.38.1.1	CellRenderer_RendererHolder()	157
6.38.2	Member Function Documentation	157
6.38.2.1	monodroidAddReference()	158
6.38.2.2	monodroidClearReferences()	158
6.38.3	Member Data Documentation	158
6.38.3.1	__md_methods	158
6.39	PROJEKT.Droid.Resource.Color Class Reference	158
6.39.1	Member Data Documentation	160

6.39.1.1	abc_background_cache_hint_selector_material_dark . . . . .	160
6.39.1.2	abc_background_cache_hint_selector_material_light . . . . .	160
6.39.1.3	abc_color_highlight_material . . . . .	160
6.39.1.4	abc_input_method_navigation_guard . . . . .	160
6.39.1.5	abc_primary_text_disable_only_material_dark . . . . .	160
6.39.1.6	abc_primary_text_disable_only_material_light . . . . .	161
6.39.1.7	abc_primary_text_material_dark . . . . .	161
6.39.1.8	abc_primary_text_material_light . . . . .	161
6.39.1.9	abc_search_url_text . . . . .	161
6.39.1.10	abc_search_url_text_normal . . . . .	161
6.39.1.11	abc_search_url_text_pressed . . . . .	161
6.39.1.12	abc_search_url_text_selected . . . . .	161
6.39.1.13	abc_secondary_text_material_dark . . . . .	161
6.39.1.14	abc_secondary_text_material_light . . . . .	162
6.39.1.15	accent_material_dark . . . . .	162
6.39.1.16	accent_material_light . . . . .	162
6.39.1.17	background_floating_material_dark . . . . .	162
6.39.1.18	background_floating_material_light . . . . .	162
6.39.1.19	background_material_dark . . . . .	162
6.39.1.20	background_material_light . . . . .	162
6.39.1.21	bright_foreground_disabled_material_dark . . . . .	162
6.39.1.22	bright_foreground_disabled_material_light . . . . .	163
6.39.1.23	bright_foreground_inverse_material_dark . . . . .	163
6.39.1.24	bright_foreground_inverse_material_light . . . . .	163
6.39.1.25	bright_foreground_material_dark . . . . .	163
6.39.1.26	bright_foreground_material_light . . . . .	163
6.39.1.27	button_material_dark . . . . .	163
6.39.1.28	button_material_light . . . . .	163
6.39.1.29	cardview_dark_background . . . . .	163
6.39.1.30	cardview_light_background . . . . .	164

6.39.1.31 cardview_shadow_end_color . . . . .	164
6.39.1.32 cardview_shadow_start_color . . . . .	164
6.39.1.33 design_fab_shadow_end_color . . . . .	164
6.39.1.34 design_fab_shadow_mid_color . . . . .	164
6.39.1.35 design_fab_shadow_start_color . . . . .	164
6.39.1.36 design_fab_stroke_end_inner_color . . . . .	164
6.39.1.37 design_fab_stroke_end_outer_color . . . . .	164
6.39.1.38 design_fab_stroke_top_inner_color . . . . .	165
6.39.1.39 design_fab_stroke_top_outer_color . . . . .	165
6.39.1.40 design_snackbar_background_color . . . . .	165
6.39.1.41 design_textinput_error_color_dark . . . . .	165
6.39.1.42 design_textinput_error_color_light . . . . .	165
6.39.1.43 dim_foreground_disabled_material_dark . . . . .	165
6.39.1.44 dim_foreground_disabled_material_light . . . . .	165
6.39.1.45 dim_foreground_material_dark . . . . .	165
6.39.1.46 dim_foreground_material_light . . . . .	166
6.39.1.47 foreground_material_dark . . . . .	166
6.39.1.48 foreground_material_light . . . . .	166
6.39.1.49 highlighted_text_material_dark . . . . .	166
6.39.1.50 highlighted_text_material_light . . . . .	166
6.39.1.51 hint_foreground_material_dark . . . . .	166
6.39.1.52 hint_foreground_material_light . . . . .	166
6.39.1.53 material_blue_grey_800 . . . . .	166
6.39.1.54 material_blue_grey_900 . . . . .	167
6.39.1.55 material_blue_grey_950 . . . . .	167
6.39.1.56 material_deep_teal_200 . . . . .	167
6.39.1.57 material_deep_teal_500 . . . . .	167
6.39.1.58 material_grey_100 . . . . .	167
6.39.1.59 material_grey_300 . . . . .	167
6.39.1.60 material_grey_50 . . . . .	167

6.39.1.61 material_grey_600 . . . . .	167
6.39.1.62 material_grey_800 . . . . .	168
6.39.1.63 material_grey_850 . . . . .	168
6.39.1.64 material_grey_900 . . . . .	168
6.39.1.65 primary_dark_material_dark . . . . .	168
6.39.1.66 primary_dark_material_light . . . . .	168
6.39.1.67 primary_material_dark . . . . .	168
6.39.1.68 primary_material_light . . . . .	168
6.39.1.69 primary_text_default_material_dark . . . . .	168
6.39.1.70 primary_text_default_material_light . . . . .	169
6.39.1.71 primary_text_disabled_material_dark . . . . .	169
6.39.1.72 primary_text_disabled_material_light . . . . .	169
6.39.1.73 ripple_material_dark . . . . .	169
6.39.1.74 ripple_material_light . . . . .	169
6.39.1.75 secondary_text_default_material_dark . . . . .	169
6.39.1.76 secondary_text_default_material_light . . . . .	169
6.39.1.77 secondary_text_disabled_material_dark . . . . .	169
6.39.1.78 secondary_text_disabled_material_light . . . . .	170
6.39.1.79 switch_thumb_disabled_material_dark . . . . .	170
6.39.1.80 switch_thumb_disabled_material_light . . . . .	170
6.39.1.81 switch_thumb_material_dark . . . . .	170
6.39.1.82 switch_thumb_material_light . . . . .	170
6.39.1.83 switch_thumb_normal_material_dark . . . . .	170
6.39.1.84 switch_thumb_normal_material_light . . . . .	170
6.40 PROJEKT.Models.API.CompetitionDTO Class Reference . . . . .	171
6.40.1 Detailed Description . . . . .	171
6.40.2 Property Documentation . . . . .	171
6.40.2.1 Caption . . . . .	171
6.40.2.2 CurrentMatchday . . . . .	171
6.40.2.3 Id . . . . .	171

6.40.2.4	LastUpdated . . . . .	172
6.40.2.5	League . . . . .	172
6.40.2.6	NumberOfGames . . . . .	172
6.40.2.7	NumberOfMatchdays . . . . .	172
6.40.2.8	NumberOfTeams . . . . .	172
6.40.2.9	Year . . . . .	172
6.41	PROJEKT.ViewModels.CompetitionItemViewModel Class Reference . . . . .	172
6.41.1	Detailed Description . . . . .	173
6.41.2	Constructor & Destructor Documentation . . . . .	173
6.41.2.1	CompetitionItemViewModel() . . . . .	173
6.41.3	Member Function Documentation . . . . .	173
6.41.3.1	DownloadData() . . . . .	173
6.41.4	Property Documentation . . . . .	173
6.41.4.1	Result . . . . .	174
6.42	PROJEKT.Views.CompetitionPage Class Reference . . . . .	174
6.42.1	Constructor & Destructor Documentation . . . . .	174
6.42.1.1	CompetitionPage() . . . . .	174
6.42.2	Member Function Documentation . . . . .	174
6.42.2.1	ChangeSelectedIndex() . . . . .	175
6.42.2.2	OnAppearing() . . . . .	175
6.43	PROJEKT.Views.CompetitionsPage Class Reference . . . . .	175
6.43.1	Constructor & Destructor Documentation . . . . .	175
6.43.1.1	CompetitionsPage() . . . . .	175
6.43.2	Member Function Documentation . . . . .	176
6.43.2.1	OnAppearing() . . . . .	176
6.44	PROJEKT.Views.Controls.CompetitionsView Class Reference . . . . .	176
6.44.1	Constructor & Destructor Documentation . . . . .	176
6.44.1.1	CompetitionsView() . . . . .	176
6.45	PROJEKT.ViewModels.CompetitionsViewModel Class Reference . . . . .	177
6.45.1	Detailed Description . . . . .	177



6.45.2	Member Function Documentation . . . . .	177
6.45.2.1	DownloadData() . . . . .	177
6.45.3	Property Documentation . . . . .	177
6.45.3.1	Competitions . . . . .	177
6.45.3.2	Results . . . . .	178
6.46	PROJEKT.Views.Controls.CompetitionView Class Reference . . . . .	178
6.46.1	Constructor & Destructor Documentation . . . . .	178
6.46.1.1	CompetitionView() . . . . .	178
6.47	PROJEKT.ViewModels.CompetitionViewModel Class Reference . . . . .	178
6.47.1	Detailed Description . . . . .	179
6.47.2	Constructor & Destructor Documentation . . . . .	179
6.47.2.1	CompetitionViewModel() . . . . .	179
6.47.3	Member Function Documentation . . . . .	179
6.47.3.1	ChangeBackground() . . . . .	180
6.47.3.2	DownloadData() . . . . .	180
6.47.4	Member Data Documentation . . . . .	180
6.47.4.1	GFixtures . . . . .	180
6.47.4.2	GHome . . . . .	180
6.47.4.3	GLeague . . . . .	180
6.47.4.4	GTeams . . . . .	180
6.47.4.5	view . . . . .	181
6.47.5	Property Documentation . . . . .	181
6.47.5.1	CmdFixtures . . . . .	181
6.47.5.2	CmdHome . . . . .	181
6.47.5.3	CmdLeague . . . . .	181
6.47.5.4	CmdTeams . . . . .	181
6.47.5.5	ListPages . . . . .	181
6.48	md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout Class Reference . . . . .	182
6.48.1	Constructor & Destructor Documentation . . . . .	182
6.48.1.1	ConditionalFocusLayout() [1/4] . . . . .	182

6.48.1.2	ConditionalFocusLayout() [2/4]	182
6.48.1.3	ConditionalFocusLayout() [3/4]	183
6.48.1.4	ConditionalFocusLayout() [4/4]	183
6.48.2	Member Function Documentation	183
6.48.2.1	monodroidAddReference()	183
6.48.2.2	monodroidClearReferences()	183
6.48.2.3	onTouch()	183
6.48.3	Member Data Documentation	183
6.48.3.1	__md_methods	184
6.49	PROJEKT.Models.Configuration Class Reference	184
6.49.1	Detailed Description	184
6.49.2	Member Data Documentation	184
6.49.2.1	API_COMPETITIONS	184
6.50	mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor Class Reference	184
6.50.1	Constructor & Destructor Documentation	185
6.50.1.1	ContentFrameLayout_OnAttachListenerImplementor()	185
6.50.2	Member Function Documentation	185
6.50.2.1	monodroidAddReference()	185
6.50.2.2	monodroidClearReferences()	185
6.50.2.3	onAttachedFromWindow()	185
6.50.2.4	onDetachedFromWindow()	186
6.50.3	Member Data Documentation	186
6.50.3.1	__md_methods	186
6.51	PROJEKT.Models.CustomCompetition Class Reference	186
6.51.1	Detailed Description	186
6.51.2	Property Documentation	186
6.51.2.1	Caption	187
6.51.2.2	CurrentMatchday	187
6.51.2.3	Id	187
6.51.2.4	League	187

6.51.2.5	NumberOfMatchdays	187
6.51.2.6	NumerOfTeams	187
6.51.2.7	Year	187
6.52	PROJEKT.Models.CustomFixture Class Reference	188
6.52.1	Detailed Description	188
6.52.2	Property Documentation	188
6.52.2.1	AwayTeam	188
6.52.2.2	AwayTeamGoals	188
6.52.2.3	Date	188
6.52.2.4	HomeTeam	188
6.52.2.5	HomeTeamGoals	189
6.53	PROJEKT.Models.CustomTeam Class Reference	189
6.53.1	Detailed Description	189
6.53.2	Property Documentation	189
6.53.2.1	Lp	189
6.53.2.2	Name	189
6.54	md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer Class Reference	190
6.54.1	Constructor & Destructor Documentation	190
6.54.1.1	DatePickerRenderer() [1/3]	190
6.54.1.2	DatePickerRenderer() [2/3]	190
6.54.1.3	DatePickerRenderer() [3/3]	190
6.54.2	Member Function Documentation	191
6.54.2.1	monodroidAddReference()	191
6.54.2.2	monodroidClearReferences()	191
6.54.3	Member Data Documentation	191
6.54.3.1	__md_methods	191
6.55	md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler Class Reference	191
6.55.1	Constructor & Destructor Documentation	192
6.55.1.1	DatePickerRenderer_TextFieldClickHandler()	192
6.55.2	Member Function Documentation	192

6.55.2.1	monodroidAddReference()	192
6.55.2.2	monodroidClearReferences()	192
6.55.2.3	onClick()	192
6.55.3	Member Data Documentation	192
6.55.3.1	__md_methods	193
6.56	PROJEKT.Droid.Resource.Dimension Class Reference	193
6.56.1	Member Data Documentation	195
6.56.1.1	abc_action_bar_content_inset_material	195
6.56.1.2	abc_action_bar_default_height_material	195
6.56.1.3	abc_action_bar_default_padding_end_material	195
6.56.1.4	abc_action_bar_default_padding_start_material	196
6.56.1.5	abc_action_bar_icon_vertical_padding_material	196
6.56.1.6	abc_action_bar_overflow_padding_end_material	196
6.56.1.7	abc_action_bar_overflow_padding_start_material	196
6.56.1.8	abc_action_bar_progress_bar_size	196
6.56.1.9	abc_action_bar_stacked_max_height	196
6.56.1.10	abc_action_bar_stacked_tab_max_width	196
6.56.1.11	abc_action_bar_subtitle_bottom_margin_material	197
6.56.1.12	abc_action_bar_subtitle_top_margin_material	197
6.56.1.13	abc_action_button_min_height_material	197
6.56.1.14	abc_action_button_min_width_material	197
6.56.1.15	abc_action_button_min_width_overflow_material	197
6.56.1.16	abc_alert_dialog_button_bar_height	197
6.56.1.17	abc_button_inset_horizontal_material	197
6.56.1.18	abc_button_inset_vertical_material	198
6.56.1.19	abc_button_padding_horizontal_material	198
6.56.1.20	abc_button_padding_vertical_material	198
6.56.1.21	abc_config_prefDialogWidth	198
6.56.1.22	abc_control_corner_material	198
6.56.1.23	abc_control_inset_material	198

6.56.1.24 abc_control_padding_material . . . . .	198
6.56.1.25 abc_dialog_fixed_height_major . . . . .	198
6.56.1.26 abc_dialog_fixed_height_minor . . . . .	199
6.56.1.27 abc_dialog_fixed_width_major . . . . .	199
6.56.1.28 abc_dialog_fixed_width_minor . . . . .	199
6.56.1.29 abc_dialog_list_padding_vertical_material . . . . .	199
6.56.1.30 abc_dialog_min_width_major . . . . .	199
6.56.1.31 abc_dialog_min_width_minor . . . . .	199
6.56.1.32 abc_dialog_padding_material . . . . .	199
6.56.1.33 abc_dialog_padding_top_material . . . . .	199
6.56.1.34 abc_disabled_alpha_material_dark . . . . .	200
6.56.1.35 abc_disabled_alpha_material_light . . . . .	200
6.56.1.36 abc_dropdownitem_icon_width . . . . .	200
6.56.1.37 abc_dropdownitem_text_padding_left . . . . .	200
6.56.1.38 abc_dropdownitem_text_padding_right . . . . .	200
6.56.1.39 abc_edit_text_inset_bottom_material . . . . .	200
6.56.1.40 abc_edit_text_inset_horizontal_material . . . . .	200
6.56.1.41 abc_edit_text_inset_top_material . . . . .	200
6.56.1.42 abc_floating_window_z . . . . .	201
6.56.1.43 abc_list_item_padding_horizontal_material . . . . .	201
6.56.1.44 abc_panel_menu_list_width . . . . .	201
6.56.1.45 abc_search_view_preferred_width . . . . .	201
6.56.1.46 abc_search_view_text_min_width . . . . .	201
6.56.1.47 abc_seekbar_track_background_height_material . . . . .	201
6.56.1.48 abc_seekbar_track_progress_height_material . . . . .	201
6.56.1.49 abc_select_dialog_padding_start_material . . . . .	202
6.56.1.50 abc_switch_padding . . . . .	202
6.56.1.51 abc_text_size_body_1_material . . . . .	202
6.56.1.52 abc_text_size_body_2_material . . . . .	202
6.56.1.53 abc_text_size_button_material . . . . .	202

6.56.1.54 abc_text_size_caption_material . . . . .	202
6.56.1.55 abc_text_size_display_1_material . . . . .	202
6.56.1.56 abc_text_size_display_2_material . . . . .	202
6.56.1.57 abc_text_size_display_3_material . . . . .	203
6.56.1.58 abc_text_size_display_4_material . . . . .	203
6.56.1.59 abc_text_size_headline_material . . . . .	203
6.56.1.60 abc_text_size_large_material . . . . .	203
6.56.1.61 abc_text_size_medium_material . . . . .	203
6.56.1.62 abc_text_size_menu_material . . . . .	203
6.56.1.63 abc_text_size_small_material . . . . .	203
6.56.1.64 abc_text_size_subhead_material . . . . .	203
6.56.1.65 abc_text_size_subtitle_material_toolbar . . . . .	204
6.56.1.66 abc_text_size_title_material . . . . .	204
6.56.1.67 abc_text_size_title_material_toolbar . . . . .	204
6.56.1.68 cardview_compat_inset_shadow . . . . .	204
6.56.1.69 cardview_default_elevation . . . . .	204
6.56.1.70 cardview_default_radius . . . . .	204
6.56.1.71 design_appbar_elevation . . . . .	204
6.56.1.72 design_bottom_sheet_modal_elevation . . . . .	204
6.56.1.73 design_bottom_sheet_modal_peek_height . . . . .	205
6.56.1.74 design_fab_border_width . . . . .	205
6.56.1.75 design_fab_elevation . . . . .	205
6.56.1.76 design_fab_image_size . . . . .	205
6.56.1.77 design_fab_size_mini . . . . .	205
6.56.1.78 design_fab_size_normal . . . . .	205
6.56.1.79 design_fab_translation_z_pressed . . . . .	205
6.56.1.80 design_navigation_elevation . . . . .	205
6.56.1.81 design_navigation_icon_padding . . . . .	206
6.56.1.82 design_navigation_icon_size . . . . .	206
6.56.1.83 design_navigation_max_width . . . . .	206

6.56.1.84 design_navigation_padding_bottom . . . . .	206
6.56.1.85 design_navigation_separator_vertical_padding . . . . .	206
6.56.1.86 design_snackbar_action_inline_max_width . . . . .	206
6.56.1.87 design_snackbar_background_corner_radius . . . . .	206
6.56.1.88 design_snackbar_elevation . . . . .	207
6.56.1.89 design_snackbar_extra_spacing_horizontal . . . . .	207
6.56.1.90 design_snackbar_max_width . . . . .	207
6.56.1.91 design_snackbar_min_width . . . . .	207
6.56.1.92 design_snackbar_padding_horizontal . . . . .	207
6.56.1.93 design_snackbar_padding_vertical . . . . .	207
6.56.1.94 design_snackbar_padding_vertical_2lines . . . . .	207
6.56.1.95 design_snackbar_text_size . . . . .	207
6.56.1.96 design_tab_max_width . . . . .	208
6.56.1.97 design_tab_scrollable_min_width . . . . .	208
6.56.1.98 design_tab_text_size . . . . .	208
6.56.1.99 design_tab_text_size_2line . . . . .	208
6.56.1.100disabled_alpha_material_dark . . . . .	208
6.56.1.101disabled_alpha_material_light . . . . .	208
6.56.1.102highlight_alpha_material_colored . . . . .	208
6.56.1.103highlight_alpha_material_dark . . . . .	208
6.56.1.104highlight_alpha_material_light . . . . .	209
6.56.1.105item_touch_helper_max_drag_scroll_per_frame . . . . .	209
6.56.1.106item_touch_helper_swipe_escape_max_velocity . . . . .	209
6.56.1.107item_touch_helper_swipe_escape_velocity . . . . .	209
6.56.1.108mr_controller_volume_group_list_item_height . . . . .	209
6.56.1.109mr_controller_volume_group_list_item_icon_size . . . . .	209
6.56.1.110mr_controller_volume_group_list_max_height . . . . .	209
6.56.1.111mr_controller_volume_group_list_padding_top . . . . .	210
6.56.1.112mr_dialog_fixed_width_major . . . . .	210
6.56.1.113mr_dialog_fixed_width_minor . . . . .	210

6.56.1.114	notification_large_icon_height . . . . .	210
6.56.1.115	notification_large_icon_width . . . . .	210
6.56.1.116	notification_subtext_size . . . . .	210
6.57	PROJEKT.ViewModels.DownloadCompetition Class Reference . . . . .	210
6.57.1	Detailed Description . . . . .	211
6.57.2	Member Function Documentation . . . . .	211
6.57.2.1	HttpCall() . . . . .	211
6.57.3	Property Documentation . . . . .	211
6.57.3.1	results . . . . .	211
6.58	PROJEKT.ViewModels.DownloadFixture Class Reference . . . . .	211
6.58.1	Detailed Description . . . . .	212
6.58.2	Member Function Documentation . . . . .	212
6.58.2.1	HttpCall() . . . . .	212
6.58.3	Property Documentation . . . . .	212
6.58.3.1	results . . . . .	212
6.59	PROJEKT.ViewModels.DownloadTeam Class Reference . . . . .	212
6.59.1	Detailed Description . . . . .	213
6.59.2	Member Function Documentation . . . . .	213
6.59.2.1	HttpCall() . . . . .	213
6.59.3	Property Documentation . . . . .	213
6.59.3.1	results . . . . .	213
6.60	PROJEKT.Droid.Resource.Drawable Class Reference . . . . .	214
6.60.1	Member Data Documentation . . . . .	217
6.60.1.1	abc_ab_share_pack_mtrl_alpha . . . . .	217
6.60.1.2	abc_action_bar_item_background_material . . . . .	217
6.60.1.3	abc_btn_borderless_material . . . . .	217
6.60.1.4	abc_btn_check_material . . . . .	217
6.60.1.5	abc_btn_check_to_on_mtrl_000 . . . . .	217
6.60.1.6	abc_btn_check_to_on_mtrl_015 . . . . .	217
6.60.1.7	abc_btn_colored_material . . . . .	217



6.60.1.8	abc_btn_default_mtrl_shape . . . . .	218
6.60.1.9	abc_btn_radio_material . . . . .	218
6.60.1.10	abc_btn_radio_to_on_mtrl_000 . . . . .	218
6.60.1.11	abc_btn_radio_to_on_mtrl_015 . . . . .	218
6.60.1.12	abc_btn_rating_star_off_mtrl_alpha . . . . .	218
6.60.1.13	abc_btn_rating_star_on_mtrl_alpha . . . . .	218
6.60.1.14	abc_btn_switch_to_on_mtrl_00001 . . . . .	218
6.60.1.15	abc_btn_switch_to_on_mtrl_00012 . . . . .	218
6.60.1.16	abc_cab_background_internal_bg . . . . .	219
6.60.1.17	abc_cab_background_top_material . . . . .	219
6.60.1.18	abc_cab_background_top_mtrl_alpha . . . . .	219
6.60.1.19	abc_control_background_material . . . . .	219
6.60.1.20	abc_dialog_material_background_dark . . . . .	219
6.60.1.21	abc_dialog_material_background_light . . . . .	219
6.60.1.22	abc_edit_text_material . . . . .	219
6.60.1.23	abc_ic_ab_back_mtrl_am_alpha . . . . .	219
6.60.1.24	abc_ic_clear_mtrl_alpha . . . . .	220
6.60.1.25	abc_ic_commit_search_api_mtrl_alpha . . . . .	220
6.60.1.26	abc_ic_go_search_api_mtrl_alpha . . . . .	220
6.60.1.27	abc_ic_menu_copy_mtrl_am_alpha . . . . .	220
6.60.1.28	abc_ic_menu_cut_mtrl_alpha . . . . .	220
6.60.1.29	abc_ic_menu_moreoverflow_mtrl_alpha . . . . .	220
6.60.1.30	abc_ic_menu_paste_mtrl_am_alpha . . . . .	220
6.60.1.31	abc_ic_menu_selectall_mtrl_alpha . . . . .	220
6.60.1.32	abc_ic_menu_share_mtrl_alpha . . . . .	221
6.60.1.33	abc_ic_search_api_mtrl_alpha . . . . .	221
6.60.1.34	abc_ic_star_black_16dp . . . . .	221
6.60.1.35	abc_ic_star_black_36dp . . . . .	221
6.60.1.36	abc_ic_star_half_black_16dp . . . . .	221
6.60.1.37	abc_ic_star_half_black_36dp . . . . .	221

6.60.1.38 abc_ic_voice_search_api_mtrl_alpha . . . . .	221
6.60.1.39 abc_item_background_holo_dark . . . . .	221
6.60.1.40 abc_item_background_holo_light . . . . .	222
6.60.1.41 abc_list_divider_mtrl_alpha . . . . .	222
6.60.1.42 abc_list_focused_holo . . . . .	222
6.60.1.43 abc_list_longpressed_holo . . . . .	222
6.60.1.44 abc_list_pressed_holo_dark . . . . .	222
6.60.1.45 abc_list_pressed_holo_light . . . . .	222
6.60.1.46 abc_list_selector_background_transition_holo_dark . . . . .	222
6.60.1.47 abc_list_selector_background_transition_holo_light . . . . .	223
6.60.1.48 abc_list_selector_disabled_holo_dark . . . . .	223
6.60.1.49 abc_list_selector_disabled_holo_light . . . . .	223
6.60.1.50 abc_list_selector_holo_dark . . . . .	223
6.60.1.51 abc_list_selector_holo_light . . . . .	223
6.60.1.52 abc_menu_hardkey_panel_mtrl_mult . . . . .	223
6.60.1.53 abc_popup_background_mtrl_mult . . . . .	223
6.60.1.54 abc_ratingbar_full_material . . . . .	224
6.60.1.55 abc_ratingbar_indicator_material . . . . .	224
6.60.1.56 abc_ratingbar_small_material . . . . .	224
6.60.1.57 abc_scrubber_control_off_mtrl_alpha . . . . .	224
6.60.1.58 abc_scrubber_control_to_pressed_mtrl_000 . . . . .	224
6.60.1.59 abc_scrubber_control_to_pressed_mtrl_005 . . . . .	224
6.60.1.60 abc_scrubber_primary_mtrl_alpha . . . . .	224
6.60.1.61 abc_scrubber_track_mtrl_alpha . . . . .	224
6.60.1.62 abc_seekbar_thumb_material . . . . .	225
6.60.1.63 abc_seekbar_track_material . . . . .	225
6.60.1.64 abc_spinner_mtrl_am_alpha . . . . .	225
6.60.1.65 abc_spinner_textfield_background_material . . . . .	225
6.60.1.66 abc_switch_thumb_material . . . . .	225
6.60.1.67 abc_switch_track_mtrl_alpha . . . . .	225

6.60.1.68 abc_tab_indicator_material . . . . .	225
6.60.1.69 abc_tab_indicator_mtrl_alpha . . . . .	225
6.60.1.70 abc_text_cursor_material . . . . .	226
6.60.1.71 abc_textfield_activated_mtrl_alpha . . . . .	226
6.60.1.72 abc_textfield_default_mtrl_alpha . . . . .	226
6.60.1.73 abc_textfield_search_activated_mtrl_alpha . . . . .	226
6.60.1.74 abc_textfield_search_default_mtrl_alpha . . . . .	226
6.60.1.75 abc_textfield_search_material . . . . .	226
6.60.1.76 design_fab_background . . . . .	226
6.60.1.77 design_snackbar_background . . . . .	226
6.60.1.78 ic_audiotrack . . . . .	227
6.60.1.79 ic_audiotrack_light . . . . .	227
6.60.1.80 ic_bluetooth_grey . . . . .	227
6.60.1.81 ic_bluetooth_white . . . . .	227
6.60.1.82 ic_cast_dark . . . . .	227
6.60.1.83 ic_cast_disabled_light . . . . .	227
6.60.1.84 ic_cast_grey . . . . .	227
6.60.1.85 ic_cast_light . . . . .	227
6.60.1.86 ic_cast_off_light . . . . .	228
6.60.1.87 ic_cast_on_0_light . . . . .	228
6.60.1.88 ic_cast_on_1_light . . . . .	228
6.60.1.89 ic_cast_on_2_light . . . . .	228
6.60.1.90 ic_cast_on_light . . . . .	228
6.60.1.91 ic_cast_white . . . . .	228
6.60.1.92 ic_close_dark . . . . .	228
6.60.1.93 ic_close_light . . . . .	228
6.60.1.94 ic_collapse . . . . .	229
6.60.1.95 ic_collapse_00000 . . . . .	229
6.60.1.96 ic_collapse_00001 . . . . .	229
6.60.1.97 ic_collapse_00002 . . . . .	229

6.60.1.98 ic_collapse_00003 . . . . .	229
6.60.1.99 ic_collapse_00004 . . . . .	229
6.60.1.100c_collapse_00005 . . . . .	229
6.60.1.101ic_collapse_00006 . . . . .	229
6.60.1.102c_collapse_00007 . . . . .	230
6.60.1.103c_collapse_00008 . . . . .	230
6.60.1.104c_collapse_00009 . . . . .	230
6.60.1.105c_collapse_00010 . . . . .	230
6.60.1.106c_collapse_00011 . . . . .	230
6.60.1.107c_collapse_00012 . . . . .	230
6.60.1.108c_collapse_00013 . . . . .	230
6.60.1.109c_collapse_00014 . . . . .	230
6.60.1.110c_collapse_00015 . . . . .	231
6.60.1.111ic_expand . . . . .	231
6.60.1.112c_expand_00000 . . . . .	231
6.60.1.113c_expand_00001 . . . . .	231
6.60.1.114c_expand_00002 . . . . .	231
6.60.1.115c_expand_00003 . . . . .	231
6.60.1.116c_expand_00004 . . . . .	231
6.60.1.117c_expand_00005 . . . . .	231
6.60.1.118c_expand_00006 . . . . .	232
6.60.1.119c_expand_00007 . . . . .	232
6.60.1.120c_expand_00008 . . . . .	232
6.60.1.121ic_expand_00009 . . . . .	232
6.60.1.122c_expand_00010 . . . . .	232
6.60.1.123c_expand_00011 . . . . .	232
6.60.1.124c_expand_00012 . . . . .	232
6.60.1.125c_expand_00013 . . . . .	232
6.60.1.126c_expand_00014 . . . . .	233
6.60.1.127c_expand_00015 . . . . .	233

6.60.1.128c_media_pause . . . . .	233
6.60.1.129c_media_play . . . . .	233
6.60.1.130c_media_route_disabled_mono_dark . . . . .	233
6.60.1.131c_media_route_off_mono_dark . . . . .	233
6.60.1.132c_media_route_on_0_mono_dark . . . . .	233
6.60.1.133c_media_route_on_1_mono_dark . . . . .	233
6.60.1.134c_media_route_on_2_mono_dark . . . . .	234
6.60.1.135c_media_route_on_mono_dark . . . . .	234
6.60.1.136c_pause_dark . . . . .	234
6.60.1.137c_pause_light . . . . .	234
6.60.1.138c_play_dark . . . . .	234
6.60.1.139c_play_light . . . . .	234
6.60.1.140c_speaker_dark . . . . .	234
6.60.1.141c_speaker_group_dark . . . . .	234
6.60.1.142c_speaker_group_light . . . . .	235
6.60.1.143c_speaker_light . . . . .	235
6.60.1.144c_tv_dark . . . . .	235
6.60.1.145c_tv_light . . . . .	235
6.60.1.146con . . . . .	235
6.60.1.147mr_dialog_material_background_dark . . . . .	235
6.60.1.148mr_dialog_material_background_light . . . . .	235
6.60.1.149mr_ic_audiotrack_light . . . . .	235
6.60.1.150mr_ic_cast_dark . . . . .	236
6.60.1.151mr_ic_cast_light . . . . .	236
6.60.1.152mr_ic_close_dark . . . . .	236
6.60.1.153mr_ic_close_light . . . . .	236
6.60.1.154mr_ic_media_route_connecting_mono_dark . . . . .	236
6.60.1.155mr_ic_media_route_connecting_mono_light . . . . .	236
6.60.1.156mr_ic_media_route_mono_dark . . . . .	236
6.60.1.157mr_ic_media_route_mono_light . . . . .	236

6.60.1.158	mr_ic_pause_dark . . . . .	237
6.60.1.159	mr_ic_pause_light . . . . .	237
6.60.1.160	mr_ic_play_dark . . . . .	237
6.60.1.161	mr_ic_play_light . . . . .	237
6.60.1.162	notification_template_icon_bg . . . . .	237
6.61	mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor Class Reference . . .	237
6.61.1	Constructor & Destructor Documentation . . . . .	238
6.61.1.1	DrawerLayout_DrawerListenerImplementor() . . . . .	238
6.61.2	Member Function Documentation . . . . .	238
6.61.2.1	monodroidAddReference() . . . . .	238
6.61.2.2	monodroidClearReferences() . . . . .	238
6.61.2.3	onDrawerClosed() . . . . .	238
6.61.2.4	onDrawerOpened() . . . . .	239
6.61.2.5	onDrawerSlide() . . . . .	239
6.61.2.6	onDrawerStateChanged() . . . . .	239
6.61.3	Member Data Documentation . . . . .	239
6.61.3.1	__md_methods . . . . .	239
6.62	md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText Class Reference . . . . .	239
6.62.1	Constructor & Destructor Documentation . . . . .	240
6.62.1.1	EditorEditText() [1/4] . . . . .	240
6.62.1.2	EditorEditText() [2/4] . . . . .	240
6.62.1.3	EditorEditText() [3/4] . . . . .	240
6.62.1.4	EditorEditText() [4/4] . . . . .	240
6.62.2	Member Function Documentation . . . . .	241
6.62.2.1	monodroidAddReference() . . . . .	241
6.62.2.2	monodroidClearReferences() . . . . .	241
6.62.3	Member Data Documentation . . . . .	241
6.62.3.1	__md_methods . . . . .	241
6.63	md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer Class Reference . . . . .	241
6.63.1	Constructor & Destructor Documentation . . . . .	242

6.63.1.1	EditorRenderer() [1/3]	242
6.63.1.2	EditorRenderer() [2/3]	242
6.63.1.3	EditorRenderer() [3/3]	242
6.63.2	Member Function Documentation	242
6.63.2.1	afterTextChanged()	242
6.63.2.2	beforeTextChanged()	243
6.63.2.3	monodroidAddReference()	243
6.63.2.4	monodroidClearReferences()	243
6.63.2.5	onTextChanged()	243
6.63.3	Member Data Documentation	243
6.63.3.1	__md_methods	243
6.64	md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText Class Reference	244
6.64.1	Constructor & Destructor Documentation	244
6.64.1.1	EntryCellEditText() [1/4]	244
6.64.1.2	EntryCellEditText() [2/4]	244
6.64.1.3	EntryCellEditText() [3/4]	245
6.64.1.4	EntryCellEditText() [4/4]	245
6.64.2	Member Function Documentation	245
6.64.2.1	monodroidAddReference()	245
6.64.2.2	monodroidClearReferences()	245
6.64.2.3	onFocusChanged()	245
6.64.2.4	onKeyPreIme()	245
6.64.3	Member Data Documentation	246
6.64.3.1	__md_methods	246
6.65	md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView Class Reference	246
6.65.1	Constructor & Destructor Documentation	246
6.65.1.1	EntryCellView() [1/4]	247
6.65.1.2	EntryCellView() [2/4]	247
6.65.1.3	EntryCellView() [3/4]	247
6.65.1.4	EntryCellView() [4/4]	247

6.65.2	Member Function Documentation . . . . .	247
6.65.2.1	afterTextChanged() . . . . .	247
6.65.2.2	beforeTextChanged() . . . . .	248
6.65.2.3	monodroidAddReference() . . . . .	248
6.65.2.4	monodroidClearReferences() . . . . .	248
6.65.2.5	onEditorAction() . . . . .	248
6.65.2.6	onFocusChange() . . . . .	248
6.65.2.7	onTextChanged() . . . . .	248
6.65.3	Member Data Documentation . . . . .	249
6.65.3.1	__md_methods . . . . .	249
6.66	md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText Class Reference . . . . .	249
6.66.1	Constructor & Destructor Documentation . . . . .	249
6.66.1.1	EntryEditText() [1/4] . . . . .	249
6.66.1.2	EntryEditText() [2/4] . . . . .	250
6.66.1.3	EntryEditText() [3/4] . . . . .	250
6.66.1.4	EntryEditText() [4/4] . . . . .	250
6.66.2	Member Function Documentation . . . . .	250
6.66.2.1	monodroidAddReference() . . . . .	250
6.66.2.2	monodroidClearReferences() . . . . .	250
6.66.3	Member Data Documentation . . . . .	250
6.66.3.1	__md_methods . . . . .	251
6.67	md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer Class Reference . . . . .	251
6.67.1	Constructor & Destructor Documentation . . . . .	251
6.67.1.1	EntryRenderer() [1/3] . . . . .	251
6.67.1.2	EntryRenderer() [2/3] . . . . .	252
6.67.1.3	EntryRenderer() [3/3] . . . . .	252
6.67.2	Member Function Documentation . . . . .	252
6.67.2.1	afterTextChanged() . . . . .	252
6.67.2.2	beforeTextChanged() . . . . .	252
6.67.2.3	monodroidAddReference() . . . . .	252



6.67.2.4	monodroidClearReferences()	252
6.67.2.5	onEditorAction()	253
6.67.2.6	onTextChanged()	253
6.67.3	Member Data Documentation	253
6.67.3.1	__md_methods	253
6.68	mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor Class Reference	253
6.68.1	Constructor & Destructor Documentation	254
6.68.1.1	FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor()	254
6.68.2	Member Function Documentation	254
6.68.2.1	monodroidAddReference()	254
6.68.2.2	monodroidClearReferences()	254
6.68.2.3	onFitSystemWindows()	254
6.68.3	Member Data Documentation	254
6.68.3.1	__md_methods	255
6.69	PROJEKT.Models.API.FixtureDTO Class Reference	255
6.69.1	Detailed Description	255
6.69.2	Property Documentation	255
6.69.2.1	AwayTeamName	255
6.69.2.2	Date	255
6.69.2.3	HomeTeamName	256
6.69.2.4	Result	256
6.69.2.5	Status	256
6.70	PROJEKT.ViewModels.FixtureItemViewModel Class Reference	256
6.70.1	Detailed Description	256
6.70.2	Constructor & Destructor Documentation	256
6.70.2.1	FixtureItemViewModel()	257
6.70.3	Member Function Documentation	257
6.70.3.1	DownloadData()	257
6.70.4	Property Documentation	257
6.70.4.1	Results	257

6.71	PROJEKT.Models.API.FixtureResultDTO Class Reference . . . . .	257
6.71.1	Detailed Description . . . . .	257
6.71.2	Property Documentation . . . . .	258
6.71.2.1	GoalsAwayTeam . . . . .	258
6.71.2.2	GoalsHomeTeam . . . . .	258
6.72	PROJEKT.Models.API.FixturesDTO Class Reference . . . . .	258
6.72.1	Detailed Description . . . . .	258
6.72.2	Property Documentation . . . . .	258
6.72.2.1	Fixtures . . . . .	258
6.73	PROJEKT.Views.Controls.FixturesItemView Class Reference . . . . .	259
6.73.1	Constructor & Destructor Documentation . . . . .	259
6.73.1.1	FixturesItemView() . . . . .	259
6.74	PROJEKT.Views.Controls.FixturesView Class Reference . . . . .	259
6.74.1	Constructor & Destructor Documentation . . . . .	260
6.74.1.1	FixturesView() . . . . .	260
6.75	md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan Class Reference . . . . .	260
6.75.1	Constructor & Destructor Documentation . . . . .	260
6.75.1.1	FormattedStringExtensions_FontSpan() . . . . .	260
6.75.2	Member Function Documentation . . . . .	261
6.75.2.1	monodroidAddReference() . . . . .	261
6.75.2.2	monodroidClearReferences() . . . . .	261
6.75.2.3	updateDrawState() . . . . .	261
6.75.2.4	updateMeasureState() . . . . .	261
6.75.3	Member Data Documentation . . . . .	261
6.75.3.1	__md_methods . . . . .	261
6.76	md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity Class Reference . . . . .	262
6.76.1	Constructor & Destructor Documentation . . . . .	262
6.76.1.1	FormsAppCompatActivity() . . . . .	262
6.76.2	Member Function Documentation . . . . .	262
6.76.2.1	monodroidAddReference() . . . . .	263

6.76.2.2	monodroidClearReferences()	263
6.76.2.3	onActivityResult()	263
6.76.2.4	onBackPressed()	263
6.76.2.5	onConfigurationChanged()	263
6.76.2.6	onCreate()	263
6.76.2.7	onDestroy()	263
6.76.2.8	onNewIntent()	264
6.76.2.9	onOptionsItemSelected()	264
6.76.2.10	onPause()	264
6.76.2.11	onRestart()	264
6.76.2.12	onResume()	264
6.76.2.13	onStart()	264
6.76.2.14	onStop()	264
6.76.2.15	onWindowAttributesChanged()	265
6.76.3	Member Data Documentation	265
6.76.3.1	__md_methods	265
6.77	md5b60feb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity Class Reference	265
6.77.1	Constructor & Destructor Documentation	266
6.77.1.1	FormsApplicationActivity()	266
6.77.2	Member Function Documentation	266
6.77.2.1	monodroidAddReference()	266
6.77.2.2	monodroidClearReferences()	266
6.77.2.3	onActivityResult()	266
6.77.2.4	onBackPressed()	266
6.77.2.5	onConfigurationChanged()	267
6.77.2.6	onCreate()	267
6.77.2.7	onDestroy()	267
6.77.2.8	onOptionsItemSelected()	267
6.77.2.9	onPause()	267
6.77.2.10	onPrepareOptionsMenu()	267

6.77.2.11	onRestart()	267
6.77.2.12	onResume()	268
6.77.2.13	onStart()	268
6.77.2.14	onStop()	268
6.77.3	Member Data Documentation	268
6.77.3.1	__md_methods	268
6.78	md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText Class Reference	268
6.78.1	Constructor & Destructor Documentation	269
6.78.1.1	FormsEditText() [1/4]	269
6.78.1.2	FormsEditText() [2/4]	269
6.78.1.3	FormsEditText() [3/4]	269
6.78.1.4	FormsEditText() [4/4]	270
6.78.2	Member Function Documentation	270
6.78.2.1	monodroidAddReference()	270
6.78.2.2	monodroidClearReferences()	270
6.78.2.3	onKeyPreIme()	270
6.78.2.4	requestFocus()	270
6.78.3	Member Data Documentation	270
6.78.3.1	__md_methods	271
6.79	md5270abb39e60627f0f200893b490a1ade.FormsPagerAdapter_1 Class Reference	271
6.79.1	Constructor & Destructor Documentation	271
6.79.1.1	FormsPagerAdapter_1()	271
6.79.2	Member Function Documentation	272
6.79.2.1	getCount()	272
6.79.2.2	getItem()	272
6.79.2.3	getItemId()	272
6.79.2.4	getItemPosition()	272
6.79.2.5	getPageTitle()	272
6.79.2.6	monodroidAddReference()	272
6.79.2.7	monodroidClearReferences()	273

6.79.2.8	restoreState()	273
6.79.3	Member Data Documentation	273
6.79.3.1	__md_methods	273
6.80	md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView Class Reference	273
6.80.1	Constructor & Destructor Documentation	274
6.80.1.1	FormsImageView() [1/4]	274
6.80.1.2	FormsImageView() [2/4]	274
6.80.1.3	FormsImageView() [3/4]	274
6.80.1.4	FormsImageView() [4/4]	274
6.80.2	Member Function Documentation	274
6.80.2.1	invalidate()	275
6.80.2.2	monodroidAddReference()	275
6.80.2.3	monodroidClearReferences()	275
6.80.3	Member Data Documentation	275
6.80.3.1	__md_methods	275
6.81	md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar Class Reference	275
6.81.1	Constructor & Destructor Documentation	276
6.81.1.1	FormsSeekBar() [1/4]	276
6.81.1.2	FormsSeekBar() [2/4]	276
6.81.1.3	FormsSeekBar() [3/4]	276
6.81.1.4	FormsSeekBar() [4/4]	277
6.81.2	Member Function Documentation	277
6.81.2.1	isPressed()	277
6.81.2.2	monodroidAddReference()	277
6.81.2.3	monodroidClearReferences()	277
6.81.2.4	onTouchEvent()	277
6.81.2.5	setPressed()	277
6.81.3	Member Data Documentation	277
6.81.3.1	__md_methods	278
6.82	md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView Class Reference	278

6.82.1	Constructor & Destructor Documentation . . . . .	278
6.82.1.1	FormsTextView() [1/4] . . . . .	278
6.82.1.2	FormsTextView() [2/4] . . . . .	279
6.82.1.3	FormsTextView() [3/4] . . . . .	279
6.82.1.4	FormsTextView() [4/4] . . . . .	279
6.82.2	Member Function Documentation . . . . .	279
6.82.2.1	invalidate() . . . . .	279
6.82.2.2	monodroidAddReference() . . . . .	279
6.82.2.3	monodroidClearReferences() . . . . .	279
6.82.3	Member Data Documentation . . . . .	280
6.82.3.1	__md_methods . . . . .	280
6.83	md5270abb39e60627f0f200893b490a1ade.FormsViewPager Class Reference . . . . .	280
6.83.1	Constructor & Destructor Documentation . . . . .	280
6.83.1.1	FormsViewPager() [1/2] . . . . .	280
6.83.1.2	FormsViewPager() [2/2] . . . . .	281
6.83.2	Member Function Documentation . . . . .	281
6.83.2.1	monodroidAddReference() . . . . .	281
6.83.2.2	monodroidClearReferences() . . . . .	281
6.83.2.3	onInterceptTouchEvent() . . . . .	281
6.83.2.4	onTouchEvent() . . . . .	281
6.83.3	Member Data Documentation . . . . .	281
6.83.3.1	__md_methods . . . . .	281
6.84	md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient Class Reference . . . . .	282
6.84.1	Constructor & Destructor Documentation . . . . .	282
6.84.1.1	FormsWebChromeClient() . . . . .	282
6.84.2	Member Function Documentation . . . . .	282
6.84.2.1	monodroidAddReference() . . . . .	282
6.84.2.2	monodroidClearReferences() . . . . .	282
6.84.2.3	onShowFileChooser() . . . . .	283
6.84.3	Member Data Documentation . . . . .	283

6.84.3.1	__md_methods	283
6.85	md5270abb39e60627f0f200893b490a1ade.FragmentContainer Class Reference	283
6.85.1	Constructor & Destructor Documentation	284
6.85.1.1	FragmentContainer()	284
6.85.2	Member Function Documentation	284
6.85.2.1	getUserVisibleHint()	284
6.85.2.2	monodroidAddReference()	284
6.85.2.3	monodroidClearReferences()	284
6.85.2.4	onCreateView()	284
6.85.2.5	onDestroyView()	284
6.85.2.6	onHiddenChanged()	285
6.85.2.7	onPause()	285
6.85.2.8	onResume()	285
6.85.2.9	setUserVisibleHint()	285
6.85.3	Member Data Documentation	285
6.85.3.1	__md_methods	285
6.86	mono.android.support.v4.app.FragmentManager_OnBackStackChangeListenerImplementor Class Reference	285
6.86.1	Constructor & Destructor Documentation	286
6.86.1.1	FragmentManager_OnBackStackChangeListenerImplementor()	286
6.86.2	Member Function Documentation	286
6.86.2.1	monodroidAddReference()	286
6.86.2.2	monodroidClearReferences()	286
6.86.2.3	onBackStackChanged()	286
6.86.3	Member Data Documentation	287
6.86.3.1	__md_methods	287
6.87	md5270abb39e60627f0f200893b490a1ade.FrameRenderer Class Reference	287
6.87.1	Constructor & Destructor Documentation	287
6.87.1.1	FrameRenderer() [1/3]	287
6.87.1.2	FrameRenderer() [2/3]	288
6.87.1.3	FrameRenderer() [3/3]	288

6.87.2	Member Function Documentation . . . . .	288
6.87.2.1	monodroidAddReference() . . . . .	288
6.87.2.2	monodroidClearReferences() . . . . .	288
6.87.3	Member Data Documentation . . . . .	288
6.87.3.1	__md_methods . . . . .	288
6.88	md57018357d52b54713cd814fbd5262dd1f.FrameRenderer Class Reference . . . . .	289
6.88.1	Constructor & Destructor Documentation . . . . .	289
6.88.1.1	FrameRenderer() [1/3] . . . . .	289
6.88.1.2	FrameRenderer() [2/3] . . . . .	289
6.88.1.3	FrameRenderer() [3/3] . . . . .	290
6.88.2	Member Function Documentation . . . . .	290
6.88.2.1	monodroidAddReference() . . . . .	290
6.88.2.2	monodroidClearReferences() . . . . .	290
6.88.2.3	onLayout() . . . . .	290
6.88.2.4	onTouchEvent() . . . . .	290
6.88.3	Member Data Documentation . . . . .	290
6.88.3.1	__md_methods . . . . .	291
6.89	md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer Class Reference . . . . .	291
6.89.1	Constructor & Destructor Documentation . . . . .	291
6.89.1.1	FrameRenderer() [1/3] . . . . .	291
6.89.1.2	FrameRenderer() [2/3] . . . . .	292
6.89.1.3	FrameRenderer() [3/3] . . . . .	292
6.89.2	Member Function Documentation . . . . .	292
6.89.2.1	monodroidAddReference() . . . . .	292
6.89.2.2	monodroidClearReferences() . . . . .	292
6.89.2.3	onTouchEvent() . . . . .	292
6.89.3	Member Data Documentation . . . . .	292
6.89.3.1	__md_methods . . . . .	292
6.90	md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable Class Reference . . . . .	293
6.90.1	Constructor & Destructor Documentation . . . . .	293



6.90.1.1	FrameRenderer_FrameDrawable()	293
6.90.2	Member Function Documentation	293
6.90.2.1	draw()	293
6.90.2.2	getOpacity()	294
6.90.2.3	isStateful()	294
6.90.2.4	monodroidAddReference()	294
6.90.2.5	monodroidClearReferences()	294
6.90.2.6	onStateChange()	294
6.90.2.7	setAlpha()	294
6.90.2.8	setColorFilter()	294
6.90.3	Member Data Documentation	295
6.90.3.1	__md_methods	295
6.91	md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener Class Reference	295
6.91.1	Constructor & Destructor Documentation	295
6.91.1.1	GenericAnimatorListener()	295
6.91.2	Member Function Documentation	296
6.91.2.1	finalize()	296
6.91.2.2	monodroidAddReference()	296
6.91.2.3	monodroidClearReferences()	296
6.91.2.4	onAnimationCancel()	296
6.91.2.5	onAnimationEnd()	296
6.91.2.6	onAnimationRepeat()	296
6.91.3	Member Data Documentation	296
6.91.3.1	__md_methods	297
6.92	md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericMenuClickListener Class Reference	297
6.92.1	Constructor & Destructor Documentation	297
6.92.1.1	GenericMenuClickListener()	297
6.92.2	Member Function Documentation	297
6.92.2.1	monodroidAddReference()	298
6.92.2.2	monodroidClearReferences()	298

6.92.2.3	onMenuItemClick()	298
6.92.3	Member Data Documentation	298
6.92.3.1	__md_methods	298
6.93	md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter Class Reference	298
6.93.1	Constructor & Destructor Documentation	299
6.93.1.1	GroupedListViewAdapter() [1/2]	299
6.93.1.2	GroupedListViewAdapter() [2/2]	299
6.93.2	Member Function Documentation	299
6.93.2.1	getPositionForSection()	299
6.93.2.2	getSectionForPosition()	299
6.93.2.3	getSections()	299
6.93.2.4	monodroidAddReference()	300
6.93.2.5	monodroidClearReferences()	300
6.93.3	Member Data Documentation	300
6.93.3.1	__md_methods	300
6.94	PROJEKT.Droid.Resource.Id Class Reference	300
6.94.1	Member Data Documentation	303
6.94.1.1	action0	303
6.94.1.2	action_bar	303
6.94.1.3	action_bar_activity_content	303
6.94.1.4	action_bar_container	304
6.94.1.5	action_bar_root	304
6.94.1.6	action_bar_spinner	304
6.94.1.7	action_bar_subtitle	304
6.94.1.8	action_bar_title	304
6.94.1.9	action_context_bar	304
6.94.1.10	action_divider	304
6.94.1.11	action_menu_divider	304
6.94.1.12	action_menu_presenter	305
6.94.1.13	action_mode_bar	305

6.94.1.14 action_mode_bar_stub . . . . .	305
6.94.1.15 action_mode_close_button . . . . .	305
6.94.1.16 activity_chooser_view_content . . . . .	305
6.94.1.17 alertTitle . . . . .	305
6.94.1.18 always . . . . .	305
6.94.1.19 beginning . . . . .	305
6.94.1.20 bottom . . . . .	306
6.94.1.21 buttonPanel . . . . .	306
6.94.1.22 cancel_action . . . . .	306
6.94.1.23 center . . . . .	306
6.94.1.24 center_horizontal . . . . .	306
6.94.1.25 center_vertical . . . . .	306
6.94.1.26 checkbox . . . . .	306
6.94.1.27 chronometer . . . . .	306
6.94.1.28 clip_horizontal . . . . .	307
6.94.1.29 clip_vertical . . . . .	307
6.94.1.30 collapseActionView . . . . .	307
6.94.1.31 contentPanel . . . . .	307
6.94.1.32 custom . . . . .	307
6.94.1.33 customPanel . . . . .	307
6.94.1.34 decor_content_parent . . . . .	307
6.94.1.35 default_activity_button . . . . .	307
6.94.1.36 design_bottom_sheet . . . . .	308
6.94.1.37 design_menu_item_action_area . . . . .	308
6.94.1.38 design_menu_item_action_area_stub . . . . .	308
6.94.1.39 design_menu_item_text . . . . .	308
6.94.1.40 design_navigation_view . . . . .	308
6.94.1.41 disableHome . . . . .	308
6.94.1.42 edit_query . . . . .	308
6.94.1.43 end . . . . .	308

6.94.1.44 end_padder . . . . .	309
6.94.1.45 enterAlways . . . . .	309
6.94.1.46 enterAlwaysCollapsed . . . . .	309
6.94.1.47 exitUntilCollapsed . . . . .	309
6.94.1.48 expand_activities_button . . . . .	309
6.94.1.49 expanded_menu . . . . .	309
6.94.1.50 fill . . . . .	309
6.94.1.51 fill_horizontal . . . . .	309
6.94.1.52 fill_vertical . . . . .	310
6.94.1.53 fixed . . . . .	310
6.94.1.54 home . . . . .	310
6.94.1.55 homeAsUp . . . . .	310
6.94.1.56 icon . . . . .	310
6.94.1.57 ifRoom . . . . .	310
6.94.1.58 image . . . . .	310
6.94.1.59 info . . . . .	310
6.94.1.60 item_touch_helper_previous_elevation . . . . .	311
6.94.1.61 left . . . . .	311
6.94.1.62 line1 . . . . .	311
6.94.1.63 line3 . . . . .	311
6.94.1.64 list_item . . . . .	311
6.94.1.65 listMode . . . . .	311
6.94.1.66 media_actions . . . . .	311
6.94.1.67 middle . . . . .	311
6.94.1.68 mini . . . . .	312
6.94.1.69 mr_art . . . . .	312
6.94.1.70 mr_chooser_list . . . . .	312
6.94.1.71 mr_chooser_route_desc . . . . .	312
6.94.1.72 mr_chooser_route_icon . . . . .	312
6.94.1.73 mr_chooser_route_name . . . . .	312

6.94.1.74 mr_close . . . . .	312
6.94.1.75 mr_control_divider . . . . .	312
6.94.1.76 mr_control_play_pause . . . . .	313
6.94.1.77 mr_control_subtitle . . . . .	313
6.94.1.78 mr_control_title . . . . .	313
6.94.1.79 mr_control_title_container . . . . .	313
6.94.1.80 mr_custom_control . . . . .	313
6.94.1.81 mr_default_control . . . . .	313
6.94.1.82 mr_dialog_area . . . . .	313
6.94.1.83 mr_expandable_area . . . . .	313
6.94.1.84 mr_group_expand_collapse . . . . .	314
6.94.1.85 mr_media_main_control . . . . .	314
6.94.1.86 mr_name . . . . .	314
6.94.1.87 mr_playback_control . . . . .	314
6.94.1.88 mr_title_bar . . . . .	314
6.94.1.89 mr_volume_control . . . . .	314
6.94.1.90 mr_volume_group_list . . . . .	314
6.94.1.91 mr_volume_item_icon . . . . .	314
6.94.1.92 mr_volume_slider . . . . .	315
6.94.1.93 multiply . . . . .	315
6.94.1.94 navigation_header_container . . . . .	315
6.94.1.95 never . . . . .	315
6.94.1.96 none . . . . .	315
6.94.1.97 normal . . . . .	315
6.94.1.98 parallax . . . . .	315
6.94.1.99 parentPanel . . . . .	315
6.94.1.100pin . . . . .	316
6.94.1.101progress_circular . . . . .	316
6.94.1.102progress_horizontal . . . . .	316
6.94.1.103radio . . . . .	316

6.94.1.104right . . . . .	316
6.94.1.105screen . . . . .	316
6.94.1.106scroll . . . . .	316
6.94.1.107scrollable . . . . .	316
6.94.1.108scrollIndicatorDown . . . . .	317
6.94.1.109scrollIndicatorUp . . . . .	317
6.94.1.110scrollView . . . . .	317
6.94.1.111search_badge . . . . .	317
6.94.1.112search_bar . . . . .	317
6.94.1.113search_button . . . . .	317
6.94.1.114search_close_btn . . . . .	317
6.94.1.115search_edit_frame . . . . .	317
6.94.1.116search_go_btn . . . . .	318
6.94.1.117search_mag_icon . . . . .	318
6.94.1.118search_plate . . . . .	318
6.94.1.119search_src_text . . . . .	318
6.94.1.120search_voice_btn . . . . .	318
6.94.1.121select_dialog_listview . . . . .	318
6.94.1.122shortcut . . . . .	318
6.94.1.123showCustom . . . . .	318
6.94.1.124showHome . . . . .	319
6.94.1.125showTitle . . . . .	319
6.94.1.126sliding_tabs . . . . .	319
6.94.1.127snackbar_action . . . . .	319
6.94.1.128snackbar_text . . . . .	319
6.94.1.129snap . . . . .	319
6.94.1.130spacer . . . . .	319
6.94.1.131split_action_bar . . . . .	319
6.94.1.132src_atop . . . . .	320
6.94.1.133src_in . . . . .	320

6.94.1.134	src_over . . . . .	320
6.94.1.135	start . . . . .	320
6.94.1.136	status_bar_latest_event_content . . . . .	320
6.94.1.137	submit_area . . . . .	320
6.94.1.138	tabMode . . . . .	320
6.94.1.139	text . . . . .	320
6.94.1.140	text2 . . . . .	321
6.94.1.141	textSpacerNoButtons . . . . .	321
6.94.1.142	time . . . . .	321
6.94.1.143	title . . . . .	321
6.94.1.144	title_template . . . . .	321
6.94.1.145	toolbar . . . . .	321
6.94.1.146	top . . . . .	321
6.94.1.147	topPanel . . . . .	321
6.94.1.148	touch_outside . . . . .	322
6.94.1.149	up . . . . .	322
6.94.1.150	useLogo . . . . .	322
6.94.1.151	view_offset_helper . . . . .	322
6.94.1.152	volume_item_container . . . . .	322
6.94.1.153	withText . . . . .	322
6.94.1.154	wrap_content . . . . .	322
6.95	PROJEKT.Models.Interfaces.IDownloadCompetition Interface Reference . . . . .	323
6.95.1	Detailed Description . . . . .	323
6.95.2	Member Function Documentation . . . . .	323
6.95.2.1	HttpCall() . . . . .	323
6.95.3	Property Documentation . . . . .	323
6.95.3.1	results . . . . .	323
6.96	PROJEKT.Models.Interfaces.IDownloadFixture Interface Reference . . . . .	324
6.96.1	Detailed Description . . . . .	324
6.96.2	Member Function Documentation . . . . .	324

6.96.2.1	HttpCall()	324
6.96.3	Property Documentation	324
6.96.3.1	results	324
6.97	PROJEKT.Models.Interfaces.IDownloadTeam Interface Reference	325
6.97.1	Detailed Description	325
6.97.2	Member Function Documentation	325
6.97.2.1	HttpCall()	325
6.97.3	Property Documentation	325
6.97.3.1	results	325
6.98	md57018357d52b54713cd814fbd5262dd1f.ImageRenderer Class Reference	326
6.98.1	Constructor & Destructor Documentation	326
6.98.1.1	ImageRenderer() [1/4]	326
6.98.1.2	ImageRenderer() [2/4]	326
6.98.1.3	ImageRenderer() [3/4]	327
6.98.1.4	ImageRenderer() [4/4]	327
6.98.2	Member Function Documentation	327
6.98.2.1	invalidate()	327
6.98.2.2	monodroidAddReference()	327
6.98.2.3	monodroidClearReferences()	327
6.98.2.4	onTouchEvent()	327
6.98.3	Member Data Documentation	328
6.98.3.1	__md_methods	328
6.99	md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer Class Reference	328
6.99.1	Constructor & Destructor Documentation	328
6.99.1.1	ImageRenderer() [1/3]	328
6.99.1.2	ImageRenderer() [2/3]	329
6.99.1.3	ImageRenderer() [3/3]	329
6.99.2	Member Function Documentation	329
6.99.2.1	monodroidAddReference()	329
6.99.2.2	monodroidClearReferences()	329



6.99.2.3	onTouchEvent()	329
6.99.3	Member Data Documentation	329
6.99.3.1	__md_methods	329
6.100	PROJEKT.Views.InitializationPage Class Reference	330
6.100.1	Constructor & Destructor Documentation	330
6.100.1.1	InitializationPage() [1/2]	330
6.100.1.2	InitializationPage() [2/2]	330
6.100.2	Member Function Documentation	330
6.100.2.1	OnAppearing()	330
6.101	PROJEKT.ViewModels.InitializationViewModel Class Reference	331
6.101.1	Detailed Description	331
6.101.2	Member Function Documentation	331
6.101.2.1	SizeChanged()	331
6.102	md5b60feb829f638581ab2bb9b1a7f4f3f.InnerGestureListener Class Reference	331
6.102.1	Constructor & Destructor Documentation	332
6.102.1.1	InnerGestureListener()	332
6.102.2	Member Function Documentation	332
6.102.2.1	monodroidAddReference()	332
6.102.2.2	monodroidClearReferences()	332
6.102.2.3	onDoubleTap()	332
6.102.2.4	onDoubleTapEvent()	332
6.102.2.5	onDown()	333
6.102.2.6	onFling()	333
6.102.2.7	onLongPress()	333
6.102.2.8	onScroll()	333
6.102.2.9	onShowPress()	333
6.102.2.10	onSingleTapConfirmed()	333
6.102.2.11	onSingleTapUp()	334
6.102.3	Member Data Documentation	334
6.102.3.1	__md_methods	334

6.103md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener Class Reference . . . . .	334
6.103.1 Constructor & Destructor Documentation . . . . .	334
6.103.1.1 InnerScaleListener() . . . . .	335
6.103.2 Member Function Documentation . . . . .	335
6.103.2.1 monodroidAddReference() . . . . .	335
6.103.2.2 monodroidClearReferences() . . . . .	335
6.103.2.3 onScale() . . . . .	335
6.103.2.4 onScaleBegin() . . . . .	335
6.103.2.5 onScaleEnd() . . . . .	335
6.103.3 Member Data Documentation . . . . .	335
6.103.3.1 __md_methods . . . . .	336
6.104PROJEKT.Droid.Resource.Integer Class Reference . . . . .	336
6.104.1 Member Data Documentation . . . . .	336
6.104.1.1 abc_config_activityDefaultDur . . . . .	336
6.104.1.2 abc_config_activityShortDur . . . . .	336
6.104.1.3 abc_max_action_buttons . . . . .	336
6.104.1.4 bottom_sheet_slide_duration . . . . .	337
6.104.1.5 cancel_button_image_alpha . . . . .	337
6.104.1.6 design_snackbar_text_max_lines . . . . .	337
6.104.1.7 mr_controller_volume_group_list_animation_duration_ms . . . . .	337
6.104.1.8 mr_controller_volume_group_list_fade_in_duration_ms . . . . .	337
6.104.1.9 mr_controller_volume_group_list_fade_out_duration_ms . . . . .	337
6.104.1.10status_bar_notification_info_maxnum . . . . .	337
6.105PROJEKT.Droid.Resource.Interpolator Class Reference . . . . .	338
6.105.1 Member Data Documentation . . . . .	338
6.105.1.1 mr_fast_out_slow_in . . . . .	338
6.105.1.2 mr_linear_out_slow_in . . . . .	338
6.106PROJEKT.Models.Interfaces.IStreamService Interface Reference . . . . .	338
6.106.1 Detailed Description . . . . .	338
6.106.2 Member Function Documentation . . . . .	339

6.106.2.1 GetStream() . . . . .	339
6.107md57018357d52b54713cd814fbd5262dd1f.LabelRenderer Class Reference . . . . .	339
6.107.1 Constructor & Destructor Documentation . . . . .	339
6.107.1.1 LabelRenderer() [1/4] . . . . .	340
6.107.1.2 LabelRenderer() [2/4] . . . . .	340
6.107.1.3 LabelRenderer() [3/4] . . . . .	340
6.107.1.4 LabelRenderer() [4/4] . . . . .	340
6.107.2 Member Function Documentation . . . . .	340
6.107.2.1 monodroidAddReference() . . . . .	340
6.107.2.2 monodroidClearReferences() . . . . .	340
6.107.2.3 onTouchEvent() . . . . .	341
6.107.3 Member Data Documentation . . . . .	341
6.107.3.1 __md_methods . . . . .	341
6.108md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer Class Reference . . . . .	341
6.108.1 Constructor & Destructor Documentation . . . . .	341
6.108.1.1 LabelRenderer() [1/3] . . . . .	342
6.108.1.2 LabelRenderer() [2/3] . . . . .	342
6.108.1.3 LabelRenderer() [3/3] . . . . .	342
6.108.2 Member Function Documentation . . . . .	342
6.108.2.1 monodroidAddReference() . . . . .	342
6.108.2.2 monodroidClearReferences() . . . . .	342
6.108.2.3 onTouchEvent() . . . . .	342
6.108.3 Member Data Documentation . . . . .	343
6.108.3.1 __md_methods . . . . .	343
6.109PROJEKT.Droid.Resource.Layout Class Reference . . . . .	343
6.109.1 Member Data Documentation . . . . .	344
6.109.1.1 abc_action_bar_title_item . . . . .	344
6.109.1.2 abc_action_bar_up_container . . . . .	344
6.109.1.3 abc_action_bar_view_list_nav_layout . . . . .	344
6.109.1.4 abc_action_menu_item_layout . . . . .	345

6.109.1.5 abc_action_menu_layout . . . . .	345
6.109.1.6 abc_action_mode_bar . . . . .	345
6.109.1.7 abc_action_mode_close_item_material . . . . .	345
6.109.1.8 abc_activity_chooser_view . . . . .	345
6.109.1.9 abc_activity_chooser_view_list_item . . . . .	345
6.109.1.10abc_alert_dialog_button_bar_material . . . . .	345
6.109.1.11abc_alert_dialog_material . . . . .	345
6.109.1.12abc_dialog_title_material . . . . .	346
6.109.1.13abc_expanded_menu_layout . . . . .	346
6.109.1.14abc_list_menu_item_checkbox . . . . .	346
6.109.1.15abc_list_menu_item_icon . . . . .	346
6.109.1.16abc_list_menu_item_layout . . . . .	346
6.109.1.17abc_list_menu_item_radio . . . . .	346
6.109.1.18abc_popup_menu_item_layout . . . . .	346
6.109.1.19abc_screen_content_include . . . . .	346
6.109.1.20abc_screen_simple . . . . .	347
6.109.1.21abc_screen_simple_overlay_action_mode . . . . .	347
6.109.1.22abc_screen_toolbar . . . . .	347
6.109.1.23abc_search_dropdown_item_icons_2line . . . . .	347
6.109.1.24abc_search_view . . . . .	347
6.109.1.25abc_select_dialog_material . . . . .	347
6.109.1.26design_bottom_sheet_dialog . . . . .	347
6.109.1.27design_layout_snackbar . . . . .	347
6.109.1.28design_layout_snackbar_include . . . . .	348
6.109.1.29design_layout_tab_icon . . . . .	348
6.109.1.30design_layout_tab_text . . . . .	348
6.109.1.31design_menu_item_action_area . . . . .	348
6.109.1.32design_navigation_item . . . . .	348
6.109.1.33design_navigation_item_header . . . . .	348
6.109.1.34design_navigation_item_separator . . . . .	348

6.109.1.35	design_navigation_item_subheader . . . . .	348
6.109.1.36	design_navigation_menu . . . . .	349
6.109.1.37	design_navigation_menu_item . . . . .	349
6.109.1.38	mr_chooser_dialog . . . . .	349
6.109.1.39	mr_chooser_list_item . . . . .	349
6.109.1.40	mr_controller_material_dialog_b . . . . .	349
6.109.1.41	mr_controller_volume_item . . . . .	349
6.109.1.42	mr_playback_control . . . . .	349
6.109.1.43	mr_volume_control . . . . .	349
6.109.1.44	notification_media_action . . . . .	350
6.109.1.45	notification_media_cancel_action . . . . .	350
6.109.1.46	notification_template_big_media . . . . .	350
6.109.1.47	notification_template_big_media_narrow . . . . .	350
6.109.1.48	notification_template_lines . . . . .	350
6.109.1.49	notification_template_media . . . . .	350
6.109.1.50	notification_template_part_chronometer . . . . .	350
6.109.1.51	notification_template_part_time . . . . .	350
6.109.1.52	select_dialog_item_material . . . . .	351
6.109.1.53	select_dialog_multichoice_material . . . . .	351
6.109.1.54	select_dialog_singlechoice_material . . . . .	351
6.109.1.55	support_simple_spinner_dropdown_item . . . . .	351
6.109.1.56	Tabbar . . . . .	351
6.109.1.57	Toolbar . . . . .	351
6.110	PROJEKT.Models.API.LeagueDTO Class Reference . . . . .	351
6.110.1	Detailed Description . . . . .	352
6.110.2	Property Documentation . . . . .	352
6.110.2.1	Draws . . . . .	352
6.110.2.2	Goals . . . . .	352
6.110.2.3	Losses . . . . .	352
6.110.2.4	PlayedGames . . . . .	352

6.110.2.5 Points . . . . .	353
6.110.2.6 Position . . . . .	353
6.110.2.7 TeamName . . . . .	353
6.110.2.8 Wins . . . . .	353
6.111PROJEKT.Views.Controls.LeagueItemView Class Reference . . . . .	353
6.111.1 Constructor & Destructor Documentation . . . . .	353
6.111.1.1 LeagueItemView() . . . . .	354
6.112PROJEKT.ViewModels.LeagueItemViewModel Class Reference . . . . .	354
6.112.1 Detailed Description . . . . .	354
6.112.2 Constructor & Destructor Documentation . . . . .	354
6.112.2.1 LeagueItemViewModel() . . . . .	354
6.112.3 Member Function Documentation . . . . .	354
6.112.3.1 DownloadData() . . . . .	355
6.112.4 Property Documentation . . . . .	355
6.112.4.1 Results . . . . .	355
6.113PROJEKT.Models.API.LeaguesDTO Class Reference . . . . .	355
6.113.1 Detailed Description . . . . .	355
6.113.2 Property Documentation . . . . .	355
6.113.2.1 League . . . . .	355
6.114PROJEKT.Views.Controls.LeagueView Class Reference . . . . .	356
6.114.1 Constructor & Destructor Documentation . . . . .	356
6.114.1.1 LeagueView() . . . . .	356
6.115PROJEKT.ViewModels.LeagueViewModel Class Reference . . . . .	356
6.115.1 Detailed Description . . . . .	357
6.115.2 Property Documentation . . . . .	357
6.115.2.1 Draws . . . . .	357
6.115.2.2 Goals . . . . .	357
6.115.2.3 Losses . . . . .	357
6.115.2.4 PlayedGames . . . . .	357
6.115.2.5 Points . . . . .	357

6.115.2.6 Position . . . . .	357
6.115.2.7 TeamName . . . . .	358
6.115.2.8 Wins . . . . .	358
6.116md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer Class Reference . . . . .	358
6.116.1 Constructor & Destructor Documentation . . . . .	358
6.116.1.1 ListRenderer() [1/3] . . . . .	358
6.116.1.2 ListRenderer() [2/3] . . . . .	359
6.116.1.3 ListRenderer() [3/3] . . . . .	359
6.116.2 Member Function Documentation . . . . .	359
6.116.2.1 monodroidAddReference() . . . . .	359
6.116.2.2 monodroidClearReferences() . . . . .	359
6.116.3 Member Data Documentation . . . . .	359
6.116.3.1 __md_methods . . . . .	359
6.117PROJEKT.Droid.Renderers.ListRenderer Class Reference . . . . .	360
6.117.1 Member Function Documentation . . . . .	360
6.117.1.1 OnElementChanged() . . . . .	360
6.118md5b60feb829f638581ab2bb9b1a7f4f3f.ListViewAdapter Class Reference . . . . .	360
6.118.1 Constructor & Destructor Documentation . . . . .	361
6.118.1.1 ListViewAdapter() [1/2] . . . . .	361
6.118.1.2 ListViewAdapter() [2/2] . . . . .	361
6.118.2 Member Function Documentation . . . . .	361
6.118.2.1 areAllItemsEnabled() . . . . .	361
6.118.2.2 getCount() . . . . .	361
6.118.2.3 getItem() . . . . .	361
6.118.2.4 getItemId() . . . . .	362
6.118.2.5 getItemViewType() . . . . .	362
6.118.2.6 getView() . . . . .	362
6.118.2.7 getViewTypeCount() . . . . .	362
6.118.2.8 hasStableIds() . . . . .	362
6.118.2.9 isEnabled() . . . . .	362

6.118.2.10monodroidAddReference()	362
6.118.2.11monodroidClearReferences()	363
6.118.3 Member Data Documentation	363
6.118.3.1 __md_methods	363
6.119md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer Class Reference	363
6.119.1 Constructor & Destructor Documentation	363
6.119.1.1 ListViewRenderer() [1/3]	364
6.119.1.2 ListViewRenderer() [2/3]	364
6.119.1.3 ListViewRenderer() [3/3]	364
6.119.2 Member Function Documentation	364
6.119.2.1 monodroidAddReference()	364
6.119.2.2 monodroidClearReferences()	364
6.119.2.3 onAttachedToWindow()	364
6.119.2.4 onDetachedFromWindow()	365
6.119.2.5 onLayout()	365
6.119.2.6 onRefresh()	365
6.119.3 Member Data Documentation	365
6.119.3.1 __md_methods	365
6.120md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container Class Reference	365
6.120.1 Constructor & Destructor Documentation	366
6.120.1.1 ListViewRenderer_Container() [1/4]	366
6.120.1.2 ListViewRenderer_Container() [2/4]	366
6.120.1.3 ListViewRenderer_Container() [3/4]	366
6.120.1.4 ListViewRenderer_Container() [4/4]	367
6.120.2 Member Function Documentation	367
6.120.2.1 monodroidAddReference()	367
6.120.2.2 monodroidClearReferences()	367
6.120.2.3 onLayout()	367
6.120.2.4 onMeasure()	367
6.120.3 Member Data Documentation	367



6.120.3.1 __md_methods . . . . .	368
6.121 mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor Class Reference .	368
6.121.1 Constructor & Destructor Documentation . . . . .	368
6.121.1.1 Loader_OnLoadCanceledListenerImplementor() . . . . .	368
6.121.2 Member Function Documentation . . . . .	368
6.121.2.1 monodroidAddReference() . . . . .	369
6.121.2.2 monodroidClearReferences() . . . . .	369
6.121.2.3 onLoadCanceled() . . . . .	369
6.121.3 Member Data Documentation . . . . .	369
6.121.3.1 __md_methods . . . . .	369
6.122 mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor Class Reference .	369
6.122.1 Constructor & Destructor Documentation . . . . .	370
6.122.1.1 Loader_OnLoadCompleteListenerImplementor() . . . . .	370
6.122.2 Member Function Documentation . . . . .	370
6.122.2.1 monodroidAddReference() . . . . .	370
6.122.2.2 monodroidClearReferences() . . . . .	370
6.122.2.3 onLoadComplete() . . . . .	370
6.122.3 Member Data Documentation . . . . .	371
6.122.3.1 __md_methods . . . . .	371
6.123 md5b60feb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener Class Reference . . . . .	371
6.123.1 Constructor & Destructor Documentation . . . . .	371
6.123.1.1 LocalizedDigitsKeyListener() [1/2] . . . . .	372
6.123.1.2 LocalizedDigitsKeyListener() [2/2] . . . . .	372
6.123.2 Member Function Documentation . . . . .	372
6.123.2.1 filter() . . . . .	372
6.123.2.2 getAcceptedChars() . . . . .	372
6.123.2.3 getInputType() . . . . .	372
6.123.2.4 monodroidAddReference() . . . . .	372
6.123.2.5 monodroidClearReferences() . . . . .	373
6.123.3 Member Data Documentation . . . . .	373

6.123.3.1 __md_methods . . . . .	373
6.124PROJEKT.Droid.MainActivity Class Reference . . . . .	373
6.124.1 Member Function Documentation . . . . .	373
6.124.1.1 OnCreate() . . . . .	373
6.125md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity Class Reference . . . . .	374
6.125.1 Constructor & Destructor Documentation . . . . .	374
6.125.1.1 MainActivity() . . . . .	374
6.125.2 Member Function Documentation . . . . .	374
6.125.2.1 monodroidAddReference() . . . . .	374
6.125.2.2 monodroidClearReferences() . . . . .	374
6.125.2.3 onCreate() . . . . .	375
6.125.3 Member Data Documentation . . . . .	375
6.125.3.1 __md_methods . . . . .	375
6.126md5270abb39e60627f0f200893b490a1ade.MasterDetailContainer Class Reference . . . . .	375
6.126.1 Constructor & Destructor Documentation . . . . .	376
6.126.1.1 MasterDetailContainer() [1/4] . . . . .	376
6.126.1.2 MasterDetailContainer() [2/4] . . . . .	376
6.126.1.3 MasterDetailContainer() [3/4] . . . . .	376
6.126.1.4 MasterDetailContainer() [4/4] . . . . .	376
6.126.2 Member Function Documentation . . . . .	376
6.126.2.1 monodroidAddReference() . . . . .	376
6.126.2.2 monodroidClearReferences() . . . . .	377
6.126.2.3 onLayout() . . . . .	377
6.126.3 Member Data Documentation . . . . .	377
6.126.3.1 __md_methods . . . . .	377
6.127md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer Class Reference . . . . .	377
6.127.1 Constructor & Destructor Documentation . . . . .	378
6.127.1.1 MasterDetailContainer() [1/4] . . . . .	378
6.127.1.2 MasterDetailContainer() [2/4] . . . . .	378
6.127.1.3 MasterDetailContainer() [3/4] . . . . .	378

6.127.1.4 MasterDetailContainer() [ 4 / 4 ] . . . . .	378
6.127.2 Member Function Documentation . . . . .	378
6.127.2.1 monodroidAddReference() . . . . .	379
6.127.2.2 monodroidClearReferences() . . . . .	379
6.127.2.3 onInterceptTouchEvent() . . . . .	379
6.127.2.4 onLayout() . . . . .	379
6.127.3 Member Data Documentation . . . . .	379
6.127.3.1 __md_methods . . . . .	379
6.128md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer Class Reference . . . . .	380
6.128.1 Constructor & Destructor Documentation . . . . .	380
6.128.1.1 MasterDetailPageRenderer() [ 1 / 3 ] . . . . .	380
6.128.1.2 MasterDetailPageRenderer() [ 2 / 3 ] . . . . .	380
6.128.1.3 MasterDetailPageRenderer() [ 3 / 3 ] . . . . .	381
6.128.2 Member Function Documentation . . . . .	381
6.128.2.1 monodroidAddReference() . . . . .	381
6.128.2.2 monodroidClearReferences() . . . . .	381
6.128.2.3 onAttachedToWindow() . . . . .	381
6.128.2.4 onDetachedFromWindow() . . . . .	381
6.128.2.5 onDrawerClosed() . . . . .	381
6.128.2.6 onDrawerOpened() . . . . .	381
6.128.2.7 onDrawerSlide() . . . . .	382
6.128.2.8 onDrawerStateChanged() . . . . .	382
6.128.2.9 onLayout() . . . . .	382
6.128.3 Member Data Documentation . . . . .	382
6.128.3.1 __md_methods . . . . .	382
6.129md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer Class Reference . . . . .	382
6.129.1 Constructor & Destructor Documentation . . . . .	383
6.129.1.1 MasterDetailRenderer() [ 1 / 3 ] . . . . .	383
6.129.1.2 MasterDetailRenderer() [ 2 / 3 ] . . . . .	383
6.129.1.3 MasterDetailRenderer() [ 3 / 3 ] . . . . .	383

6.129.2 Member Function Documentation . . . . .	384
6.129.2.1 monodroidAddReference() . . . . .	384
6.129.2.2 monodroidClearReferences() . . . . .	384
6.129.2.3 onAttachedToWindow() . . . . .	384
6.129.2.4 onDetachedFromWindow() . . . . .	384
6.129.2.5 onDrawerClosed() . . . . .	384
6.129.2.6 onDrawerOpened() . . . . .	384
6.129.2.7 onDrawerSlide() . . . . .	385
6.129.2.8 onDrawerStateChanged() . . . . .	385
6.129.2.9 onLayout() . . . . .	385
6.129.3 Member Data Documentation . . . . .	385
6.129.3.1 __md_methods . . . . .	385
6.130 mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListenerImplementor Class Reference . . . . .	385
6.130.1 Constructor & Destructor Documentation . . . . .	386
6.130.1.1 MediaSessionCompat_OnActiveChangeListenerImplementor() . . . . .	386
6.130.2 Member Function Documentation . . . . .	386
6.130.2.1 monodroidAddReference() . . . . .	386
6.130.2.2 monodroidClearReferences() . . . . .	386
6.130.2.3 onActiveChanged() . . . . .	386
6.130.3 Member Data Documentation . . . . .	387
6.130.3.1 __md_methods . . . . .	387
6.131 mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor Class Reference . . . . .	387
6.131.1 Constructor & Destructor Documentation . . . . .	387
6.131.1.1 MenuItemCompat_OnActionExpandListenerImplementor() . . . . .	387
6.131.2 Member Function Documentation . . . . .	388
6.131.2.1 monodroidAddReference() . . . . .	388
6.131.2.2 monodroidClearReferences() . . . . .	388
6.131.2.3 onMenuItemActionCollapse() . . . . .	388
6.131.2.4 onMenuItemActionExpand() . . . . .	388

6.131.3 Member Data Documentation . . . . .	388
6.131.3.1 __md_methods . . . . .	388
6.132mono.MonoPackageManager Class Reference . . . . .	389
6.132.1 Member Function Documentation . . . . .	389
6.132.1.1 getApiPackageName() . . . . .	389
6.132.1.2 getAssemblies() . . . . .	389
6.132.1.3 getDependencies() . . . . .	389
6.132.1.4 LoadApplication() . . . . .	389
6.132.1.5 setContext() . . . . .	389
6.133mono.MonoRuntimeProvider Class Reference . . . . .	390
6.133.1 Constructor & Destructor Documentation . . . . .	390
6.133.1.1 MonoRuntimeProvider() . . . . .	390
6.133.2 Member Function Documentation . . . . .	390
6.133.2.1 attachInfo() . . . . .	390
6.133.2.2 delete() . . . . .	391
6.133.2.3 getType() . . . . .	391
6.133.2.4 insert() . . . . .	391
6.133.2.5 onCreate() . . . . .	391
6.133.2.6 query() . . . . .	391
6.133.2.7 update() . . . . .	391
6.134PROJEKT.Views.Controls.MyCarouselView Class Reference . . . . .	392
6.134.1 Detailed Description . . . . .	392
6.134.2 Constructor & Destructor Documentation . . . . .	392
6.134.2.1 MyCarouselView() . . . . .	392
6.134.3 Member Function Documentation . . . . .	393
6.134.3.1 ChangeBackground() . . . . .	393
6.134.4 Member Data Documentation . . . . .	393
6.134.4.1 ItemsSourceProperty . . . . .	393
6.134.4.2 SelectedIndexProperty . . . . .	393
6.134.4.3 SelectedItemProperty . . . . .	394

6.134.5 Property Documentation . . . . .	394
6.134.5.1 Children . . . . .	394
6.134.5.2 ItemsSource . . . . .	394
6.134.5.3 ItemTemplate . . . . .	394
6.134.5.4 page . . . . .	394
6.134.5.5 SelectedIndex . . . . .	394
6.134.5.6 SelectedItem . . . . .	395
6.135PROJEKT.Views.Controls.MyListView Class Reference . . . . .	395
6.135.1 Detailed Description . . . . .	395
6.136md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer Class Reference . . . . .	395
6.136.1 Constructor & Destructor Documentation . . . . .	396
6.136.1.1 NativeViewWrapperRenderer() [1/3] . . . . .	396
6.136.1.2 NativeViewWrapperRenderer() [2/3] . . . . .	396
6.136.1.3 NativeViewWrapperRenderer() [3/3] . . . . .	396
6.136.2 Member Function Documentation . . . . .	396
6.136.2.1 monodroidAddReference() . . . . .	396
6.136.2.2 monodroidClearReferences() . . . . .	396
6.136.2.3 onLayout() . . . . .	397
6.136.2.4 onMeasure() . . . . .	397
6.136.3 Member Data Documentation . . . . .	397
6.136.3.1 __md_methods . . . . .	397
6.137md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer Class Reference . . . . .	397
6.137.1 Constructor & Destructor Documentation . . . . .	398
6.137.1.1 NavigationMenuRenderer() [1/3] . . . . .	398
6.137.1.2 NavigationMenuRenderer() [2/3] . . . . .	398
6.137.1.3 NavigationMenuRenderer() [3/3] . . . . .	398
6.137.2 Member Function Documentation . . . . .	398
6.137.2.1 monodroidAddReference() . . . . .	398
6.137.2.2 monodroidClearReferences() . . . . .	398
6.137.2.3 onSizeChanged() . . . . .	399

6.137.3 Member Data Documentation . . . . .	399
6.137.3.1 __md_methods . . . . .	399
6.138md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuAdapter Class Reference	399
6.138.1 Constructor & Destructor Documentation . . . . .	400
6.138.1.1 NavigationMenuRenderer_MenuAdapter() . . . . .	400
6.138.2 Member Function Documentation . . . . .	400
6.138.2.1 getCount() . . . . .	400
6.138.2.2 getItem() . . . . .	400
6.138.2.3 getItemId() . . . . .	400
6.138.2.4 getView() . . . . .	400
6.138.2.5 monodroidAddReference() . . . . .	401
6.138.2.6 monodroidClearReferences() . . . . .	401
6.138.3 Member Data Documentation . . . . .	401
6.138.3.1 __md_methods . . . . .	401
6.139md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView Class Reference	401
6.139.1 Constructor & Destructor Documentation . . . . .	402
6.139.1.1 NavigationMenuRenderer_MenuElementView() [1/4] . . . . .	402
6.139.1.2 NavigationMenuRenderer_MenuElementView() [2/4] . . . . .	402
6.139.1.3 NavigationMenuRenderer_MenuElementView() [3/4] . . . . .	402
6.139.1.4 NavigationMenuRenderer_MenuElementView() [4/4] . . . . .	402
6.139.2 Member Function Documentation . . . . .	402
6.139.2.1 monodroidAddReference() . . . . .	403
6.139.2.2 monodroidClearReferences() . . . . .	403
6.139.3 Member Data Documentation . . . . .	403
6.139.3.1 __md_methods . . . . .	403
6.140md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer Class Reference . . . . .	403
6.140.1 Constructor & Destructor Documentation . . . . .	404
6.140.1.1 NavigationPageRenderer() [1/3] . . . . .	404
6.140.1.2 NavigationPageRenderer() [2/3] . . . . .	404
6.140.1.3 NavigationPageRenderer() [3/3] . . . . .	404

6.140.2 Member Function Documentation . . . . .	404
6.140.2.1 monodroidAddReference() . . . . .	404
6.140.2.2 monodroidClearReferences() . . . . .	404
6.140.2.3 onAttachedToWindow() . . . . .	405
6.140.2.4 onClick() . . . . .	405
6.140.2.5 onDetachedFromWindow() . . . . .	405
6.140.2.6 onLayout() . . . . .	405
6.140.3 Member Data Documentation . . . . .	405
6.140.3.1 __md_methods . . . . .	405
6.141md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_ClickListener Class Reference	405
6.141.1 Constructor & Destructor Documentation . . . . .	406
6.141.1.1 NavigationPageRenderer_ClickListener() . . . . .	406
6.141.2 Member Function Documentation . . . . .	406
6.141.2.1 monodroidAddReference() . . . . .	406
6.141.2.2 monodroidClearReferences() . . . . .	406
6.141.2.3 onClick() . . . . .	406
6.141.3 Member Data Documentation . . . . .	407
6.141.3.1 __md_methods . . . . .	407
6.142md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_DrawerMultiplexedListener Class Reference . . . . .	407
6.142.1 Constructor & Destructor Documentation . . . . .	407
6.142.1.1 NavigationPageRenderer_DrawerMultiplexedListener() . . . . .	407
6.142.2 Member Function Documentation . . . . .	408
6.142.2.1 monodroidAddReference() . . . . .	408
6.142.2.2 monodroidClearReferences() . . . . .	408
6.142.2.3 onDrawerClosed() . . . . .	408
6.142.2.4 onDrawerOpened() . . . . .	408
6.142.2.5 onDrawerSlide() . . . . .	408
6.142.2.6 onDrawerStateChanged() . . . . .	408
6.142.3 Member Data Documentation . . . . .	409
6.142.3.1 __md_methods . . . . .	409



6.143md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer Class Reference . . . . .	409
6.143.1 Constructor & Destructor Documentation . . . . .	409
6.143.1.1 NavigationRenderer() [1/3] . . . . .	410
6.143.1.2 NavigationRenderer() [2/3] . . . . .	410
6.143.1.3 NavigationRenderer() [3/3] . . . . .	410
6.143.2 Member Function Documentation . . . . .	410
6.143.2.1 monodroidAddReference() . . . . .	410
6.143.2.2 monodroidClearReferences() . . . . .	410
6.143.2.3 onAttachedToWindow() . . . . .	410
6.143.2.4 onDetachedFromWindow() . . . . .	411
6.143.2.5 onLayout() . . . . .	411
6.143.3 Member Data Documentation . . . . .	411
6.143.3.1 __md_methods . . . . .	411
6.144mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListenerImplementor Class Reference . . . . .	411
6.144.1 Constructor & Destructor Documentation . . . . .	412
6.144.1.1 NavigationView_OnNavigationItemSelectedListenerImplementor() . . . . .	412
6.144.2 Member Function Documentation . . . . .	412
6.144.2.1 monodroidAddReference() . . . . .	412
6.144.2.2 monodroidClearReferences() . . . . .	412
6.144.2.3 onNavigationItemSelectedListener() . . . . .	412
6.144.3 Member Data Documentation . . . . .	412
6.144.3.1 __md_methods . . . . .	413
6.145mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor      Class Reference . . . . .	413
6.145.1 Constructor & Destructor Documentation . . . . .	413
6.145.1.1 NestedScrollView_OnScrollChangeListenerImplementor() . . . . .	413
6.145.2 Member Function Documentation . . . . .	413
6.145.2.1 monodroidAddReference() . . . . .	414
6.145.2.2 monodroidClearReferences() . . . . .	414
6.145.2.3 onScrollChange() . . . . .	414

6.145.3 Member Data Documentation . . . . .	414
6.145.3.1 __md_methods . . . . .	414
6.146mono.android.app.NotifyTimeZoneChanges Class Reference . . . . .	414
6.146.1 Member Function Documentation . . . . .	415
6.146.1.1 onReceive() . . . . .	415
6.147md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox_1 Class Reference . . . . .	415
6.147.1 Constructor & Destructor Documentation . . . . .	415
6.147.1.1 ObjectJavaBox_1() . . . . .	416
6.147.2 Member Function Documentation . . . . .	416
6.147.2.1 monodroidAddReference() . . . . .	416
6.147.2.2 monodroidClearReferences() . . . . .	416
6.147.3 Member Data Documentation . . . . .	416
6.147.3.1 __md_methods . . . . .	416
6.148mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor Class Reference . . . . .	416
6.148.1 Constructor & Destructor Documentation . . . . .	417
6.148.1.1 OnApplyWindowInsetsListenerImplementor() . . . . .	417
6.148.2 Member Function Documentation . . . . .	417
6.148.2.1 monodroidAddReference() . . . . .	417
6.148.2.2 monodroidClearReferences() . . . . .	417
6.148.2.3 onApplyWindowInsets() . . . . .	417
6.148.3 Member Data Documentation . . . . .	418
6.148.3.1 __md_methods . . . . .	418
6.149md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer Class Reference . . . . .	418
6.149.1 Constructor & Destructor Documentation . . . . .	418
6.149.1.1 OpenGLViewRenderer() [1/3] . . . . .	418
6.149.1.2 OpenGLViewRenderer() [2/3] . . . . .	419
6.149.1.3 OpenGLViewRenderer() [3/3] . . . . .	419
6.149.2 Member Function Documentation . . . . .	419
6.149.2.1 monodroidAddReference() . . . . .	419
6.149.2.2 monodroidClearReferences() . . . . .	419

6.149.3 Member Data Documentation . . . . .	419
6.149.3.1 __md_methods . . . . .	419
6.150md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer Class Reference . . . . .	420
6.150.1 Constructor & Destructor Documentation . . . . .	420
6.150.1.1 OpenGLViewRenderer_Renderer() . . . . .	420
6.150.2 Member Function Documentation . . . . .	420
6.150.2.1 monodroidAddReference() . . . . .	420
6.150.2.2 monodroidClearReferences() . . . . .	421
6.150.2.3 onDrawFrame() . . . . .	421
6.150.2.4 onSurfaceChanged() . . . . .	421
6.150.2.5 onSurfaceCreated() . . . . .	421
6.150.3 Member Data Documentation . . . . .	421
6.150.3.1 __md_methods . . . . .	421
6.151md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer Class Reference . . . . .	422
6.151.1 Constructor & Destructor Documentation . . . . .	422
6.151.1.1 PageContainer() [1/4] . . . . .	422
6.151.1.2 PageContainer() [2/4] . . . . .	422
6.151.1.3 PageContainer() [3/4] . . . . .	423
6.151.1.4 PageContainer() [4/4] . . . . .	423
6.151.2 Member Function Documentation . . . . .	423
6.151.2.1 monodroidAddReference() . . . . .	423
6.151.2.2 monodroidClearReferences() . . . . .	423
6.151.2.3 onLayout() . . . . .	423
6.151.2.4 onMeasure() . . . . .	424
6.151.3 Member Data Documentation . . . . .	424
6.151.3.1 __md_methods . . . . .	424
6.152md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer Class Reference . . . . .	424
6.152.1 Constructor & Destructor Documentation . . . . .	424
6.152.1.1 PageRenderer() [1/3] . . . . .	425
6.152.1.2 PageRenderer() [2/3] . . . . .	425

6.152.1.3 PageRenderer() [3/3] . . . . .	425
6.152.2 Member Function Documentation . . . . .	425
6.152.2.1 monodroidAddReference() . . . . .	425
6.152.2.2 monodroidClearReferences() . . . . .	425
6.152.2.3 onAttachedToWindow() . . . . .	425
6.152.2.4 onDetachedFromWindow() . . . . .	426
6.152.2.5 onTouchEvent() . . . . .	426
6.152.3 Member Data Documentation . . . . .	426
6.152.3.1 __md_methods . . . . .	426
6.153md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer Class Reference . . . . .	426
6.153.1 Constructor & Destructor Documentation . . . . .	427
6.153.1.1 PickerRenderer() [1/3] . . . . .	427
6.153.1.2 PickerRenderer() [2/3] . . . . .	427
6.153.1.3 PickerRenderer() [3/3] . . . . .	427
6.153.2 Member Function Documentation . . . . .	427
6.153.2.1 monodroidAddReference() . . . . .	427
6.153.2.2 monodroidClearReferences() . . . . .	427
6.153.3 Member Data Documentation . . . . .	427
6.153.3.1 __md_methods . . . . .	428
6.154md5270abb39e60627f0f200893b490a1ade.PickerRenderer Class Reference . . . . .	428
6.154.1 Constructor & Destructor Documentation . . . . .	428
6.154.1.1 PickerRenderer() [1/3] . . . . .	428
6.154.1.2 PickerRenderer() [2/3] . . . . .	429
6.154.1.3 PickerRenderer() [3/3] . . . . .	429
6.154.2 Member Function Documentation . . . . .	429
6.154.2.1 monodroidAddReference() . . . . .	429
6.154.2.2 monodroidClearReferences() . . . . .	429
6.154.3 Member Data Documentation . . . . .	429
6.154.3.1 __md_methods . . . . .	429
6.155md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener Class Reference . . . . .	430

6.155.1 Constructor & Destructor Documentation . . . . .	430
6.155.1.1 PickerRenderer_PickerListener() . . . . .	430
6.155.2 Member Function Documentation . . . . .	430
6.155.2.1 monodroidAddReference() . . . . .	430
6.155.2.2 monodroidClearReferences() . . . . .	430
6.155.2.3 onClick() . . . . .	431
6.155.3 Member Data Documentation . . . . .	431
6.155.3.1 __md_methods . . . . .	431
6.156md5270abb39e60627f0f200893b490a1ade.PickerRenderer_PickerListener Class Reference . . .	431
6.156.1 Constructor & Destructor Documentation . . . . .	431
6.156.1.1 PickerRenderer_PickerListener() . . . . .	432
6.156.2 Member Function Documentation . . . . .	432
6.156.2.1 monodroidAddReference() . . . . .	432
6.156.2.2 monodroidClearReferences() . . . . .	432
6.156.2.3 onClick() . . . . .	432
6.156.3 Member Data Documentation . . . . .	432
6.156.3.1 __md_methods . . . . .	432
6.157md5b60feb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer Class Reference . . . . .	433
6.157.1 Constructor & Destructor Documentation . . . . .	433
6.157.1.1 Platform_DefaultRenderer() [1/3] . . . . .	433
6.157.1.2 Platform_DefaultRenderer() [2/3] . . . . .	433
6.157.1.3 Platform_DefaultRenderer() [3/3] . . . . .	434
6.157.2 Member Function Documentation . . . . .	434
6.157.2.1 dispatchTouchEvent() . . . . .	434
6.157.2.2 monodroidAddReference() . . . . .	434
6.157.2.3 monodroidClearReferences() . . . . .	434
6.157.2.4 onTouchEvent() . . . . .	434
6.157.3 Member Data Documentation . . . . .	434
6.157.3.1 __md_methods . . . . .	434
6.158md5270abb39e60627f0f200893b490a1ade.Platform_ModalContainer Class Reference . . . . .	435

6.158.1 Constructor & Destructor Documentation . . . . .	435
6.158.1.1 Platform_ModalContainer() [1/4] . . . . .	435
6.158.1.2 Platform_ModalContainer() [2/4] . . . . .	435
6.158.1.3 Platform_ModalContainer() [3/4] . . . . .	436
6.158.1.4 Platform_ModalContainer() [4/4] . . . . .	436
6.158.2 Member Function Documentation . . . . .	436
6.158.2.1 monodroidAddReference() . . . . .	436
6.158.2.2 monodroidClearReferences() . . . . .	436
6.158.2.3 onLayout() . . . . .	436
6.158.3 Member Data Documentation . . . . .	436
6.158.3.1 __md_methods . . . . .	437
6.159md5b60feb829f638581ab2bb9b1a7f4f3f.PlatformRenderer Class Reference . . . . .	437
6.159.1 Constructor & Destructor Documentation . . . . .	437
6.159.1.1 PlatformRenderer() [1/4] . . . . .	437
6.159.1.2 PlatformRenderer() [2/4] . . . . .	438
6.159.1.3 PlatformRenderer() [3/4] . . . . .	438
6.159.1.4 PlatformRenderer() [4/4] . . . . .	438
6.159.2 Member Function Documentation . . . . .	438
6.159.2.1 dispatchTouchEvent() . . . . .	438
6.159.2.2 monodroidAddReference() . . . . .	438
6.159.2.3 monodroidClearReferences() . . . . .	438
6.159.2.4 onLayout() . . . . .	439
6.159.2.5 onMeasure() . . . . .	439
6.159.3 Member Data Documentation . . . . .	439
6.159.3.1 __md_methods . . . . .	439
6.160mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor Class Reference . . . . .	439
6.160.1 Constructor & Destructor Documentation . . . . .	440
6.160.1.1 PopupMenu_OnDismissListenerImplementor() . . . . .	440
6.160.2 Member Function Documentation . . . . .	440
6.160.2.1 monodroidAddReference() . . . . .	440

6.160.2.2 monodroidClearReferences()	440
6.160.2.3 onDismiss()	440
6.160.3 Member Data Documentation	440
6.160.3.1 __md_methods	441
6.161 mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor Class Reference	441
6.161.1 Constructor & Destructor Documentation	441
6.161.1.1 PopupMenu_OnMenuItemClickListenerImplementor()	441
6.161.2 Member Function Documentation	441
6.161.2.1 monodroidAddReference()	442
6.161.2.2 monodroidClearReferences()	442
6.161.2.3 onMenuItemClick()	442
6.161.3 Member Data Documentation	442
6.161.3.1 __md_methods	442
6.162 md5b60feb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer Class Reference	442
6.162.1 Constructor & Destructor Documentation	443
6.162.1.1 ProgressBarRenderer() [1/3]	443
6.162.1.2 ProgressBarRenderer() [2/3]	443
6.162.1.3 ProgressBarRenderer() [3/3]	443
6.162.2 Member Function Documentation	443
6.162.2.1 monodroidAddReference()	444
6.162.2.2 monodroidClearReferences()	444
6.162.3 Member Data Documentation	444
6.162.3.1 __md_methods	444
6.163 android.support.v7.mediarouter.R Class Reference	444
6.164 android.support.v7.cardview.R Class Reference	445
6.165 android.support.graphics.drawable.R Class Reference	445
6.166 android.support.v7.recyclerview.R Class Reference	446
6.167 projekt.droid.R Class Reference	446
6.168 android.support.v7.appcompat.R Class Reference	447
6.169 android.support.v4.R Class Reference	447

6.170	android.support.graphics.drawable.animated.R Class Reference . . . . .	448
6.171	android.support.design.R Class Reference . . . . .	448
6.172	mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinishedListener↔ Implementor Class Reference . . . . .	449
6.172.1	Constructor & Destructor Documentation . . . . .	449
6.172.1.1	RecyclerView_ItemAnimator_ItemAnimatorFinishedListenerImplementor() . . . . .	449
6.172.2	Member Function Documentation . . . . .	449
6.172.2.1	monodroidAddReference() . . . . .	449
6.172.2.2	monodroidClearReferences() . . . . .	450
6.172.2.3	onAnimationsFinished() . . . . .	450
6.172.3	Member Data Documentation . . . . .	450
6.172.3.1	__md_methods . . . . .	450
6.173	mono.android.support.v7.widget.RecyclerView_OnChildAttachStateChangeListenerImplementor Class Reference . . . . .	450
6.173.1	Constructor & Destructor Documentation . . . . .	451
6.173.1.1	RecyclerView_OnChildAttachStateChangeListenerImplementor() . . . . .	451
6.173.2	Member Function Documentation . . . . .	451
6.173.2.1	monodroidAddReference() . . . . .	451
6.173.2.2	monodroidClearReferences() . . . . .	451
6.173.2.3	onChildViewAttachedToWindow() . . . . .	451
6.173.2.4	onChildViewDetachedFromWindow() . . . . .	451
6.173.3	Member Data Documentation . . . . .	451
6.173.3.1	__md_methods . . . . .	452
6.174	mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor Class Reference	452
6.174.1	Constructor & Destructor Documentation . . . . .	452
6.174.1.1	RecyclerView_OnItemTouchListenerImplementor() . . . . .	452
6.174.2	Member Function Documentation . . . . .	452
6.174.2.1	monodroidAddReference() . . . . .	453
6.174.2.2	monodroidClearReferences() . . . . .	453
6.174.2.3	onInterceptTouchEvent() . . . . .	453
6.174.2.4	onRequestDisallowInterceptTouchEvent() . . . . .	453



6.174.2.5 onTouchEvent()	453
6.174.3 Member Data Documentation	453
6.174.3.1 __md_methods	453
6.175mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor Class Reference	454
6.175.1 Constructor & Destructor Documentation	454
6.175.1.1 RecyclerView_RecyclerViewListenerImplementor()	454
6.175.2 Member Function Documentation	454
6.175.2.1 monodroidAddReference()	454
6.175.2.2 monodroidClearReferences()	454
6.175.2.3 onViewRecycled()	455
6.175.3 Member Data Documentation	455
6.175.3.1 __md_methods	455
6.176PROJEKT.Droid.Resource Class Reference	455
6.176.1 Member Function Documentation	455
6.176.1.1 UpdateIdValues()	456
6.177md5b60feb829f638581ab2bb9b1a7f4f3f.ScrollViewController Class Reference	456
6.177.1 Constructor & Destructor Documentation	456
6.177.1.1 ScrollViewController() [1/4]	456
6.177.1.2 ScrollViewController() [2/4]	457
6.177.1.3 ScrollViewController() [3/4]	457
6.177.1.4 ScrollViewController() [4/4]	457
6.177.2 Member Function Documentation	457
6.177.2.1 monodroidAddReference()	457
6.177.2.2 monodroidClearReferences()	457
6.177.2.3 onLayout()	457
6.177.2.4 onMeasure()	458
6.177.3 Member Data Documentation	458
6.177.3.1 __md_methods	458
6.178md5b60feb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer Class Reference	458
6.178.1 Constructor & Destructor Documentation	459

6.178.1.1 ScrollViewRenderer() [1/4]	459
6.178.1.2 ScrollViewRenderer() [2/4]	459
6.178.1.3 ScrollViewRenderer() [3/4]	459
6.178.1.4 ScrollViewRenderer() [4/4]	459
6.178.2 Member Function Documentation	459
6.178.2.1 draw()	460
6.178.2.2 monodroidAddReference()	460
6.178.2.3 monodroidClearReferences()	460
6.178.2.4 onAttachedToWindow()	460
6.178.2.5 onDetachedFromWindow()	460
6.178.2.6 onInterceptTouchEvent()	460
6.178.2.7 onLayout()	460
6.178.2.8 onScrollChanged()	461
6.178.2.9 onTouchEvent()	461
6.178.3 Member Data Documentation	461
6.178.3.1 __md_methods	461
6.179md5b60feb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer Class Reference	461
6.179.1 Constructor & Destructor Documentation	462
6.179.1.1 SearchBarRenderer() [1/3]	462
6.179.1.2 SearchBarRenderer() [2/3]	462
6.179.1.3 SearchBarRenderer() [3/3]	462
6.179.2 Member Function Documentation	462
6.179.2.1 monodroidAddReference()	462
6.179.2.2 monodroidClearReferences()	462
6.179.2.3 onQueryTextChange()	463
6.179.2.4 onQueryTextSubmit()	463
6.179.3 Member Data Documentation	463
6.179.3.1 __md_methods	463
6.180mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor Class Reference	463
6.180.1 Constructor & Destructor Documentation	464

6.180.1.1	SearchView_OnCloseListenerImplementor()	464
6.180.2	Member Function Documentation	464
6.180.2.1	monodroidAddReference()	464
6.180.2.2	monodroidClearReferences()	464
6.180.2.3	onClose()	464
6.180.3	Member Data Documentation	464
6.180.3.1	__md_methods	464
6.181	mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor Class Reference	465
6.181.1	Constructor & Destructor Documentation	465
6.181.1.1	SearchView_OnQueryTextListenerImplementor()	465
6.181.2	Member Function Documentation	465
6.181.2.1	monodroidAddReference()	465
6.181.2.2	monodroidClearReferences()	466
6.181.2.3	onQueryTextChange()	466
6.181.2.4	onQueryTextSubmit()	466
6.181.3	Member Data Documentation	466
6.181.3.1	__md_methods	466
6.182	mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor Class Reference	466
6.182.1	Constructor & Destructor Documentation	467
6.182.1.1	SearchView_OnSuggestionListenerImplementor()	467
6.182.2	Member Function Documentation	467
6.182.2.1	monodroidAddReference()	467
6.182.2.2	monodroidClearReferences()	467
6.182.2.3	onSuggestionClick()	467
6.182.2.4	onSuggestionSelect()	468
6.182.3	Member Data Documentation	468
6.182.3.1	__md_methods	468
6.183	mono.android.Seppuku Class Reference	468
6.183.1	Member Function Documentation	468
6.183.1.1	onReceive()	468

6.184mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListenerImplementor Class Reference . . . . .	469
6.184.1 Constructor & Destructor Documentation . . . . .	469
6.184.1.1 ShareActionProvider_OnShareTargetSelectedListenerImplementor() . . . . .	469
6.184.2 Member Function Documentation . . . . .	469
6.184.2.1 monodroidAddReference() . . . . .	469
6.184.2.2 monodroidClearReferences() . . . . .	470
6.184.2.3 onShareTargetSelected() . . . . .	470
6.184.3 Member Data Documentation . . . . .	470
6.184.3.1 __md_methods . . . . .	470
6.185md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer Class Reference . . . . .	470
6.185.1 Constructor & Destructor Documentation . . . . .	471
6.185.1.1 SliderRenderer() [1/3] . . . . .	471
6.185.1.2 SliderRenderer() [2/3] . . . . .	471
6.185.1.3 SliderRenderer() [3/3] . . . . .	471
6.185.2 Member Function Documentation . . . . .	471
6.185.2.1 monodroidAddReference() . . . . .	471
6.185.2.2 monodroidClearReferences() . . . . .	471
6.185.2.3 onLayout() . . . . .	472
6.185.2.4 onProgressChanged() . . . . .	472
6.185.2.5 onStartTrackingTouch() . . . . .	472
6.185.2.6 onStopTrackingTouch() . . . . .	472
6.185.3 Member Data Documentation . . . . .	472
6.185.3.1 __md_methods . . . . .	472
6.186mono.android.support.v4.widget.SlidingPanelLayout_PanelSlideListenerImplementor Class Reference	473
6.186.1 Constructor & Destructor Documentation . . . . .	473
6.186.1.1 SlidingPanelLayout_PanelSlideListenerImplementor() . . . . .	473
6.186.2 Member Function Documentation . . . . .	473
6.186.2.1 monodroidAddReference() . . . . .	473
6.186.2.2 monodroidClearReferences() . . . . .	474
6.186.2.3 onPanelClosed() . . . . .	474

6.186.2.4 onPanelOpened()	474
6.186.2.5 onPanelSlide()	474
6.186.3 Member Data Documentation	474
6.186.3.1 __md_methods	474
6.187android.support.design.widget.Snackbar_SnackbarActionClickImplementor Class Reference	475
6.187.1 Constructor & Destructor Documentation	475
6.187.1.1 Snackbar_SnackbarActionClickImplementor()	475
6.187.2 Member Function Documentation	475
6.187.2.1 monodroidAddReference()	475
6.187.2.2 monodroidClearReferences()	475
6.187.2.3 onClick()	476
6.187.3 Member Data Documentation	476
6.187.3.1 __md_methods	476
6.188md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer Class Reference	476
6.188.1 Constructor & Destructor Documentation	476
6.188.1.1 StepperRenderer() [1/3]	477
6.188.1.2 StepperRenderer() [2/3]	477
6.188.1.3 StepperRenderer() [3/3]	477
6.188.2 Member Function Documentation	477
6.188.2.1 monodroidAddReference()	477
6.188.2.2 monodroidClearReferences()	477
6.188.3 Member Data Documentation	477
6.188.3.1 __md_methods	478
6.189md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener Class Reference	478
6.189.1 Constructor & Destructor Documentation	478
6.189.1.1 StepperRenderer_StepperListener()	478
6.189.2 Member Function Documentation	478
6.189.2.1 monodroidAddReference()	479
6.189.2.2 monodroidClearReferences()	479
6.189.2.3 onClick()	479

6.189.3 Member Data Documentation . . . . .	479
6.189.3.1 __md_methods . . . . .	479
6.190 PROJEKT.Droid.DependencyServices.StreamService Class Reference . . . . .	479
6.190.1 Member Function Documentation . . . . .	480
6.190.1.1 GetStream() [1/2] . . . . .	480
6.190.1.2 GetStream() [2/2] . . . . .	480
6.191 PROJEKT.Droid.Resource.String Class Reference . . . . .	480
6.191.1 Member Data Documentation . . . . .	481
6.191.1.1 abc_action_bar_home_description . . . . .	481
6.191.1.2 abc_action_bar_home_description_format . . . . .	481
6.191.1.3 abc_action_bar_home_subtitle_description_format . . . . .	481
6.191.1.4 abc_action_bar_up_description . . . . .	482
6.191.1.5 abc_action_menu_overflow_description . . . . .	482
6.191.1.6 abc_action_mode_done . . . . .	482
6.191.1.7 abc_activity_chooser_view_see_all . . . . .	482
6.191.1.8 abc_activitychooserview_choose_application . . . . .	482
6.191.1.9 abc_capital_off . . . . .	482
6.191.1.10 abc_capital_on . . . . .	482
6.191.1.11 abc_search_hint . . . . .	482
6.191.1.12 abc_searchview_description_clear . . . . .	483
6.191.1.13 abc_searchview_description_query . . . . .	483
6.191.1.14 abc_searchview_description_search . . . . .	483
6.191.1.15 abc_searchview_description_submit . . . . .	483
6.191.1.16 abc_searchview_description_voice . . . . .	483
6.191.1.17 abc_shareactionprovider_share_with . . . . .	483
6.191.1.18 abc_shareactionprovider_share_with_application . . . . .	483
6.191.1.19 abc_toolbar_collapse_description . . . . .	483
6.191.1.20 appBar_scrolling_view_behavior . . . . .	484
6.191.1.21 bottom_sheet_behavior . . . . .	484
6.191.1.22 character_counter_pattern . . . . .	484

6.191.1.23	mr_button_content_description . . . . .	484
6.191.1.24	mr_chooser_searching . . . . .	484
6.191.1.25	mr_chooser_title . . . . .	484
6.191.1.26	mr_controller_casting_screen . . . . .	484
6.191.1.27	mr_controller_close_description . . . . .	484
6.191.1.28	mr_controller_collapse_group . . . . .	485
6.191.1.29	mr_controller_disconnect . . . . .	485
6.191.1.30	mr_controller_expand_group . . . . .	485
6.191.1.31	mr_controller_no_info_available . . . . .	485
6.191.1.32	mr_controller_no_media_selected . . . . .	485
6.191.1.33	mr_controller_pause . . . . .	485
6.191.1.34	mr_controller_play . . . . .	485
6.191.1.35	mr_controller_stop . . . . .	485
6.191.1.36	mr_system_route_name . . . . .	486
6.191.1.37	mr_user_route_category_name . . . . .	486
6.191.1.38	status_bar_notification_info_overflow . . . . .	486
6.192	PROJEKT.Droid.Resource.Style Class Reference . . . . .	486
6.192.1	Member Data Documentation . . . . .	493
6.192.1.1	AlertDialog_AppCompat . . . . .	493
6.192.1.2	AlertDialog_AppCompat_Light . . . . .	493
6.192.1.3	Animation_AppCompat_Dialog . . . . .	493
6.192.1.4	Animation_AppCompat_DropDownUp . . . . .	493
6.192.1.5	Animation_Design_BottomSheetDialog . . . . .	494
6.192.1.6	AppCompatDialogStyle . . . . .	494
6.192.1.7	Base_AlertDialog_AppCompat . . . . .	494
6.192.1.8	Base_AlertDialog_AppCompat_Light . . . . .	494
6.192.1.9	Base_Animation_AppCompat_Dialog . . . . .	494
6.192.1.10	Base_Animation_AppCompat_DropDownUp . . . . .	494
6.192.1.11	Base_CardView . . . . .	494
6.192.1.12	Base_DialogTitle_AppCompat . . . . .	494

6.192.1.13	Base_DialogWindowTitleBackground_AppCompat . . . . .	495
6.192.1.14	Base_TextAppearance_AppCompat . . . . .	495
6.192.1.15	Base_TextAppearance_AppCompat_Body1 . . . . .	495
6.192.1.16	Base_TextAppearance_AppCompat_Body2 . . . . .	495
6.192.1.17	Base_TextAppearance_AppCompat_Button . . . . .	495
6.192.1.18	Base_TextAppearance_AppCompat_Caption . . . . .	495
6.192.1.19	Base_TextAppearance_AppCompat_Display1 . . . . .	495
6.192.1.20	Base_TextAppearance_AppCompat_Display2 . . . . .	495
6.192.1.21	Base_TextAppearance_AppCompat_Display3 . . . . .	496
6.192.1.22	Base_TextAppearance_AppCompat_Display4 . . . . .	496
6.192.1.23	Base_TextAppearance_AppCompat_Headline . . . . .	496
6.192.1.24	Base_TextAppearance_AppCompat_Inverse . . . . .	496
6.192.1.25	Base_TextAppearance_AppCompat_Large . . . . .	496
6.192.1.26	Base_TextAppearance_AppCompat_Large_Inverse . . . . .	496
6.192.1.27	Base_TextAppearance_AppCompat_Light_Widget_PopupMenu_Large . . . . .	496
6.192.1.28	Base_TextAppearance_AppCompat_Light_Widget_PopupMenu_Small . . . . .	497
6.192.1.29	Base_TextAppearance_AppCompat_Medium . . . . .	497
6.192.1.30	Base_TextAppearance_AppCompat_Medium_Inverse . . . . .	497
6.192.1.31	Base_TextAppearance_AppCompat_Menu . . . . .	497
6.192.1.32	Base_TextAppearance_AppCompat_SearchResult . . . . .	497
6.192.1.33	Base_TextAppearance_AppCompat_SearchResult_Subtitle . . . . .	497
6.192.1.34	Base_TextAppearance_AppCompat_SearchResult_Title . . . . .	497
6.192.1.35	Base_TextAppearance_AppCompat_Small . . . . .	498
6.192.1.36	Base_TextAppearance_AppCompat_Small_Inverse . . . . .	498
6.192.1.37	Base_TextAppearance_AppCompat_Subhead . . . . .	498
6.192.1.38	Base_TextAppearance_AppCompat_Subhead_Inverse . . . . .	498
6.192.1.39	Base_TextAppearance_AppCompat_Title . . . . .	498
6.192.1.40	Base_TextAppearance_AppCompat_Title_Inverse . . . . .	498
6.192.1.41	Base_TextAppearance_AppCompat_Widget_ActionBar_Menu . . . . .	498
6.192.1.42	Base_TextAppearance_AppCompat_Widget_ActionBar_Subtitle . . . . .	499



6.192.1.43	Base_TextAppearance_AppCompat_Widget_ActionBar_Subtitle_Inverse . . . . .	499
6.192.1.44	Base_TextAppearance_AppCompat_Widget_ActionBar_Title . . . . .	499
6.192.1.45	Base_TextAppearance_AppCompat_Widget_ActionBar_Title_Inverse . . . . .	499
6.192.1.46	Base_TextAppearance_AppCompat_Widget_ActionMode_Subtitle . . . . .	499
6.192.1.47	Base_TextAppearance_AppCompat_Widget_ActionMode_Title . . . . .	499
6.192.1.48	Base_TextAppearance_AppCompat_Widget_Button . . . . .	499
6.192.1.49	Base_TextAppearance_AppCompat_Widget_Button_Inverse . . . . .	500
6.192.1.50	Base_TextAppearance_AppCompat_Widget_DropDownItem . . . . .	500
6.192.1.51	Base_TextAppearance_AppCompat_Widget_PopupMenu_Large . . . . .	500
6.192.1.52	Base_TextAppearance_AppCompat_Widget_PopupMenu_Small . . . . .	500
6.192.1.53	Base_TextAppearance_AppCompat_Widget_Switch . . . . .	500
6.192.1.54	Base_TextAppearance_AppCompat_Widget_TextView_SpinnerItem . . . . .	500
6.192.1.55	Base_TextAppearance_Widget_AppCompat_ExpandedMenu_Item . . . . .	500
6.192.1.56	Base_TextAppearance_Widget_AppCompat_Toolbar_Subtitle . . . . .	501
6.192.1.57	Base_TextAppearance_Widget_AppCompat_Toolbar_Title . . . . .	501
6.192.1.58	Base_Theme_AppCompat . . . . .	501
6.192.1.59	Base_Theme_AppCompat_CompactMenu . . . . .	501
6.192.1.60	Base_Theme_AppCompat_Dialog . . . . .	501
6.192.1.61	Base_Theme_AppCompat_Dialog_Alert . . . . .	501
6.192.1.62	Base_Theme_AppCompat_Dialog_FixedSize . . . . .	501
6.192.1.63	Base_Theme_AppCompat_Dialog_MinWidth . . . . .	502
6.192.1.64	Base_Theme_AppCompat_DialogWhenLarge . . . . .	502
6.192.1.65	Base_Theme_AppCompat_Light . . . . .	502
6.192.1.66	Base_Theme_AppCompat_Light_DarkActionBar . . . . .	502
6.192.1.67	Base_Theme_AppCompat_Light_Dialog . . . . .	502
6.192.1.68	Base_Theme_AppCompat_Light_Dialog_Alert . . . . .	502
6.192.1.69	Base_Theme_AppCompat_Light_Dialog_FixedSize . . . . .	502
6.192.1.70	Base_Theme_AppCompat_Light_Dialog_MinWidth . . . . .	502
6.192.1.71	Base_Theme_AppCompat_Light_DialogWhenLarge . . . . .	503
6.192.1.72	Base_ThemeOverlay_AppCompat . . . . .	503

6.192.1.73	Base_ThemeOverlay_AppCompat_ActionBar . . . . .	503
6.192.1.74	Base_ThemeOverlay_AppCompat_Dark . . . . .	503
6.192.1.75	Base_ThemeOverlay_AppCompat_Dark_ActionBar . . . . .	503
6.192.1.76	Base_ThemeOverlay_AppCompat_Light . . . . .	503
6.192.1.77	Base_V11_Theme_AppCompat_Dialog . . . . .	503
6.192.1.78	Base_V11_Theme_AppCompat_Light_Dialog . . . . .	503
6.192.1.79	Base_V12_Widget_AppCompat_AutoCompleteTextView . . . . .	504
6.192.1.80	Base_V12_Widget_AppCompat_EditText . . . . .	504
6.192.1.81	Base_V21_Theme_AppCompat . . . . .	504
6.192.1.82	Base_V21_Theme_AppCompat_Dialog . . . . .	504
6.192.1.83	Base_V21_Theme_AppCompat_Light . . . . .	504
6.192.1.84	Base_V21_Theme_AppCompat_Light_Dialog . . . . .	504
6.192.1.85	Base_V22_Theme_AppCompat . . . . .	504
6.192.1.86	Base_V22_Theme_AppCompat_Light . . . . .	504
6.192.1.87	Base_V23_Theme_AppCompat . . . . .	505
6.192.1.88	Base_V23_Theme_AppCompat_Light . . . . .	505
6.192.1.89	Base_V7_Theme_AppCompat . . . . .	505
6.192.1.90	Base_V7_Theme_AppCompat_Dialog . . . . .	505
6.192.1.91	Base_V7_Theme_AppCompat_Light . . . . .	505
6.192.1.92	Base_V7_Theme_AppCompat_Light_Dialog . . . . .	505
6.192.1.93	Base_V7_Widget_AppCompat_AutoCompleteTextView . . . . .	505
6.192.1.94	Base_V7_Widget_AppCompat_EditText . . . . .	505
6.192.1.95	Base_Widget_AppCompat_ActionBar . . . . .	506
6.192.1.96	Base_Widget_AppCompat_ActionBar_Solid . . . . .	506
6.192.1.97	Base_Widget_AppCompat_ActionBar_TabBar . . . . .	506
6.192.1.98	Base_Widget_AppCompat_ActionBar_TabText . . . . .	506
6.192.1.99	Base_Widget_AppCompat_ActionBar_TabView . . . . .	506
6.192.1.100	Base_Widget_AppCompat_ActionButton . . . . .	506
6.192.1.101	Base_Widget_AppCompat_ActionButton_CloseMode . . . . .	506
6.192.1.102	Base_Widget_AppCompat_ActionButton_Overflow . . . . .	506

6.192.1.10	Base_Widget_AppCompat_ActionMode . . . . .	507
6.192.1.10	Base_Widget_AppCompat_ActivityChooserView . . . . .	507
6.192.1.10	Base_Widget_AppCompat_AutoCompleteTextView . . . . .	507
6.192.1.10	Base_Widget_AppCompat_Button . . . . .	507
6.192.1.10	Base_Widget_AppCompat_Button_Borderless . . . . .	507
6.192.1.10	Base_Widget_AppCompat_Button_Borderless_Colored . . . . .	507
6.192.1.10	Base_Widget_AppCompat_Button_ButtonBar_AlertDialog . . . . .	507
6.192.1.11	Base_Widget_AppCompat_Button_Colored . . . . .	508
6.192.1.11	Base_Widget_AppCompat_Button_Small . . . . .	508
6.192.1.11	Base_Widget_AppCompat_ButtonBar . . . . .	508
6.192.1.11	Base_Widget_AppCompat_ButtonBar_AlertDialog . . . . .	508
6.192.1.11	Base_Widget_AppCompat_CompoundButton_CheckBox . . . . .	508
6.192.1.11	Base_Widget_AppCompat_CompoundButton_RadioButton . . . . .	508
6.192.1.11	Base_Widget_AppCompat_CompoundButton_Switch . . . . .	508
6.192.1.11	Base_Widget_AppCompat_DrawerArrowToggle . . . . .	509
6.192.1.11	Base_Widget_AppCompat_DrawerArrowToggle_Common . . . . .	509
6.192.1.11	Base_Widget_AppCompat_DropDownItem_Spinner . . . . .	509
6.192.1.12	Base_Widget_AppCompat_EditText . . . . .	509
6.192.1.12	Base_Widget_AppCompat_ImageButton . . . . .	509
6.192.1.12	Base_Widget_AppCompat_Light_ActionBar . . . . .	509
6.192.1.12	Base_Widget_AppCompat_Light_ActionBar_Solid . . . . .	509
6.192.1.12	Base_Widget_AppCompat_Light_ActionBar_TabBar . . . . .	509
6.192.1.12	Base_Widget_AppCompat_Light_ActionBar_TabText . . . . .	510
6.192.1.12	Base_Widget_AppCompat_Light_ActionBar_TabText_Inverse . . . . .	510
6.192.1.12	Base_Widget_AppCompat_Light_ActionBar_TabView . . . . .	510
6.192.1.12	Base_Widget_AppCompat_Light_PopupMenu . . . . .	510
6.192.1.12	Base_Widget_AppCompat_Light_PopupMenu_Overflow . . . . .	510
6.192.1.13	Base_Widget_AppCompat_ListPopupWindow . . . . .	510
6.192.1.13	Base_Widget_AppCompat_ListView . . . . .	510
6.192.1.13	Base_Widget_AppCompat_ListView_DropDown . . . . .	511

6.192.1.133	Base_Widget_AppCompat_ListView_Menu . . . . .	511
6.192.1.133	Base_Widget_AppCompat_PopupMenu . . . . .	511
6.192.1.133	Base_Widget_AppCompat_PopupMenu_Overflow . . . . .	511
6.192.1.133	Base_Widget_AppCompat_PopupWindow . . . . .	511
6.192.1.133	Base_Widget_AppCompat_ProgressBar . . . . .	511
6.192.1.133	Base_Widget_AppCompat_ProgressBar_Horizontal . . . . .	511
6.192.1.133	Base_Widget_AppCompat_RatingBar . . . . .	511
6.192.1.143	Base_Widget_AppCompat_RatingBar_Indicator . . . . .	512
6.192.1.143	Base_Widget_AppCompat_RatingBar_Small . . . . .	512
6.192.1.143	Base_Widget_AppCompat_SearchView . . . . .	512
6.192.1.143	Base_Widget_AppCompat_SearchView_ActionBar . . . . .	512
6.192.1.143	Base_Widget_AppCompat_SeekBar . . . . .	512
6.192.1.143	Base_Widget_AppCompat_Spinner . . . . .	512
6.192.1.143	Base_Widget_AppCompat_Spinner_Underlined . . . . .	512
6.192.1.143	Base_Widget_AppCompat_TextView_SpinnerItem . . . . .	512
6.192.1.143	Base_Widget_AppCompat_Toolbar . . . . .	513
6.192.1.143	Base_Widget_AppCompat_Toolbar_Button_Navigation . . . . .	513
6.192.1.153	Base_Widget_Design_TabLayout . . . . .	513
6.192.1.153	CardView . . . . .	513
6.192.1.153	CardView_Dark . . . . .	513
6.192.1.153	CardView_Light . . . . .	513
6.192.1.154	MainTheme . . . . .	513
6.192.1.154	MainTheme_Base . . . . .	513
6.192.1.156	Platform_AppCompat . . . . .	514
6.192.1.157	Platform_AppCompat_Light . . . . .	514
6.192.1.158	Platform_ThemeOverlay_AppCompat . . . . .	514
6.192.1.159	Platform_ThemeOverlay_AppCompat_Dark . . . . .	514
6.192.1.160	Platform_ThemeOverlay_AppCompat_Light . . . . .	514
6.192.1.161	Platform_V11_AppCompat . . . . .	514
6.192.1.162	Platform_V11_AppCompat_Light . . . . .	514

6.192.1.163	Platform_V14_AppCompat . . . . .	514
6.192.1.164	Platform_V14_AppCompat_Light . . . . .	515
6.192.1.165	Platform_Widget_AppCompat_Spinner . . . . .	515
6.192.1.166	TextInputOverlay_DialogWindowTitle_AppCompat . . . . .	515
6.192.1.167	TextInputOverlay_Widget_AppCompat_ActionBar_TitleItem . . . . .	515
6.192.1.168	TextInputOverlay_Widget_AppCompat_DialogTitle_Icon . . . . .	515
6.192.1.169	TextInputOverlay_Widget_AppCompat_PopupMenuItem . . . . .	515
6.192.1.170	TextInputOverlay_Widget_AppCompat_PopupMenuItem_InternalGroup . . . . .	515
6.192.1.171	TextInputOverlay_Widget_AppCompat_PopupMenuItem_Text . . . . .	516
6.192.1.172	TextInputOverlay_Widget_AppCompat_Search_DropDown . . . . .	516
6.192.1.173	TextInputOverlay_Widget_AppCompat_Search_DropDown_Icon1 . . . . .	516
6.192.1.174	TextInputOverlay_Widget_AppCompat_Search_DropDown_Icon2 . . . . .	516
6.192.1.175	TextInputOverlay_Widget_AppCompat_Search_DropDown_Query . . . . .	516
6.192.1.176	TextInputOverlay_Widget_AppCompat_Search_DropDown_Text . . . . .	516
6.192.1.177	TextInputOverlay_Widget_AppCompat_SearchView_MagIcon . . . . .	516
6.192.1.178	TextInputUnderlay_Widget_AppCompat_ActionButton . . . . .	517
6.192.1.179	TextInputUnderlay_Widget_AppCompat_ActionButton_Overflow . . . . .	517
6.192.1.180	TextAppearance_AppCompat . . . . .	517
6.192.1.181	TextAppearance_AppCompat_Body1 . . . . .	517
6.192.1.182	TextAppearance_AppCompat_Body2 . . . . .	517
6.192.1.183	TextAppearance_AppCompat_Button . . . . .	517
6.192.1.184	TextAppearance_AppCompat_Caption . . . . .	517
6.192.1.185	TextAppearance_AppCompat_Display1 . . . . .	518
6.192.1.186	TextAppearance_AppCompat_Display2 . . . . .	518
6.192.1.187	TextAppearance_AppCompat_Display3 . . . . .	518
6.192.1.188	TextAppearance_AppCompat_Display4 . . . . .	518
6.192.1.189	TextAppearance_AppCompat_Headline . . . . .	518
6.192.1.190	TextAppearance_AppCompat_Inverse . . . . .	518
6.192.1.191	TextAppearance_AppCompat_Large . . . . .	518
6.192.1.192	TextAppearance_AppCompat_Large_Inverse . . . . .	518

6.192.1.197	<del>TextAppearance_AppCompat_Light_SearchResult_Subtitle</del>	519
6.192.1.197	<del>TextAppearance_AppCompat_Light_SearchResult_Title</del>	519
6.192.1.197	<del>TextAppearance_AppCompat_Light_Widget_PopupMenu_Large</del>	519
6.192.1.197	<del>TextAppearance_AppCompat_Light_Widget_PopupMenu_Small</del>	519
6.192.1.197	<del>TextAppearance_AppCompat_Medium</del>	519
6.192.1.197	<del>TextAppearance_AppCompat_Medium_Inverse</del>	519
6.192.1.197	<del>TextAppearance_AppCompat_Menu</del>	519
6.192.1.200	<del>TextAppearance_AppCompat_SearchResult_Subtitle</del>	520
6.192.1.200	<del>TextAppearance_AppCompat_SearchResult_Title</del>	520
6.192.1.200	<del>TextAppearance_AppCompat_Small</del>	520
6.192.1.200	<del>TextAppearance_AppCompat_Small_Inverse</del>	520
6.192.1.200	<del>TextAppearance_AppCompat_Subhead</del>	520
6.192.1.200	<del>TextAppearance_AppCompat_Subhead_Inverse</del>	520
6.192.1.200	<del>TextAppearance_AppCompat_Title</del>	520
6.192.1.200	<del>TextAppearance_AppCompat_Title_Inverse</del>	520
6.192.1.200	<del>TextAppearance_AppCompat_Widget_ActionBar_Menu</del>	521
6.192.1.200	<del>TextAppearance_AppCompat_Widget_ActionBar_Subtitle</del>	521
6.192.1.210	<del>TextAppearance_AppCompat_Widget_ActionBar_Subtitle_Inverse</del>	521
6.192.1.210	<del>TextAppearance_AppCompat_Widget_ActionBar_Title</del>	521
6.192.1.210	<del>TextAppearance_AppCompat_Widget_ActionBar_Title_Inverse</del>	521
6.192.1.210	<del>TextAppearance_AppCompat_Widget_ActionMode_Subtitle</del>	521
6.192.1.210	<del>TextAppearance_AppCompat_Widget_ActionMode_Subtitle_Inverse</del>	521
6.192.1.210	<del>TextAppearance_AppCompat_Widget_ActionMode_Title</del>	522
6.192.1.210	<del>TextAppearance_AppCompat_Widget_ActionMode_Title_Inverse</del>	522
6.192.1.210	<del>TextAppearance_AppCompat_Widget_Button</del>	522
6.192.1.210	<del>TextAppearance_AppCompat_Widget_Button_Inverse</del>	522
6.192.1.210	<del>TextAppearance_AppCompat_Widget_DropDownItem</del>	522
6.192.1.220	<del>TextAppearance_AppCompat_Widget_PopupMenu_Large</del>	522
6.192.1.220	<del>TextAppearance_AppCompat_Widget_PopupMenu_Small</del>	522
6.192.1.220	<del>TextAppearance_AppCompat_Widget_Switch</del>	523

6.192.1.227	TextAppearance_AppCompat_Widget_TextView_SpinnerItem . . . . .	523
6.192.1.227	TextAppearance_Design_CollapsingToolbar_Expanded . . . . .	523
6.192.1.227	TextAppearance_Design_Counter . . . . .	523
6.192.1.227	TextAppearance_Design_Counter_Overflow . . . . .	523
6.192.1.227	TextAppearance_Design_Error . . . . .	523
6.192.1.227	TextAppearance_Design_Hint . . . . .	523
6.192.1.227	TextAppearance_Design_Snackbar_Message . . . . .	524
6.192.1.230	TextAppearance_Design_Tab . . . . .	524
6.192.1.231	TextAppearance_StatusBar_EventContent . . . . .	524
6.192.1.231	TextAppearance_StatusBar_EventContent_Info . . . . .	524
6.192.1.231	TextAppearance_StatusBar_EventContent_Line2 . . . . .	524
6.192.1.231	TextAppearance_StatusBar_EventContent_Time . . . . .	524
6.192.1.231	TextAppearance_StatusBar_EventContent_Title . . . . .	524
6.192.1.231	TextAppearance_Widget_AppCompat_ExpandedMenu_Item . . . . .	524
6.192.1.237	TextAppearance_Widget_AppCompat_Toolbar_Subtitle . . . . .	525
6.192.1.237	TextAppearance_Widget_AppCompat_Toolbar_Title . . . . .	525
6.192.1.239	Theme_AppCompat . . . . .	525
6.192.1.240	Theme_AppCompat_CompactMenu . . . . .	525
6.192.1.241	Theme_AppCompat_DayNight . . . . .	525
6.192.1.242	Theme_AppCompat_DayNight_DarkActionBar . . . . .	525
6.192.1.243	Theme_AppCompat_DayNight_Dialog . . . . .	525
6.192.1.244	Theme_AppCompat_DayNight_Dialog_Alert . . . . .	526
6.192.1.245	Theme_AppCompat_DayNight_Dialog_MinWidth . . . . .	526
6.192.1.246	Theme_AppCompat_DayNight_DialogWhenLarge . . . . .	526
6.192.1.247	Theme_AppCompat_DayNight_NoActionBar . . . . .	526
6.192.1.248	Theme_AppCompat_Dialog . . . . .	526
6.192.1.249	Theme_AppCompat_Dialog_Alert . . . . .	526
6.192.1.250	Theme_AppCompat_Dialog_MinWidth . . . . .	526
6.192.1.251	Theme_AppCompat_DialogWhenLarge . . . . .	526
6.192.1.252	Theme_AppCompat_Light . . . . .	527

6.192.1.255	Theme_AppCompat_Light_DarkActionBar . . . . .	527
6.192.1.255	Theme_AppCompat_Light_Dialog . . . . .	527
6.192.1.255	Theme_AppCompat_Light_Dialog_Alert . . . . .	527
6.192.1.255	Theme_AppCompat_Light_Dialog_MinWidth . . . . .	527
6.192.1.255	Theme_AppCompat_Light_DialogWhenLarge . . . . .	527
6.192.1.255	Theme_AppCompat_Light_NoActionBar . . . . .	527
6.192.1.255	Theme_AppCompat_NoActionBar . . . . .	527
6.192.1.260	Theme_Design . . . . .	528
6.192.1.260	Theme_Design_BottomSheetDialog . . . . .	528
6.192.1.260	Theme_Design_Light . . . . .	528
6.192.1.260	Theme_Design_Light_BottomSheetDialog . . . . .	528
6.192.1.260	Theme_Design_Light_NoActionBar . . . . .	528
6.192.1.260	Theme_Design_NoActionBar . . . . .	528
6.192.1.260	Theme_MediaRouter . . . . .	528
6.192.1.260	Theme_MediaRouter_Light . . . . .	528
6.192.1.260	Theme_MediaRouter_Light_DarkControlPanel . . . . .	529
6.192.1.260	Theme_MediaRouter_LightControlPanel . . . . .	529
6.192.1.270	ThemeOverlay_AppCompat . . . . .	529
6.192.1.270	ThemeOverlay_AppCompat_ActionBar . . . . .	529
6.192.1.270	ThemeOverlay_AppCompat_Dark . . . . .	529
6.192.1.270	ThemeOverlay_AppCompat_Dark_ActionBar . . . . .	529
6.192.1.270	ThemeOverlay_AppCompat_Light . . . . .	529
6.192.1.270	Widget_AppCompat_ActionBar . . . . .	529
6.192.1.270	Widget_AppCompat_ActionBar_Solid . . . . .	530
6.192.1.270	Widget_AppCompat_ActionBar_TabBar . . . . .	530
6.192.1.270	Widget_AppCompat_ActionBar_TabText . . . . .	530
6.192.1.270	Widget_AppCompat_ActionBar_TabView . . . . .	530
6.192.1.280	Widget_AppCompat_ActionButton . . . . .	530
6.192.1.280	Widget_AppCompat_ActionButton_CloseMode . . . . .	530
6.192.1.280	Widget_AppCompat_ActionButton_Overflow . . . . .	530



6.192.1.287	Widget_AppCompat_ActionMode . . . . .	530
6.192.1.288	Widget_AppCompat_ActivityChooserView . . . . .	531
6.192.1.289	Widget_AppCompat_AutoCompleteTextView . . . . .	531
6.192.1.290	Widget_AppCompat_Button . . . . .	531
6.192.1.291	Widget_AppCompat_Button_Borderless . . . . .	531
6.192.1.292	Widget_AppCompat_Button_Borderless_Colored . . . . .	531
6.192.1.293	Widget_AppCompat_Button_ButtonBar_AlertDialog . . . . .	531
6.192.1.294	Widget_AppCompat_Button_Colored . . . . .	531
6.192.1.295	Widget_AppCompat_Button_Small . . . . .	531
6.192.1.296	Widget_AppCompat_ButtonBar . . . . .	532
6.192.1.297	Widget_AppCompat_ButtonBar_AlertDialog . . . . .	532
6.192.1.298	Widget_AppCompat_CompoundButton_CheckBox . . . . .	532
6.192.1.299	Widget_AppCompat_CompoundButton_RadioButton . . . . .	532
6.192.1.300	Widget_AppCompat_CompoundButton_Switch . . . . .	532
6.192.1.301	Widget_AppCompat_DrawerArrowToggle . . . . .	532
6.192.1.302	Widget_AppCompat_DropDownItem_Spinner . . . . .	532
6.192.1.303	Widget_AppCompat_EditText . . . . .	532
6.192.1.304	Widget_AppCompat_ImageButton . . . . .	533
6.192.1.305	Widget_AppCompat_Light_ActionBar . . . . .	533
6.192.1.306	Widget_AppCompat_Light_ActionBar_Solid . . . . .	533
6.192.1.307	Widget_AppCompat_Light_ActionBar_Solid_Inverse . . . . .	533
6.192.1.308	Widget_AppCompat_Light_ActionBar_TabBar . . . . .	533
6.192.1.309	Widget_AppCompat_Light_ActionBar_TabBar_Inverse . . . . .	533
6.192.1.310	Widget_AppCompat_Light_ActionBar_TabText . . . . .	533
6.192.1.311	Widget_AppCompat_Light_ActionBar_TabText_Inverse . . . . .	533
6.192.1.312	Widget_AppCompat_Light_ActionBar_TabView . . . . .	534
6.192.1.313	Widget_AppCompat_Light_ActionBar_TabView_Inverse . . . . .	534
6.192.1.314	Widget_AppCompat_Light_ActionButton . . . . .	534
6.192.1.315	Widget_AppCompat_Light_ActionButton_CloseMode . . . . .	534
6.192.1.316	Widget_AppCompat_Light_ActionButton_Overflow . . . . .	534

6.192.1.31	Widget_AppCompat_Light_ActionMode_Inverse . . . . .	534
6.192.1.31	Widget_AppCompat_Light_ActivityChooserView . . . . .	534
6.192.1.31	Widget_AppCompat_Light_AutoCompleteTextView . . . . .	535
6.192.1.31	Widget_AppCompat_Light_DropDownItem_Spinner . . . . .	535
6.192.1.31	Widget_AppCompat_Light_ListPopupWindow . . . . .	535
6.192.1.31	Widget_AppCompat_Light_ListView_DropDown . . . . .	535
6.192.1.31	Widget_AppCompat_Light_PopupMenu . . . . .	535
6.192.1.32	Widget_AppCompat_Light_PopupMenu_Overflow . . . . .	535
6.192.1.32	Widget_AppCompat_Light_SearchView . . . . .	535
6.192.1.32	Widget_AppCompat_Light_Spinner_DropDown_ActionBar . . . . .	535
6.192.1.32	Widget_AppCompat_ListPopupWindow . . . . .	536
6.192.1.32	Widget_AppCompat_ListView . . . . .	536
6.192.1.32	Widget_AppCompat_ListView_DropDown . . . . .	536
6.192.1.32	Widget_AppCompat_ListView_Menu . . . . .	536
6.192.1.32	Widget_AppCompat_PopupMenu . . . . .	536
6.192.1.32	Widget_AppCompat_PopupMenu_Overflow . . . . .	536
6.192.1.32	Widget_AppCompat_PopupWindow . . . . .	536
6.192.1.33	Widget_AppCompat_ProgressBar . . . . .	536
6.192.1.33	Widget_AppCompat_ProgressBar_Horizontal . . . . .	537
6.192.1.33	Widget_AppCompat_RatingBar . . . . .	537
6.192.1.33	Widget_AppCompat_RatingBar_Indicator . . . . .	537
6.192.1.33	Widget_AppCompat_RatingBar_Small . . . . .	537
6.192.1.33	Widget_AppCompat_SearchView . . . . .	537
6.192.1.33	Widget_AppCompat_SearchView_ActionBar . . . . .	537
6.192.1.33	Widget_AppCompat_SeekBar . . . . .	537
6.192.1.33	Widget_AppCompat_Spinner . . . . .	537
6.192.1.33	Widget_AppCompat_Spinner_DropDown . . . . .	538
6.192.1.34	Widget_AppCompat_Spinner_DropDown_ActionBar . . . . .	538
6.192.1.34	Widget_AppCompat_Spinner_Underlined . . . . .	538
6.192.1.34	Widget_AppCompat_TextView_SpinnerItem . . . . .	538

6.192.1.344	Widget_AppCompat_Toolbar . . . . .	538
6.192.1.344	Widget_AppCompat_Toolbar_Button_Navigation . . . . .	538
6.192.1.345	Widget_Design_AppBarLayout . . . . .	538
6.192.1.346	Widget_Design_BottomSheet_Modal . . . . .	538
6.192.1.347	Widget_Design_CollapsingToolbar . . . . .	539
6.192.1.348	Widget_Design_CoordinatorLayout . . . . .	539
6.192.1.349	Widget_Design_FloatingActionButton . . . . .	539
6.192.1.350	Widget_Design_NavigationView . . . . .	539
6.192.1.351	Widget_Design_ScrimInsetsFrameLayout . . . . .	539
6.192.1.352	Widget_Design_Snackbar . . . . .	539
6.192.1.353	Widget_Design_TabLayout . . . . .	539
6.192.1.354	Widget_Design_TextInputLayout . . . . .	539
6.192.1.355	Widget_MediaRouter_ChooserText . . . . .	540
6.192.1.356	Widget_MediaRouter_ChooserText_Primary . . . . .	540
6.192.1.357	Widget_MediaRouter_ChooserText_Primary_Dark . . . . .	540
6.192.1.358	Widget_MediaRouter_ChooserText_Primary_Light . . . . .	540
6.192.1.359	Widget_MediaRouter_ChooserText_Secondary . . . . .	540
6.192.1.360	Widget_MediaRouter_ChooserText_Secondary_Dark . . . . .	540
6.192.1.361	Widget_MediaRouter_ChooserText_Secondary_Light . . . . .	540
6.192.1.362	Widget_MediaRouter_ControllerText . . . . .	540
6.192.1.363	Widget_MediaRouter_ControllerText_Primary . . . . .	541
6.192.1.364	Widget_MediaRouter_ControllerText_Primary_Dark . . . . .	541
6.192.1.365	Widget_MediaRouter_ControllerText_Primary_Light . . . . .	541
6.192.1.366	Widget_MediaRouter_ControllerText_Secondary . . . . .	541
6.192.1.367	Widget_MediaRouter_ControllerText_Secondary_Dark . . . . .	541
6.192.1.368	Widget_MediaRouter_ControllerText_Secondary_Light . . . . .	541
6.192.1.369	Widget_MediaRouter_ControllerText_Title . . . . .	541
6.192.1.370	Widget_MediaRouter_ControllerText_Title_Dark . . . . .	542
6.192.1.371	Widget_MediaRouter_ControllerText_Title_Light . . . . .	542
6.192.1.372	Widget_MediaRouter_Light_MediaRouteButton . . . . .	542

6.192.1.37	Widget_MediaRouter_MediaRouteButton . . . . .	542
6.193	PROJEKT.Droid.Resource.Styleable Class Reference . . . . .	542
6.193.1	Member Data Documentation . . . . .	551
6.193.1.1	ActionBar . . . . .	551
6.193.1.2	ActionBar_background . . . . .	551
6.193.1.3	ActionBar_backgroundSplit . . . . .	551
6.193.1.4	ActionBar_backgroundStacked . . . . .	551
6.193.1.5	ActionBar_contentInsetEnd . . . . .	552
6.193.1.6	ActionBar_contentInsetLeft . . . . .	552
6.193.1.7	ActionBar_contentInsetRight . . . . .	552
6.193.1.8	ActionBar_contentInsetStart . . . . .	552
6.193.1.9	ActionBar_customNavigationLayout . . . . .	552
6.193.1.10	ActionBar_displayOptions . . . . .	552
6.193.1.11	ActionBar_divider . . . . .	552
6.193.1.12	ActionBar_elevation . . . . .	552
6.193.1.13	ActionBar_height . . . . .	553
6.193.1.14	ActionBar_hideOnContentScroll . . . . .	553
6.193.1.15	ActionBar_homeAsUpIndicator . . . . .	553
6.193.1.16	ActionBar_homeLayout . . . . .	553
6.193.1.17	ActionBar_icon . . . . .	553
6.193.1.18	ActionBar_indeterminateProgressStyle . . . . .	553
6.193.1.19	ActionBar_itemPadding . . . . .	553
6.193.1.20	ActionBar_logo . . . . .	553
6.193.1.21	ActionBar_navigationMode . . . . .	554
6.193.1.22	ActionBar_popupTheme . . . . .	554
6.193.1.23	ActionBar_progressBarPadding . . . . .	554
6.193.1.24	ActionBar_progressBarStyle . . . . .	554
6.193.1.25	ActionBar_subtitle . . . . .	554
6.193.1.26	ActionBar_subtitleTextStyle . . . . .	554
6.193.1.27	ActionBar_title . . . . .	554

6.193.1.28ActionBar_titleTextStyle . . . . .	554
6.193.1.29ActionBarLayout . . . . .	555
6.193.1.30ActionBarLayout_android_layout_gravity . . . . .	555
6.193.1.31ActionMenuItemView . . . . .	555
6.193.1.32ActionMenuItemView_android_minWidth . . . . .	555
6.193.1.33ActionMenuView . . . . .	555
6.193.1.34ActionMode . . . . .	555
6.193.1.35ActionMode_background . . . . .	556
6.193.1.36ActionMode_backgroundSplit . . . . .	556
6.193.1.37ActionMode_closeItemLayout . . . . .	556
6.193.1.38ActionMode_height . . . . .	556
6.193.1.39ActionMode_subtitleTextStyle . . . . .	556
6.193.1.40ActionMode_titleTextStyle . . . . .	556
6.193.1.41ActivityChooserView . . . . .	556
6.193.1.42ActivityChooserView_expandActivityOverflowButtonDrawable . . . . .	557
6.193.1.43ActivityChooserView_initialActivityCount . . . . .	557
6.193.1.44AlertDialog . . . . .	557
6.193.1.45AlertDialog_android_layout . . . . .	557
6.193.1.46AlertDialog_buttonPanelSideLayout . . . . .	557
6.193.1.47AlertDialog_listItemLayout . . . . .	557
6.193.1.48AlertDialog_listLayout . . . . .	558
6.193.1.49AlertDialog_multiChoiceItemLayout . . . . .	558
6.193.1.50AlertDialog_singleChoiceItemLayout . . . . .	558
6.193.1.51AppBarLayout . . . . .	558
6.193.1.52AppBarLayout_android_background . . . . .	558
6.193.1.53AppBarLayout_elevation . . . . .	558
6.193.1.54AppBarLayout_expanded . . . . .	558
6.193.1.55AppBarLayout_LayoutParams . . . . .	559
6.193.1.56AppBarLayout_LayoutParams_layout_scrollFlags . . . . .	559
6.193.1.57AppBarLayout_LayoutParams_layout_scrollInterpolator . . . . .	559

6.193.1.58	AppCompatImageView . . . . .	559
6.193.1.59	AppCompatImageView_android_src . . . . .	559
6.193.1.60	AppCompatImageView_srcCompat . . . . .	559
6.193.1.61	AppCompatTextView . . . . .	560
6.193.1.62	AppCompatTextView_android_textAppearance . . . . .	560
6.193.1.63	AppCompatTextView_textAllCaps . . . . .	560
6.193.1.64	AppCompatTheme . . . . .	560
6.193.1.65	AppCompatTheme_actionBarDivider . . . . .	560
6.193.1.66	AppCompatTheme_actionBarItemBackground . . . . .	560
6.193.1.67	AppCompatTheme_actionBarPopupTheme . . . . .	560
6.193.1.68	AppCompatTheme_actionBarSize . . . . .	561
6.193.1.69	AppCompatTheme_actionBarSplitStyle . . . . .	561
6.193.1.70	AppCompatTheme_actionBarStyle . . . . .	561
6.193.1.71	AppCompatTheme_actionBarTabBarStyle . . . . .	561
6.193.1.72	AppCompatTheme_actionBarTabStyle . . . . .	561
6.193.1.73	AppCompatTheme_actionBarTabTextStyle . . . . .	561
6.193.1.74	AppCompatTheme_actionBarTheme . . . . .	561
6.193.1.75	AppCompatTheme_actionBarWidgetTheme . . . . .	561
6.193.1.76	AppCompatTheme_actionButtonStyle . . . . .	562
6.193.1.77	AppCompatTheme_actionDropDownStyle . . . . .	562
6.193.1.78	AppCompatTheme_actionMenuTextAppearance . . . . .	562
6.193.1.79	AppCompatTheme_actionMenuTextColor . . . . .	562
6.193.1.80	AppCompatTheme_actionModeBackground . . . . .	562
6.193.1.81	AppCompatTheme_actionModeCloseButtonStyle . . . . .	562
6.193.1.82	AppCompatTheme_actionModeCloseDrawable . . . . .	562
6.193.1.83	AppCompatTheme_actionModeCopyDrawable . . . . .	562
6.193.1.84	AppCompatTheme_actionModeCutDrawable . . . . .	563
6.193.1.85	AppCompatTheme_actionModeFindDrawable . . . . .	563
6.193.1.86	AppCompatTheme_actionModePasteDrawable . . . . .	563
6.193.1.87	AppCompatTheme_actionModePopupWindowStyle . . . . .	563

6.193.1.88	AppCompatTheme_actionModeSelectAllDrawable . . . . .	563
6.193.1.89	AppCompatTheme_actionModeShareDrawable . . . . .	563
6.193.1.90	AppCompatTheme_actionModeSplitBackground . . . . .	563
6.193.1.91	AppCompatTheme_actionModeStyle . . . . .	563
6.193.1.92	AppCompatTheme_actionModeWebSearchDrawable . . . . .	564
6.193.1.93	AppCompatTheme_actionOverflowButtonStyle . . . . .	564
6.193.1.94	AppCompatTheme_actionOverflowMenuStyle . . . . .	564
6.193.1.95	AppCompatTheme_activityChooserViewStyle . . . . .	564
6.193.1.96	AppCompatTheme_alertDialogButtonGroupStyle . . . . .	564
6.193.1.97	AppCompatTheme_alertDialogCenterButtons . . . . .	564
6.193.1.98	AppCompatTheme_alertDialogStyle . . . . .	564
6.193.1.99	AppCompatTheme_alertDialogTheme . . . . .	564
6.193.1.100	AppCompatTheme_android_windowAnimationStyle . . . . .	565
6.193.1.101	AppCompatTheme_android_windowIsFloating . . . . .	565
6.193.1.102	AppCompatTheme_autoCompleteTextViewStyle . . . . .	565
6.193.1.103	AppCompatTheme_borderlessButtonStyle . . . . .	565
6.193.1.104	AppCompatTheme_buttonBarButtonStyle . . . . .	565
6.193.1.105	AppCompatTheme_buttonBarNegativeButtonStyle . . . . .	565
6.193.1.106	AppCompatTheme_buttonBarNeutralButtonStyle . . . . .	565
6.193.1.107	AppCompatTheme_buttonBarPositiveButtonStyle . . . . .	565
6.193.1.108	AppCompatTheme_buttonBarStyle . . . . .	566
6.193.1.109	AppCompatTheme_buttonStyle . . . . .	566
6.193.1.110	AppCompatTheme_buttonStyleSmall . . . . .	566
6.193.1.111	AppCompatTheme_checkboxStyle . . . . .	566
6.193.1.112	AppCompatTheme_checkedTextViewStyle . . . . .	566
6.193.1.113	AppCompatTheme_colorAccent . . . . .	566
6.193.1.114	AppCompatTheme_colorButtonNormal . . . . .	566
6.193.1.115	AppCompatTheme_colorControlActivated . . . . .	566
6.193.1.116	AppCompatTheme_colorControlHighlight . . . . .	567
6.193.1.117	AppCompatTheme_colorControlNormal . . . . .	567

6.193.1.118	AppCompatTheme_colorPrimary	567
6.193.1.119	AppCompatTheme_colorPrimaryDark	567
6.193.1.120	AppCompatTheme_colorSwitchThumbNormal	567
6.193.1.121	AppCompatTheme_controlBackground	567
6.193.1.122	AppCompatTheme_dialogPreferredPadding	567
6.193.1.123	AppCompatTheme_dialogTheme	567
6.193.1.124	AppCompatTheme_dividerHorizontal	568
6.193.1.125	AppCompatTheme_dividerVertical	568
6.193.1.126	AppCompatTheme_dropdownListPreferredItemHeight	568
6.193.1.127	AppCompatTheme_dropDownListViewStyle	568
6.193.1.128	AppCompatTheme_editTextBackground	568
6.193.1.129	AppCompatTheme_editTextColor	568
6.193.1.130	AppCompatTheme_editTextStyle	568
6.193.1.131	AppCompatTheme_homeAsUpIndicator	568
6.193.1.132	AppCompatTheme_imageButtonStyle	569
6.193.1.133	AppCompatTheme_listChoiceBackgroundIndicator	569
6.193.1.134	AppCompatTheme_listDividerAlertDialog	569
6.193.1.135	AppCompatTheme_listPopupWindowStyle	569
6.193.1.136	AppCompatTheme_listPreferredItemHeight	569
6.193.1.137	AppCompatTheme_listPreferredItemHeightLarge	569
6.193.1.138	AppCompatTheme_listPreferredItemHeightSmall	569
6.193.1.139	AppCompatTheme_listPreferredItemPaddingLeft	569
6.193.1.140	AppCompatTheme_listPreferredItemPaddingRight	570
6.193.1.141	AppCompatTheme_panelBackground	570
6.193.1.142	AppCompatTheme_panelMenuListTheme	570
6.193.1.143	AppCompatTheme_panelMenuListWidth	570
6.193.1.144	AppCompatTheme_popupMenuStyle	570
6.193.1.145	AppCompatTheme_popupWindowStyle	570
6.193.1.146	AppCompatTheme_radioButtonStyle	570
6.193.1.147	AppCompatTheme_ratingBarStyle	570



6.193.1.148	AppCompatTheme_ratingBarStyleIndicator . . . . .	571
6.193.1.149	AppCompatTheme_ratingBarStyleSmall . . . . .	571
6.193.1.150	AppCompatTheme_searchViewStyle . . . . .	571
6.193.1.151	AppCompatTheme_seekBarStyle . . . . .	571
6.193.1.152	AppCompatTheme_selectableItemBackground . . . . .	571
6.193.1.153	AppCompatTheme_selectableItemBackgroundBorderless . . . . .	571
6.193.1.154	AppCompatTheme_spinnerDropDownItemStyle . . . . .	571
6.193.1.155	AppCompatTheme_spinnerStyle . . . . .	572
6.193.1.156	AppCompatTheme_switchStyle . . . . .	572
6.193.1.157	AppCompatTheme_textAppearanceLargePopupMenu . . . . .	572
6.193.1.158	AppCompatTheme_textAppearanceListItem . . . . .	572
6.193.1.159	AppCompatTheme_textAppearanceListItemSmall . . . . .	572
6.193.1.160	AppCompatTheme_textAppearanceSearchResultSubtitle . . . . .	572
6.193.1.161	AppCompatTheme_textAppearanceSearchResultTitle . . . . .	572
6.193.1.162	AppCompatTheme_textAppearanceSmallPopupMenu . . . . .	573
6.193.1.163	AppCompatTheme_textColorAlertDialogListItem . . . . .	573
6.193.1.164	AppCompatTheme_textColorSearchUrl . . . . .	573
6.193.1.165	AppCompatTheme_toolbarNavigationButtonStyle . . . . .	573
6.193.1.166	AppCompatTheme_toolbarStyle . . . . .	573
6.193.1.167	AppCompatTheme_windowActionBar . . . . .	573
6.193.1.168	AppCompatTheme_windowActionBarOverlay . . . . .	573
6.193.1.169	AppCompatTheme_windowActionModeOverlay . . . . .	573
6.193.1.170	AppCompatTheme_windowFixedHeightMajor . . . . .	574
6.193.1.171	AppCompatTheme_windowFixedHeightMinor . . . . .	574
6.193.1.172	AppCompatTheme_windowFixedWidthMajor . . . . .	574
6.193.1.173	AppCompatTheme_windowFixedWidthMinor . . . . .	574
6.193.1.174	AppCompatTheme_windowMinWidthMajor . . . . .	574
6.193.1.175	AppCompatTheme_windowMinWidthMinor . . . . .	574
6.193.1.176	AppCompatTheme_windowNoTitle . . . . .	574
6.193.1.177	BottomSheetBehavior_Params . . . . .	575

6.193.1.178	BottomSheetBehavior_Params_behavior_hideable . . . . .	575
6.193.1.179	BottomSheetBehavior_Params_behavior_peekHeight . . . . .	575
6.193.1.180	AppBarLayout . . . . .	575
6.193.1.181	AppBarLayout_allowStacking . . . . .	575
6.193.1.182	CardView . . . . .	576
6.193.1.183	CardView_android_minHeight . . . . .	576
6.193.1.184	CardView_android_minWidth . . . . .	576
6.193.1.185	CardView_cardBackgroundColor . . . . .	576
6.193.1.186	CardView_cardCornerRadius . . . . .	576
6.193.1.187	CardView_cardElevation . . . . .	576
6.193.1.188	CardView_cardMaxElevation . . . . .	577
6.193.1.189	CardView_cardPreventCornerOverlap . . . . .	577
6.193.1.190	CardView_cardUseCompatPadding . . . . .	577
6.193.1.191	CardView_contentPadding . . . . .	577
6.193.1.192	CardView_contentPaddingBottom . . . . .	577
6.193.1.193	CardView_contentPaddingLeft . . . . .	577
6.193.1.194	CardView_contentPaddingRight . . . . .	577
6.193.1.195	CardView_contentPaddingTop . . . . .	577
6.193.1.196	CollapsingAppBarLayout_LayoutParams . . . . .	578
6.193.1.197	CollapsingAppBarLayout_LayoutParams_layout_collapseMode . . . . .	578
6.193.1.198	CollapsingAppBarLayout_LayoutParams_layout_collapseParallaxMultiplier . . . . .	578
6.193.1.199	CollapsingToolbarLayout . . . . .	578
6.193.1.200	CollapsingToolbarLayout_collapsedTitleGravity . . . . .	578
6.193.1.201	CollapsingToolbarLayout_collapsedTitleTextAppearance . . . . .	579
6.193.1.202	CollapsingToolbarLayout_contentScrim . . . . .	579
6.193.1.203	CollapsingToolbarLayout_expandedTitleGravity . . . . .	579
6.193.1.204	CollapsingToolbarLayout_expandedTitleMargin . . . . .	579
6.193.1.205	CollapsingToolbarLayout_expandedTitleMarginBottom . . . . .	579
6.193.1.206	CollapsingToolbarLayout_expandedTitleMarginEnd . . . . .	579
6.193.1.207	CollapsingToolbarLayout_expandedTitleMarginStart . . . . .	579

6.193.1.208	<code>CollapsingToolbarLayout_expandedTitleMarginTop</code> . . . . .	580
6.193.1.209	<code>CollapsingToolbarLayout_expandedTitleTextAppearance</code> . . . . .	580
6.193.1.210	<code>CollapsingToolbarLayout_statusBarScrim</code> . . . . .	580
6.193.1.211	<code>CollapsingToolbarLayout_title</code> . . . . .	580
6.193.1.212	<code>CollapsingToolbarLayout_titleEnabled</code> . . . . .	580
6.193.1.213	<code>CollapsingToolbarLayout_toolbarId</code> . . . . .	580
6.193.1.214	<code>CompoundButton</code> . . . . .	580
6.193.1.215	<code>CompoundButton_android_button</code> . . . . .	581
6.193.1.216	<code>CompoundButton_buttonTint</code> . . . . .	581
6.193.1.217	<code>CompoundButton_buttonTintMode</code> . . . . .	581
6.193.1.218	<code>CoordinatorLayout</code> . . . . .	581
6.193.1.219	<code>CoordinatorLayout_keylines</code> . . . . .	581
6.193.1.220	<code>CoordinatorLayout_LayoutParams</code> . . . . .	581
6.193.1.221	<code>CoordinatorLayout_LayoutParams_android_layout_gravity</code> . . . . .	582
6.193.1.222	<code>CoordinatorLayout_LayoutParams_layout_anchor</code> . . . . .	582
6.193.1.223	<code>CoordinatorLayout_LayoutParams_layout_anchorGravity</code> . . . . .	582
6.193.1.224	<code>CoordinatorLayout_LayoutParams_layout_behavior</code> . . . . .	582
6.193.1.225	<code>CoordinatorLayout_LayoutParams_layout_keyline</code> . . . . .	582
6.193.1.226	<code>CoordinatorLayout_statusBarBackground</code> . . . . .	582
6.193.1.227	<code>DesignTheme</code> . . . . .	582
6.193.1.228	<code>DesignTheme_bottomSheetDialogTheme</code> . . . . .	583
6.193.1.229	<code>DesignTheme_bottomSheetStyle</code> . . . . .	583
6.193.1.230	<code>DesignTheme_textColorError</code> . . . . .	583
6.193.1.231	<code>DrawerArrowToggle</code> . . . . .	583
6.193.1.232	<code>DrawerArrowToggle_arrowHeadLength</code> . . . . .	583
6.193.1.233	<code>DrawerArrowToggle_arrowShaftLength</code> . . . . .	583
6.193.1.234	<code>DrawerArrowToggle_barLength</code> . . . . .	584
6.193.1.235	<code>DrawerArrowToggle_color</code> . . . . .	584
6.193.1.236	<code>DrawerArrowToggle_drawableSize</code> . . . . .	584
6.193.1.237	<code>DrawerArrowToggle_gapBetweenBars</code> . . . . .	584

6.193.1.238	DrawerArrowToggle_spinBars . . . . .	584
6.193.1.239	DrawerArrowToggle_thickness . . . . .	584
6.193.1.240	FloatingActionButton . . . . .	584
6.193.1.241	FloatingActionButton_backgroundTint . . . . .	585
6.193.1.242	FloatingActionButton_backgroundTintMode . . . . .	585
6.193.1.243	FloatingActionButton_borderWidth . . . . .	585
6.193.1.244	FloatingActionButton_elevation . . . . .	585
6.193.1.245	FloatingActionButton_fabSize . . . . .	585
6.193.1.246	FloatingActionButton_pressedTranslationZ . . . . .	585
6.193.1.247	FloatingActionButton_rippleColor . . . . .	585
6.193.1.248	FloatingActionButton_useCompatPadding . . . . .	585
6.193.1.249	ForegroundLinearLayout . . . . .	586
6.193.1.250	ForegroundLinearLayout_android_foreground . . . . .	586
6.193.1.251	ForegroundLinearLayout_android_foregroundGravity . . . . .	586
6.193.1.252	ForegroundLinearLayout_foregroundInsidePadding . . . . .	586
6.193.1.253	LinearLayoutCompat . . . . .	586
6.193.1.254	LinearLayoutCompat_android_baselineAligned . . . . .	587
6.193.1.255	LinearLayoutCompat_android_baselineAlignedChildIndex . . . . .	587
6.193.1.256	LinearLayoutCompat_android_gravity . . . . .	587
6.193.1.257	LinearLayoutCompat_android_orientation . . . . .	587
6.193.1.258	LinearLayoutCompat_android_weightSum . . . . .	587
6.193.1.259	LinearLayoutCompat_divider . . . . .	587
6.193.1.260	LinearLayoutCompat_dividerPadding . . . . .	587
6.193.1.261	LinearLayoutCompat_Layout . . . . .	588
6.193.1.262	LinearLayoutCompat_Layout_android_layout_gravity . . . . .	588
6.193.1.263	LinearLayoutCompat_Layout_android_layout_height . . . . .	588
6.193.1.264	LinearLayoutCompat_Layout_android_layout_weight . . . . .	588
6.193.1.265	LinearLayoutCompat_Layout_android_layout_width . . . . .	588
6.193.1.266	LinearLayoutCompat_measureWithLargestChild . . . . .	588
6.193.1.267	LinearLayoutCompat_showDividers . . . . .	589

6.193.1.268	FirstPopupWindow	589
6.193.1.269	FirstPopupWindow_android_dropDownHorizontalOffset	589
6.193.1.270	FirstPopupWindow_android_dropDownVerticalOffset	589
6.193.1.271	MediaRouteButton	589
6.193.1.272	MediaRouteButton_android_minHeight	589
6.193.1.273	MediaRouteButton_android_minWidth	590
6.193.1.274	MediaRouteButton_externalRouteEnabledDrawable	590
6.193.1.275	MenuGroup	590
6.193.1.276	MenuGroup_android_checkableBehavior	590
6.193.1.277	MenuGroup_android_enabled	590
6.193.1.278	MenuGroup_android_id	590
6.193.1.279	MenuGroup_android_menuCategory	591
6.193.1.280	MenuGroup_android_orderInCategory	591
6.193.1.281	MenuGroup_android_visible	591
6.193.1.282	MenuItem	591
6.193.1.283	MenuItem_actionLayout	591
6.193.1.284	MenuItem_actionProviderClass	591
6.193.1.285	MenuItem_actionViewClass	592
6.193.1.286	MenuItem_android_alphabeticShortcut	592
6.193.1.287	MenuItem_android_checkable	592
6.193.1.288	MenuItem_android_checked	592
6.193.1.289	MenuItem_android_enabled	592
6.193.1.290	MenuItem_android_icon	592
6.193.1.291	MenuItem_android_id	592
6.193.1.292	MenuItem_android_menuCategory	592
6.193.1.293	MenuItem_android_numericShortcut	593
6.193.1.294	MenuItem_android_onClick	593
6.193.1.295	MenuItem_android_orderInCategory	593
6.193.1.296	MenuItem_android_title	593
6.193.1.297	MenuItem_android_titleCondensed	593

6.193.1.299	<del>MenuItem</del> MenuItem_android_visible . . . . .	593
6.193.1.299	<del>MenuItem</del> MenuItem_showAsAction . . . . .	593
6.193.1.300	<del>MenuView</del> MenuView . . . . .	594
6.193.1.300	<del>MenuView</del> MenuView_android_headerBackground . . . . .	594
6.193.1.300	<del>MenuView</del> MenuView_android_horizontalDivider . . . . .	594
6.193.1.300	<del>MenuView</del> MenuView_android_itemBackground . . . . .	594
6.193.1.300	<del>MenuView</del> MenuView_android_itemIconDisabledAlpha . . . . .	594
6.193.1.300	<del>MenuView</del> MenuView_android_itemTextAppearance . . . . .	594
6.193.1.300	<del>MenuView</del> MenuView_android_verticalDivider . . . . .	595
6.193.1.300	<del>MenuView</del> MenuView_android_windowAnimationStyle . . . . .	595
6.193.1.300	<del>MenuView</del> MenuView_preserveIconSpacing . . . . .	595
6.193.1.309	<del>NavigationView</del> NavigationView . . . . .	595
6.193.1.310	<del>NavigationView</del> NavigationView_android_background . . . . .	595
6.193.1.310	<del>NavigationView</del> NavigationView_android_fitsSystemWindows . . . . .	595
6.193.1.310	<del>NavigationView</del> NavigationView_android_maxWidth . . . . .	596
6.193.1.310	<del>NavigationView</del> NavigationView_elevation . . . . .	596
6.193.1.310	<del>NavigationView</del> NavigationView_headerLayout . . . . .	596
6.193.1.310	<del>NavigationView</del> NavigationView_itemBackground . . . . .	596
6.193.1.310	<del>NavigationView</del> NavigationView_itemIconTint . . . . .	596
6.193.1.310	<del>NavigationView</del> NavigationView_itemTextAppearance . . . . .	596
6.193.1.310	<del>NavigationView</del> NavigationView_itemTextColor . . . . .	596
6.193.1.310	<del>NavigationView</del> NavigationView_menu . . . . .	596
6.193.1.320	<del>PopupWindow</del> PopupWindow . . . . .	597
6.193.1.320	<del>PopupWindow</del> PopupWindow_android_popupBackground . . . . .	597
6.193.1.320	<del>PopupWindow</del> PopupWindow_overlapAnchor . . . . .	597
6.193.1.320	<del>PopupWindow</del> PopupWindowBackgroundState . . . . .	597
6.193.1.320	<del>PopupWindow</del> PopupWindowBackgroundState_state_above_anchor . . . . .	597
6.193.1.325	<del>RecyclerView</del> RecyclerView . . . . .	597
6.193.1.326	<del>RecyclerView</del> RecyclerView_android_orientation . . . . .	598
6.193.1.327	<del>RecyclerView</del> RecyclerView_layoutManager . . . . .	598

6.193.1.328	RecyclerView_reverseLayout . . . . .	598
6.193.1.329	RecyclerView_spanCount . . . . .	598
6.193.1.330	RecyclerView_stackFromEnd . . . . .	598
6.193.1.333	ScrimInsetsFrameLayout . . . . .	598
6.193.1.332	ScrimInsetsFrameLayout_insetForeground . . . . .	598
6.193.1.333	ScrollingViewBehavior_Params . . . . .	599
6.193.1.333	ScrollingViewBehavior_Params_behavior_overlapTop . . . . .	599
6.193.1.335	SearchView . . . . .	599
6.193.1.336	SearchView_android_focusable . . . . .	599
6.193.1.337	SearchView_android_imeOptions . . . . .	599
6.193.1.338	SearchView_android_inputType . . . . .	600
6.193.1.339	SearchView_android_maxWidth . . . . .	600
6.193.1.340	SearchView_closelcon . . . . .	600
6.193.1.343	SearchView_commitIcon . . . . .	600
6.193.1.342	SearchView_defaultQueryHint . . . . .	600
6.193.1.343	SearchView_golcon . . . . .	600
6.193.1.343	SearchView_iconifiedByDefault . . . . .	600
6.193.1.345	SearchView_layout . . . . .	600
6.193.1.346	SearchView_queryBackground . . . . .	601
6.193.1.347	SearchView_queryHint . . . . .	601
6.193.1.348	SearchView_searchHintIcon . . . . .	601
6.193.1.349	SearchView_searchIcon . . . . .	601
6.193.1.350	SearchView_submitBackground . . . . .	601
6.193.1.353	SearchView_suggestionRowLayout . . . . .	601
6.193.1.352	SearchView_voicelcon . . . . .	601
6.193.1.353	SnackbarLayout . . . . .	602
6.193.1.353	SnackbarLayout_android_maxWidth . . . . .	602
6.193.1.355	SnackbarLayout_elevation . . . . .	602
6.193.1.356	SnackbarLayout_maxActionInlineWidth . . . . .	602
6.193.1.357	Spinner . . . . .	602

6.193.1.358	Spinner_android_dropDownWidth . . . . .	602
6.193.1.359	Spinner_android_entries . . . . .	603
6.193.1.360	Spinner_android_popupBackground . . . . .	603
6.193.1.361	Spinner_android_prompt . . . . .	603
6.193.1.362	Spinner_popupTheme . . . . .	603
6.193.1.363	SwitchCompat . . . . .	603
6.193.1.364	SwitchCompat_android_textOff . . . . .	603
6.193.1.365	SwitchCompat_android_textOn . . . . .	604
6.193.1.366	SwitchCompat_android_thumb . . . . .	604
6.193.1.367	SwitchCompat_showText . . . . .	604
6.193.1.368	SwitchCompat_splitTrack . . . . .	604
6.193.1.369	SwitchCompat_switchMinWidth . . . . .	604
6.193.1.370	SwitchCompat_switchPadding . . . . .	604
6.193.1.371	SwitchCompat_switchTextAppearance . . . . .	604
6.193.1.372	SwitchCompat_thumbTextPadding . . . . .	604
6.193.1.373	SwitchCompat_track . . . . .	605
6.193.1.374	TabItem . . . . .	605
6.193.1.375	TabItem_android_icon . . . . .	605
6.193.1.376	TabItem_android_layout . . . . .	605
6.193.1.377	TabItem_android_text . . . . .	605
6.193.1.378	TabLayout . . . . .	605
6.193.1.379	TabLayout_tabBackground . . . . .	606
6.193.1.380	TabLayout_tabContentStart . . . . .	606
6.193.1.381	TabLayout_tabGravity . . . . .	606
6.193.1.382	TabLayout_tabIndicatorColor . . . . .	606
6.193.1.383	TabLayout_tabIndicatorHeight . . . . .	606
6.193.1.384	TabLayout_tabMaxWidth . . . . .	606
6.193.1.385	TabLayout_tabMinWidth . . . . .	606
6.193.1.386	TabLayout_tabMode . . . . .	606
6.193.1.387	TabLayout_tabPadding . . . . .	607



6.193.1.38	TabLayout_tabPaddingBottom . . . . .	607
6.193.1.38	TabLayout_tabPaddingEnd . . . . .	607
6.193.1.39	TabLayout_tabPaddingStart . . . . .	607
6.193.1.39	TabLayout_tabPaddingTop . . . . .	607
6.193.1.39	TabLayout_tabSelectedTextColor . . . . .	607
6.193.1.39	TabLayout_tabTextAppearance . . . . .	607
6.193.1.39	TabLayout_tabTextColor . . . . .	607
6.193.1.39	TextAppearance . . . . .	608
6.193.1.39	TextAppearance_android_shadowColor . . . . .	608
6.193.1.39	TextAppearance_android_shadowDx . . . . .	608
6.193.1.39	TextAppearance_android_shadowDy . . . . .	608
6.193.1.39	TextAppearance_android_shadowRadius . . . . .	608
6.193.1.40	TextAppearance_android_textColor . . . . .	608
6.193.1.40	TextAppearance_android_textSize . . . . .	609
6.193.1.40	TextAppearance_android_textStyle . . . . .	609
6.193.1.40	TextAppearance_android_typeface . . . . .	609
6.193.1.40	TextAppearance_textAllCaps . . . . .	609
6.193.1.40	TextInputLayout . . . . .	609
6.193.1.40	TextInputLayout_android_hint . . . . .	609
6.193.1.40	TextInputLayout_android_textColorHint . . . . .	610
6.193.1.40	TextInputLayout_counterEnabled . . . . .	610
6.193.1.40	TextInputLayout_counterMaxLength . . . . .	610
6.193.1.41	TextInputLayout_counterOverflowTextAppearance . . . . .	610
6.193.1.41	TextInputLayout_counterTextAppearance . . . . .	610
6.193.1.41	TextInputLayout_errorEnabled . . . . .	610
6.193.1.41	TextInputLayout_errorTextAppearance . . . . .	610
6.193.1.41	TextInputLayout_hintAnimationEnabled . . . . .	610
6.193.1.41	TextInputLayout_hintEnabled . . . . .	611
6.193.1.41	TextInputLayout_hintTextAppearance . . . . .	611
6.193.1.41	Toolbar . . . . .	611

6.193.1.41	Toolbar_android_gravity . . . . .	611
6.193.1.41	Toolbar_android_minHeight . . . . .	611
6.193.1.42	Toolbar_collapseContentDescription . . . . .	612
6.193.1.42	Toolbar_collapseIcon . . . . .	612
6.193.1.42	Toolbar_contentInsetEnd . . . . .	612
6.193.1.42	Toolbar_contentInsetLeft . . . . .	612
6.193.1.42	Toolbar_contentInsetRight . . . . .	612
6.193.1.42	Toolbar_contentInsetStart . . . . .	612
6.193.1.42	Toolbar_logo . . . . .	612
6.193.1.42	Toolbar_logoDescription . . . . .	612
6.193.1.42	Toolbar_maxButtonHeight . . . . .	613
6.193.1.42	Toolbar_navigationContentDescription . . . . .	613
6.193.1.43	Toolbar_navigationIcon . . . . .	613
6.193.1.43	Toolbar_popupTheme . . . . .	613
6.193.1.43	Toolbar_subtitle . . . . .	613
6.193.1.43	Toolbar_subtitleTextAppearance . . . . .	613
6.193.1.43	Toolbar_subtitleTextColor . . . . .	613
6.193.1.43	Toolbar_title . . . . .	613
6.193.1.43	Toolbar_titleMarginBottom . . . . .	614
6.193.1.43	Toolbar_titleMarginEnd . . . . .	614
6.193.1.43	Toolbar_titleMargins . . . . .	614
6.193.1.43	Toolbar_titleMarginStart . . . . .	614
6.193.1.44	Toolbar_titleMarginTop . . . . .	614
6.193.1.44	Toolbar_titleTextAppearance . . . . .	614
6.193.1.44	Toolbar_titleTextColor . . . . .	614
6.193.1.44	View . . . . .	615
6.193.1.44	View_android_focusable . . . . .	615
6.193.1.44	View_android_theme . . . . .	615
6.193.1.44	View_paddingEnd . . . . .	615
6.193.1.44	View_paddingStart . . . . .	615

6.193.1.449	View_theme	615
6.193.1.449	ViewBackgroundHelper	616
6.193.1.450	ViewBackgroundHelper_android_background	616
6.193.1.451	ViewBackgroundHelper_backgroundTint	616
6.193.1.452	ViewBackgroundHelper_backgroundTintMode	616
6.193.1.453	ViewStubCompat	616
6.193.1.454	ViewStubCompat_android_id	616
6.193.1.455	ViewStubCompat_android_inflatedId	617
6.193.1.456	ViewStubCompat_android_layout	617
6.194	mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor Class Reference	617
6.194.1	Constructor & Destructor Documentation	617
6.194.1.1	SwipeDismissBehavior_OnDismissListenerImplementor()	617
6.194.2	Member Function Documentation	618
6.194.2.1	monodroidAddReference()	618
6.194.2.2	monodroidClearReferences()	618
6.194.2.3	onDismiss()	618
6.194.2.4	onDragStateChanged()	618
6.194.3	Member Data Documentation	618
6.194.3.1	__md_methods	618
6.195	mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor Class Reference	619
6.195.1	Constructor & Destructor Documentation	619
6.195.1.1	SwipeRefreshLayout_OnRefreshListenerImplementor()	619
6.195.2	Member Function Documentation	619
6.195.2.1	monodroidAddReference()	619
6.195.2.2	monodroidClearReferences()	619
6.195.2.3	onRefresh()	620
6.195.3	Member Data Documentation	620
6.195.3.1	__md_methods	620
6.196	md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView Class Reference	620

6.196.1 Constructor & Destructor Documentation . . . . .	620
6.196.1.1 SwitchCellView() [1/4] . . . . .	621
6.196.1.2 SwitchCellView() [2/4] . . . . .	621
6.196.1.3 SwitchCellView() [3/4] . . . . .	621
6.196.1.4 SwitchCellView() [4/4] . . . . .	621
6.196.2 Member Function Documentation . . . . .	621
6.196.2.1 monodroidAddReference() . . . . .	621
6.196.2.2 monodroidClearReferences() . . . . .	621
6.196.2.3 onCheckedChanged() . . . . .	622
6.196.3 Member Data Documentation . . . . .	622
6.196.3.1 __md_methods . . . . .	622
6.197md5270abb39e60627f0f200893b490a1ade.SwitchRenderer Class Reference . . . . .	622
6.197.1 Constructor & Destructor Documentation . . . . .	622
6.197.1.1 SwitchRenderer() [1/3] . . . . .	623
6.197.1.2 SwitchRenderer() [2/3] . . . . .	623
6.197.1.3 SwitchRenderer() [3/3] . . . . .	623
6.197.2 Member Function Documentation . . . . .	623
6.197.2.1 monodroidAddReference() . . . . .	623
6.197.2.2 monodroidClearReferences() . . . . .	623
6.197.2.3 onCheckedChanged() . . . . .	623
6.197.3 Member Data Documentation . . . . .	624
6.197.3.1 __md_methods . . . . .	624
6.198md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer Class Reference . . . . .	624
6.198.1 Constructor & Destructor Documentation . . . . .	624
6.198.1.1 SwitchRenderer() [1/3] . . . . .	624
6.198.1.2 SwitchRenderer() [2/3] . . . . .	625
6.198.1.3 SwitchRenderer() [3/3] . . . . .	625
6.198.2 Member Function Documentation . . . . .	625
6.198.2.1 monodroidAddReference() . . . . .	625
6.198.2.2 monodroidClearReferences() . . . . .	625

6.198.2.3 onCheckedChanged()	625
6.198.3 Member Data Documentation	625
6.198.3.1 __md_methods	625
6.199md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer Class Reference	626
6.199.1 Constructor & Destructor Documentation	626
6.199.1.1 TabbedPageRenderer() [1/3]	626
6.199.1.2 TabbedPageRenderer() [2/3]	626
6.199.1.3 TabbedPageRenderer() [3/3]	627
6.199.2 Member Function Documentation	627
6.199.2.1 monodroidAddReference()	627
6.199.2.2 monodroidClearReferences()	627
6.199.2.3 onAttachedToWindow()	627
6.199.2.4 onDetachedFromWindow()	627
6.199.2.5 onLayout()	627
6.199.2.6 onPageScrolled()	628
6.199.2.7 onPageScrollStateChanged()	628
6.199.2.8 onPageSelected()	628
6.199.2.9 onTabReselected()	628
6.199.2.10onTabSelected()	628
6.199.2.11onTabUnselected()	628
6.199.3 Member Data Documentation	628
6.199.3.1 __md_methods	629
6.200md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer Class Reference	629
6.200.1 Constructor & Destructor Documentation	629
6.200.1.1 TabbedRenderer() [1/3]	629
6.200.1.2 TabbedRenderer() [2/3]	630
6.200.1.3 TabbedRenderer() [3/3]	630
6.200.2 Member Function Documentation	630
6.200.2.1 monodroidAddReference()	630
6.200.2.2 monodroidClearReferences()	630

6.200.2.3 onAttachedToWindow()	630
6.200.2.4 onDetachedFromWindow()	630
6.200.3 Member Data Documentation	630
6.200.3.1 __md_methods	631
6.201 mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor Class Reference	631
6.201.1 Constructor & Destructor Documentation	631
6.201.1.1 TabLayout_OnTabSelectedListenerImplementor()	631
6.201.2 Member Function Documentation	631
6.201.2.1 monodroidAddReference()	632
6.201.2.2 monodroidClearReferences()	632
6.201.2.3 onTabReselected()	632
6.201.2.4 onTabSelected()	632
6.201.2.5 onTabUnselected()	632
6.201.3 Member Data Documentation	632
6.201.3.1 __md_methods	632
6.202 md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer Class Reference	633
6.202.1 Constructor & Destructor Documentation	633
6.202.1.1 TableViewModelRenderer() [1/2]	633
6.202.1.2 TableViewModelRenderer() [2/2]	633
6.202.2 Member Function Documentation	633
6.202.2.1 areAllItemsEnabled()	634
6.202.2.2 getCount()	634
6.202.2.3 getItem()	634
6.202.2.4 getItemId()	634
6.202.2.5 getView()	634
6.202.2.6 getViewTypeCount()	634
6.202.2.7 isEnabled()	634
6.202.2.8 monodroidAddReference()	635
6.202.2.9 monodroidClearReferences()	635
6.202.3 Member Data Documentation	635

6.202.3.1 __md_methods . . . . .	635
6.203md5b60ffeb829f638581ab2bb9b1a7f4f3f.tableViewrenderer Class Reference . . . . .	635
6.203.1 Constructor & Destructor Documentation . . . . .	636
6.203.1.1 tableViewrenderer() [1/3] . . . . .	636
6.203.1.2 tableViewrenderer() [2/3] . . . . .	636
6.203.1.3 tableViewrenderer() [3/3] . . . . .	636
6.203.2 Member Function Documentation . . . . .	636
6.203.2.1 monodroidAddReference() . . . . .	636
6.203.2.2 monodroidClearReferences() . . . . .	636
6.203.3 Member Data Documentation . . . . .	636
6.203.3.1 __md_methods . . . . .	637
6.204PROJEKT.Models.API.TeamDTO Class Reference . . . . .	637
6.204.1 Detailed Description . . . . .	637
6.204.2 Property Documentation . . . . .	637
6.204.2.1 Name . . . . .	637
6.205PROJEKT.ViewModels.TeamItemViewModel Class Reference . . . . .	637
6.205.1 Detailed Description . . . . .	638
6.205.2 Constructor & Destructor Documentation . . . . .	638
6.205.2.1 TeamItemViewModel() . . . . .	638
6.205.3 Member Function Documentation . . . . .	638
6.205.3.1 DownloadData() . . . . .	638
6.205.4 Property Documentation . . . . .	638
6.205.4.1 Results . . . . .	638
6.206PROJEKT.Models.API.TeamsDTO Class Reference . . . . .	639
6.206.1 Detailed Description . . . . .	639
6.206.2 Property Documentation . . . . .	639
6.206.2.1 Teams . . . . .	639
6.207PROJEKT.Views.Controls.TeamsItemView Class Reference . . . . .	639
6.207.1 Constructor & Destructor Documentation . . . . .	639
6.207.1.1 TeamsItemView() . . . . .	640

6.208PROJEKT.Views.Controls.TeamsView Class Reference . . . . .	640
6.208.1 Constructor & Destructor Documentation . . . . .	640
6.208.1.1 TeamsView() . . . . .	640
6.209md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView Class Reference . . . . .	640
6.209.1 Constructor & Destructor Documentation . . . . .	641
6.209.1.1 TextCellRenderer_TextCellView() [1/4] . . . . .	641
6.209.1.2 TextCellRenderer_TextCellView() [2/4] . . . . .	641
6.209.1.3 TextCellRenderer_TextCellView() [3/4] . . . . .	641
6.209.1.4 TextCellRenderer_TextCellView() [4/4] . . . . .	642
6.209.2 Member Function Documentation . . . . .	642
6.209.2.1 monodroidAddReference() . . . . .	642
6.209.2.2 monodroidClearReferences() . . . . .	642
6.209.3 Member Data Documentation . . . . .	642
6.209.3.1 __md_methods . . . . .	642
6.210md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer Class Reference . . . . .	642
6.210.1 Constructor & Destructor Documentation . . . . .	643
6.210.1.1 TimePickerRenderer() [1/3] . . . . .	643
6.210.1.2 TimePickerRenderer() [2/3] . . . . .	643
6.210.1.3 TimePickerRenderer() [3/3] . . . . .	643
6.210.2 Member Function Documentation . . . . .	643
6.210.2.1 monodroidAddReference() . . . . .	644
6.210.2.2 monodroidClearReferences() . . . . .	644
6.210.2.3 onTimeSet() . . . . .	644
6.210.3 Member Data Documentation . . . . .	644
6.210.3.1 __md_methods . . . . .	644
6.211md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer_TimePickerListener Class Reference	644
6.211.1 Constructor & Destructor Documentation . . . . .	645
6.211.1.1 TimePickerRenderer_TimePickerListener() . . . . .	645
6.211.2 Member Function Documentation . . . . .	645
6.211.2.1 monodroidAddReference() . . . . .	645



6.211.2.2 monodroidClearReferences()	645
6.211.2.3 onClick()	645
6.211.3 Member Data Documentation	645
6.211.3.1 __md_methods	646
6.212android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher Class Reference	646
6.212.1 Constructor & Destructor Documentation	646
6.212.1.1 Toolbar_NavigationOnClickEventDispatcher() [1/2]	646
6.212.1.2 Toolbar_NavigationOnClickEventDispatcher() [2/2]	647
6.212.2 Member Function Documentation	647
6.212.2.1 monodroidAddReference()	647
6.212.2.2 monodroidClearReferences()	647
6.212.2.3 onClick()	647
6.212.3 Member Data Documentation	647
6.212.3.1 __md_methods	647
6.213mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor Class Reference	648
6.213.1 Constructor & Destructor Documentation	648
6.213.1.1 Toolbar_OnMenuItemClickListenerImplementor()	648
6.213.2 Member Function Documentation	648
6.213.2.1 monodroidAddReference()	648
6.213.2.2 monodroidClearReferences()	648
6.213.2.3 onMenuItemClick()	649
6.213.3 Member Data Documentation	649
6.213.3.1 __md_methods	649
6.214md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton Class Reference	649
6.214.1 Constructor & Destructor Documentation	649
6.214.1.1 ToolbarButton() [1/4]	650
6.214.1.2 ToolbarButton() [2/4]	650
6.214.1.3 ToolbarButton() [3/4]	650
6.214.1.4 ToolbarButton() [4/4]	650
6.214.2 Member Function Documentation	650

6.214.2.1 monodroidAddReference()	650
6.214.2.2 monodroidClearReferences()	650
6.214.3 Member Data Documentation	651
6.214.3.1 __md_methods	651
6.215md5b60feb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton Class Reference	651
6.215.1 Constructor & Destructor Documentation	651
6.215.1.1 ToolbarImageButton() [1/4]	651
6.215.1.2 ToolbarImageButton() [2/4]	652
6.215.1.3 ToolbarImageButton() [3/4]	652
6.215.1.4 ToolbarImageButton() [4/4]	652
6.215.2 Member Function Documentation	652
6.215.2.1 monodroidAddReference()	652
6.215.2.2 monodroidClearReferences()	652
6.215.3 Member Data Documentation	652
6.215.3.1 __md_methods	653
6.216md5b60feb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer Class Reference	653
6.216.1 Constructor & Destructor Documentation	653
6.216.1.1 ViewCellRenderer_ViewCellContainer() [1/4]	653
6.216.1.2 ViewCellRenderer_ViewCellContainer() [2/4]	654
6.216.1.3 ViewCellRenderer_ViewCellContainer() [3/4]	654
6.216.1.4 ViewCellRenderer_ViewCellContainer() [4/4]	654
6.216.2 Member Function Documentation	654
6.216.2.1 monodroidAddReference()	654
6.216.2.2 monodroidClearReferences()	654
6.216.2.3 onInterceptTouchEvent()	655
6.216.2.4 onLayout()	655
6.216.2.5 onMeasure()	655
6.216.3 Member Data Documentation	655
6.216.3.1 __md_methods	655
6.217md5b60feb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPress↔ GestureListener Class Reference	655

6.217.1 Constructor & Destructor Documentation . . . . .	656
6.217.1.1 ViewCellRenderer_ViewCellContainer_LongPressGestureListener() . . . . .	656
6.217.2 Member Function Documentation . . . . .	656
6.217.2.1 monodroidAddReference() . . . . .	656
6.217.2.2 monodroidClearReferences() . . . . .	656
6.217.2.3 onDown() . . . . .	657
6.217.2.4 onFling() . . . . .	657
6.217.2.5 onLongPress() . . . . .	657
6.217.2.6 onScroll() . . . . .	657
6.217.2.7 onShowPress() . . . . .	657
6.217.2.8 onSingleTapUp() . . . . .	657
6.217.3 Member Data Documentation . . . . .	658
6.217.3.1 __md_methods . . . . .	658
6.218mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor Class Reference . . . . .	658
6.218.1 Constructor & Destructor Documentation . . . . .	658
6.218.1.1 ViewPager_OnPageChangeListenerImplementor() . . . . .	658
6.218.2 Member Function Documentation . . . . .	659
6.218.2.1 monodroidAddReference() . . . . .	659
6.218.2.2 monodroidClearReferences() . . . . .	659
6.218.2.3 onPageScrolled() . . . . .	659
6.218.2.4 onPageScrollStateChanged() . . . . .	659
6.218.2.5 onPageSelected() . . . . .	659
6.218.3 Member Data Documentation . . . . .	659
6.218.3.1 __md_methods . . . . .	660
6.219mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor Class Reference . . . . .	660
6.219.1 Constructor & Destructor Documentation . . . . .	660
6.219.1.1 ViewPropertyAnimatorListenerImplementor() . . . . .	660
6.219.2 Member Function Documentation . . . . .	660
6.219.2.1 monodroidAddReference() . . . . .	661
6.219.2.2 monodroidClearReferences() . . . . .	661

6.219.2.3 onAnimationCancel()	661
6.219.2.4 onAnimationEnd()	661
6.219.2.5 onAnimationStart()	661
6.219.3 Member Data Documentation	661
6.219.3.1 __md_methods	661
6.220mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor Class Reference	662
6.220.1 Constructor & Destructor Documentation	662
6.220.1.1 ViewPropertyAnimatorUpdateListenerImplementor()	662
6.220.2 Member Function Documentation	662
6.220.2.1 monodroidAddReference()	662
6.220.2.2 monodroidClearReferences()	662
6.220.2.3 onAnimationUpdate()	663
6.220.3 Member Data Documentation	663
6.220.3.1 __md_methods	663
6.221md5b60feb829f638581ab2bb9b1a7f4f3f.ViewRenderer Class Reference	663
6.221.1 Constructor & Destructor Documentation	663
6.221.1.1 ViewRenderer() [1/3]	664
6.221.1.2 ViewRenderer() [2/3]	664
6.221.1.3 ViewRenderer() [3/3]	664
6.221.2 Member Function Documentation	664
6.221.2.1 monodroidAddReference()	664
6.221.2.2 monodroidClearReferences()	664
6.221.3 Member Data Documentation	664
6.221.3.1 __md_methods	665
6.222md5270abb39e60627f0f200893b490a1ade.ViewRenderer_2 Class Reference	665
6.222.1 Constructor & Destructor Documentation	665
6.222.1.1 ViewRenderer_2() [1/3]	665
6.222.1.2 ViewRenderer_2() [2/3]	666
6.222.1.3 ViewRenderer_2() [3/3]	666
6.222.2 Member Function Documentation	666

6.222.2.1 monodroidAddReference()	666
6.222.2.2 monodroidClearReferences()	666
6.222.3 Member Data Documentation	666
6.222.3.1 __md_methods	666
6.223md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2 Class Reference	667
6.223.1 Constructor & Destructor Documentation	667
6.223.1.1 ViewRenderer_2() [1/3]	667
6.223.1.2 ViewRenderer_2() [2/3]	668
6.223.1.3 ViewRenderer_2() [3/3]	668
6.223.2 Member Function Documentation	668
6.223.2.1 monodroidAddReference()	668
6.223.2.2 monodroidClearReferences()	668
6.223.2.3 onFocusChange()	668
6.223.2.4 onLayout()	668
6.223.3 Member Data Documentation	669
6.223.3.1 __md_methods	669
6.224mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor Class Reference	669
6.224.1 Constructor & Destructor Documentation	669
6.224.1.1 ViewStubCompat_OnInflateListenerImplementor()	669
6.224.2 Member Function Documentation	669
6.224.2.1 monodroidAddReference()	670
6.224.2.2 monodroidClearReferences()	670
6.224.2.3 onInflate()	670
6.224.3 Member Data Documentation	670
6.224.3.1 __md_methods	670
6.225md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1 Class Reference	670
6.225.1 Constructor & Destructor Documentation	671
6.225.1.1 VisualElementRenderer_1() [1/3]	671
6.225.1.2 VisualElementRenderer_1() [2/3]	671
6.225.1.3 VisualElementRenderer_1() [3/3]	671

6.225.2 Member Function Documentation . . . . .	671
6.225.2.1 dispatchTouchEvent() . . . . .	672
6.225.2.2 monodroidAddReference() . . . . .	672
6.225.2.3 monodroidClearReferences() . . . . .	672
6.225.2.4 onInterceptTouchEvent() . . . . .	672
6.225.2.5 onLayout() . . . . .	672
6.225.2.6 onTouchEvent() . . . . .	672
6.225.3 Member Data Documentation . . . . .	672
6.225.3.1 __md_methods . . . . .	673
6.226md5b60feb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker Class Reference . . .	673
6.226.1 Constructor & Destructor Documentation . . . . .	673
6.226.1.1 VisualElementTracker_AttachTracker() . . . . .	673
6.226.2 Member Function Documentation . . . . .	673
6.226.2.1 monodroidAddReference() . . . . .	674
6.226.2.2 monodroidClearReferences() . . . . .	674
6.226.2.3 onViewAttachedToWindow() . . . . .	674
6.226.2.4 onViewDetachedFromWindow() . . . . .	674
6.226.3 Member Data Documentation . . . . .	674
6.226.3.1 __md_methods . . . . .	674
6.227md5b60feb829f638581ab2bb9b1a7f4f3f.WebViewRenderer Class Reference . . . . .	675
6.227.1 Constructor & Destructor Documentation . . . . .	675
6.227.1.1 WebViewRenderer() [1/3] . . . . .	675
6.227.1.2 WebViewRenderer() [2/3] . . . . .	675
6.227.1.3 WebViewRenderer() [3/3] . . . . .	675
6.227.2 Member Function Documentation . . . . .	676
6.227.2.1 monodroidAddReference() . . . . .	676
6.227.2.2 monodroidClearReferences() . . . . .	676
6.227.3 Member Data Documentation . . . . .	676
6.227.3.1 __md_methods . . . . .	676
6.228md5b60feb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient Class Reference . . . . .	676
6.228.1 Constructor & Destructor Documentation . . . . .	677
6.228.1.1 WebViewRenderer_WebClient() [1/2] . . . . .	677
6.228.1.2 WebViewRenderer_WebClient() [2/2] . . . . .	677
6.228.2 Member Function Documentation . . . . .	677
6.228.2.1 monodroidAddReference() . . . . .	677
6.228.2.2 monodroidClearReferences() . . . . .	677
6.228.2.3 onPageFinished() . . . . .	677
6.228.2.4 onReceivedError() [1/2] . . . . .	678
6.228.2.5 onReceivedError() [2/2] . . . . .	678
6.228.2.6 shouldOverrideUrlLoading() . . . . .	678
6.228.3 Member Data Documentation . . . . .	678
6.228.3.1 __md_methods . . . . .	678

<b>7</b>	<b>File Documentation</b>	<b>679</b>
7.1	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/↔ DependencyService/StreamService.cs File Reference . . . . .	679
7.2	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/↔ DependencyServices/StreamService.cs File Reference . . . . .	679
7.3	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Main↔ Activity.cs File Reference . . . . .	679
7.4	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/projekt/droid/R.java File Reference . . . . .	680
7.5	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/design/R.java File Reference . . . . .	680
7.6	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/graphics/drawable/animated/R.java File Reference . . . . .	681
7.7	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/graphics/drawable/R.java File Reference . . . . .	681
7.8	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/v4/R.java File Reference . . . . .	682
7.9	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/v7/appcompat/R.java File Reference . . . . .	682
7.10	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/v7/cardview/R.java File Reference . . . . .	683
7.11	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/v7/mediarouter/R.java File Reference . . . . .	683
7.12	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/v7/recyclerview/R.java File Reference . . . . .	684
7.13	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/projekt/droid/R.java File Reference . . . . .	684
7.14	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/design/widget/Snackbar_SnackbarActionClickListenerImplementor.java File Reference . . . . .	685
7.15	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/v7/app/AlertDialog_IDialogInterfaceOnCancelListenerImplementor.java File Reference . . . . .	685
7.16	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/v7/app/AlertDialog_IDialogInterfaceOnClickListenerImplementor.java File Reference . . . . .	685
7.17	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/v7/app/AlertDialog_IDialogInterfaceOnMultiChoiceClick↔ ListenerImplementor.java File Reference . . . . .	686

7.18	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/android/support/v7/widget/Toolbar_NavigationOnClickEventDispatcher.java File Reference . . . . .	686
7.19	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/ButtonRenderer.java File Reference	686
7.20	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md57018357d52b54713cd814fbd5262dd1f/ButtonRenderer.java File Reference	686
7.21	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ButtonRenderer.java File Reference .	687
7.22	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/ButtonRenderer_ButtonClick↔ Listener.java File Reference . . . . .	687
7.23	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ButtonRenderer_ButtonClickListener.java File Reference . . . . .	687
7.24	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/ButtonRenderer_ButtonTouch↔ Listener.java File Reference . . . . .	688
7.25	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ButtonRenderer_ButtonTouch↔ Listener.java File Reference . . . . .	688
7.26	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/CarouselPageRenderer.java File Reference . . . . .	688
7.27	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/CarouselPageRenderer.java File Ref- erence . . . . .	688
7.28	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/FormsFragmentPagerAdapter_↔ 1.java File Reference . . . . .	689
7.29	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/FormsViewPager.java File Reference	689
7.30	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/FragmentContainer.java File Refer- ence . . . . .	689
7.31	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/FrameRenderer.java File Reference	690
7.32	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md57018357d52b54713cd814fbd5262dd1f/FrameRenderer.java File Reference	690
7.33	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FrameRenderer.java File Reference .	690



7.34	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/MasterDetailContainer.java File Ref- erence . . . . .	690
7.35	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/MasterDetailContainer.java File Refer- ence . . . . .	691
7.36	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/MasterDetailPageRenderer.java File Reference . . . . .	691
7.37	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/NavigationPageRenderer.java File Reference . . . . .	691
7.38	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/NavigationPageRenderer_Click↔ Listener.java File Reference . . . . .	692
7.39	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/NavigationPageRenderer_Drawer↔ MultiplexedListener.java File Reference . . . . .	692
7.40	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/PickerRenderer.java File Reference . . . . .	692
7.41	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PickerRenderer.java File Reference . . . . .	692
7.42	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/PickerRenderer_PickerListener.java File Reference . . . . .	693
7.43	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PickerRenderer_PickerListener.java File Reference . . . . .	693
7.44	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/Platform_ModalContainer.java File Reference . . . . .	693
7.45	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/SwitchRenderer.java File Reference . . . . .	694
7.46	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/SwitchRenderer.java File Reference . . . . .	694
7.47	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/TabbedPageRenderer.java File Ref- erence . . . . .	694
7.48	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5270abb39e60627f0f200893b490a1ade/ViewRenderer_2.java File Reference . . . . .	694
7.49	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ViewRenderer_2.java File Reference . . . . .	695

7.50	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md57018357d52b54713cd814fbd5262dd1f/ImageRenderer.java File Reference	695
7.51	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ImageRenderer.java File Reference .	695
7.52	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md57018357d52b54713cd814fbd5262dd1f/LabelRenderer.java File Reference .	696
7.53	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/LabelRenderer.java File Reference . .	696
7.54	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ActionSheetRenderer.java File Refer- ence . . . . .	696
7.55	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ActivityIndicatorRenderer.java File Reference . . . . .	696
7.56	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/AHorizontalScrollView.java File Refer- ence . . . . .	697
7.57	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/AndroidActivity.java File Reference . .	697
7.58	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/BaseCellView.java File Reference . .	697
7.59	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/BoxRenderer.java File Reference . . .	698
7.60	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ButtonDrawable.java File Reference .	698
7.61	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/CarouselPagerAdapter.java File Refer- ence . . . . .	698
7.62	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/CellAdapter.java File Reference . . . .	698
7.63	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/CellRenderer_RendererHolder.java File Reference . . . . .	699
7.64	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ConditionalFocusLayout.java File Ref- erence . . . . .	699
7.65	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/DatePickerRenderer.java File Reference	699
7.66	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/DatePickerRenderer_TextFieldClick↔ Handler.java File Reference . . . . .	700

7.67	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EditorEditText.java File Reference . . .	700
7.68	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EditorRenderer.java File Reference . . .	700
7.69	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EntryCellEditText.java File Reference . . .	700
7.70	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EntryCellView.java File Reference . . .	701
7.71	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EntryEditText.java File Reference . . .	701
7.72	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EntryRenderer.java File Reference . . .	701
7.73	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormattedStringExtensions_Font↔ Span.java File Reference . . . . .	702
7.74	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsAppCompatActivity.java File Reference . . . . .	702
7.75	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsApplicationActivity.java File Ref- erence . . . . .	702
7.76	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsEditText.java File Reference . . .	702
7.77	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsImageView.java File Reference . . .	703
7.78	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsSeekBar.java File Reference . . .	703
7.79	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsTextView.java File Reference . . .	703
7.80	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsWebChromeClient.java File Ref- erence . . . . .	704
7.81	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FrameRenderer_FrameDrawable.java File Reference . . . . .	704
7.82	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/GenericAnimatorListener.java File Ref- erence . . . . .	704
7.83	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/GenericMenuClickListener.java File Reference . . . . .	704

7.84	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/GroupedListAdapter.java File Ref- erence . . . . .	705
7.85	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/InnerGestureListener.java File Reference	705
7.86	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/InnerScaleListener.java File Reference	705
7.87	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ListViewAdapter.java File Reference .	706
7.88	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ListViewRenderer.java File Reference	706
7.89	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ListViewRenderer_Container.java File Reference . . . . .	706
7.90	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/LocalizedDigitsKeyListener.java File Reference . . . . .	706
7.91	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/MasterDetailRenderer.java File Refer- ence . . . . .	707
7.92	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NativeViewWrapperRenderer.java File Reference . . . . .	707
7.93	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NavigationMenuRenderer.java File Reference . . . . .	707
7.94	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NavigationMenuRenderer_Menu↔ Adapter.java File Reference . . . . .	708
7.95	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NavigationMenuRenderer_Menu↔ ElementView.java File Reference . . . . .	708
7.96	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NavigationRenderer.java File Reference	708
7.97	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ObjectJavaBox_1.java File Reference	708
7.98	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/OpenGLViewRenderer.java File Refer- ence . . . . .	709
7.99	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/OpenGLViewRenderer_Renderer.java File Reference . . . . .	709

7.100C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PageContainer.java File Reference . . .	709
7.101C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PageRenderer.java File Reference . . .	710
7.102C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/Platform_DefaultRenderer.java File Reference . . . . .	710
7.103C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PlatformRenderer.java File Reference	710
7.104C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ProgressBarRenderer.java File Refer- ence . . . . .	710
7.105C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ScrollViewContainer.java File Reference	711
7.106C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ScrollViewRenderer.java File Reference	711
7.107C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/SearchBarRenderer.java File Reference	711
7.108C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/SliderRenderer.java File Reference . .	712
7.109C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/StepperRenderer.java File Reference .	712
7.110C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/StepperRenderer_StepperListener.java File Reference . . . . .	712
7.111C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/SwitchCellView.java File Reference . .	712
7.112C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TabbedRenderer.java File Reference .	713
7.113C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TableViewModelRenderer.java File Reference . . . . .	713
7.114C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TableViewRenderer.java File Reference	713
7.115C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TextCellRenderer_TextCellView.java File Reference . . . . .	714
7.116C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TimePickerRenderer.java File Reference	714
7.117C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TimePickerRenderer_TimePicker↔ Listener.java File Reference . . . . .	714

7.118C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ToolBarButton.java File Reference . . .	714
7.119C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ToolBarImageButton.java File Reference	715
7.120C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ViewCellRenderer_ViewCellContainer.java File Reference . . . . .	715
7.121C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ViewCellRenderer_ViewCellContainer↔ _LongPressGestureListener.java File Reference . . . . .	715
7.122C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ViewRenderer.java File Reference . . .	716
7.123C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/VisualElementRenderer_1.java File Reference . . . . .	716
7.124C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/VisualElementTracker_Attach↔ Tracker.java File Reference . . . . .	716
7.125C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/WebViewRenderer.java File Reference	716
7.126C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/WebViewRenderer_WebClient.java File Reference . . . . .	717
7.127C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5ec2e2772f76de7e64e0148801db2bb13/CarouselRenderer.java File Refer- ence . . . . .	717
7.128C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5ec2e2772f76de7e64e0148801db2bb13/ListRenderer.java File Reference . .	717
7.129C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/md5fa8f98893c985e6b8df6ddd18b21cb3a/MainActivity.java File Reference . . .	718
7.130C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/app/ApplicationRegistration.java File Reference . . . . .	718
7.131C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/app/NotifyTimeZoneChanges.java File Reference . . . . .	718
7.132C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/Seppuku.java File Reference . . . . .	718
7.133C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/design/widget/AppBarLayout_OnOffsetChanged↔ ListenerImplementor.java File Reference . . . . .	719
7.134C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/design/widget/NavigationView_OnNavigationItem↔ SelectedListenerImplementor.java File Reference . . . . .	719

7.135	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/design/widget/SwipeDismissBehavior_OnDismiss↔ ListenerImplementor.java File Reference . . . . .	719
7.136	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/design/widget/TabLayout_OnTabSelectedListener↔ Implementor.java File Reference . . . . .	720
7.137	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/app/FragmentManager_OnBackStackChanged↔ ListenerImplementor.java File Reference . . . . .	720
7.138	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/content/Loader_OnLoadCanceledListenerImplementor.java File Reference . . . . .	720
7.139	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/content/Loader_OnLoadCompleteListenerImplementor.java File Reference . . . . .	720
7.140	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/media/session/MediaSessionCompat_OnActive↔ ChangeListenerImplementor.java File Reference . . . . .	721
7.141	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/os/CancellationSignal_OnCancelListenerImplementor.java File Reference . . . . .	721
7.142	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/view/ActionProvider_SubUiVisibilityListenerImplementor.java File Reference . . . . .	721
7.143	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/view/ActionProvider_VisibilityListenerImplementor.java File Reference . . . . .	722
7.144	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/view/MenuItemCompat_OnActionExpandListener↔ Implementor.java File Reference . . . . .	722
7.145	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/view/OnApplyWindowInsetsListenerImplementor.java File Reference . . . . .	722
7.146	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/view/ViewPager_OnPageChangeListenerImplementor.java File Reference . . . . .	722
7.147	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/view/ViewPropertyAnimatorListenerImplementor.java File Reference . . . . .	723
7.148	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/view/ViewPropertyAnimatorUpdateListenerImplementor.java File Reference . . . . .	723
7.149	C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/widget/DrawerLayout_DrawerListenerImplementor.java File Reference . . . . .	723

7.150 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/widget/NestedScrollView_OnScrollChangeListener↔ Implementor.java File Reference . . . . .	724
7.151 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/widget/SlidingPanelLayout_PanelSlideListener↔ Implementor.java File Reference . . . . .	724
7.152 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v4/widget/SwipeRefreshLayout_OnRefreshListener↔ Implementor.java File Reference . . . . .	724
7.153 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/app/ActionBar_OnMenuVisibilityListenerImplementor.java File Reference . . . . .	724
7.154 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/app/ActionBar_OnNavigationListenerImplementor.java File Reference . . . . .	725
7.155 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/app/ActionBar_TabListenerImplementor.java File Ref- erence . . . . .	725
7.156 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/ActionMenuView_OnMenuItemClickListener↔ Implementor.java File Reference . . . . .	725
7.157 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/ContentFrameLayout_OnAttachListener↔ Implementor.java File Reference . . . . .	726
7.158 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/FitWindowsViewGroup_OnFitSystemWindows↔ ListenerImplementor.java File Reference . . . . .	726
7.159 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/PopupMenu_OnDismissListenerImplementor.java File Reference . . . . .	726
7.160 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/PopupMenu_OnMenuItemClickListener↔ Implementor.java File Reference . . . . .	726
7.161 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/RecyclerView_ItemAnimator_ItemAnimator↔ FinishedListenerImplementor.java File Reference . . . . .	727
7.162 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/RecyclerView_OnChildAttachStateChange↔ ListenerImplementor.java File Reference . . . . .	727
7.163 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/RecyclerView_OnItemTouchListenerImplementor.java File Reference . . . . .	727
7.164 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/RecyclerView_RecyclerViewListenerImplementor.java File Reference . . . . .	728



7.165 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/SearchView_OnCloseListenerImplementor.java File Reference . . . . .	728
7.166 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/SearchView_OnQueryTextListenerImplementor.java File Reference . . . . .	728
7.167 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/SearchView_OnSuggestionListenerImplementor.java File Reference . . . . .	728
7.168 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/ShareActionProvider_OnShareTargetSelected↔ ListenerImplementor.java File Reference . . . . .	729
7.169 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/Toolbar_OnMenuItemClickListenerImplementor.java File Reference . . . . .	729
7.170 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/android/support/v7/widget/ViewStubCompat_OnInflateListenerImplementor.java File Reference . . . . .	729
7.171 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/MonoPackageManager.java File Reference . . . . .	730
7.172 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/android/src/mono/MonoRuntimeProvider.java File Reference . . . . .	730
7.173 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/↔ Renderers/CarouselRenderer.cs File Reference . . . . .	730
7.174 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/↔ Renderers/ListRenderer.cs File Reference . . . . .	730
7.175 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/↔ Resources/Resource.Designer.cs File Reference . . . . .	731
7.176 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/App.xaml.cs File Reference . . . . .	731
7.177 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP↔ I/CompetitionDTO.cs File Reference . . . . .	731
7.178 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP↔ I/FixtureDTO.cs File Reference . . . . .	732
7.179 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP↔ I/FixtureResultDTO.cs File Reference . . . . .	732
7.180 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP↔ I/FixturesDTO.cs File Reference . . . . .	732
7.181 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP↔ I/LeagueDTO.cs File Reference . . . . .	733
7.182 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP↔ I/LeaguesDTO.cs File Reference . . . . .	733

7.183 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP↔ I/TeamDTO.cs File Reference . . . . .	733
7.184 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP↔ I/TeamsDTO.cs File Reference . . . . .	733
7.185 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/↔ Configuration.cs File Reference . . . . .	734
7.186 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/↔ CustomCompetition.cs File Reference . . . . .	734
7.187 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/↔ CustomFixture.cs File Reference . . . . .	734
7.188 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/↔ CustomTeam.cs File Reference . . . . .	735
7.189 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/↔ Extensions/AssetImageExtension.cs File Reference . . . . .	735
7.190 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/↔ Interfaces/IDownloadCompetition.cs File Reference . . . . .	735
7.191 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/↔ Interfaces/IDownloadFixture.cs File Reference . . . . .	735
7.192 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/↔ Interfaces/IDownloadTeam.cs File Reference . . . . .	736
7.193 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/↔ Interfaces/IStreamService.cs File Reference . . . . .	736
7.194 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.App.xaml.g.cs File Reference . . . . .	736
7.195 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.CompetitionPage.xaml.g.cs File Reference . . . . .	737
7.196 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.CompetitionsPage.xaml.g.cs File Reference . . . . .	737
7.197 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.Controls.CompetitionsView.xaml.g.cs File Reference . . . . .	737
7.198 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.Controls.CompetitionView.xaml.g.cs File Reference . . . . .	737
7.199 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.Controls.FixturesItemView.xaml.g.cs File Reference . . . . .	738
7.200 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.Controls.FixturesView.xaml.g.cs File Reference . . . . .	738
7.201 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.Controls.LeagueItemView.xaml.g.cs File Reference . . . . .	738
7.202 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.Controls.LeagueView.xaml.g.cs File Reference . . . . .	738

7.203 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.Controls.TeamsItemView.xaml.g.cs File Reference . . . . .	739
7.204 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.Controls.TeamsView.xaml.g.cs File Reference . . . . .	739
7.205 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ PROJEKT.Views.InitializationPage.xaml.g.cs File Reference . . . . .	739
7.206 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ TemporaryGeneratedFile_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs File Reference . . . .	740
7.207 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/TemporaryGeneratedFile_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs File Reference	740
7.208 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs File Reference . . . . .	740
7.209 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs File Reference . .	740
7.210 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/↔ TemporaryGeneratedFile_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs File Reference . . . .	740
7.211 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/↔ Debug/TemporaryGeneratedFile_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs File Reference	740
7.212 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Properties/↔ AssemblyInfo.cs File Reference . . . . .	740
7.213 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/↔ Properties/AssemblyInfo.cs File Reference . . . . .	740
7.214 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/View↔ Models/CompetitionItemViewModel.cs File Reference . . . . .	740
7.215 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/View↔ Models/CompetitionsViewModel.cs File Reference . . . . .	741
7.216 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/View↔ Models/CompetitionViewModel.cs File Reference . . . . .	741
7.217 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/View↔ Models/FixtureItemViewModel.cs File Reference . . . . .	741
7.218 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/View↔ Models/InitializationViewModel.cs File Reference . . . . .	742
7.219 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/View↔ Models/LeagueItemViewModel.cs File Reference . . . . .	742
7.220 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/View↔ Models/LeagueViewModel.cs File Reference . . . . .	742
7.221 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/View↔ Models/TeamItemViewModel.cs File Reference . . . . .	742
7.222 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ CompetitionPage.xaml.cs File Reference . . . . .	743

7.223 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ CompetitionsPage.xaml.cs File Reference . . . . .	743
7.224 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/CompetitionsView.xaml.cs File Reference . . . . .	743
7.225 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/CompetitionView.xaml.cs File Reference . . . . .	743
7.226 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/FixturesItemView.xaml.cs File Reference . . . . .	744
7.227 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/FixturesView.xaml.cs File Reference . . . . .	744
7.228 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/LeagueItemView.xaml.cs File Reference . . . . .	744
7.229 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/LeagueView.xaml.cs File Reference . . . . .	744
7.230 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/MyCarouselView.cs File Reference . . . . .	745
7.231 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/MyListView.cs File Reference . . . . .	745
7.232 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/TeamsItemView.xaml.cs File Reference . . . . .	745
7.233 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ Controls/TeamsView.xaml.cs File Reference . . . . .	746
7.234 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ InitializationPage.cs File Reference . . . . .	746
7.235 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/↔ InitializationPage.xaml.cs File Reference . . . . .	746

# Chapter 1

## Namespace Index

### 1.1 Packages

Here are the packages with brief descriptions (if available):

<b>android</b>	31
<b>android.support</b>	31
<b>android.support.design</b>	31
<b>android.support.design.widget</b>	31
<b>android.support.graphics</b>	32
<b>android.support.graphics.drawable</b>	32
<b>android.support.graphics.drawable.animated</b>	32
<b>android.support.v4</b>	32
<b>android.support.v7</b>	32
<b>android.support.v7.app</b>	33
<b>android.support.v7.appcompat</b>	33
<b>android.support.v7.cardview</b>	33
<b>android.support.v7.mediarouter</b>	33
<b>android.support.v7.recyclerview</b>	33
<b>android.support.v7.widget</b>	33
<b>md5270abb39e60627f0f200893b490a1ade</b>	34
<b>md57018357d52b54713cd814fbd5262dd1f</b>	34
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f</b>	34
<b>md5ec2e2772f76de7e64e0148801db2bb13</b>	36
<b>md5fa8f98893c985e6b8df6ddd18b21cb3a</b>	36
<b>mono</b>	36
<b>mono.android</b>	37
<b>mono.android.app</b>	37
<b>mono.android.support</b>	37
<b>mono.android.support.design</b>	37
<b>mono.android.support.design.widget</b>	37
<b>mono.android.support.v4</b>	38
<b>mono.android.support.v4.app</b>	38
<b>mono.android.support.v4.content</b>	38
<b>mono.android.support.v4.media</b>	38
<b>mono.android.support.v4.media.session</b>	38
<b>mono.android.support.v4.os</b>	38
<b>mono.android.support.v4.view</b>	39
<b>mono.android.support.v4.widget</b>	39
<b>mono.android.support.v7</b>	39

<b>mono.android.support.v7.app</b> . . . . .	39
<b>mono.android.support.v7.widget</b> . . . . .	39
<b>projekt</b> . . . . .	40
<b>PROJEKT</b> . . . . .	40
<b>projekt.droid</b> . . . . .	40
<b>PROJEKT.Droid</b> . . . . .	40
<b>PROJEKT.Droid.DependencyServices</b> . . . . .	40
<b>PROJEKT.Droid.Renderers</b> . . . . .	41
<b>PROJEKT.Models</b> . . . . .	41
<b>PROJEKT.Models.API</b> . . . . .	41
<b>PROJEKT.Models.Extensions</b> . . . . .	42
<b>PROJEKT.Models.Interfaces</b> . . . . .	42
<b>PROJEKT.ViewModels</b> . . . . .	42
<b>PROJEKT.Views</b> . . . . .	43
<b>PROJEKT.Views.Controls</b> . . . . .	43

## Chapter 2

# Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Activity	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity . . . . .	265
md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity . . . . .	66
PROJEKT.Droid.Resource.Animation . . . . .	67
AnimatorListenerAdapter	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener . . . . .	295
AppCompatActivity	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity . . . . .	262
md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity . . . . .	374
AppCompatButton	
md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer . . . . .	130
Application	
PROJEKT.App . . . . .	70
PROJEKT.App . . . . .	70
mono.android.app.ApplicationRegistration . . . . .	73
PROJEKT.Droid.Resource.Attribute . . . . .	75
BaseAdapter	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter . . . . .	154
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter . . . . .	360
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter . . . . .	298
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer . . . . .	633
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuAdapter . . . . .	399
PROJEKT.Droid.Resource.Boolean . . . . .	122
BroadcastReceiver	
mono.android.app.NotifyTimeZoneChanges . . . . .	414
Button	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton . . . . .	649
Callback	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter . . . . .	154
Callback	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter . . . . .	154
CardView	
md57018357d52b54713cd814fbd5262dd1f.FrameRenderer . . . . .	289
md5270abb39e60627f0f200893b490a1ade.FrameRenderer . . . . .	287
PROJEKT.Droid.Resource.Color . . . . .	158

PROJEKT.Models.API.CompetitionDTO . . . . .	171
PROJEKT.ViewModels.CompetitionItemViewModel . . . . .	172
PROJEKT.ViewModels.CompetitionsViewModel . . . . .	177
PROJEKT.ViewModels.CompetitionViewModel . . . . .	178
PROJEKT.Models.Configuration . . . . .	184
ContentPage	
PROJEKT.Views.CompetitionPage . . . . .	174
ContentPage	
PROJEKT.Views.CompetitionPage . . . . .	174
PROJEKT.Views.CompetitionsPage . . . . .	175
PROJEKT.Views.CompetitionsPage . . . . .	175
PROJEKT.Views.InitializationPage . . . . .	330
PROJEKT.Views.InitializationPage . . . . .	330
PROJEKT.Views.InitializationPage . . . . .	330
ContentProvider	
mono.MonoRuntimeProvider . . . . .	390
ContentView	
PROJEKT.Views.Controls.LeagueView . . . . .	356
ContentView	
PROJEKT.Views.Controls.CompetitionView . . . . .	178
PROJEKT.Views.Controls.CompetitionView . . . . .	178
PROJEKT.Views.Controls.FixturesView . . . . .	259
PROJEKT.Views.Controls.FixturesView . . . . .	259
PROJEKT.Views.Controls.LeagueItemView . . . . .	353
PROJEKT.Views.Controls.LeagueItemView . . . . .	353
PROJEKT.Views.Controls.LeagueView . . . . .	356
PROJEKT.Views.Controls.TeamsView . . . . .	640
PROJEKT.Views.Controls.TeamsView . . . . .	640
PROJEKT.Models.CustomCompetition . . . . .	186
PROJEKT.Models.CustomFixture . . . . .	188
PROJEKT.Models.CustomTeam . . . . .	189
Dialog	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer . . . . .	54
PROJEKT.Droid.Resource.Dimension . . . . .	193
PROJEKT.Droid.Resource.Drawable . . . . .	214
Drawable	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable . . . . .	125
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable . . . . .	293
DrawerLayout	
md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer . . . . .	380
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer . . . . .	382
DrawerListener	
md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer . . . . .	380
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_DrawerMultiplexedListener . . . . .	407
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer . . . . .	382
mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor . . . . .	237
EditText	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText . . . . .	244
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText . . . . .	268
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText . . . . .	239
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText . . . . .	249
PROJEKT.Models.API.FixtureDTO . . . . .	255
PROJEKT.ViewModels.FixtureItemViewModel . . . . .	256
PROJEKT.Models.API.FixtureResultDTO . . . . .	257
PROJEKT.Models.API.FixturesDTO . . . . .	258
FormsAppCompatActivity	
PROJEKT.Droid.MainActivity . . . . .	373
FormsViewGroup	



md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1 . . . . .	670
md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer . . . . .	145
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer . . . . .	403
md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer . . . . .	626
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer . . . . .	124
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer . . . . .	148
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer . . . . .	291
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer . . . . .	409
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer . . . . .	424
md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer . . . . .	433
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer . . . . .	629
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2 . . . . .	667
md5270abb39e60627f0f200893b490a1ade.ViewRenderer_2 . . . . .	665
md5270abb39e60627f0f200893b490a1ade.ButtonRenderer . . . . .	128
md5270abb39e60627f0f200893b490a1ade.PickerRenderer . . . . .	428
md5270abb39e60627f0f200893b490a1ade.SwitchRenderer . . . . .	622
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer . . . . .	57
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer . . . . .	133
md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer . . . . .	190
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer . . . . .	241
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer . . . . .	251
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer . . . . .	328
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer . . . . .	341
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer . . . . .	363
md5ec2e2772f76de7e64e0148801db2bb13.ListViewRenderer . . . . .	358
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer . . . . .	395
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer . . . . .	418
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer . . . . .	426
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer . . . . .	442
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer . . . . .	461
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer . . . . .	470
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer . . . . .	476
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer . . . . .	624
md5b60ffeb829f638581ab2bb9b1a7f4f3f.tableViewRenderer . . . . .	635
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer . . . . .	642
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer . . . . .	663
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer . . . . .	397
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer . . . . .	675
Fragment	
md5270abb39e60627f0f200893b490a1ade.FragmentContainer . . . . .	283
FragmentPagerAdapter	
md5270abb39e60627f0f200893b490a1ade.FormsFragmentPagerAdapter_1 . . . . .	271
HorizontalScrollView	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView . . . . .	59
PROJEKT.Droid.Resource.Id . . . . .	300
PROJEKT.Models.Interfaces.IDownloadCompetition . . . . .	323
PROJEKT.ViewModels.DownloadCompetition . . . . .	210
PROJEKT.Models.Interfaces.IDownloadFixture . . . . .	324
PROJEKT.ViewModels.DownloadFixture . . . . .	211
PROJEKT.Models.Interfaces.IDownloadTeam . . . . .	325
PROJEKT.ViewModels.DownloadTeam . . . . .	212
IGCUserPeer	
android.support.design.widget.Snackbar_SnackbarActionClickListenerImplementor . . . . .	475
android.support.v7.app.AlertDialog_IDialogInterfaceOnCancelListenerImplementor . . . . .	61
android.support.v7.app.AlertDialog_IDialogInterfaceOnClickListenerImplementor . . . . .	63
android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor . . . . .	64
android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher . . . . .	646

md5270abb39e60627f0f200893b490a1ade.ButtonRenderer . . . . .	128
md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonClickListener . . . . .	135
md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonTouchListener . . . . .	138
md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer . . . . .	145
md5270abb39e60627f0f200893b490a1ade.FormsFragmentPagerAdapter_1 . . . . .	271
md5270abb39e60627f0f200893b490a1ade.FormsViewPager . . . . .	280
md5270abb39e60627f0f200893b490a1ade.FragmentContainer . . . . .	283
md5270abb39e60627f0f200893b490a1ade.FrameRenderer . . . . .	287
md5270abb39e60627f0f200893b490a1ade.MasterDetailContainer . . . . .	375
md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer . . . . .	380
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer . . . . .	403
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_ClickListener . . . . .	405
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_DrawerMultiplexedListener . . . . .	407
md5270abb39e60627f0f200893b490a1ade.PickerRenderer . . . . .	428
md5270abb39e60627f0f200893b490a1ade.PickerRenderer_PickerListener . . . . .	431
md5270abb39e60627f0f200893b490a1ade.Platform_ModalContainer . . . . .	435
md5270abb39e60627f0f200893b490a1ade.SwitchRenderer . . . . .	622
md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer . . . . .	626
md5270abb39e60627f0f200893b490a1ade.ViewRenderer_2 . . . . .	665
md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer . . . . .	130
md57018357d52b54713cd814fbd5262dd1f.FrameRenderer . . . . .	289
md57018357d52b54713cd814fbd5262dd1f.ImageRenderer . . . . .	326
md57018357d52b54713cd814fbd5262dd1f.LabelRenderer . . . . .	339
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer . . . . .	54
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer . . . . .	57
md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView . . . . .	59
md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity . . . . .	66
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView . . . . .	120
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView . . . . .	620
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView . . . . .	640
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer . . . . .	124
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable . . . . .	125
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer . . . . .	133
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonClickListener . . . . .	137
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonTouchListener . . . . .	140
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter . . . . .	143
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer . . . . .	148
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter . . . . .	154
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer_RendererHolder . . . . .	157
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout . . . . .	182
md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer . . . . .	190
md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler . . . . .	191
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText . . . . .	239
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer . . . . .	241
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText . . . . .	244
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView . . . . .	246
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText . . . . .	249
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer . . . . .	251
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan . . . . .	260
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity . . . . .	262
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity . . . . .	265
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText . . . . .	268
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView . . . . .	273
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar . . . . .	275
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView . . . . .	278
md57018357d52b54713cd814fbd5262dd1f.LabelRenderer . . . . .	339
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient . . . . .	282
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer . . . . .	291

md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable . . . . .	293
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener . . . . .	295
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericMenuClickListener . . . . .	297
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter . . . . .	298
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer . . . . .	328
md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener . . . . .	331
md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener . . . . .	334
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer . . . . .	341
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter . . . . .	360
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer . . . . .	363
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container . . . . .	365
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener . . . . .	371
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer . . . . .	377
md5270abb39e60627f0f200893b490a1ade.MasterDetailContainer . . . . .	375
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer . . . . .	382
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer . . . . .	395
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer . . . . .	397
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuAdapter . . . . .	399
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView . . . . .	401
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer . . . . .	409
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox_1 . . . . .	415
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer . . . . .	418
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer . . . . .	420
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer . . . . .	422
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer . . . . .	424
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer . . . . .	426
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener . . . . .	430
md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer . . . . .	433
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer . . . . .	437
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer . . . . .	442
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewContainer . . . . .	456
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer . . . . .	458
md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer . . . . .	150
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer . . . . .	461
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer . . . . .	470
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer . . . . .	476
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener . . . . .	478
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView . . . . .	620
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer . . . . .	624
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer . . . . .	629
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer . . . . .	633
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer . . . . .	635
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView . . . . .	640
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer . . . . .	642
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer_TimePickerListener . . . . .	644
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton . . . . .	649
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton . . . . .	651
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer . . . . .	653
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPressGestureListener . . . . .	655
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer . . . . .	663
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2 . . . . .	667
md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1 . . . . .	670
md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker . . . . .	673
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer . . . . .	675
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient . . . . .	676
md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer . . . . .	150
md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer . . . . .	358

md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity	374
mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor	71
mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListenerImplementor	411
mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor	617
mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor	631
mono.android.support.v4.app.FragmentManager_OnBackStackChangedListenerImplementor	285
mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor	368
mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor	369
mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListenerImplementor	385
mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor	141
mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor	51
mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor	53
mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor	387
mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor	416
mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor	658
mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor	660
mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor	662
mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor	237
mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor	413
mono.android.support.v4.widget.SlidingPanelLayout_PanelSlideListenerImplementor	473
mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor	619
mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor	45
mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor	46
mono.android.support.v7.app.ActionBar_TabListenerImplementor	48
mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor	50
mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor	184
mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor	253
mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor	439
mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor	441
mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinishedListenerImplementor	449
mono.android.support.v7.widget.RecyclerView_OnChildAttachStateChangeListenerImplementor	450
mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor	452
mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor	454
mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor	463
mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor	465
mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor	466
mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListenerImplementor	469
mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor	648
mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor	669
ImageButton	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton	651
ImageView	
md57018357d52b54713cd814fbd5262dd1f.ImageRenderer	326
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView	273
IMarkupExtension	
PROJEKT.Models.Extensions.AssetsImageExtension	73
PROJEKT.ViewModels.InitializationViewModel	331
PROJEKT.Droid.Resource.Integer	336
PROJEKT.Droid.Resource.Interpolator	338
PROJEKT.Models.Interfaces.IStreamService	338
PROJEKT.Droid.DependencyServices.StreamService	479
PROJEKT.Droid.DependencyServices.StreamService	479
ItemAnimatorFinishedListener	
mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinishedListenerImplementor	449
PROJEKT.Droid.Resource.Layout	343
PROJEKT.Models.API.LeagueDTO	351

PROJEKT.ViewModels.LeagueItemViewModel	354
PROJEKT.Models.API.LeaguesDTO	355
PROJEKT.ViewModels.LeagueViewModel	356
LinearLayout	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView	120
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout	182
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView	246
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView	401
ListView	
PROJEKT.Views.Controls.MyListView	395
ListViewRenderer	
PROJEKT.Droid.Renderers.ListRenderer	360
MetricAffectingSpan	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan	260
mono.MonoPackageManager	389
NoCopySpan	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer	241
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView	246
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer	251
NumberKeyListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener	371
Object	
android.support.design.widget.Snackbar_SnackbarActionClickImplementor	475
android.support.v7.app.AlertDialog_IDialogInterfaceOnCancelListenerImplementor	61
android.support.v7.app.AlertDialog_IDialogInterfaceOnClickListenerImplementor	63
android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor	64
android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher	646
md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonClickListener	135
md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonTouchListener	138
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_ClickListener	405
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_DrawerMultiplexedListener	407
md5270abb39e60627f0f200893b490a1ade.PickerRenderer_PickerListener	431
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonClickListener	137
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonTouchListener	140
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer_RendererHolder	157
md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler	191
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericMenuClickListener	297
md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener	331
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox_1	415
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer	420
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener	430
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener	478
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer_TimePickerListener	644
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPressGesture← Listener	655
md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker	673
mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor	71
mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListenerImplementor	411
mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor	617
mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor	631
mono.android.support.v4.app.FragmentManager_OnBackStackChangedListenerImplementor	285
mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor	368
mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor	369
mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListenerImplementor	385
mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor	141
mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor	51
mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor	53
mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor	387

mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor	416
mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor	658
mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor	660
mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor	662
mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor	237
mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor	413
mono.android.support.v4.widget.SlidingPanelLayout_PanelSlideListenerImplementor	473
mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor	619
mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor	45
mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor	46
mono.android.support.v7.app.ActionBar_TabListenerImplementor	48
mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor	50
mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor	184
mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor	253
mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor	439
mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor	441
mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinishedListenerImplementor	449
mono.android.support.v7.widget.RecyclerView_OnChildAttachStateChangeListenerImplementor	450
mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor	452
mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor	454
mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor	463
mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor	465
mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor	466
mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListenerImplementor	469
mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor	648
mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor	669
OnActionExpandListener	
mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor	387
OnActiveChangeListener	
mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListenerImplementor	385
OnApplyWindowInsetsListener	
mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor	416
OnAttachListener	
mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor	184
OnAttachStateChangeListener	
md5270abb39e60627f0f200893b490a1ade.ButtonRenderer	128
md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer	130
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer	133
md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker	673
OnBackStackChangedListener	
mono.android.support.v4.app.FragmentManager_OnBackStackChangedListenerImplementor	285
OnCancelListener	
android.support.v7.app.AlertDialog_IDialogInterfaceOnCancelListenerImplementor	61
OnCancelListener	
mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor	141
OnCheckedChangeListener	
md5270abb39e60627f0f200893b490a1ade.SwitchRenderer	622
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView	620
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer	624
OnChildAttachStateChangeListener	
mono.android.support.v7.widget.RecyclerView_OnChildAttachStateChangeListenerImplementor	450
OnClickListener	
android.support.v7.app.AlertDialog_IDialogInterfaceOnClickListenerImplementor	63
OnClickListener	
android.support.design.widget.Snackbar_SnackbarActionClickImplementor	475
android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher	646
md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonClickListener	135

md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer . . . . .	403
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_ClickListener . . . . .	405
md5270abb39e60627f0f200893b490a1ade.PickerRenderer_PickerListener . . . . .	431
md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer . . . . .	130
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer . . . . .	54
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonClickListener . . . . .	137
md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler . . . . .	191
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener . . . . .	430
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener . . . . .	478
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer_TimePickerListener . . . . .	644
OnCloseListener	
mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor . . . . .	463
OnDismissListener	
mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor . . . . .	617
OnDismissListener	
mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor . . . . .	439
OnDoubleTapListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener . . . . .	331
OnEditorActionListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView . . . . .	246
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer . . . . .	251
OnFitSystemWindowsListener	
mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor . . . . .	253
OnFocusChangeListener	
md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer . . . . .	130
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView . . . . .	246
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2 . . . . .	667
OnGestureListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener . . . . .	331
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPressGesture← Listener . . . . .	655
OnInflateListener	
mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor . . . . .	669
OnItemClickListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter . . . . .	154
OnItemLongClickListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter . . . . .	154
OnItemTouchListener	
mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor . . . . .	452
OnLoadCanceledListener	
mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor . . . . .	368
OnLoadCompleteListener	
mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor . . . . .	369
OnMenuItemClickListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericMenuClickListener . . . . .	297
OnMenuItemClickListener	
mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor . . . . .	648
OnMenuItemClickListener	
mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor . . . . .	441
OnMenuItemClickListener	
mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor . . . . .	50
OnMenuVisibilityListener	
mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor . . . . .	45
OnMultiChoiceClickListener	
android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor . . . . .	64
OnNavigationItemSelectedListener	
mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListenerImplementor . . . . .	411
OnNavigationListener	

mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor . . . . .	46
OnOffsetChangedListener	
mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor . . . . .	71
OnPageChangeListener	
md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer . . . . .	145
md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer . . . . .	626
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageAdapter . . . . .	143
mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor . . . . .	658
OnQueryTextListener	
mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor . . . . .	465
OnQueryTextListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer . . . . .	461
OnRefreshListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer . . . . .	363
mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor . . . . .	619
OnScrollChangeListener	
mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor . . . . .	413
OnSeekBarChangeListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer . . . . .	470
OnShareTargetSelectedListener	
mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListenerImplementor . . . . .	469
OnSuggestionListener	
mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor . . . . .	466
OnTabSelectedListener	
md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer . . . . .	626
mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor . . . . .	631
OnTimeSetListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer . . . . .	642
OnTouchListener	
md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonTouchListener . . . . .	138
md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer . . . . .	130
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonTouchListener . . . . .	140
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout . . . . .	182
PagerAdapter	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageAdapter . . . . .	143
PanelSlideListener	
mono.android.support.v4.widget.SlidingPanelLayout_PanelSlideListenerImplementor . . . . .	473
android.support.v7.mediarouter.R . . . . .	444
android.support.v7.cardview.R . . . . .	445
android.support.graphics.drawable.R . . . . .	445
android.support.v7.recyclerview.R . . . . .	446
projekt.droid.R . . . . .	446
android.support.v7.appcompat.R . . . . .	447
android.support.v4.R . . . . .	447
android.support.graphics.drawable.animated.R . . . . .	448
android.support.design.R . . . . .	448
RecyclerListener	
mono.android.support.v7.widget.RecyclerView_RecyclerListenerImplementor . . . . .	454
Renderer	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer . . . . .	420
PROJEKT.Droid.Resource . . . . .	455
ScrollView	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer . . . . .	458
PROJEKT.Views.Controls.MyCarouselView . . . . .	392
ScrollViewRenderer	
PROJEKT.Droid.Renderers.CarouselRenderer . . . . .	153
SectionIndexer	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter . . . . .	298



SeekBar	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar . . . . .	275
SimpleOnScaleGestureListener	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener . . . . .	334
PROJEKT.Droid.Resource.String . . . . .	480
PROJEKT.Droid.Resource.Style . . . . .	486
PROJEKT.Droid.Resource.Styleable . . . . .	542
SubUiVisibilityListener	
mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor . . . . .	51
TabListener	
mono.android.support.v7.app.ActionBar_TabListenerImplementor . . . . .	48
PROJEKT.Models.API.TeamDTO . . . . .	637
PROJEKT.ViewModels.TeamItemViewModel . . . . .	637
PROJEKT.Models.API.TeamsDTO . . . . .	639
TextView	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView . . . . .	278
TextWatcher	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer . . . . .	241
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView . . . . .	246
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer . . . . .	251
ViewCell	
PROJEKT.Views.Controls.CompetitionsView . . . . .	176
PROJEKT.Views.Controls.CompetitionsView . . . . .	176
PROJEKT.Views.Controls.FixturesItemView . . . . .	259
PROJEKT.Views.Controls.TeamsItemView . . . . .	639
PROJEKT.Views.Controls.TeamsItemView . . . . .	639
ViewCell	
PROJEKT.Views.Controls.FixturesItemView . . . . .	259
ViewGroup	
md5270abb39e60627f0f200893b490a1ade.Platform_ModalContainer . . . . .	435
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container . . . . .	365
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer . . . . .	377
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer . . . . .	422
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer . . . . .	437
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController . . . . .	456
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer . . . . .	653
ViewPager	
md5270abb39e60627f0f200893b490a1ade.FormsViewPager . . . . .	280
ViewPropertyAnimatorListener	
mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor . . . . .	660
ViewPropertyAnimatorUpdateListener	
mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor . . . . .	662
VisibilityListener	
mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor . . . . .	53
WebChromeClient	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient . . . . .	282
WebViewClient	
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient . . . . .	676
BroadcastReceiver	
mono.android.Seppuku . . . . .	468



## Chapter 3

# Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<b>mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor</b> . . . . .	45
<b>mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor</b> . . . . .	46
<b>mono.android.support.v7.app.ActionBar_TabListenerImplementor</b> . . . . .	48
<b>mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor</b> . . . . .	50
<b>mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor</b> . . . . .	51
<b>mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor</b> . . . . .	53
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer</b> . . . . .	54
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer</b> . . . . .	57
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView</b> . . . . .	59
<b>android.support.v7.app.AlertDialog_IDialogInterfaceOnCancelListenerImplementor</b> . . . . .	61
<b>android.support.v7.app.AlertDialog_IDialogInterfaceOnClickListenerImplementor</b> . . . . .	63
<b>android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor</b> . . . . .	64
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity</b> . . . . .	66
<b>PROJEKT.Droid.Resource.Animation</b> . . . . .	67
<b>PROJEKT.App</b>	
Klasa startowa projektu. . . . .	70
<b>mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor</b> . . . . .	71
<b>mono.android.app.ApplicationRegistration</b> . . . . .	73
<b>PROJEKT.Models.Extensions.AssetsImageExtension</b>	
Klasa pomocnicza do wczytywania obrazka. . . . .	73
<b>PROJEKT.Droid.Resource.Attribute</b> . . . . .	75
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView</b> . . . . .	120
<b>PROJEKT.Droid.Resource.Boolean</b> . . . . .	122
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer</b> . . . . .	124
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable</b> . . . . .	125
<b>md5270abb39e60627f0f200893b490a1ade.ButtonRenderer</b> . . . . .	128
<b>md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer</b> . . . . .	130
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer</b> . . . . .	133
<b>md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonClickListener</b> . . . . .	135
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonClickListener</b> . . . . .	137
<b>md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonTouchListener</b> . . . . .	138
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonTouchListener</b> . . . . .	140
<b>mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor</b> . . . . .	141
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageAdapter</b> . . . . .	143
<b>md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer</b> . . . . .	145

<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer</b>	148
<b>md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer</b>	150
<b>PROJEKT.Droid.Renderers.CarouselRenderer</b>	153
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter</b>	154
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer_RendererHolder</b>	157
<b>PROJEKT.Droid.Resource.Color</b>	158
<b>PROJEKT.Models.API.CompetitionDTO</b>	
Klasa pomocnicza do wczytywania danych z <b>API</b> (p. 41) za pomocą JSON. Dane pojedynczego konkursu.	171
<b>PROJEKT.ViewModels.CompetitionItemViewModel</b>	
Klasa pomocnicza do załadowania danych do widoku.	172
<b>PROJEKT.Views.CompetitionPage</b>	174
<b>PROJEKT.Views.CompetitionsPage</b>	175
<b>PROJEKT.Views.Controls.CompetitionsView</b>	176
<b>PROJEKT.ViewModels.CompetitionsViewModel</b>	
Klasa pomocnicza do obsłużenia widoku CompetitionsPage.	177
<b>PROJEKT.Views.Controls.CompetitionView</b>	178
<b>PROJEKT.ViewModels.CompetitionViewModel</b>	
Klasa pomocnicza do obsłużenia widoku CompetitionPage.	178
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout</b>	182
<b>PROJEKT.Models.Configuration</b>	
Klasa pomocnicza ze stałymi wartościami do projektu	184
<b>mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor</b>	184
<b>PROJEKT.Models.CustomCompetition</b>	
Klasa pomocnicza do przechowywania danych dla widoku.	186
<b>PROJEKT.Models.CustomFixture</b>	
Klasa pomocnicza do przechowywania danych dla widoku.	188
<b>PROJEKT.Models.CustomTeam</b>	
Klasa pomocnicza do przechowywania danych dla widoku.	189
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer</b>	190
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler</b>	191
<b>PROJEKT.Droid.Resource.Dimension</b>	193
<b>PROJEKT.ViewModels.DownloadCompetition</b>	
Klasa implementująca metode API potrzebna do pobrania Competition	210
<b>PROJEKT.ViewModels.DownloadFixture</b>	
Klasa implementująca metode API potrzebna do pobrania Fixture	211
<b>PROJEKT.ViewModels.DownloadTeam</b>	
Klasa implementująca metode API potrzebna do pobrania Team	212
<b>PROJEKT.Droid.Resource.Drawable</b>	214
<b>mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor</b>	237
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText</b>	239
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer</b>	241
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText</b>	244
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView</b>	246
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText</b>	249
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer</b>	251
<b>mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor</b>	253
<b>PROJEKT.Models.API.FixtureDTO</b>	
Klasa pomocnicza do wczytywania danych z <b>API</b> (p. 41) za pomocą JSON. Dane pojedynczego meczu.	255
<b>PROJEKT.ViewModels.FixtureItemViewModel</b>	
Klasa pomocnicza do obsłużenia widoku.	256
<b>PROJEKT.Models.API.FixtureResultDTO</b>	
Klasa pomocnicza do wczytywania danych z <b>API</b> (p. 41) za pomocą JSON. Dane wyniku meczu danego zespołu.	257
<b>PROJEKT.Models.API.FixturesDTO</b>	
Klasa pomocnicza do wczytywania danych z <b>API</b> (p. 41) za pomocą JSON. Lista meczy.	258

<b>PROJEKT.Views.Controls.FixturesItemView</b>	259
<b>PROJEKT.Views.Controls.FixturesView</b>	259
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan</b>	260
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity</b>	262
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity</b>	265
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText</b>	268
<b>md5270abb39e60627f0f200893b490a1ade.FormsFragmentPagerAdapter_1</b>	271
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView</b>	273
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar</b>	275
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView</b>	278
<b>md5270abb39e60627f0f200893b490a1ade.FormsViewPager</b>	280
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient</b>	282
<b>md5270abb39e60627f0f200893b490a1ade.FragmentContainer</b>	283
<b>mono.android.support.v4.app.FragmentManager_OnBackStackChangeListenerImplementor</b>	285
<b>md5270abb39e60627f0f200893b490a1ade.FrameRenderer</b>	287
<b>md57018357d52b54713cd814fbd5262dd1f.FrameRenderer</b>	289
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer</b>	291
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable</b>	293
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener</b>	295
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericMenuClickListener</b>	297
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter</b>	298
<b>PROJEKT.Droid.Resource.Id</b>	300
<b>PROJEKT.Models.Interfaces.IDownloadCompetition</b>	
Interfejs do pobrania Competition	323
<b>PROJEKT.Models.Interfaces.IDownloadFixture</b>	
Interfejs do pobrania danych dla Fixture	324
<b>PROJEKT.Models.Interfaces.IDownloadTeam</b>	
Interfejs do pobrania danych dla Team	325
<b>md57018357d52b54713cd814fbd5262dd1f.ImageRenderer</b>	326
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer</b>	328
<b>PROJEKT.Views.InitializationPage</b>	330
<b>PROJEKT.ViewModels.InitializationViewModel</b>	
Klasa pomocnicza do obsłużenia widoku InitializationPage.	331
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener</b>	331
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener</b>	334
<b>PROJEKT.Droid.Resource.Integer</b>	336
<b>PROJEKT.Droid.Resource.Interpolator</b>	338
<b>PROJEKT.Models.Interfaces.IStreamService</b>	
Intefejs do uzyskania stream ze ścieżki do zdjęcia.	338
<b>md57018357d52b54713cd814fbd5262dd1f.LabelRenderer</b>	339
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer</b>	341
<b>PROJEKT.Droid.Resource.Layout</b>	343
<b>PROJEKT.Models.API.LeagueDTO</b>	
Klasa pomocnicza do wczytywania danych z <b>API</b> (p. 41) za pomocą JSON. Dane pojedynczego wiersza w tabeli ligi.	351
<b>PROJEKT.Views.Controls.LeagueItemView</b>	353
<b>PROJEKT.ViewModels.LeagueItemViewModel</b>	
Klasa pomocnicza do obsłużenia widoku.	354
<b>PROJEKT.Models.API.LeaguesDTO</b>	
Klasa pomocnicza do wczytywania danych z <b>API</b> (p. 41) za pomocą JSON. Lista wierszy w tabeli ligi.	355
<b>PROJEKT.Views.Controls.LeagueView</b>	356
<b>PROJEKT.ViewModels.LeagueViewModel</b>	
Klasa pomocnicza do przechowywania danych dla widoku.	356
<b>md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer</b>	358
<b>PROJEKT.Droid.Renderers.ListRenderer</b>	360
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter</b>	360
<b>md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer</b>	363

md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container	365
mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor	368
mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor	369
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener	371
PROJEKT.Droid.MainActivity	373
md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity	374
md5270abb39e60627f0f200893b490a1ade.MasterDetailContainer	375
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer	377
md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer	380
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer	382
mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListener↵ Implementor	385
mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor	387
mono.MonoPackageManager	389
mono.MonoRuntimeProvider	390
PROJEKT.Views.Controls.MyCarouselView	
Klasa własnej kontroli.	392
PROJEKT.Views.Controls.MyListView	
Klasa własnej kontroli.	395
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer	395
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer	397
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuAdapter	399
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView	401
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer	403
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_ClickListener	405
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_DrawerMultiplexedListener	407
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer	409
mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListener↵ Implementor	411
mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor	413
mono.android.app.NotifyTimeZoneChanges	414
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox_1	415
mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor	416
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer	418
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer	420
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer	422
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer	424
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer	426
md5270abb39e60627f0f200893b490a1ade.PickerRenderer	428
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener	430
md5270abb39e60627f0f200893b490a1ade.PickerRenderer_PickerListener	431
md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer	433
md5270abb39e60627f0f200893b490a1ade.Platform_ModalContainer	435
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer	437
mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor	439
mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor	441
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer	442
android.support.v7.mediarouter.R	444
android.support.v7.cardview.R	445
android.support.graphics.drawable.R	445
android.support.v7.recyclerview.R	446
projekt.droid.R	446
android.support.v7.appcompat.R	447
android.support.v4.R	447
android.support.graphics.drawable.animated.R	448
android.support.design.R	448
mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinishedListener↵ Implementor	449

mono.android.support.v7.widget.RecyclerView_OnChildAttachStateChangeListenerImplementor	450
mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor	452
mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor	454
PROJEKT.Droid.Resource	455
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController	456
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer	458
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer	461
mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor	463
mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor	465
mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor	466
mono.android.Seppuku	468
mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListenerImplementor	469
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer	470
mono.android.support.v4.widget.SlidingPaneLayout_PanelSlideListenerImplementor	473
android.support.design.widget.Snackbar_SnackbarActionClickImplementor	475
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer	476
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener	478
PROJEKT.Droid.DependencyServices.StreamService	479
PROJEKT.Droid.Resource.String	480
PROJEKT.Droid.Resource.Style	486
PROJEKT.Droid.Resource.Styleable	542
mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor	617
mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor	619
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView	620
md5270abb39e60627f0f200893b490a1ade.SwitchRenderer	622
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer	624
md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer	626
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer	629
mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor	631
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer	633
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer	635
PROJEKT.Models.API.TeamDTO	
Klasa pomocnicza do wczytywania danych z <b>API</b> (p. 41) za pomocą JSON. Dane pojedynczego zespołu.	637
PROJEKT.ViewModels.TeamItemViewModel	
Klasa pomocnicza do obsłużenia widoku.	637
PROJEKT.Models.API.TeamsDTO	
Klasa pomocnicza do wczytywania danych z <b>API</b> (p. 41) za pomocą JSON. Lista drużyn.	639
PROJEKT.Views.Controls.TeamsItemView	639
PROJEKT.Views.Controls.TeamsView	640
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView	640
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer	642
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer_TimePickerListener	644
android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher	646
mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor	648
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton	649
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton	651
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer	653
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPressGestureListener	655
mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor	658
mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor	660
mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor	662
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer	663
md5270abb39e60627f0f200893b490a1ade.ViewRenderer_2	665
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2	667
mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor	669

md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1 . . . . .	670
md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker . . . . .	673
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer . . . . .	675
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient . . . . .	676



## Chapter 4

# File Index

### 4.1 File List

Here is a list of all files with brief descriptions:

C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/	<b>Main</b> ↔	
<b>Activity.cs</b>		679
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Dependency↔		
Service/ <b>StreamService.cs</b>		679
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Dependency↔		
Services/ <b>StreamService.cs</b>		679
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/		
<b>TemporaryGeneratedFile_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs</b>		740
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/		
<b>TemporaryGeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs</b>		740
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/		
<b>TemporaryGeneratedFile_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs</b>		740
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/projekt/droid/		
<b>R.java</b>		680
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>R.java</b>		680
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>Snackbar_SnackbarActionClickImplementor.java</b>		685
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>R.java</b>		681
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>R.java</b>		681
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>R.java</b>		682
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>AlertDialog_IDialogInterfaceOnCancelListenerImplementor.java</b>		685
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>AlertDialog_IDialogInterfaceOnClickListenerImplementor.java</b>		685
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor.java</b>		686
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>R.java</b>		682
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>R.java</b>		683
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support		
<b>R.java</b>		683

C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support	
<b>R.java</b>	684
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support	
<b>Toolbar_NavigationOnClickEventDispatcher.java</b>	686
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>ButtonRenderer.java</b>	686
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>ButtonRenderer_ButtonClickListener.java</b>	687
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>ButtonRenderer_ButtonTouchListener.java</b>	688
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>CarouselPageRenderer.java</b>	688
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>FormsFragmentPagerAdapter_1.java</b>	689
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>FormsViewPager.java</b>	689
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>FragmentContainer.java</b>	689
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>FrameRenderer.java</b>	690
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>MasterDetailContainer.java</b>	690
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>MasterDetailPageRenderer.java</b>	691
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>NavigationPageRenderer.java</b>	691
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>NavigationPageRenderer_ClickListener.java</b>	692
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>NavigationPageRenderer_DrawerMultiplexedListener.java</b>	692
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>PickerRenderer.java</b>	692
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>PickerRenderer_PickerListener.java</b>	693
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>Platform_ModalContainer.java</b>	693
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>SwitchRenderer.java</b>	694
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>TabbedPageRenderer.java</b>	694
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e	
<b>ViewRenderer_2.java</b>	694
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d5	
<b>ButtonRenderer.java</b>	686
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d5	
<b>FrameRenderer.java</b>	690
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d5	
<b>ImageRenderer.java</b>	695
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d5	
<b>LabelRenderer.java</b>	696
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb823	
<b>ActionSheetRenderer.java</b>	696
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb823	
<b>ActivityIndicatorRenderer.java</b>	696
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb823	
<b>AHorizontalScrollView.java</b>	697
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb823	
<b>AndroidActivity.java</b>	697

C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>BaseCellView.java</b>	697
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>BoxRenderer.java</b>	698
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ButtonDrawable.java</b>	698
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ButtonRenderer.java</b>	687
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ButtonRenderer_ButtonClickListener.java</b>	687
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ButtonRenderer_ButtonTouchListener.java</b>	688
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>CarouselPageAdapter.java</b>	698
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>CarouselPageRenderer.java</b>	688
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>CellAdapter.java</b>	698
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>CellRenderer_RendererHolder.java</b>	699
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ConditionalFocusLayout.java</b>	699
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>DatePickerRenderer.java</b>	699
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>DatePickerRenderer_TextFieldClickHandler.java</b>	700
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>EditorEditText.java</b>	700
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>EditorRenderer.java</b>	700
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>EntryCellEditText.java</b>	700
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>EntryCellView.java</b>	701
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>EntryEditText.java</b>	701
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>EntryRenderer.java</b>	701
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FormattedStringExtensions_FontSpan.java</b>	702
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FormsAppCompatActivity.java</b>	702
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FormsApplicationActivity.java</b>	702
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FormsEditText.java</b>	702
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FormsImageView.java</b>	703
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FormsSeekBar.java</b>	703
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FormsTextView.java</b>	703
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FormsWebChromeClient.java</b>	704
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FrameRenderer.java</b>	690
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>FrameRenderer_FrameDrawable.java</b>	704

C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>GenericAnimatorListener.java</b>	704
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>GenericMenuClickListener.java</b>	704
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>GroupedListViewAdapter.java</b>	705
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ImageRenderer.java</b>	695
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>InnerGestureListener.java</b>	705
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>InnerScaleListener.java</b>	705
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>LabelRenderer.java</b>	696
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ListViewAdapter.java</b>	706
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ListViewRenderer.java</b>	706
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ListViewRenderer_Container.java</b>	706
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>LocalizedDigitsKeyListener.java</b>	706
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>MasterDetailContainer.java</b>	691
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>MasterDetailRenderer.java</b>	707
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>NativeViewWrapperRenderer.java</b>	707
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>NavigationMenuRenderer.java</b>	707
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>NavigationMenuRenderer_MenuAdapter.java</b>	708
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>NavigationMenuRenderer_MenuElementView.java</b>	708
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>NavigationRenderer.java</b>	708
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ObjectJavaBox_1.java</b>	708
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>OpenGLViewRenderer.java</b>	709
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>OpenGLViewRenderer_Renderer.java</b>	709
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>PageContainer.java</b>	709
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>PageRenderer.java</b>	710
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>PickerRenderer.java</b>	692
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>PickerRenderer_PickerListener.java</b>	693
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>Platform_DefaultRenderer.java</b>	710
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>PlatformRenderer.java</b>	710
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ProgressBarRenderer.java</b>	710
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ScrollViewContainer.java</b>	711

C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ScrollViewRenderer.java</b>	711
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>SearchBarRenderer.java</b>	711
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>SliderRenderer.java</b>	712
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>StepperRenderer.java</b>	712
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>StepperRenderer_StepperListener.java</b>	712
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>SwitchCellView.java</b>	712
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>SwitchRenderer.java</b>	694
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>TabbedRenderer.java</b>	713
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>TableViewModelRenderer.java</b>	713
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>TableViewRenderer.java</b>	713
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>TextCellRenderer_TextCellView.java</b>	714
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>TimePickerRenderer.java</b>	714
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>TimePickerRenderer_TimePickerListener.java</b>	714
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ToolbarButton.java</b>	714
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ToolbarImageButton.java</b>	715
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ViewCellRenderer_ViewCellContainer.java</b>	715
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ViewCellRenderer_ViewCellContainer_LongPressGestureListener.java</b>	715
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ViewRenderer.java</b>	716
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>ViewRenderer_2.java</b>	695
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>VisualElementRenderer_1.java</b>	716
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>VisualElementTracker_AttachTracker.java</b>	716
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>WebViewRenderer.java</b>	716
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829	
<b>WebViewRenderer_WebClient.java</b>	717
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5ec2e2772f	
<b>CarouselRenderer.java</b>	717
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5ec2e2772f	
<b>ListRenderer.java</b>	717
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5fa8f98893c	
<b>MainActivity.java</b>	718
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/	
<b>MonoPackageManager.java</b>	730
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/	
<b>MonoRuntimeProvider.java</b>	730
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/	
<b>Seppuku.java</b>	718

C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ApplicationRegistration.java</b>	718
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>NotifyTimeZoneChanges.java</b>	718
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>AppBarLayout_OnOffsetChangedListenerImplementor.java</b>	719
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>NavigationView_OnNavigationItemSelectedListenerImplementor.java</b>	719
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>SwipeDismissBehavior_OnDismissListenerImplementor.java</b>	719
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>TabLayout_OnTabSelectedListenerImplementor.java</b>	720
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>FragmentManager_OnBackStackChangedListenerImplementor.java</b>	720
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>Loader_OnLoadCanceledListenerImplementor.java</b>	720
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>Loader_OnLoadCompleteListenerImplementor.java</b>	720
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>MediaSessionCompat_OnActiveChangeListenerImplementor.java</b>	721
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>CancellationSignal_OnCancelListenerImplementor.java</b>	721
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ActionProvider_SubUiVisibilityListenerImplementor.java</b>	721
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ActionProvider_VisibilityListenerImplementor.java</b>	722
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>MenuItemCompat_OnActionExpandListenerImplementor.java</b>	722
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>OnApplyWindowInsetsListenerImplementor.java</b>	722
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ViewPager_OnPageChangeListenerImplementor.java</b>	722
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ViewPropertyAnimatorListenerImplementor.java</b>	723
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ViewPropertyAnimatorUpdateListenerImplementor.java</b>	723
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>DrawerLayout_DrawerListenerImplementor.java</b>	723
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>NestedScrollView_OnScrollChangeListenerImplementor.java</b>	724
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>SlidingPaneLayout_PanelSlideListenerImplementor.java</b>	724
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>SwipeRefreshLayout_OnRefreshListenerImplementor.java</b>	724
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ActionBar_OnMenuVisibilityListenerImplementor.java</b>	724
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ActionBar_OnNavigationListenerImplementor.java</b>	725
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ActionBar_TabListenerImplementor.java</b>	725
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ActionMenuView_OnMenuItemClickListenerImplementor.java</b>	725
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>ContentFrameLayout_OnAttachListenerImplementor.java</b>	726
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor.java</b>	726
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	<b>PopupMenu_OnDismissListenerImplementor.java</b>	726

C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>PopupMenu_OnMenuItemClickListenerImplementor.java</b>	726
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>RecyclerView_ItemAnimator_ItemAnimatorFinishedListenerImplementor.java</b>	727
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>RecyclerView_OnChildAttachStateChangeListenerImplementor.java</b>	727
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>RecyclerView_OnItemTouchListenerImplementor.java</b>	727
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>RecyclerView_RecyclerViewListenerImplementor.java</b>	728
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>SearchView_OnCloseListenerImplementor.java</b>	728
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>SearchView_OnQueryTextListenerImplementor.java</b>	728
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>SearchView_OnSuggestionListenerImplementor.java</b>	728
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>ShareActionProvider_OnShareTargetSelectedListenerImplementor.java</b>	729
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>Toolbar_OnMenuItemClickListenerImplementor.java</b>	729
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/s	
<b>ViewStubCompat_OnInflateListenerImplementor.java</b>	729
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/projekt/droid/	
<b>R.java</b>	684
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Properties/	
<b>AssemblyInfo.cs</b>	740
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Renderers/	
<b>CarouselRenderer.cs</b>	730
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Renderers/	
<b>ListRenderer.cs</b>	730
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/	
<b>Resource.Designer.cs</b>	731
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ <b>App.xaml.cs</b>	731
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/ <b>Configuration.cs</b>	734
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/ <b>CustomCompetition.cs</b>	734
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/ <b>CustomFixture.cs</b>	734
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/ <b>CustomTeam.cs</b>	735
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP <b>CompetitionDTO.cs</b>	731
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP <b>FixtureDTO.cs</b>	732
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP <b>FixtureResultDTO.cs</b>	732
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP <b>FixturesDTO.cs</b>	732
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP <b>LeagueDTO.cs</b>	733
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP <b>LeaguesDTO.cs</b>	733
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP <b>TeamDTO.cs</b>	733
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/AP <b>TeamsDTO.cs</b>	733

C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Extensions/ <b>AssetsImageExtension.cs</b> . . . . .	735
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/ <b>IDownloadCompetition.cs</b> . . . . .	735
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/ <b>IDownloadFixture.cs</b> . . . . .	735
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/ <b>IDownloadTeam.cs</b> . . . . .	736
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/ <b>IStreamService.cs</b> . . . . .	736
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.App.xaml.g.cs</b> . . . . .	736
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.CompetitionPage.xaml.g.cs</b> . . . . .	737
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.CompetitionsPage.xaml.g.cs</b> . . . . .	737
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.Controls.CompetitionsView.xaml.g.cs</b> . . . . .	737
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.Controls.CompetitionView.xaml.g.cs</b> . . . . .	737
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.Controls.FixturesItemView.xaml.g.cs</b> . . . . .	738
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.Controls.FixturesView.xaml.g.cs</b> . . . . .	738
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.Controls.LeagueItemView.xaml.g.cs</b> . . . . .	738
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.Controls.LeagueView.xaml.g.cs</b> . . . . .	738
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.Controls.TeamsItemView.xaml.g.cs</b> . . . . .	739
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.Controls.TeamsView.xaml.g.cs</b> . . . . .	739
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>PRO</b> ↔ <b>JEKT.Views.InitializationPage.xaml.g.cs</b> . . . . .	739
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>Temporary</b> ↔ <b>GeneratedFile_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs</b> . . . . .	740
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>Temporary</b> ↔ <b>GeneratedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs</b> . . . . .	740
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ <b>Temporary</b> ↔ <b>GeneratedFile_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs</b> . . . . .	740
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Properties/ <b>Assembly</b> ↔ <b>Info.cs</b> . . . . .	740
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ <b>CompetitionItemViewModel.cs</b> . . . . .	740
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ <b>CompetitionsViewModel.cs</b> . . . . .	741
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ <b>CompetitionViewModel.cs</b> . . . . .	741
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ <b>FixtureItemViewModel.cs</b> . . . . .	741
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ <b>InitializationViewModel.cs</b> . . . . .	742
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ <b>LeagueItemViewModel.cs</b> . . . . .	742
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ <b>LeagueViewModel.cs</b> . . . . .	742
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ <b>TeamItemViewModel.cs</b> . . . . .	742



C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/ <b>Competition</b> ↔	
<b>Page.xaml.cs</b> . . . . .	743
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/ <b>Competitions</b> ↔	
<b>Page.xaml.cs</b> . . . . .	743
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/ <b>Initialization</b> ↔	
<b>Page.cs</b> . . . . .	746
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/ <b>Initialization</b> ↔	
<b>Page.xaml.cs</b> . . . . .	746
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>CompetitionsView.xaml.cs</b> . . . . .	743
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>CompetitionView.xaml.cs</b> . . . . .	743
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>FixturesItemView.xaml.cs</b> . . . . .	744
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>FixturesView.xaml.cs</b> . . . . .	744
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>LeagueItemView.xaml.cs</b> . . . . .	744
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>LeagueView.xaml.cs</b> . . . . .	744
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>MyCarouselView.cs</b> . . . . .	745
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>MyListView.cs</b> . . . . .	745
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>TeamsItemView.xaml.cs</b> . . . . .	745
C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/	
<b>TeamsView.xaml.cs</b> . . . . .	746



## Chapter 5

# Namespace Documentation

### 5.1 Package android

#### Packages

- package **support**

### 5.2 Package android.support

#### Packages

- package **design**
- package **graphics**
- package **v4**
- package **v7**

### 5.3 Package android.support.design

#### Packages

- package **widget**

#### Classes

- class **R**

### 5.4 Package android.support.design.widget

#### Classes

- class **Snackbar\_SnackbarActionClickImplementor**

## 5.5 Package android.support.graphics

### Packages

- package **drawable**

## 5.6 Package android.support.graphics.drawable

### Packages

- package **animated**

### Classes

- class **R**

## 5.7 Package android.support.graphics.drawable.animated

### Classes

- class **R**

## 5.8 Package android.support.v4

### Classes

- class **R**

## 5.9 Package android.support.v7

### Packages

- package **app**
- package **appcompat**
- package **cardview**
- package **mediarouter**
- package **recyclerview**
- package **widget**

## 5.10 Package android.support.v7.app

### Classes

- class **AlertDialog\_IDialogInterfaceOnCancelListenerImplementor**
- class **AlertDialog\_IDialogInterfaceOnClickListenerImplementor**
- class **AlertDialog\_IDialogInterfaceOnMultiChoiceClickListenerImplementor**

## 5.11 Package android.support.v7.appcompat

### Classes

- class **R**

## 5.12 Package android.support.v7.cardview

### Classes

- class **R**

## 5.13 Package android.support.v7.mediarouter

### Classes

- class **R**

## 5.14 Package android.support.v7.recyclerview

### Classes

- class **R**

## 5.15 Package android.support.v7.widget

### Classes

- class **Toolbar\_NavigationOnClickEventDispatcher**

## 5.16 Package md5270abb39e60627f0f200893b490a1ade

### Classes

- class **ButtonRenderer**
- class **ButtonRenderer\_ButtonClickListener**
- class **ButtonRenderer\_ButtonTouchListener**
- class **CarouselPageRenderer**
- class **FormsFragmentPagerAdapter\_1**
- class **FormsViewPager**
- class **FragmentContainer**
- class **FrameRenderer**
- class **MasterDetailContainer**
- class **MasterDetailPageRenderer**
- class **NavigationPageRenderer**
- class **NavigationPageRenderer\_ClickListener**
- class **NavigationPageRenderer\_DrawerMultiplexedListener**
- class **PickerRenderer**
- class **PickerRenderer\_PickerListener**
- class **Platform\_ModalContainer**
- class **SwitchRenderer**
- class **TabbedPageRenderer**
- class **ViewRenderer\_2**

## 5.17 Package md57018357d52b54713cd814fbd5262dd1f

### Classes

- class **ButtonRenderer**
- class **FrameRenderer**
- class **ImageRenderer**
- class **LabelRenderer**

## 5.18 Package md5b60ffeb829f638581ab2bb9b1a7f4f3f

### Classes

- class **ActionSheetRenderer**
- class **ActivityIndicatorRenderer**
- class **AHorizontalScrollView**
- class **AndroidActivity**
- class **BaseCellView**
- class **BoxRenderer**
- class **ButtonDrawable**
- class **ButtonRenderer**
- class **ButtonRenderer\_ButtonClickListener**
- class **ButtonRenderer\_ButtonTouchListener**
- class **CarouselPageAdapter**
- class **CarouselPageRenderer**

- class **CellAdapter**
- class **CellRenderer\_RendererHolder**
- class **ConditionalFocusLayout**
- class **DatePickerRenderer**
- class **DatePickerRenderer\_TextFieldClickHandler**
- class **EditorEditText**
- class **EditorRenderer**
- class **EntryCellEditText**
- class **EntryCellView**
- class **EntryEditText**
- class **EntryRenderer**
- class **FormattedStringExtensions\_FontSpan**
- class **FormsAppCompatActivity**
- class **FormsApplicationActivity**
- class **FormsEditText**
- class **FormsImageView**
- class **FormsSeekBar**
- class **FormsTextView**
- class **FormsWebChromeClient**
- class **FrameRenderer**
- class **FrameRenderer\_FrameDrawable**
- class **GenericAnimatorListener**
- class **GenericMenuClickListener**
- class **GroupedListAdapter**
- class **ImageRenderer**
- class **InnerGestureListener**
- class **InnerScaleListener**
- class **LabelRenderer**
- class **ListAdapter**
- class **ListViewRenderer**
- class **ListViewRenderer\_Container**
- class **LocalizedDigitsKeyListener**
- class **MasterDetailContainer**
- class **MasterDetailRenderer**
- class **NativeViewWrapperRenderer**
- class **NavigationMenuRenderer**
- class **NavigationMenuRenderer\_MenuAdapter**
- class **NavigationMenuRenderer\_MenuElementView**
- class **NavigationRenderer**
- class **ObjectJavaBox\_1**
- class **OpenGLViewRenderer**
- class **OpenGLViewRenderer\_Renderer**
- class **PageContainer**
- class **PageRenderer**
- class **PickerRenderer**
- class **PickerRenderer\_PickerListener**
- class **Platform\_DefaultRenderer**
- class **PlatformRenderer**
- class **ProgressBarRenderer**
- class **ScrollViewContainer**
- class **ScrollViewRenderer**
- class **SearchBarRenderer**
- class **SliderRenderer**
- class **StepperRenderer**
- class **StepperRenderer\_StepperListener**

- class **SwitchCellView**
- class **SwitchRenderer**
- class **TabbedRenderer**
- class **TableViewModelRenderer**
- class **TableViewRenderer**
- class **TextCellRenderer\_TextCellView**
- class **TimePickerRenderer**
- class **TimePickerRenderer\_TimePickerListener**
- class **ToolBarButton**
- class **ToolBarImageButton**
- class **ViewCellRenderer\_ViewCellContainer**
- class **ViewCellRenderer\_ViewCellContainer\_LongPressGestureListener**
- class **ViewRenderer**
- class **ViewRenderer\_2**
- class **VisualElementRenderer\_1**
- class **VisualElementTracker\_AttachTracker**
- class **WebViewRenderer**
- class **WebViewRenderer\_WebClient**

## 5.19 Package md5ec2e2772f76de7e64e0148801db2bb13

### Classes

- class **CarouselRenderer**
- class **ListRenderer**

## 5.20 Package md5fa8f98893c985e6b8df6ddd18b21cb3a

### Classes

- class **MainActivity**

## 5.21 Package mono

### Packages

- package **android**

### Classes

- class **MonoPackageManager**
- class **MonoPackageManager\_Resources**
- class **MonoRuntimeProvider**



## 5.22 Package mono.android

### Packages

- package **app**
- package **support**

### Classes

- class **Seppuku**

## 5.23 Package mono.android.app

### Classes

- class **ApplicationRegistration**
- class **NotifyTimeZoneChanges**

## 5.24 Package mono.android.support

### Packages

- package **design**
- package **v4**
- package **v7**

## 5.25 Package mono.android.support.design

### Packages

- package **widget**

## 5.26 Package mono.android.support.design.widget

### Classes

- class **AppBarLayout\_OnOffsetChangedListenerImplementor**
- class **NavigationView\_OnNavigationItemSelectedListenerImplementor**
- class **SwipeDismissBehavior\_OnDismissListenerImplementor**
- class **TabLayout\_OnTabSelectedListenerImplementor**

## 5.27 Package mono.android.support.v4

### Packages

- package **app**
- package **content**
- package **media**
- package **os**
- package **view**
- package **widget**

## 5.28 Package mono.android.support.v4.app

### Classes

- class **FragmentManager\_OnBackStackChangedListenerImplementor**

## 5.29 Package mono.android.support.v4.content

### Classes

- class **Loader\_OnLoadCanceledListenerImplementor**
- class **Loader\_OnLoadCompleteListenerImplementor**

## 5.30 Package mono.android.support.v4.media

### Packages

- package **session**

## 5.31 Package mono.android.support.v4.media.session

### Classes

- class **MediaSessionCompat\_OnActiveChangeListenerImplementor**

## 5.32 Package mono.android.support.v4.os

### Classes

- class **CancellationSignal\_OnCancelListenerImplementor**

## 5.33 Package mono.android.support.v4.view

### Classes

- class **ActionProvider\_SubUiVisibilityListenerImplementor**
- class **ActionProvider\_VisibilityListenerImplementor**
- class **MenuItemCompat\_OnActionExpandListenerImplementor**
- class **OnApplyWindowInsetsListenerImplementor**
- class **ViewPager\_OnPageChangeListenerImplementor**
- class **ViewPropertyAnimatorListenerImplementor**
- class **ViewPropertyAnimatorUpdateListenerImplementor**

## 5.34 Package mono.android.support.v4.widget

### Classes

- class **DrawerLayout\_DrawerListenerImplementor**
- class **NestedScrollView\_OnScrollChangeListenerImplementor**
- class **SlidingPaneLayout\_PanelSlideListenerImplementor**
- class **SwipeRefreshLayout\_OnRefreshListenerImplementor**

## 5.35 Package mono.android.support.v7

### Packages

- package **app**
- package **widget**

## 5.36 Package mono.android.support.v7.app

### Classes

- class **ActionBar\_OnMenuVisibilityListenerImplementor**
- class **ActionBar\_OnNavigationListenerImplementor**
- class **ActionBar\_TabListenerImplementor**

## 5.37 Package mono.android.support.v7.widget

### Classes

- class **ActionMenuView\_OnMenuItemClickListenerImplementor**
- class **ContentFrameLayout\_OnAttachListenerImplementor**
- class **FitWindowsViewGroup\_OnFitSystemWindowsListenerImplementor**
- class **PopupMenu\_OnDismissListenerImplementor**
- class **PopupMenu\_OnMenuItemClickListenerImplementor**
- class **RecyclerView\_ItemAnimator\_ItemAnimatorFinishedListenerImplementor**
- class **RecyclerView\_OnChildAttachStateChangeListenerImplementor**
- class **RecyclerView\_OnItemTouchListenerImplementor**
- class **RecyclerView\_RecyclerViewListenerImplementor**
- class **SearchView\_OnCloseListenerImplementor**
- class **SearchView\_OnQueryTextListenerImplementor**
- class **SearchView\_OnSuggestionListenerImplementor**
- class **ShareActionProvider\_OnShareTargetSelectedListenerImplementor**
- class **Toolbar\_OnMenuItemClickListenerImplementor**
- class **ViewStubCompat\_OnInflateListenerImplementor**

## 5.38 Package projekt

### Packages

- package **droid**

## 5.39 PROJEKT Namespace Reference

### Namespaces

- namespace **Droid**
- namespace **Models**
- namespace **ViewModels**
- namespace **Views**

### Classes

- class **App**  
*Klasa startowa projektu.*

## 5.40 Package projekt.droid

### Classes

- class **R**

## 5.41 PROJEKT.Droid Namespace Reference

### Namespaces

- namespace **DependencyServices**
- namespace **Renderers**

### Classes

- class **MainActivity**
- class **Resource**

## 5.42 PROJEKT.Droid.DependencyServices Namespace Reference

### Classes

- class **StreamService**

## 5.43 PROJEKT.Droid.Renderers Namespace Reference

### Classes

- class **CarouselRenderer**
- class **ListRenderer**

## 5.44 PROJEKT.Models Namespace Reference

### Namespaces

- namespace **API**
- namespace **Extensions**
- namespace **Interfaces**

### Classes

- class **Configuration**  
*Klasa pomocnicza ze stałymi wartościami do projektu*
- class **CustomCompetition**  
*Klasa pomocnicza do przechowywania danych dla widoku.*
- class **CustomFixture**  
*Klasa pomocnicza do przechowywania danych dla widoku.*
- class **CustomTeam**  
*Klasa pomocnicza do przechowywania danych dla widoku.*

## 5.45 PROJEKT.Models.API Namespace Reference

### Classes

- class **CompetitionDTO**  
*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego konkursu.*
- class **FixtureDTO**  
*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego meczu.*
- class **FixtureResultDTO**  
*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane wyniku meczu danego zespołu.*
- class **FixturesDTO**  
*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista meczy.*
- class **LeagueDTO**  
*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego wiersza w tabeli ligi.*
- class **LeaguesDTO**  
*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista wierszy w tabeli ligi.*
- class **TeamDTO**  
*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego zespołu.*
- class **TeamsDTO**  
*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista drużyn.*

## 5.46 PROJEKT.Models.Extensions Namespace Reference

### Classes

- class **AssetsImageExtension**  
*Klasa pomocnicza do wczytywania obrazka.*

## 5.47 PROJEKT.Models.Interfaces Namespace Reference

### Classes

- interface **IDownloadCompetition**  
*Interfejs do pobrania Competition*
- interface **IDownloadFixture**  
*Interfejs do pobrania danych dla Fixture*
- interface **IDownloadTeam**  
*Interfejs do pobrania danych dla Team*
- interface **IStreamService**  
*Intefejs do uzyskania stream ze ścieżki do zdjęcia.*

## 5.48 PROJEKT.ViewModels Namespace Reference

### Classes

- class **CompetitionItemViewModel**  
*Klasa pomocnicza do załadowania danych do widoku.*
- class **CompetitionsViewModel**  
*Klasa pomocnicza do obsłużenia widoku CompetitionsPage.*
- class **CompetitionViewModel**  
*Klasa pomocnicza do obsłużenia widoku CompetitionPage.*
- class **DownloadCompetition**  
*Klasa implementująca metode API potrzebna do pobrania Competition*
- class **DownloadFixture**  
*Klasa implementująca metode API potrzebna do pobrania Fixture*
- class **DownloadTeam**  
*Klasa implementująca metode API potrzebna do pobrania Team*
- class **FixtureItemViewModel**  
*Klasa pomocnicza do obsłużenia widoku.*
- class **InitializationViewModel**  
*Klasa pomocnicza do obsłużenia widoku InitializationPage.*
- class **LeagueItemViewModel**  
*Klasa pomocnicza do obsłużenia widoku.*
- class **LeagueViewModel**  
*Klasa pomocnicza do przechowywania danych dla widoku.*
- class **TeamItemViewModel**  
*Klasa pomocnicza do obsłużenia widoku.*

## 5.49 PROJEKT.Views Namespace Reference

### Namespaces

- namespace **Controls**

### Classes

- class **CompetitionPage**
- class **CompetitionsPage**
- class **InitializationPage**

## 5.50 PROJEKT.Views.Controls Namespace Reference

### Classes

- class **CompetitionsView**
- class **CompetitionView**
- class **FixturesItemView**
- class **FixturesView**
- class **LeagueItemView**
- class **LeagueView**
- class **MyCarouselView**  
*Klasa własnej kontroli.*
- class **MyListView**  
*Klasa własnej kontroli.*
- class **TeamsItemView**
- class **TeamsView**






## Chapter 6

# Class Documentation

### 6.1 mono.android.support.v7.app.ActionBar\_OnMenuVisibilityListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.app.ActionBar\_OnMenuVisibilityListenerImplementor:



#### Public Member Functions

- **ActionBar\_OnMenuVisibilityListenerImplementor** () throws java.lang.Throwable
- void **onMenuVisibilityChanged** (boolean p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

#### Static Public Attributes

- static final String **\_\_md\_methods**

#### 6.1.1 Constructor & Destructor Documentation

##### 6.1.1.1 ActionBar\_OnMenuVisibilityListenerImplementor()

mono.android.support.v7.app.ActionBar\_OnMenuVisibilityListenerImplementor.ActionBar\_OnMenuVisibilityListenerImplementor ( ) throws java.lang.Throwable

#### 6.1.2 Member Function Documentation

### 6.1.2.1 monodroidAddReference()

```
void mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

### 6.1.2.2 monodroidClearReferences()

```
void mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor.monodroidClearReferences ( )
```

### 6.1.2.3 onMenuVisibilityChanged()

```
void mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor.onMenuVisibilityChanged (
    boolean p0 )
```

## 6.1.3 Member Data Documentation

### 6.1.3.1 \_\_md\_methods


```
final String mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/ActionBar\_OnMenuVisibilityListenerImplementor.java

## 6.2 mono.android.support.v7.app.ActionBar\_OnNavigationListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.app.ActionBar\_OnNavigationListenerImplementor:



## Public Member Functions

- **ActionBar\_OnNavigationListenerImplementor** () throws java.lang.Throwable
- boolean **onNavigationItemSelected** (int p0, long p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.2.1 Constructor & Destructor Documentation

#### 6.2.1.1 ActionBar\_OnNavigationListenerImplementor()

```
mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor.ActionBar_OnNavigationListenerImplementor ( ) throws java.lang.Throwable
```

### 6.2.2 Member Function Documentation

#### 6.2.2.1 monodroidAddReference()

```
void mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor.monodroidAddReference ( java.lang.Object obj )
```

#### 6.2.2.2 monodroidClearReferences()

```
void mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor.monodroidClearReferences ( )
```

#### 6.2.2.3 onNavigationItemSelected()

```
boolean mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor.onNavigationItemSelected ( int p0, long p1 )
```

### 6.2.3 Member Data Documentation

#### 6.2.3.1 \_\_md\_methods


```
final String mono.android.support.v7.app.ActionBar_OnNavigationListenerImplementor.__md_↵
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android.support.v7.app.ActionBar\_OnNavigationListenerImplementor.java

## 6.3 mono.android.support.v7.app.ActionBar\_TabListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.app.ActionBar\_TabListenerImplementor:



### Public Member Functions

- **ActionBar\_TabListenerImplementor** () throws java.lang.Throwable
- void **onTabReselected** (android.support.v7.app.ActionBar.Tab p0, android.support.v4.app.FragmentTransaction p1)↵
- void **onTabSelected** (android.support.v7.app.ActionBar.Tab p0, android.support.v4.app.FragmentTransaction p1)↵
- void **onTabUnselected** (android.support.v7.app.ActionBar.Tab p0, android.support.v4.app.FragmentTransaction p1)↵
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.3.1 Constructor & Destructor Documentation

#### 6.3.1.1 ActionBar\_TabListenerImplementor()

```
mono.android.support.v7.app.ActionBar_TabListenerImplementor.ActionBar_TabListenerImplementor
( ) throws java.lang.Throwable
```

## 6.3.2 Member Function Documentation

### 6.3.2.1 monodroidAddReference()

```
void mono.android.support.v7.app.ActionBar_TabListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

### 6.3.2.2 monodroidClearReferences()

```
void mono.android.support.v7.app.ActionBar_TabListenerImplementor.monodroidClearReferences ( )
```

### 6.3.2.3 onTabReselected()

```
void mono.android.support.v7.app.ActionBar_TabListenerImplementor.onTabReselected (
    android.support.v7.app.ActionBar.Tab p0,
    android.support.v4.app.FragmentTransaction p1 )
```

### 6.3.2.4 onTabSelected()

```
void mono.android.support.v7.app.ActionBar_TabListenerImplementor.onTabSelected (
    android.support.v7.app.ActionBar.Tab p0,
    android.support.v4.app.FragmentTransaction p1 )
```

### 6.3.2.5 onTabUnselected()

```
void mono.android.support.v7.app.ActionBar_TabListenerImplementor.onTabUnselected (
    android.support.v7.app.ActionBar.Tab p0,
    android.support.v4.app.FragmentTransaction p1 )
```

## 6.3.3 Member Data Documentation

### 6.3.3.1 \_\_md\_methods


```
final String mono.android.support.v7.app.ActionBar_TabListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/ActionBar\_TabListenerImplementor.java

## 6.4 mono.android.support.v7.widget.ActionMenuView\_OnMenuItemClickListener↔ Implementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.ActionMenuView\_OnMenuItemClickListenerImplementor↔  
:



### Public Member Functions

- **ActionMenuView\_OnMenuItemClickListenerImplementor** () throws java.lang.Throwable
- boolean **onMenuItemClick** (android.view.MenuItem p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.4.1 Constructor & Destructor Documentation

### 6.4.1.1 ActionMenuView\_OnMenuItemClickListenerImplementor()

```
mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor.ActionMenu↔  
View_OnMenuItemClickListenerImplementor ( ) throws java.lang.Throwable
```

## 6.4.2 Member Function Documentation

## 6.4.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor.monodroid↔
AddReference (
    java.lang.Object obj )
```

## 6.4.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor.monodroid↔
ClearReferences ( )
```

## 6.4.2.3 onMenuItemClick()

```
boolean mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor.on↔
MenuItemClick (
    android.view.MenuItem p0 )
```

## 6.4.3 Member Data Documentation

## 6.4.3.1 \_\_md\_methods


```
final String mono.android.support.v7.widget.ActionMenuView_OnMenuItemClickListenerImplementor.↔
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**ActionMenuView\_OnMenuItemClickListenerImplementor.java**

## 6.5 mono.android.support.v4.view.ActionProvider\_SubUiVisibilityListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.view.ActionProvider\_SubUiVisibilityListenerImplementor:



## Public Member Functions

- **ActionProvider\_SubUiVisibilityListenerImplementor** () throws java.lang.Throwable
- void **onSubUiVisibilityChanged** (boolean p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.5.1 Constructor & Destructor Documentation

### 6.5.1.1 ActionProvider\_SubUiVisibilityListenerImplementor()

```
mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor.ActionProvider↔
_SubUiVisibilityListenerImplementor ( ) throws java.lang.Throwable
```

## 6.5.2 Member Function Documentation

### 6.5.2.1 monodroidAddReference()

```
void mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor.monodroid↔
AddReference (
    java.lang.Object obj )
```

### 6.5.2.2 monodroidClearReferences()

```
void mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor.monodroid↔
ClearReferences ( )
```

### 6.5.2.3 onSubUiVisibilityChanged()

```
void mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor.onSubUi↔
VisibilityChanged (
    boolean p0 )
```



### 6.5.3 Member Data Documentation

#### 6.5.3.1 \_\_md\_methods


```
final String mono.android.support.v4.view.ActionProvider_SubUiVisibilityListenerImplementor.↵
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**ActionProvider\_SubUiVisibilityListenerImplementor.java**

## 6.6 mono.android.support.v4.view.ActionProvider\_VisibilityListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.view.ActionProvider\_VisibilityListenerImplementor:



### Public Member Functions

- **ActionProvider\_VisibilityListenerImplementor** () throws java.lang.Throwable
- void **onActionProviderVisibilityChanged** (boolean p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.6.1 Constructor & Destructor Documentation

#### 6.6.1.1 ActionProvider\_VisibilityListenerImplementor()

```
mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor.ActionProvider_↵
VisibilityListenerImplementor ( ) throws java.lang.Throwable
```

## 6.6.2 Member Function Documentation

### 6.6.2.1 `monodroidAddReference()`

```
void mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

### 6.6.2.2 `monodroidClearReferences()`

```
void mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor.monodroidClearReferences ( )
```

### 6.6.2.3 `onActionProviderVisibilityChanged()`

```
void mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor.onActionProviderVisibilityChanged (
    boolean p0 )
```

## 6.6.3 Member Data Documentation

### 6.6.3.1 `__md_methods`


```
final String mono.android.support.v4.view.ActionProvider_VisibilityListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- `C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android.support.v4.view.ActionProvider_VisibilityListenerImplementor.java`

## 6.7 `md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer` Class Reference

Inheritance diagram for `md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer`:



## Public Member Functions

- **ActionSheetRenderer** (android.content.Context p0) throws java.lang.Throwable
- **ActionSheetRenderer** (android.content.Context p0, boolean p1, android.content.DialogInterface.OnCancelListener p2) throws java.lang.Throwable
- **ActionSheetRenderer** (android.content.Context p0, int p1) throws java.lang.Throwable
- void **cancel** ()
- void **onAttachedToWindow** ()
- void **onCreate** (android.os.Bundle p0)
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.7.1 Constructor & Destructor Documentation

### 6.7.1.1 ActionSheetRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.ActionSheetRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.7.1.2 ActionSheetRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.ActionSheetRenderer (
    android.content.Context p0,
    boolean p1,
    android.content.DialogInterface.OnCancelListener p2 ) throws java.lang.Throwable
```

### 6.7.1.3 ActionSheetRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.ActionSheetRenderer (
    android.content.Context p0,
    int p1 ) throws java.lang.Throwable
```

## 6.7.2 Member Function Documentation

#### 6.7.2.1 cancel()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.cancel ( )
```

#### 6.7.2.2 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.7.2.3 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.monodroidClearReferences ( )
```

#### 6.7.2.4 onAttachedToWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.onAttachedToWindow ( )
```

#### 6.7.2.5 onClick()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.onClick (
    android.view.View p0 )
```

#### 6.7.2.6 onCreate()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.onCreate (
    android.os.Bundle p0 )
```

### 6.7.3 Member Data Documentation

## 6.7.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer.java

## 6.8 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer:



## Public Member Functions

- **ActivityIndicatorRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↔ Throwable
- **ActivityIndicatorRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↔ Throwable
- **ActivityIndicatorRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.8.1 Constructor &amp; Destructor Documentation

## 6.8.1.1 ActivityIndicatorRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer.ActivityIndicatorRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

**6.8.1.2 ActivityIndicatorRenderer()** [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer.ActivityIndicatorRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.8.1.3 ActivityIndicatorRenderer()** [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer.ActivityIndicatorRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.8.2 Member Function Documentation****6.8.2.1 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer.monodroidAddReference (
    java.lang.Object obj )
```

**6.8.2.2 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer.monodroidClearReferences (
)
```

**6.8.3 Member Data Documentation****6.8.3.1 \_\_md\_methods**


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer.java

## 6.9 md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView:



### Public Member Functions

- **AHorizontalScrollView** (android.content.Context p0) throws java.lang.Throwable
- **AHorizontalScrollView** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↵  
Throwable
- **AHorizontalScrollView** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵  
Throwable
- **AHorizontalScrollView** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws  
java.lang.Throwable
- boolean **onInterceptTouchEvent** (android.view.MotionEvent p0)
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **onScrollChanged** (int p0, int p1, int p2, int p3)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.9.1 Constructor & Destructor Documentation

#### 6.9.1.1 AHorizontalScrollView() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.AHorizontalScrollView (
    android.content.Context p0 ) throws java.lang.Throwable
```

#### 6.9.1.2 AHorizontalScrollView() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.AHorizontalScrollView (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.9.1.3 AHorizontalScrollView() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.AHorizontalScrollView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.9.1.4 AHorizontalScrollView() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.AHorizontalScrollView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.9.2 Member Function Documentation

### 6.9.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.monodroidAddReference (
    java.lang.Object obj )
```

### 6.9.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.monodroidClearReferences ( )
```

### 6.9.2.3 onInterceptTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.onInterceptTouchEvent (
    android.view.MotionEvent p0 )
```

### 6.9.2.4 onScrollChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.onScrollChanged (
    int p0,
    int p1,
    int p2,
    int p3 )
```



## 6.9.2.5 onTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.onTouchEvent (
    android.view.MotionEvent p0 )
```

## 6.9.3 Member Data Documentation

## 6.9.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView.java

## 6.10 android.support.v7.app.AlertDialog\_IDialogInterfaceOnCancelListenerImplementor Class Reference

Inheritance diagram for android.support.v7.app.AlertDialog\_IDialogInterfaceOnCancelListenerImplementor:



## Public Member Functions

- **AlertDialog\_IDialogInterfaceOnCancelListenerImplementor** () throws java.lang.Throwable
- void **onCancel** (android.content.DialogInterface p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.10.1 Constructor &amp; Destructor Documentation

### 6.10.1.1 AlertDialog\_IDialogInterfaceOnCancelListenerImplementor()

android.support.v7.app.AlertDialog\_IDialogInterfaceOnCancelListenerImplementor.AlertDialog\_I↔  
DialogInterfaceOnCancelListenerImplementor ( ) throws java.lang.Throwable

## 6.10.2 Member Function Documentation

### 6.10.2.1 monodroidAddReference()

```
void android.support.v7.app.AlertDialog_IDialogInterfaceOnCancelListenerImplementor.monodroid↔
AddReference (
    java.lang.Object obj )
```

### 6.10.2.2 monodroidClearReferences()

```
void android.support.v7.app.AlertDialog_IDialogInterfaceOnCancelListenerImplementor.monodroid↔
ClearReferences ( )
```

### 6.10.2.3 onCancel()

```
void android.support.v7.app.AlertDialog_IDialogInterfaceOnCancelListenerImplementor.onCancel (
    android.content.DialogInterface p0 )
```

## 6.10.3 Member Data Documentation

### 6.10.3.1 \_\_md\_methods


```
final String android.support.v7.app.AlertDialog_IDialogInterfaceOnCancelListenerImplementor.↔
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/supp  
**AlertDialog\_IDialogInterfaceOnCancelListenerImplementor.java**

## 6.11 android.support.v7.app.AlertDialog\_IDialogInterfaceOnClickListenerImplementor Class Reference

Inheritance diagram for android.support.v7.app.AlertDialog\_IDialogInterfaceOnClickListenerImplementor:



### Public Member Functions

- **AlertDialog\_IDialogInterfaceOnClickListenerImplementor** () throws java.lang.Throwable
- void **onClick** (android.content.DialogInterface p0, int p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.11.1 Constructor & Destructor Documentation

#### 6.11.1.1 AlertDialog\_IDialogInterfaceOnClickListenerImplementor()

android.support.v7.app.AlertDialog\_IDialogInterfaceOnClickListenerImplementor.AlertDialog\_I↔  
DialogInterfaceOnClickListenerImplementor ( ) throws java.lang.Throwable

### 6.11.2 Member Function Documentation

#### 6.11.2.1 monodroidAddReference()

```
void android.support.v7.app.AlertDialog_IDialogInterfaceOnClickListenerImplementor.monodroid↔
AddReference (
    java.lang.Object obj )
```

#### 6.11.2.2 monodroidClearReferences()

```
void android.support.v7.app.AlertDialog_IDialogInterfaceOnClickListenerImplementor.monodroid↔
ClearReferences ( )
```

### 6.11.2.3 onClick()

```
void android.support.v7.app.AlertDialog_IDialogInterfaceOnClickListenerImplementor.onClick (
    android.content.DialogInterface p0,
    int p1 )
```

## 6.11.3 Member Data Documentation

### 6.11.3.1 \_\_md\_methods

```
final String android.support.v7.app.AlertDialog_IDialogInterfaceOnClickListenerImplementor.__↔
_md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/sup  
**AlertDialog\_IDialogInterfaceOnClickListenerImplementor.java**

## 6.12 android.support.v7.app.AlertDialog\_IDialogInterfaceOnMultiChoiceClickListener↔ Implementor Class Reference

Inheritance diagram for android.support.v7.app.AlertDialog\_IDialogInterfaceOnMultiChoiceClickListener↔  
Implementor:



### Public Member Functions

- **AlertDialog\_IDialogInterfaceOnMultiChoiceClickListenerImplementor** () throws java.lang.Throwable
- void **onClick** (android.content.DialogInterface p0, int p1, boolean p2)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.12.1 Constructor & Destructor Documentation

### 6.12.1.1 AlertDialog\_IDialogInterfaceOnMultiChoiceClickListenerImplementor()

```
android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor.↵  
AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor ( ) throws java.lang.↵  
Throwable
```

## 6.12.2 Member Function Documentation

### 6.12.2.1 monodroidAddReference()

```
void android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor.↵  
monodroidAddReference (   
    java.lang.Object obj )
```

### 6.12.2.2 monodroidClearReferences()

```
void android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor.↵  
monodroidClearReferences ( )
```

### 6.12.2.3 onClick()

```
void android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor.↵  
onClick (   
    android.content.DialogInterface p0,  
    int p1,  
    boolean p2 )
```

## 6.12.3 Member Data Documentation

### 6.12.3.1 \_\_md\_methods


```
final String android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListener↵  
Implementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/sup  
**AlertDialog\_IDialogInterfaceOnMultiChoiceClickListenerImplementor.java**

## 6.13 md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity:



### Public Member Functions

- **AndroidActivity** () throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.13.1 Constructor & Destructor Documentation

#### 6.13.1.1 AndroidActivity()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity.AndroidActivity ( ) throws java.lang.↵  
Throwable

### 6.13.2 Member Function Documentation

#### 6.13.2.1 monodroidAddReference()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity.monodroidAddReference (   
 java.lang.Object obj )

#### 6.13.2.2 monodroidClearReferences()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity.monodroidClearReferences ( )

### 6.13.3 Member Data Documentation

#### 6.13.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.**AndroidActivity.java**

## 6.14 PROJEKT.Droid.Resource.Animation Class Reference

### Public Attributes

- const int **abc\_fade\_in** = 2130968576
- const int **abc\_fade\_out** = 2130968577
- const int **abc\_grow\_fade\_in\_from\_bottom** = 2130968578
- const int **abc\_popup\_enter** = 2130968579
- const int **abc\_popup\_exit** = 2130968580
- const int **abc\_shrink\_fade\_out\_from\_bottom** = 2130968581
- const int **abc\_slide\_in\_bottom** = 2130968582
- const int **abc\_slide\_in\_top** = 2130968583
- const int **abc\_slide\_out\_bottom** = 2130968584
- const int **abc\_slide\_out\_top** = 2130968585
- const int **design\_bottom\_sheet\_slide\_in** = 2130968586
- const int **design\_bottom\_sheet\_slide\_out** = 2130968587
- const int **design\_fab\_in** = 2130968588
- const int **design\_fab\_out** = 2130968589
- const int **design\_snackbar\_in** = 2130968590
- const int **design\_snackbar\_out** = 2130968591

### 6.14.1 Member Data Documentation

#### 6.14.1.1 abc\_fade\_in

```
const int PROJEKT.Droid.Resource.Animation.abc_fade_in = 2130968576
```

#### 6.14.1.2 `abc_fade_out`

```
const int PROJEKT.Droid.Resource.Animation.abc_fade_out = 2130968577
```

#### 6.14.1.3 `abc_grow_fade_in_from_bottom`

```
const int PROJEKT.Droid.Resource.Animation.abc_grow_fade_in_from_bottom = 2130968578
```

#### 6.14.1.4 `abc_popup_enter`

```
const int PROJEKT.Droid.Resource.Animation.abc_popup_enter = 2130968579
```

#### 6.14.1.5 `abc_popup_exit`

```
const int PROJEKT.Droid.Resource.Animation.abc_popup_exit = 2130968580
```

#### 6.14.1.6 `abc_shrink_fade_out_from_bottom`

```
const int PROJEKT.Droid.Resource.Animation.abc_shrink_fade_out_from_bottom = 2130968581
```

#### 6.14.1.7 `abc_slide_in_bottom`

```
const int PROJEKT.Droid.Resource.Animation.abc_slide_in_bottom = 2130968582
```

#### 6.14.1.8 `abc_slide_in_top`

```
const int PROJEKT.Droid.Resource.Animation.abc_slide_in_top = 2130968583
```

#### 6.14.1.9 `abc_slide_out_bottom`

```
const int PROJEKT.Droid.Resource.Animation.abc_slide_out_bottom = 2130968584
```



#### 6.14.1.10 abc\_slide\_out\_top

```
const int PROJEKT.Droid.Resource.Animation.abc_slide_out_top = 2130968585
```

#### 6.14.1.11 design\_bottom\_sheet\_slide\_in

```
const int PROJEKT.Droid.Resource.Animation.design_bottom_sheet_slide_in = 2130968586
```

#### 6.14.1.12 design\_bottom\_sheet\_slide\_out

```
const int PROJEKT.Droid.Resource.Animation.design_bottom_sheet_slide_out = 2130968587
```

#### 6.14.1.13 design\_fab\_in

```
const int PROJEKT.Droid.Resource.Animation.design_fab_in = 2130968588
```

#### 6.14.1.14 design\_fab\_out

```
const int PROJEKT.Droid.Resource.Animation.design_fab_out = 2130968589
```

#### 6.14.1.15 design\_snackbar\_in

```
const int PROJEKT.Droid.Resource.Animation.design_snackbar_in = 2130968590
```

#### 6.14.1.16 design\_snackbar\_out

```
const int PROJEKT.Droid.Resource.Animation.design_snackbar_out = 2130968591
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

## 6.15 PROJEKT.App Class Reference

Klasa startowa projektu.

Inheritance diagram for PROJEKT.App:



### Public Member Functions

- **App ()**  
*Konstruktor.*

### Properties

- double **Width** [get, set]  
*Szerokość telefonu.*
- double **Height** [get, set]  
*Wysokość telefonu.*
- int **CompetitionId** [get, set]  
*Id danego konkursu.*

### 6.15.1 Detailed Description

Klasa startowa projektu.

### 6.15.2 Constructor & Destructor Documentation

#### 6.15.2.1 App()

```
PROJEKT.App.App ( )
```

Konstruktor.

Ustawianie strony startowej.

### 6.15.3 Property Documentation

## 6.15.3.1 CompetitionId

```
int PROJEKT.App.CompetitionId [get], [set]
```

Id danego konkursu.

## 6.15.3.2 Height

```
double PROJEKT.App.Height [get], [set]
```

Wysokość telefonu.

## 6.15.3.3 Width

```
double PROJEKT.App.Width [get], [set]
```


Szerokość telefonu.

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ **App.xaml.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.App.xaml.g.cs**

## 6.16 mono.android.support.design.widget.AppBarLayout\_OnOffsetChangedListenerImplementor Class Reference

Inheritance diagram for mono.android.support.design.widget.AppBarLayout\_OnOffsetChangedListenerImplementor:



## Public Member Functions

- **AppBarLayout\_OnOffsetChangedListenerImplementor** () throws java.lang.Throwable
- void **onOffsetChanged** (android.support.design.widget.AppBarLayout p0, int p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.16.1 Constructor & Destructor Documentation

### 6.16.1.1 AppBarLayout\_OnOffsetChangedListenerImplementor()

`mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor.AppBarLayout_OnOffsetChangedListenerImplementor ( ) throws java.lang.Throwable`

## 6.16.2 Member Function Documentation

### 6.16.2.1 monodroidAddReference()

`void mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor.monodroidAddReference ( java.lang.Object obj )`

### 6.16.2.2 monodroidClearReferences()

`void mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor.monodroidClearReferences ( )`

### 6.16.2.3 onOffsetChanged()

`void mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor.onOffsetChanged ( android.support.design.widget.AppBarLayout p0, int p1 )`

## 6.16.3 Member Data Documentation

### 6.16.3.1 \_\_md\_methods

`final String mono.android.support.design.widget.AppBarLayout_OnOffsetChangedListenerImplementor.__md_methods [static]`

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android.support.design.widget.AppBarLayout\_OnOffsetChangedListenerImplementor.java

## 6.17 mono.android.app.ApplicationRegistration Class Reference

### Static Public Member Functions

- static void **registerApplications** ()

### 6.17.1 Member Function Documentation

#### 6.17.1.1 registerApplications()

```
static void mono.android.app.ApplicationRegistration.registerApplications ( ) [static]
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro**ApplicationRegistration.java**

## 6.18 PROJEKT.Models.Extensions.AssetsImageExtension Class Reference

Klasa pomocnicza do wczytywania obrazka.

Inheritance diagram for PROJEKT.Models.Extensions.AssetsImageExtension:



### Public Member Functions

- object **ProvideValue** (IServiceProvider serviceProvider)  
*Metoda do odczytania ścieżki obrazka.*

### Static Public Member Functions

- static ImageSource **GetSource** (string source)  
*Metoda do odczytania ścieżki obrazka.*

### Properties

- string **Source** [get, set]  
*Źródło obrazka.*

### 6.18.1 Detailed Description

Klasa pomocnicza do wczytywania obrazka.

### 6.18.2 Member Function Documentation

#### 6.18.2.1 GetSource()

```
static ImageSource PROJEKT.Models.Extensions.AssetsImageExtension.GetSource (
    string source ) [static]
```

Metoda do odczytania ścieżki obrazka.

#### 6.18.2.2 ProvideValue()

```
object PROJEKT.Models.Extensions.AssetsImageExtension.ProvideValue (
    IServiceProvider serviceProvider )
```

Metoda do odczytania ścieżki obrazka.

### 6.18.3 Property Documentation

#### 6.18.3.1 Source

```
string PROJEKT.Models.Extensions.AssetsImageExtension.Source [get], [set]
```

Źródło obrazka.

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Extensions/**AssetsImageExtension.cs**

## 6.19 PROJEKT.Droid.Resource.Attribute Class Reference

### Public Attributes

- const int **MediaRouteControllerWindowBackground** = 2130771972
- const int **actionBarDivider** = 2130772065
- const int **actionBarItemBackground** = 2130772066
- const int **actionBarPopupTheme** = 2130772059
- const int **actionBarSize** = 2130772064
- const int **actionBarSplitStyle** = 2130772061
- const int **actionBarStyle** = 2130772060
- const int **actionBarTabBarStyle** = 2130772055
- const int **actionBarTabStyle** = 2130772054
- const int **actionBarTabTextStyle** = 2130772056
- const int **actionBarTheme** = 2130772062
- const int **actionBarWidgetTheme** = 2130772063
- const int **actionButtonStyle** = 2130772091
- const int **actionDropDownStyle** = 2130772087
- const int **actionLayout** = 2130772169
- const int **actionMenuTextAppearance** = 2130772067
- const int **actionMenuTextColor** = 2130772068
- const int **actionModeBackground** = 2130772071
- const int **actionModeCloseButtonStyle** = 2130772070
- const int **actionModeCloseDrawable** = 2130772073
- const int **actionModeCopyDrawable** = 2130772075
- const int **actionModeCutDrawable** = 2130772074
- const int **actionModeFindDrawable** = 2130772079
- const int **actionModePasteDrawable** = 2130772076
- const int **actionModePopupWindowStyle** = 2130772081
- const int **actionModeSelectAllDrawable** = 2130772077
- const int **actionModeShareDrawable** = 2130772078
- const int **actionModeSplitBackground** = 2130772072
- const int **actionModeStyle** = 2130772069
- const int **actionModeWebSearchDrawable** = 2130772080
- const int **actionOverflowButtonStyle** = 2130772057
- const int **actionOverflowMenuStyle** = 2130772058
- const int **actionProviderClass** = 2130772171
- const int **actionViewClass** = 2130772170
- const int **activityChooserViewStyle** = 2130772099
- const int **alertDialogButtonGroupStyle** = 2130772134
- const int **alertDialogCenterButtons** = 2130772135
- const int **alertDialogStyle** = 2130772133
- const int **alertDialogTheme** = 2130772136
- const int **allowStacking** = 2130772154
- const int **arrowHeadLength** = 2130772161
- const int **arrowShaftLength** = 2130772162
- const int **autoCompleteTextViewStyle** = 2130772141
- const int **background** = 2130772018
- const int **backgroundSplit** = 2130772020
- const int **backgroundStacked** = 2130772019
- const int **backgroundTint** = 2130772213
- const int **backgroundTintMode** = 2130772214
- const int **barLength** = 2130772163
- const int **behavior\_hideable** = 2130772219

- const int **behavior\_overlapTop** = 2130772257
- const int **behavior\_peekHeight** = 2130772218
- const int **borderWidth** = 2130772247
- const int **borderlessButtonStyle** = 2130772096
- const int **bottomSheetDialogTheme** = 2130772241
- const int **bottomSheetStyle** = 2130772242
- const int **buttonBarButtonStyle** = 2130772093
- const int **buttonBarNegativeButtonStyle** = 2130772139
- const int **buttonBarNeutralButtonStyle** = 2130772140
- const int **buttonBarPositiveButtonStyle** = 2130772138
- const int **buttonBarStyle** = 2130772092
- const int **buttonPanelSideLayout** = 2130772037
- const int **buttonStyle** = 2130772142
- const int **buttonStyleSmall** = 2130772143
- const int **buttonTint** = 2130772155
- const int **buttonTintMode** = 2130772156
- const int **cardBackgroundColor** = 2130771995
- const int **cardCornerRadius** = 2130771996
- const int **cardElevation** = 2130771997
- const int **cardMaxElevation** = 2130771998
- const int **cardPreventCornerOverlap** = 2130772000
- const int **cardUseCompatPadding** = 2130771999
- const int **checkboxStyle** = 2130772144
- const int **checkedTextViewStyle** = 2130772145
- const int **closelcon** = 2130772179
- const int **closeItemLayout** = 2130772034
- const int **collapseContentDescription** = 2130772204
- const int **collapseIcon** = 2130772203
- const int **collapsedTitleGravity** = 2130772232
- const int **collapsedTitleTextAppearance** = 2130772228
- const int **color** = 2130772157
- const int **colorAccent** = 2130772126
- const int **colorButtonNormal** = 2130772130
- const int **colorControlActivated** = 2130772128
- const int **colorControlHighlight** = 2130772129
- const int **colorControlNormal** = 2130772127
- const int **colorPrimary** = 2130772124
- const int **colorPrimaryDark** = 2130772125
- const int **colorSwitchThumbNormal** = 2130772131
- const int **commitIcon** = 2130772184
- const int **contentInsetEnd** = 2130772029
- const int **contentInsetLeft** = 2130772030
- const int **contentInsetRight** = 2130772031
- const int **contentInsetStart** = 2130772028
- const int **contentPadding** = 2130772001
- const int **contentPaddingBottom** = 2130772005
- const int **contentPaddingLeft** = 2130772002
- const int **contentPaddingRight** = 2130772003
- const int **contentPaddingTop** = 2130772004
- const int **contentScrim** = 2130772229
- const int **controlBackground** = 2130772132
- const int **counterEnabled** = 2130772279
- const int **counterMaxLength** = 2130772280
- const int **counterOverflowTextAppearance** = 2130772282
- const int **counterTextAppearance** = 2130772281



- const int **customNavigationLayout** = 2130772021
- const int **defaultQueryHint** = 2130772178
- const int **dialogPreferredPadding** = 2130772085
- const int **dialogTheme** = 2130772084
- const int **displayOptions** = 2130772011
- const int **divider** = 2130772017
- const int **dividerHorizontal** = 2130772098
- const int **dividerPadding** = 2130772167
- const int **dividerVertical** = 2130772097
- const int **drawableSize** = 2130772159
- const int **drawerArrowStyle** = 2130772006
- const int **dropDownListViewStyle** = 2130772116
- const int **dropdownListPreferredItemHeight** = 2130772088
- const int **editTextBackground** = 2130772105
- const int **editTextColor** = 2130772104
- const int **editTextStyle** = 2130772146
- const int **elevation** = 2130772032
- const int **errorEnabled** = 2130772277
- const int **errorTextAppearance** = 2130772278
- const int **expandActivityOverflowButtonDrawable** = 2130772036
- const int **expanded** = 2130772215
- const int **expandedTitleGravity** = 2130772233
- const int **expandedTitleMargin** = 2130772222
- const int **expandedTitleMarginBottom** = 2130772226
- const int **expandedTitleMarginEnd** = 2130772225
- const int **expandedTitleMarginStart** = 2130772223
- const int **expandedTitleMarginTop** = 2130772224
- const int **expandedTitleTextAppearance** = 2130772227
- const int **externalRouteEnabledDrawable** = 2130771994
- const int **fabSize** = 2130772245
- const int **foregroundInsidePadding** = 2130772249
- const int **gapBetweenBars** = 2130772160
- const int **golcon** = 2130772180
- const int **headerLayout** = 2130772255
- const int **height** = 2130772007
- const int **hideOnContentScroll** = 2130772027
- const int **hintAnimationEnabled** = 2130772283
- const int **hintEnabled** = 2130772276
- const int **hintTextAppearance** = 2130772275
- const int **homeAsUpIndicator** = 2130772090
- const int **homeLayout** = 2130772022
- const int **icon** = 2130772015
- const int **iconifiedByDefault** = 2130772176
- const int **imageButtonStyle** = 2130772106
- const int **indeterminateProgressStyle** = 2130772024
- const int **initialActivityCount** = 2130772035
- const int **insetForeground** = 2130772256
- const int **isLightTheme** = 2130772008
- const int **itemBackground** = 2130772253
- const int **itemIconTint** = 2130772251
- const int **itemPadding** = 2130772026
- const int **itemTextAppearance** = 2130772254
- const int **itemTextColor** = 2130772252
- const int **keylines** = 2130772235
- const int **layout** = 2130772175

- const int **layoutManager** = 2130771968
- const int **layout\_anchor** = 2130772238
- const int **layout\_anchorGravity** = 2130772240
- const int **layout\_behavior** = 2130772237
- const int **layout\_collapseMode** = 2130772220
- const int **layout\_collapseParallaxMultiplier** = 2130772221
- const int **layout\_keyline** = 2130772239
- const int **layout\_scrollFlags** = 2130772216
- const int **layout\_scrollInterpolator** = 2130772217
- const int **listChoiceBackgroundIndicator** = 2130772123
- const int **listDividerAlertDialog** = 2130772086
- const int **listItemLayout** = 2130772041
- const int **listLayout** = 2130772038
- const int **listPopupWindowStyle** = 2130772117
- const int **listPreferredItemHeight** = 2130772111
- const int **listPreferredItemHeightLarge** = 2130772113
- const int **listPreferredItemHeightSmall** = 2130772112
- const int **listPreferredItemPaddingLeft** = 2130772114
- const int **listPreferredItemPaddingRight** = 2130772115
- const int **logo** = 2130772016
- const int **logoDescription** = 2130772207
- const int **maxActionInlineWidth** = 2130772258
- const int **maxButtonHeight** = 2130772202
- const int **measureWithLargestChild** = 2130772165
- const int **mediaRouteAudioTrackDrawable** = 2130771973
- const int **mediaRouteBluetoothIconDrawable** = 2130771974
- const int **mediaRouteButtonStyle** = 2130771975
- const int **mediaRouteCastDrawable** = 2130771976
- const int **mediaRouteChooserPrimaryTextStyle** = 2130771977
- const int **mediaRouteChooserSecondaryTextStyle** = 2130771978
- const int **mediaRouteCloseDrawable** = 2130771979
- const int **mediaRouteCollapseGroupDrawable** = 2130771980
- const int **mediaRouteConnectingDrawable** = 2130771981
- const int **mediaRouteControllerPrimaryTextStyle** = 2130771982
- const int **mediaRouteControllerSecondaryTextStyle** = 2130771983
- const int **mediaRouteControllerTitleTextStyle** = 2130771984
- const int **mediaRouteDefaultIconDrawable** = 2130771985
- const int **mediaRouteExpandGroupDrawable** = 2130771986
- const int **mediaRouteOffDrawable** = 2130771987
- const int **mediaRouteOnDrawable** = 2130771988
- const int **mediaRoutePauseDrawable** = 2130771989
- const int **mediaRoutePlayDrawable** = 2130771990
- const int **mediaRouteSpeakerGroupIconDrawable** = 2130771991
- const int **mediaRouteSpeakerIconDrawable** = 2130771992
- const int **mediaRouteTvIconDrawable** = 2130771993
- const int **menu** = 2130772250
- const int **multiChoiceItemLayout** = 2130772039
- const int **navigationContentDescription** = 2130772206
- const int **navigationIcon** = 2130772205
- const int **navigationMode** = 2130772010
- const int **overlapAnchor** = 2130772173
- const int **paddingEnd** = 2130772211
- const int **paddingStart** = 2130772210
- const int **panelBackground** = 2130772120
- const int **panelMenuListTheme** = 2130772122

- const int **panelMenuListWidth** = 2130772121
- const int **popupMenuStyle** = 2130772102
- const int **popupTheme** = 2130772033
- const int **popupWindowStyle** = 2130772103
- const int **preservelconSpacing** = 2130772172
- const int **pressedTranslationZ** = 2130772246
- const int **progressBarPadding** = 2130772025
- const int **progressBarStyle** = 2130772023
- const int **queryBackground** = 2130772186
- const int **queryHint** = 2130772177
- const int **radioButtonStyle** = 2130772147
- const int **ratingBarStyle** = 2130772148
- const int **ratingBarStyleIndicator** = 2130772149
- const int **ratingBarStyleSmall** = 2130772150
- const int **reverseLayout** = 2130771970
- const int **rippleColor** = 2130772244
- const int **searchHintIcon** = 2130772182
- const int **searchIcon** = 2130772181
- const int **searchViewStyle** = 2130772110
- const int **seekBarStyle** = 2130772151
- const int **selectableItemBackground** = 2130772094
- const int **selectableItemBackgroundBorderless** = 2130772095
- const int **showAsAction** = 2130772168
- const int **showDividers** = 2130772166
- const int **showText** = 2130772194
- const int **singleChoiceItemLayout** = 2130772040
- const int **spanCount** = 2130771969
- const int **spinBars** = 2130772158
- const int **spinnerDropDownItemStyle** = 2130772089
- const int **spinnerStyle** = 2130772152
- const int **splitTrack** = 2130772193
- const int **srcCompat** = 2130772042
- const int **stackFromEnd** = 2130771971
- const int **state\_above\_anchor** = 2130772174
- const int **statusBarBackground** = 2130772236
- const int **statusBarScrim** = 2130772230
- const int **submitBackground** = 2130772187
- const int **subtitle** = 2130772012
- const int **subtitleTextAppearance** = 2130772196
- const int **subtitleTextColor** = 2130772209
- const int **subtitleTextStyle** = 2130772014
- const int **suggestionRowLayout** = 2130772185
- const int **switchMinWidth** = 2130772191
- const int **switchPadding** = 2130772192
- const int **switchStyle** = 2130772153
- const int **switchTextAppearance** = 2130772190
- const int **tabBackground** = 2130772262
- const int **tabContentStart** = 2130772261
- const int **tabGravity** = 2130772264
- const int **tabIndicatorColor** = 2130772259
- const int **tabIndicatorHeight** = 2130772260
- const int **tabMaxWidth** = 2130772266
- const int **tabMinWidth** = 2130772265
- const int **tabMode** = 2130772263
- const int **tabPadding** = 2130772274

- const int **tabPaddingBottom** = 2130772273
- const int **tabPaddingEnd** = 2130772272
- const int **tabPaddingStart** = 2130772270
- const int **tabPaddingTop** = 2130772271
- const int **tabSelectedTextColor** = 2130772269
- const int **tabTextAppearance** = 2130772267
- const int **tabTextColor** = 2130772268
- const int **textAllCaps** = 2130772043
- const int **textAppearanceLargePopupMenu** = 2130772082
- const int **textAppearanceListItem** = 2130772118
- const int **textAppearanceListItemSmall** = 2130772119
- const int **textAppearanceSearchResultSubtitle** = 2130772108
- const int **textAppearanceSearchResultTitle** = 2130772107
- const int **textAppearanceSmallPopupMenu** = 2130772083
- const int **textColorAlertDialogListItem** = 2130772137
- const int **textColorError** = 2130772243
- const int **textColorSearchUrl** = 2130772109
- const int **theme** = 2130772212
- const int **thickness** = 2130772164
- const int **thumbTextPadding** = 2130772189
- const int **title** = 2130772009
- const int **titleEnabled** = 2130772234
- const int **titleMarginBottom** = 2130772201
- const int **titleMarginEnd** = 2130772199
- const int **titleMarginStart** = 2130772198
- const int **titleMarginTop** = 2130772200
- const int **titleMargins** = 2130772197
- const int **titleTextAppearance** = 2130772195
- const int **titleTextColor** = 2130772208
- const int **titleTextStyle** = 2130772013
- const int **toolbarId** = 2130772231
- const int **toolbarNavigationButtonStyle** = 2130772101
- const int **toolbarStyle** = 2130772100
- const int **track** = 2130772188
- const int **useCompatPadding** = 2130772248
- const int **voicelcon** = 2130772183
- const int **windowActionBar** = 2130772044
- const int **windowActionBarOverlay** = 2130772046
- const int **windowActionModeOverlay** = 2130772047
- const int **windowFixedHeightMajor** = 2130772051
- const int **windowFixedHeightMinor** = 2130772049
- const int **windowFixedWidthMajor** = 2130772048
- const int **windowFixedWidthMinor** = 2130772050
- const int **windowMinWidthMajor** = 2130772052
- const int **windowMinWidthMinor** = 2130772053
- const int **windowNoTitle** = 2130772045

### 6.19.1 Member Data Documentation

#### 6.19.1.1 actionBarDivider

```
const int PROJEKT.Droid.Resource.Attribute.actionBarDivider = 2130772065
```

#### 6.19.1.2 actionBarItemBackground

```
const int PROJEKT.Droid.Resource.Attribute.actionBarItemBackground = 2130772066
```

#### 6.19.1.3 actionBarPopupTheme

```
const int PROJEKT.Droid.Resource.Attribute.actionBarPopupTheme = 2130772059
```

#### 6.19.1.4 actionBarSize

```
const int PROJEKT.Droid.Resource.Attribute.actionBarSize = 2130772064
```

#### 6.19.1.5 actionBarSplitStyle

```
const int PROJEKT.Droid.Resource.Attribute.actionBarSplitStyle = 2130772061
```

#### 6.19.1.6 actionBarStyle

```
const int PROJEKT.Droid.Resource.Attribute.actionBarStyle = 2130772060
```

#### 6.19.1.7 actionBarTabBarStyle

```
const int PROJEKT.Droid.Resource.Attribute.actionBarTabBarStyle = 2130772055
```

#### 6.19.1.8 actionBarTabStyle

```
const int PROJEKT.Droid.Resource.Attribute.actionBarTabStyle = 2130772054
```

**6.19.1.9 actionBarTabTextStyle**

```
const int PROJEKT.Droid.Resource.Attribute.actionBarTabTextStyle = 2130772056
```

**6.19.1.10 actionBarTheme**

```
const int PROJEKT.Droid.Resource.Attribute.actionBarTheme = 2130772062
```

**6.19.1.11 actionBarWidgetTheme**

```
const int PROJEKT.Droid.Resource.Attribute.actionBarWidgetTheme = 2130772063
```

**6.19.1.12 actionBarStyle**

```
const int PROJEKT.Droid.Resource.Attribute.actionButtonStyle = 2130772091
```

**6.19.1.13 actionDropDownStyle**

```
const int PROJEKT.Droid.Resource.Attribute.actionDropDownStyle = 2130772087
```

**6.19.1.14 actionLayout**

```
const int PROJEKT.Droid.Resource.Attribute.actionLayout = 2130772169
```

**6.19.1.15 actionMenuTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.actionMenuTextAppearance = 2130772067
```

**6.19.1.16 actionMenuTextColor**

```
const int PROJEKT.Droid.Resource.Attribute.actionMenuTextColor = 2130772068
```

**6.19.1.17 actionModeBackground**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeBackground = 2130772071
```

**6.19.1.18 actionModeCloseButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeCloseButtonStyle = 2130772070
```

**6.19.1.19 actionModeCloseDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeCloseDrawable = 2130772073
```

**6.19.1.20 actionModeCopyDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeCopyDrawable = 2130772075
```

**6.19.1.21 actionModeCutDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeCutDrawable = 2130772074
```

**6.19.1.22 actionModeFindDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeFindDrawable = 2130772079
```

**6.19.1.23 actionModePasteDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.actionModePasteDrawable = 2130772076
```

**6.19.1.24 actionModePopupWindowStyle**

```
const int PROJEKT.Droid.Resource.Attribute.actionModePopupWindowStyle = 2130772081
```

**6.19.1.25 actionModeSelectAllDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeSelectAllDrawable = 2130772077
```

**6.19.1.26 actionModeShareDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeShareDrawable = 2130772078
```

**6.19.1.27 actionModeSplitBackground**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeSplitBackground = 2130772072
```

**6.19.1.28 actionModeStyle**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeStyle = 2130772069
```

**6.19.1.29 actionModeWebSearchDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.actionModeWebSearchDrawable = 2130772080
```

**6.19.1.30 actionOverflowButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.actionOverflowButtonStyle = 2130772057
```

**6.19.1.31 actionOverflowMenuStyle**

```
const int PROJEKT.Droid.Resource.Attribute.actionOverflowMenuStyle = 2130772058
```

**6.19.1.32 actionProviderClass**

```
const int PROJEKT.Droid.Resource.Attribute.actionProviderClass = 2130772171
```



**6.19.1.33   actionViewClass**

```
const int PROJEKT.Droid.Resource.Attribute.actionViewClass = 2130772170
```

**6.19.1.34   activityChooserViewStyle**

```
const int PROJEKT.Droid.Resource.Attribute.activityChooserViewStyle = 2130772099
```

**6.19.1.35   alertDialogButtonGroupStyle**

```
const int PROJEKT.Droid.Resource.Attribute.alertDialogButtonGroupStyle = 2130772134
```

**6.19.1.36   alertDialogCenterButtons**

```
const int PROJEKT.Droid.Resource.Attribute.alertDialogCenterButtons = 2130772135
```

**6.19.1.37   alertDialogStyle**

```
const int PROJEKT.Droid.Resource.Attribute.alertDialogStyle = 2130772133
```

**6.19.1.38   alertDialogTheme**

```
const int PROJEKT.Droid.Resource.Attribute.alertDialogTheme = 2130772136
```

**6.19.1.39   allowStacking**

```
const int PROJEKT.Droid.Resource.Attribute.allowStacking = 2130772154
```

**6.19.1.40   arrowHeadLength**

```
const int PROJEKT.Droid.Resource.Attribute.arrowHeadLength = 2130772161
```

**6.19.1.41 arrowShaftLength**

```
const int PROJEKT.Droid.Resource.Attribute.arrowShaftLength = 2130772162
```

**6.19.1.42 autoCompleteTextViewStyle**

```
const int PROJEKT.Droid.Resource.Attribute.autoCompleteTextViewStyle = 2130772141
```

**6.19.1.43 background**

```
const int PROJEKT.Droid.Resource.Attribute.background = 2130772018
```

**6.19.1.44 backgroundSplit**

```
const int PROJEKT.Droid.Resource.Attribute.backgroundSplit = 2130772020
```

**6.19.1.45 backgroundStacked**

```
const int PROJEKT.Droid.Resource.Attribute.backgroundStacked = 2130772019
```

**6.19.1.46 backgroundTint**

```
const int PROJEKT.Droid.Resource.Attribute.backgroundTint = 2130772213
```

**6.19.1.47 backgroundTintMode**

```
const int PROJEKT.Droid.Resource.Attribute.backgroundTintMode = 2130772214
```

**6.19.1.48 barLength**

```
const int PROJEKT.Droid.Resource.Attribute.barLength = 2130772163
```

**6.19.1.49 behavior\_hideable**

```
const int PROJEKT.Droid.Resource.Attribute.behavior_hideable = 2130772219
```

**6.19.1.50 behavior\_overlapTop**

```
const int PROJEKT.Droid.Resource.Attribute.behavior_overlapTop = 2130772257
```

**6.19.1.51 behavior\_peekHeight**

```
const int PROJEKT.Droid.Resource.Attribute.behavior_peekHeight = 2130772218
```

**6.19.1.52 borderlessButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.borderlessButtonStyle = 2130772096
```

**6.19.1.53 borderWidth**

```
const int PROJEKT.Droid.Resource.Attribute.borderWidth = 2130772247
```

**6.19.1.54 bottomSheetDialogTheme**

```
const int PROJEKT.Droid.Resource.Attribute.bottomSheetDialogTheme = 2130772241
```

**6.19.1.55 bottomSheetStyle**

```
const int PROJEKT.Droid.Resource.Attribute.bottomSheetStyle = 2130772242
```

**6.19.1.56 buttonBarButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.buttonBarButtonStyle = 2130772093
```

**6.19.1.57   buttonBarNegativeButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.buttonBarNegativeButtonStyle = 2130772139
```

**6.19.1.58   buttonBarNeutralButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.buttonBarNeutralButtonStyle = 2130772140
```

**6.19.1.59   buttonBarPositiveButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.buttonBarPositiveButtonStyle = 2130772138
```

**6.19.1.60   buttonBarStyle**

```
const int PROJEKT.Droid.Resource.Attribute.buttonBarStyle = 2130772092
```

**6.19.1.61   buttonPanelSideLayout**

```
const int PROJEKT.Droid.Resource.Attribute.buttonPanelSideLayout = 2130772037
```

**6.19.1.62   buttonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.buttonStyle = 2130772142
```

**6.19.1.63   buttonStyleSmall**

```
const int PROJEKT.Droid.Resource.Attribute.buttonStyleSmall = 2130772143
```

**6.19.1.64   buttonTint**

```
const int PROJEKT.Droid.Resource.Attribute.buttonTint = 2130772155
```

**6.19.1.65 buttonTintMode**

```
const int PROJEKT.Droid.Resource.Attribute.buttonTintMode = 2130772156
```

**6.19.1.66 cardBackgroundColor**

```
const int PROJEKT.Droid.Resource.Attribute.cardBackgroundColor = 2130771995
```

**6.19.1.67 cardCornerRadius**

```
const int PROJEKT.Droid.Resource.Attribute.cardCornerRadius = 2130771996
```

**6.19.1.68 cardElevation**

```
const int PROJEKT.Droid.Resource.Attribute.cardElevation = 2130771997
```

**6.19.1.69 cardMaxElevation**

```
const int PROJEKT.Droid.Resource.Attribute.cardMaxElevation = 2130771998
```

**6.19.1.70 cardPreventCornerOverlap**

```
const int PROJEKT.Droid.Resource.Attribute.cardPreventCornerOverlap = 2130772000
```

**6.19.1.71 cardUseCompatPadding**

```
const int PROJEKT.Droid.Resource.Attribute.cardUseCompatPadding = 2130771999
```

**6.19.1.72 checkboxStyle**

```
const int PROJEKT.Droid.Resource.Attribute.checkboxStyle = 2130772144
```

**6.19.1.73 checkedTextViewStyle**

```
const int PROJEKT.Droid.Resource.Attribute.checkedTextViewStyle = 2130772145
```

**6.19.1.74 closeIcon**

```
const int PROJEKT.Droid.Resource.Attribute.closeIcon = 2130772179
```

**6.19.1.75 closeItemLayout**

```
const int PROJEKT.Droid.Resource.Attribute.closeItemLayout = 2130772034
```

**6.19.1.76 collapseContentDescription**

```
const int PROJEKT.Droid.Resource.Attribute.collapseContentDescription = 2130772204
```

**6.19.1.77 collapsedTitleGravity**

```
const int PROJEKT.Droid.Resource.Attribute.collapsedTitleGravity = 2130772232
```

**6.19.1.78 collapsedTitleTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.collapsedTitleTextAppearance = 2130772228
```

**6.19.1.79 collapseIcon**

```
const int PROJEKT.Droid.Resource.Attribute.collapseIcon = 2130772203
```

**6.19.1.80 color**

```
const int PROJEKT.Droid.Resource.Attribute.color = 2130772157
```

**6.19.1.81 colorAccent**

```
const int PROJEKT.Droid.Resource.Attribute.colorAccent = 2130772126
```

**6.19.1.82 colorButtonNormal**

```
const int PROJEKT.Droid.Resource.Attribute.colorButtonNormal = 2130772130
```

**6.19.1.83 colorControlActivated**

```
const int PROJEKT.Droid.Resource.Attribute.colorControlActivated = 2130772128
```

**6.19.1.84 colorControlHighlight**

```
const int PROJEKT.Droid.Resource.Attribute.colorControlHighlight = 2130772129
```

**6.19.1.85 colorControlNormal**

```
const int PROJEKT.Droid.Resource.Attribute.colorControlNormal = 2130772127
```

**6.19.1.86 colorPrimary**

```
const int PROJEKT.Droid.Resource.Attribute.colorPrimary = 2130772124
```

**6.19.1.87 colorPrimaryDark**

```
const int PROJEKT.Droid.Resource.Attribute.colorPrimaryDark = 2130772125
```

**6.19.1.88 colorSwitchThumbNormal**

```
const int PROJEKT.Droid.Resource.Attribute.colorSwitchThumbNormal = 2130772131
```

**6.19.1.89 commitIcon**

```
const int PROJEKT.Droid.Resource.Attribute.commitIcon = 2130772184
```

**6.19.1.90 contentInsetEnd**

```
const int PROJEKT.Droid.Resource.Attribute.contentInsetEnd = 2130772029
```

**6.19.1.91 contentInsetLeft**

```
const int PROJEKT.Droid.Resource.Attribute.contentInsetLeft = 2130772030
```

**6.19.1.92 contentInsetRight**

```
const int PROJEKT.Droid.Resource.Attribute.contentInsetRight = 2130772031
```

**6.19.1.93 contentInsetStart**

```
const int PROJEKT.Droid.Resource.Attribute.contentInsetStart = 2130772028
```

**6.19.1.94 contentPadding**

```
const int PROJEKT.Droid.Resource.Attribute.contentPadding = 2130772001
```

**6.19.1.95 contentPaddingBottom**

```
const int PROJEKT.Droid.Resource.Attribute.contentPaddingBottom = 2130772005
```

**6.19.1.96 contentPaddingLeft**

```
const int PROJEKT.Droid.Resource.Attribute.contentPaddingLeft = 2130772002
```



**6.19.1.97 contentPaddingRight**

```
const int PROJEKT.Droid.Resource.Attribute.contentPaddingRight = 2130772003
```

**6.19.1.98 contentPaddingTop**

```
const int PROJEKT.Droid.Resource.Attribute.contentPaddingTop = 2130772004
```

**6.19.1.99 contentScrim**

```
const int PROJEKT.Droid.Resource.Attribute.contentScrim = 2130772229
```

**6.19.1.100 controlBackground**

```
const int PROJEKT.Droid.Resource.Attribute.controlBackground = 2130772132
```

**6.19.1.101 counterEnabled**

```
const int PROJEKT.Droid.Resource.Attribute.counterEnabled = 2130772279
```

**6.19.1.102 counterMaxLength**

```
const int PROJEKT.Droid.Resource.Attribute.counterMaxLength = 2130772280
```

**6.19.1.103 counterOverflowTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.counterOverflowTextAppearance = 2130772282
```

**6.19.1.104 counterTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.counterTextAppearance = 2130772281
```

**6.19.1.105 customNavigationLayout**

```
const int PROJEKT.Droid.Resource.Attribute.customNavigationLayout = 2130772021
```

**6.19.1.106 defaultQueryHint**

```
const int PROJEKT.Droid.Resource.Attribute.defaultQueryHint = 2130772178
```

**6.19.1.107 dialogPreferredPadding**

```
const int PROJEKT.Droid.Resource.Attribute.dialogPreferredPadding = 2130772085
```

**6.19.1.108 dialogTheme**

```
const int PROJEKT.Droid.Resource.Attribute.dialogTheme = 2130772084
```

**6.19.1.109 displayOptions**

```
const int PROJEKT.Droid.Resource.Attribute.displayOptions = 2130772011
```

**6.19.1.110 divider**

```
const int PROJEKT.Droid.Resource.Attribute.divider = 2130772017
```

**6.19.1.111 dividerHorizontal**

```
const int PROJEKT.Droid.Resource.Attribute.dividerHorizontal = 2130772098
```

**6.19.1.112 dividerPadding**

```
const int PROJEKT.Droid.Resource.Attribute.dividerPadding = 2130772167
```

**6.19.1.113 dividerVertical**

```
const int PROJEKT.Droid.Resource.Attribute.dividerVertical = 2130772097
```

**6.19.1.114 drawableSize**

```
const int PROJEKT.Droid.Resource.Attribute.drawableSize = 2130772159
```

**6.19.1.115 drawerArrowStyle**

```
const int PROJEKT.Droid.Resource.Attribute.drawerArrowStyle = 2130772006
```

**6.19.1.116 dropdownListPreferredItemHeight**

```
const int PROJEKT.Droid.Resource.Attribute.dropdownListPreferredItemHeight = 2130772088
```

**6.19.1.117 dropDownListViewStyle**

```
const int PROJEKT.Droid.Resource.Attribute.dropDownListViewStyle = 2130772116
```

**6.19.1.118 editTextBackground**

```
const int PROJEKT.Droid.Resource.Attribute.editTextBackground = 2130772105
```

**6.19.1.119 editTextColor**

```
const int PROJEKT.Droid.Resource.Attribute.editTextColor = 2130772104
```

**6.19.1.120 editTextStyle**

```
const int PROJEKT.Droid.Resource.Attribute.editTextStyle = 2130772146
```

**6.19.1.121 elevation**

```
const int PROJEKT.Droid.Resource.Attribute.elevation = 2130772032
```

**6.19.1.122 errorEnabled**

```
const int PROJEKT.Droid.Resource.Attribute.errorEnabled = 2130772277
```

**6.19.1.123 errorTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.errorTextAppearance = 2130772278
```

**6.19.1.124 expandActivityOverflowButtonDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.expandActivityOverflowButtonDrawable = 2130772036
```

**6.19.1.125 expanded**

```
const int PROJEKT.Droid.Resource.Attribute.expanded = 2130772215
```

**6.19.1.126 expandedTitleGravity**

```
const int PROJEKT.Droid.Resource.Attribute.expandedTitleGravity = 2130772233
```

**6.19.1.127 expandedTitleMargin**

```
const int PROJEKT.Droid.Resource.Attribute.expandedTitleMargin = 2130772222
```

**6.19.1.128 expandedTitleMarginBottom**

```
const int PROJEKT.Droid.Resource.Attribute.expandedTitleMarginBottom = 2130772226
```

**6.19.1.129 expandedTitleMarginEnd**

```
const int PROJEKT.Droid.Resource.Attribute.expandedTitleMarginEnd = 2130772225
```

**6.19.1.130 expandedTitleMarginStart**

```
const int PROJEKT.Droid.Resource.Attribute.expandedTitleMarginStart = 2130772223
```

**6.19.1.131 expandedTitleMarginTop**

```
const int PROJEKT.Droid.Resource.Attribute.expandedTitleMarginTop = 2130772224
```

**6.19.1.132 expandedTitleTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.expandedTitleTextAppearance = 2130772227
```

**6.19.1.133 externalRouteEnabledDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.externalRouteEnabledDrawable = 2130771994
```

**6.19.1.134 fabSize**

```
const int PROJEKT.Droid.Resource.Attribute.fabSize = 2130772245
```

**6.19.1.135 foregroundInsidePadding**

```
const int PROJEKT.Droid.Resource.Attribute.foregroundInsidePadding = 2130772249
```

**6.19.1.136 gapBetweenBars**

```
const int PROJEKT.Droid.Resource.Attribute.gapBetweenBars = 2130772160
```

**6.19.1.137 golcon**

```
const int PROJEKT.Droid.Resource.Attribute.goIcon = 2130772180
```

**6.19.1.138 headerLayout**

```
const int PROJEKT.Droid.Resource.Attribute.headerLayout = 2130772255
```

**6.19.1.139 height**

```
const int PROJEKT.Droid.Resource.Attribute.height = 2130772007
```

**6.19.1.140 hideOnContentScroll**

```
const int PROJEKT.Droid.Resource.Attribute.hideOnContentScroll = 2130772027
```

**6.19.1.141 hintAnimationEnabled**

```
const int PROJEKT.Droid.Resource.Attribute.hintAnimationEnabled = 2130772283
```

**6.19.1.142 hintEnabled**

```
const int PROJEKT.Droid.Resource.Attribute.hintEnabled = 2130772276
```

**6.19.1.143 hintTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.hintTextAppearance = 2130772275
```

**6.19.1.144 homeAsUpIndicator**

```
const int PROJEKT.Droid.Resource.Attribute.homeAsUpIndicator = 2130772090
```

**6.19.1.145 homeLayout**

```
const int PROJEKT.Droid.Resource.Attribute.homeLayout = 2130772022
```

**6.19.1.146 icon**

```
const int PROJEKT.Droid.Resource.Attribute.icon = 2130772015
```

**6.19.1.147 iconifiedByDefault**

```
const int PROJEKT.Droid.Resource.Attribute.iconifiedByDefault = 2130772176
```

**6.19.1.148 imageButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.imageButtonStyle = 2130772106
```

**6.19.1.149 indeterminateProgressStyle**

```
const int PROJEKT.Droid.Resource.Attribute.indeterminateProgressStyle = 2130772024
```

**6.19.1.150 initialActivityCount**

```
const int PROJEKT.Droid.Resource.Attribute.initialActivityCount = 2130772035
```

**6.19.1.151 insetForeground**

```
const int PROJEKT.Droid.Resource.Attribute.insetForeground = 2130772256
```

**6.19.1.152 isLightTheme**

```
const int PROJEKT.Droid.Resource.Attribute.isLightTheme = 2130772008
```

**6.19.1.153 itemBackground**

```
const int PROJEKT.Droid.Resource.Attribute.itemBackground = 2130772253
```

**6.19.1.154 itemIconTint**

```
const int PROJEKT.Droid.Resource.Attribute.itemIconTint = 2130772251
```

**6.19.1.155 itemPadding**

```
const int PROJEKT.Droid.Resource.Attribute.itemPadding = 2130772026
```

**6.19.1.156 itemTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.itemTextAppearance = 2130772254
```

**6.19.1.157 itemTextColor**

```
const int PROJEKT.Droid.Resource.Attribute.itemTextColor = 2130772252
```

**6.19.1.158 keylines**

```
const int PROJEKT.Droid.Resource.Attribute.keylines = 2130772235
```

**6.19.1.159 layout**

```
const int PROJEKT.Droid.Resource.Attribute.layout = 2130772175
```

**6.19.1.160 layout\_anchor**

```
const int PROJEKT.Droid.Resource.Attribute.layout_anchor = 2130772238
```



**6.19.1.161 layout\_anchorGravity**

```
const int PROJEKT.Droid.Resource.Attribute.layout_anchorGravity = 2130772240
```

**6.19.1.162 layout\_behavior**

```
const int PROJEKT.Droid.Resource.Attribute.layout_behavior = 2130772237
```

**6.19.1.163 layout\_collapseMode**

```
const int PROJEKT.Droid.Resource.Attribute.layout_collapseMode = 2130772220
```

**6.19.1.164 layout\_collapseParallaxMultiplier**

```
const int PROJEKT.Droid.Resource.Attribute.layout_collapseParallaxMultiplier = 2130772221
```

**6.19.1.165 layout\_keyline**

```
const int PROJEKT.Droid.Resource.Attribute.layout_keyline = 2130772239
```

**6.19.1.166 layout\_scrollFlags**

```
const int PROJEKT.Droid.Resource.Attribute.layout_scrollFlags = 2130772216
```

**6.19.1.167 layout\_scrollInterpolator**

```
const int PROJEKT.Droid.Resource.Attribute.layout_scrollInterpolator = 2130772217
```

**6.19.1.168 layoutManager**

```
const int PROJEKT.Droid.Resource.Attribute.layoutManager = 2130771968
```

**6.19.1.169 listChoiceBackgroundIndicator**

```
const int PROJEKT.Droid.Resource.Attribute.listChoiceBackgroundIndicator = 2130772123
```

**6.19.1.170 listDividerAlertDialog**

```
const int PROJEKT.Droid.Resource.Attribute.listDividerAlertDialog = 2130772086
```

**6.19.1.171 listItemLayout**

```
const int PROJEKT.Droid.Resource.Attribute.listItemLayout = 2130772041
```

**6.19.1.172 listLayout**

```
const int PROJEKT.Droid.Resource.Attribute.listLayout = 2130772038
```

**6.19.1.173 listPopupWindowStyle**

```
const int PROJEKT.Droid.Resource.Attribute.listPopupWindowStyle = 2130772117
```

**6.19.1.174 listPreferredItemHeight**

```
const int PROJEKT.Droid.Resource.Attribute.listPreferredItemHeight = 2130772111
```

**6.19.1.175 listPreferredItemHeightLarge**

```
const int PROJEKT.Droid.Resource.Attribute.listPreferredItemHeightLarge = 2130772113
```

**6.19.1.176 listPreferredItemHeightSmall**

```
const int PROJEKT.Droid.Resource.Attribute.listPreferredItemHeightSmall = 2130772112
```

**6.19.1.177 listPreferredItemPaddingLeft**

```
const int PROJEKT.Droid.Resource.Attribute.listPreferredItemPaddingLeft = 2130772114
```

**6.19.1.178 listPreferredItemPaddingRight**

```
const int PROJEKT.Droid.Resource.Attribute.listPreferredItemPaddingRight = 2130772115
```

**6.19.1.179 logo**

```
const int PROJEKT.Droid.Resource.Attribute.logo = 2130772016
```

**6.19.1.180 logoDescription**

```
const int PROJEKT.Droid.Resource.Attribute.logoDescription = 2130772207
```

**6.19.1.181 maxActionInlineWidth**

```
const int PROJEKT.Droid.Resource.Attribute.maxActionInlineWidth = 2130772258
```

**6.19.1.182 maxButtonHeight**

```
const int PROJEKT.Droid.Resource.Attribute.maxButtonHeight = 2130772202
```

**6.19.1.183 measureWithLargestChild**

```
const int PROJEKT.Droid.Resource.Attribute.measureWithLargestChild = 2130772165
```

**6.19.1.184 mediaRouteAudioTrackDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteAudioTrackDrawable = 2130771973
```

**6.19.1.185 mediaRouteBluetoothIconDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteBluetoothIconDrawable = 2130771974
```

**6.19.1.186 mediaRouteButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteButtonStyle = 2130771975
```

**6.19.1.187 mediaRouteCastDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteCastDrawable = 2130771976
```

**6.19.1.188 mediaRouteChooserPrimaryTextStyle**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteChooserPrimaryTextStyle = 2130771977
```

**6.19.1.189 mediaRouteChooserSecondaryTextStyle**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteChooserSecondaryTextStyle = 2130771978
```

**6.19.1.190 mediaRouteCloseDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteCloseDrawable = 2130771979
```

**6.19.1.191 mediaRouteCollapseGroupDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteCollapseGroupDrawable = 2130771980
```

**6.19.1.192 mediaRouteConnectingDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteConnectingDrawable = 2130771981
```

**6.19.1.193 mediaRouteControllerPrimaryTextStyle**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteControllerPrimaryTextStyle = 2130771982
```

**6.19.1.194 mediaRouteControllerSecondaryTextStyle**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteControllerSecondaryTextStyle = 2130771983
```

**6.19.1.195 mediaRouteControllerTitleTextStyle**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteControllerTitleTextStyle = 2130771984
```

**6.19.1.196 MediaRouteControllerWindowBackground**

```
const int PROJEKT.Droid.Resource.Attribute.MediaRouteControllerWindowBackground = 2130771972
```

**6.19.1.197 mediaRouteDefaultIconDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteDefaultIconDrawable = 2130771985
```

**6.19.1.198 mediaRouteExpandGroupDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteExpandGroupDrawable = 2130771986
```

**6.19.1.199 mediaRouteOffDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteOffDrawable = 2130771987
```

**6.19.1.200 mediaRouteOnDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteOnDrawable = 2130771988
```

**6.19.1.201 mediaRoutePauseDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRoutePauseDrawable = 2130771989
```

**6.19.1.202 mediaRoutePlayDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRoutePlayDrawable = 2130771990
```

**6.19.1.203 mediaRouteSpeakerGroupIconDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteSpeakerGroupIconDrawable = 2130771991
```

**6.19.1.204 mediaRouteSpeakerIconDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteSpeakerIconDrawable = 2130771992
```

**6.19.1.205 mediaRouteTvIconDrawable**

```
const int PROJEKT.Droid.Resource.Attribute.mediaRouteTvIconDrawable = 2130771993
```

**6.19.1.206 menu**

```
const int PROJEKT.Droid.Resource.Attribute.menu = 2130772250
```

**6.19.1.207 multiChoiceItemLayout**

```
const int PROJEKT.Droid.Resource.Attribute.multiChoiceItemLayout = 2130772039
```

**6.19.1.208 navigationContentDescription**

```
const int PROJEKT.Droid.Resource.Attribute.navigationContentDescription = 2130772206
```

**6.19.1.209 navigationIcon**

```
const int PROJEKT.Droid.Resource.Attribute.navigationIcon = 2130772205
```

**6.19.1.210 navigationMode**

```
const int PROJEKT.Droid.Resource.Attribute.navigationMode = 2130772010
```

**6.19.1.211 overlapAnchor**

```
const int PROJEKT.Droid.Resource.Attribute.overlapAnchor = 2130772173
```

**6.19.1.212 paddingEnd**

```
const int PROJEKT.Droid.Resource.Attribute.paddingEnd = 2130772211
```

**6.19.1.213 paddingStart**

```
const int PROJEKT.Droid.Resource.Attribute.paddingStart = 2130772210
```

**6.19.1.214 panelBackground**

```
const int PROJEKT.Droid.Resource.Attribute.panelBackground = 2130772120
```

**6.19.1.215 panelMenuListTheme**

```
const int PROJEKT.Droid.Resource.Attribute.panelMenuListTheme = 2130772122
```

**6.19.1.216 panelMenuListWidth**

```
const int PROJEKT.Droid.Resource.Attribute.panelMenuListWidth = 2130772121
```

**6.19.1.217 popupMenuStyle**

```
const int PROJEKT.Droid.Resource.Attribute.popupMenuStyle = 2130772102
```

**6.19.1.218 popupTheme**

```
const int PROJEKT.Droid.Resource.Attribute.popupTheme = 2130772033
```

**6.19.1.219 popupWindowStyle**

```
const int PROJEKT.Droid.Resource.Attribute.popupWindowStyle = 2130772103
```

**6.19.1.220 preserveIconSpacing**

```
const int PROJEKT.Droid.Resource.Attribute.preserveIconSpacing = 2130772172
```

**6.19.1.221 pressedTranslationZ**

```
const int PROJEKT.Droid.Resource.Attribute.pressedTranslationZ = 2130772246
```

**6.19.1.222 progressBarPadding**

```
const int PROJEKT.Droid.Resource.Attribute.progressBarPadding = 2130772025
```

**6.19.1.223 progressBarStyle**

```
const int PROJEKT.Droid.Resource.Attribute.progressBarStyle = 2130772023
```

**6.19.1.224 queryBackground**

```
const int PROJEKT.Droid.Resource.Attribute.queryBackground = 2130772186
```



**6.19.1.225 queryHint**

```
const int PROJEKT.Droid.Resource.Attribute.queryHint = 2130772177
```

**6.19.1.226 radioButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.radioButtonStyle = 2130772147
```

**6.19.1.227 ratingBarStyle**

```
const int PROJEKT.Droid.Resource.Attribute.ratingBarStyle = 2130772148
```

**6.19.1.228 ratingBarStyleIndicator**

```
const int PROJEKT.Droid.Resource.Attribute.ratingBarStyleIndicator = 2130772149
```

**6.19.1.229 ratingBarStyleSmall**

```
const int PROJEKT.Droid.Resource.Attribute.ratingBarStyleSmall = 2130772150
```

**6.19.1.230 reverseLayout**

```
const int PROJEKT.Droid.Resource.Attribute.reverseLayout = 2130771970
```

**6.19.1.231 rippleColor**

```
const int PROJEKT.Droid.Resource.Attribute.rippleColor = 2130772244
```

**6.19.1.232 searchHintIcon**

```
const int PROJEKT.Droid.Resource.Attribute.searchHintIcon = 2130772182
```

**6.19.1.233   searchIcon**

```
const int PROJEKT.Droid.Resource.Attribute.searchIcon = 2130772181
```

**6.19.1.234   searchViewStyle**

```
const int PROJEKT.Droid.Resource.Attribute.searchViewStyle = 2130772110
```

**6.19.1.235   seekBarStyle**

```
const int PROJEKT.Droid.Resource.Attribute.seekBarStyle = 2130772151
```

**6.19.1.236   selectableItemBackground**

```
const int PROJEKT.Droid.Resource.Attribute.selectableItemBackground = 2130772094
```

**6.19.1.237   selectableItemBackgroundBorderless**

```
const int PROJEKT.Droid.Resource.Attribute.selectableItemBackgroundBorderless = 2130772095
```

**6.19.1.238   showAsAction**

```
const int PROJEKT.Droid.Resource.Attribute.showAsAction = 2130772168
```

**6.19.1.239   showDividers**

```
const int PROJEKT.Droid.Resource.Attribute.showDividers = 2130772166
```

**6.19.1.240   showText**

```
const int PROJEKT.Droid.Resource.Attribute.showText = 2130772194
```

**6.19.1.241 singleChoiceItemLayout**

```
const int PROJEKT.Droid.Resource.Attribute.singleChoiceItemLayout = 2130772040
```

**6.19.1.242 spanCount**

```
const int PROJEKT.Droid.Resource.Attribute.spanCount = 2130771969
```

**6.19.1.243 spinBars**

```
const int PROJEKT.Droid.Resource.Attribute.spinBars = 2130772158
```

**6.19.1.244 spinnerDropDownItemStyle**

```
const int PROJEKT.Droid.Resource.Attribute.spinnerDropDownItemStyle = 2130772089
```

**6.19.1.245 spinnerStyle**

```
const int PROJEKT.Droid.Resource.Attribute.spinnerStyle = 2130772152
```

**6.19.1.246 splitTrack**

```
const int PROJEKT.Droid.Resource.Attribute.splitTrack = 2130772193
```

**6.19.1.247 srcCompat**

```
const int PROJEKT.Droid.Resource.Attribute.srcCompat = 2130772042
```

**6.19.1.248 stackFromEnd**

```
const int PROJEKT.Droid.Resource.Attribute.stackFromEnd = 2130771971
```

**6.19.1.249 state\_above\_anchor**

```
const int PROJEKT.Droid.Resource.Attribute.state_above_anchor = 2130772174
```

**6.19.1.250 statusBarBackground**

```
const int PROJEKT.Droid.Resource.Attribute.statusBarBackground = 2130772236
```

**6.19.1.251 statusBarScrim**

```
const int PROJEKT.Droid.Resource.Attribute.statusBarScrim = 2130772230
```

**6.19.1.252 submitBackground**

```
const int PROJEKT.Droid.Resource.Attribute.submitBackground = 2130772187
```

**6.19.1.253 subtitle**

```
const int PROJEKT.Droid.Resource.Attribute.subtitle = 2130772012
```

**6.19.1.254 subtitleTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.subtitleTextAppearance = 2130772196
```

**6.19.1.255 subtitleTextColor**

```
const int PROJEKT.Droid.Resource.Attribute.subtitleTextColor = 2130772209
```

**6.19.1.256 subtitleTextStyle**

```
const int PROJEKT.Droid.Resource.Attribute.subtitleTextStyle = 2130772014
```

**6.19.1.257 suggestionRowLayout**

```
const int PROJEKT.Droid.Resource.Attribute.suggestionRowLayout = 2130772185
```

**6.19.1.258 switchMinWidth**

```
const int PROJEKT.Droid.Resource.Attribute.switchMinWidth = 2130772191
```

**6.19.1.259 switchPadding**

```
const int PROJEKT.Droid.Resource.Attribute.switchPadding = 2130772192
```

**6.19.1.260 switchStyle**

```
const int PROJEKT.Droid.Resource.Attribute.switchStyle = 2130772153
```

**6.19.1.261 switchTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.switchTextAppearance = 2130772190
```

**6.19.1.262 tabBackground**

```
const int PROJEKT.Droid.Resource.Attribute.tabBackground = 2130772262
```

**6.19.1.263 tabContentStart**

```
const int PROJEKT.Droid.Resource.Attribute.tabContentStart = 2130772261
```

**6.19.1.264 tabGravity**

```
const int PROJEKT.Droid.Resource.Attribute.tabGravity = 2130772264
```

**6.19.1.265 tabIndicatorColor**

```
const int PROJEKT.Droid.Resource.Attribute.tabIndicatorColor = 2130772259
```

**6.19.1.266 tabIndicatorHeight**

```
const int PROJEKT.Droid.Resource.Attribute.tabIndicatorHeight = 2130772260
```

**6.19.1.267 tabMaxWidth**

```
const int PROJEKT.Droid.Resource.Attribute.tabMaxWidth = 2130772266
```

**6.19.1.268 tabMinWidth**

```
const int PROJEKT.Droid.Resource.Attribute.tabMinWidth = 2130772265
```

**6.19.1.269 tabMode**

```
const int PROJEKT.Droid.Resource.Attribute.tabMode = 2130772263
```

**6.19.1.270 tabPadding**

```
const int PROJEKT.Droid.Resource.Attribute.tabPadding = 2130772274
```

**6.19.1.271 tabPaddingBottom**

```
const int PROJEKT.Droid.Resource.Attribute.tabPaddingBottom = 2130772273
```

**6.19.1.272 tabPaddingEnd**

```
const int PROJEKT.Droid.Resource.Attribute.tabPaddingEnd = 2130772272
```

**6.19.1.273 tabPaddingStart**

```
const int PROJEKT.Droid.Resource.Attribute.tabPaddingStart = 2130772270
```

**6.19.1.274 tabPaddingTop**

```
const int PROJEKT.Droid.Resource.Attribute.tabPaddingTop = 2130772271
```

**6.19.1.275 tabSelectedTextColor**

```
const int PROJEKT.Droid.Resource.Attribute.tabSelectedTextColor = 2130772269
```

**6.19.1.276 tabTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.tabTextAppearance = 2130772267
```

**6.19.1.277 tabTextColor**

```
const int PROJEKT.Droid.Resource.Attribute.tabTextColor = 2130772268
```

**6.19.1.278 textAllCaps**

```
const int PROJEKT.Droid.Resource.Attribute.textAllCaps = 2130772043
```

**6.19.1.279 textAppearanceLargePopupMenu**

```
const int PROJEKT.Droid.Resource.Attribute.textAppearanceLargePopupMenu = 2130772082
```

**6.19.1.280 textAppearanceListItem**

```
const int PROJEKT.Droid.Resource.Attribute.textAppearanceListItem = 2130772118
```

**6.19.1.281 textAppearanceListItemSmall**

```
const int PROJEKT.Droid.Resource.Attribute.textAppearanceListItemSmall = 2130772119
```

**6.19.1.282 textAppearanceSearchResultSubtitle**

```
const int PROJEKT.Droid.Resource.Attribute.textAppearanceSearchResultSubtitle = 2130772108
```

**6.19.1.283 textAppearanceSearchResultTitle**

```
const int PROJEKT.Droid.Resource.Attribute.textAppearanceSearchResultTitle = 2130772107
```

**6.19.1.284 textAppearanceSmallPopupMenu**

```
const int PROJEKT.Droid.Resource.Attribute.textAppearanceSmallPopupMenu = 2130772083
```

**6.19.1.285 textColorAlertDialogListItem**

```
const int PROJEKT.Droid.Resource.Attribute.textColorAlertDialogListItem = 2130772137
```

**6.19.1.286 textColorError**

```
const int PROJEKT.Droid.Resource.Attribute.textColorError = 2130772243
```

**6.19.1.287 textColorSearchUrl**

```
const int PROJEKT.Droid.Resource.Attribute.textColorSearchUrl = 2130772109
```

**6.19.1.288 theme**

```
const int PROJEKT.Droid.Resource.Attribute.theme = 2130772212
```



**6.19.1.289 thickness**

```
const int PROJEKT.Droid.Resource.Attribute.thickness = 2130772164
```

**6.19.1.290 thumbTextPadding**

```
const int PROJEKT.Droid.Resource.Attribute.thumbTextPadding = 2130772189
```

**6.19.1.291 title**

```
const int PROJEKT.Droid.Resource.Attribute.title = 2130772009
```

**6.19.1.292 titleEnabled**

```
const int PROJEKT.Droid.Resource.Attribute.titleEnabled = 2130772234
```

**6.19.1.293 titleMarginBottom**

```
const int PROJEKT.Droid.Resource.Attribute.titleMarginBottom = 2130772201
```

**6.19.1.294 titleMarginEnd**

```
const int PROJEKT.Droid.Resource.Attribute.titleMarginEnd = 2130772199
```

**6.19.1.295 titleMargins**

```
const int PROJEKT.Droid.Resource.Attribute.titleMargins = 2130772197
```

**6.19.1.296 titleMarginStart**

```
const int PROJEKT.Droid.Resource.Attribute.titleMarginStart = 2130772198
```

**6.19.1.297 titleMarginTop**

```
const int PROJEKT.Droid.Resource.Attribute.titleMarginTop = 2130772200
```

**6.19.1.298 titleTextAppearance**

```
const int PROJEKT.Droid.Resource.Attribute.titleTextAppearance = 2130772195
```

**6.19.1.299 titleTextColor**

```
const int PROJEKT.Droid.Resource.Attribute.titleTextColor = 2130772208
```

**6.19.1.300 titleTextStyle**

```
const int PROJEKT.Droid.Resource.Attribute.titleTextStyle = 2130772013
```

**6.19.1.301 toolbarId**

```
const int PROJEKT.Droid.Resource.Attribute.toolbarId = 2130772231
```

**6.19.1.302 toolbarNavigationButtonStyle**

```
const int PROJEKT.Droid.Resource.Attribute.toolbarNavigationButtonStyle = 2130772101
```

**6.19.1.303 toolbarStyle**

```
const int PROJEKT.Droid.Resource.Attribute.toolbarStyle = 2130772100
```

**6.19.1.304 track**

```
const int PROJEKT.Droid.Resource.Attribute.track = 2130772188
```

**6.19.1.305 useCompatPadding**

```
const int PROJEKT.Droid.Resource.Attribute.useCompatPadding = 2130772248
```

**6.19.1.306 voiceIcon**

```
const int PROJEKT.Droid.Resource.Attribute.voiceIcon = 2130772183
```

**6.19.1.307 windowActionBar**

```
const int PROJEKT.Droid.Resource.Attribute.windowActionBar = 2130772044
```

**6.19.1.308 windowActionBarOverlay**

```
const int PROJEKT.Droid.Resource.Attribute.windowActionBarOverlay = 2130772046
```

**6.19.1.309 windowActionModeOverlay**

```
const int PROJEKT.Droid.Resource.Attribute.windowActionModeOverlay = 2130772047
```

**6.19.1.310 windowFixedHeightMajor**

```
const int PROJEKT.Droid.Resource.Attribute.windowFixedHeightMajor = 2130772051
```

**6.19.1.311 windowFixedHeightMinor**

```
const int PROJEKT.Droid.Resource.Attribute.windowFixedHeightMinor = 2130772049
```

**6.19.1.312 windowFixedWidthMajor**

```
const int PROJEKT.Droid.Resource.Attribute.windowFixedWidthMajor = 2130772048
```

**6.19.1.313 windowFixedWidthMinor**

```
const int PROJEKT.Droid.Resource.Attribute.windowFixedWidthMinor = 2130772050
```

**6.19.1.314 windowMinWidthMajor**

```
const int PROJEKT.Droid.Resource.Attribute.windowMinWidthMajor = 2130772052
```

**6.19.1.315 windowMinWidthMinor**

```
const int PROJEKT.Droid.Resource.Attribute.windowMinWidthMinor = 2130772053
```

**6.19.1.316 windowNoTitle**


```
const int PROJEKT.Droid.Resource.Attribute.windowNoTitle = 2130772045
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

**6.20 md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView Class Reference**

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView:

**Public Member Functions**

- **BaseCellView** (android.content.Context p0) throws java.lang.Throwable
- **BaseCellView** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **BaseCellView** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **BaseCellView** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.20.1 Constructor & Destructor Documentation

### 6.20.1.1 BaseCellView() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView.BaseCellView (  
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.20.1.2 BaseCellView() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView.BaseCellView (  
    android.content.Context p0,  
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.20.1.3 BaseCellView() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView.BaseCellView (  
    android.content.Context p0,  
    android.util.AttributeSet p1,  
    int p2 ) throws java.lang.Throwable
```

### 6.20.1.4 BaseCellView() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView.BaseCellView (  
    android.content.Context p0,  
    android.util.AttributeSet p1,  
    int p2,  
    int p3 ) throws java.lang.Throwable
```

## 6.20.2 Member Function Documentation

### 6.20.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView.monodroidAddReference (
    java.lang.Object obj )
```

### 6.20.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView.monodroidClearReferences ( )
```

## 6.20.3 Member Data Documentation

### 6.20.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView.java

## 6.21 PROJEKT.Droid.Resource.Boolean Class Reference

### Public Attributes

- const int **abc\_action\_bar\_embed\_tabs** = 2131492867
- const int **abc\_action\_bar\_embed\_tabs\_pre\_jb** = 2131492865
- const int **abc\_action\_bar\_expanded\_action\_views\_exclusive** = 2131492868
- const int **abc\_allow\_stacked\_button\_bar** = 2131492864
- const int **abc\_config\_actionMenuItemAllCaps** = 2131492869
- const int **abc\_config\_allowActionMenuItemTextWithIcon** = 2131492866
- const int **abc\_config\_closeDialogWhenTouchOutside** = 2131492870
- const int **abc\_config\_showMenuShortcutsWhenKeyboardPresent** = 2131492871

### 6.21.1 Member Data Documentation

#### 6.21.1.1 abc\_action\_bar\_embed\_tabs

```
const int PROJEKT.Droid.Resource.Boolean.abc_action_bar_embed_tabs = 2131492867
```

#### 6.21.1.2 abc\_action\_bar\_embed\_tabs\_pre\_jb

```
const int PROJEKT.Droid.Resource.Boolean.abc_action_bar_embed_tabs_pre_jb = 2131492865
```

#### 6.21.1.3 abc\_action\_bar\_expanded\_action\_views\_exclusive

```
const int PROJEKT.Droid.Resource.Boolean.abc_action_bar_expanded_action_views_exclusive =  
2131492868
```

#### 6.21.1.4 abc\_allow\_stacked\_button\_bar

```
const int PROJEKT.Droid.Resource.Boolean.abc_allow_stacked_button_bar = 2131492864
```

#### 6.21.1.5 abc\_config\_actionMenuItemAllCaps

```
const int PROJEKT.Droid.Resource.Boolean.abc_config_actionMenuItemAllCaps = 2131492869
```

#### 6.21.1.6 abc\_config\_allowActionMenuItemTextWithIcon

```
const int PROJEKT.Droid.Resource.Boolean.abc_config_allowActionMenuItemTextWithIcon = 2131492866
```

#### 6.21.1.7 abc\_config\_closeDialogWhenTouchOutside

```
const int PROJEKT.Droid.Resource.Boolean.abc_config_closeDialogWhenTouchOutside = 2131492870
```

#### 6.21.1.8 abc\_config\_showMenuShortcutsWhenKeyboardPresent


```
const int PROJEKT.Droid.Resource.Boolean.abc_config_showMenuShortcutsWhenKeyboardPresent =  
2131492871
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/  
**Resource.Designer.cs**

## 6.22 md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer:



### Public Member Functions

- **BoxRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **BoxRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **BoxRenderer** (android.content.Context p0) throws java.lang.Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.22.1 Constructor & Destructor Documentation

#### 6.22.1.1 BoxRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer.BoxRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.22.1.2 BoxRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer.BoxRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

#### 6.22.1.3 BoxRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer.BoxRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```



## 6.22.2 Member Function Documentation

### 6.22.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.22.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer.monodroidClearReferences ( )
```

### 6.22.2.3 onTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

## 6.22.3 Member Data Documentation

### 6.22.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer.java

## 6.23 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable:



## Public Member Functions

- **ButtonDrawable** () throws java.lang.Throwable
- boolean **isStateful** ()
- int **getOpacity** ()
- void **draw** (android.graphics.Canvas p0)
- void **setAlpha** (int p0)
- void **setColorFilter** (android.graphics.ColorFilter p0)
- boolean **onStateChange** (int[] p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.23.1 Constructor & Destructor Documentation

### 6.23.1.1 ButtonDrawable()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.ButtonDrawable ( ) throws java.lang.↵  
Throwable

## 6.23.2 Member Function Documentation

### 6.23.2.1 draw()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.draw (   
 android.graphics.Canvas p0 )

### 6.23.2.2 getOpacity()

int md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.getOpacity ( )

### 6.23.2.3 isStateful()

boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.isStateful ( )

#### 6.23.2.4 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.23.2.5 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.monodroidClearReferences ( )
```

#### 6.23.2.6 onStateChange()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.onStateChange (
    int [] p0 )
```

#### 6.23.2.7 setAlpha()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.setAlpha (
    int p0 )
```

#### 6.23.2.8 setColorFilter()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.setColorFilter (
    android.graphics.ColorFilter p0 )
```

### 6.23.3 Member Data Documentation

#### 6.23.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable.java



### 6.24.1.3 ButtonRenderer() [3/3]

```
md5270abb39e60627f0f200893b490a1ade.ButtonRenderer.ButtonRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.24.2 Member Function Documentation

### 6.24.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490a1ade.ButtonRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.24.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490a1ade.ButtonRenderer.monodroidClearReferences ( )
```

### 6.24.2.3 onLayout()

```
void md5270abb39e60627f0f200893b490a1ade.ButtonRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

### 6.24.2.4 onViewAttachedToWindow()

```
void md5270abb39e60627f0f200893b490a1ade.ButtonRenderer.onViewAttachedToWindow (
    android.view.View p0 )
```

### 6.24.2.5 onViewDetachedFromWindow()

```
void md5270abb39e60627f0f200893b490a1ade.ButtonRenderer.onViewDetachedFromWindow (
    android.view.View p0 )
```

### 6.24.3 Member Data Documentation

#### 6.24.3.1 \_\_md\_methods

```
final String md5270abb39e60627f0f200893b490alade.ButtonRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade.ButtonRenderer.java

## 6.25 md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer Class Reference

Inheritance diagram for md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer:



### Public Member Functions

- **ButtonRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **ButtonRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ButtonRenderer** (android.content.Context p0) throws java.lang.Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onViewAttachedToWindow** (android.view.View p0)
- void **onViewDetachedFromWindow** (android.view.View p0)
- void **onFocusChange** (android.view.View p0, boolean p1)
- void **onClick** (android.view.View p0)
- boolean **onTouch** (android.view.View p0, android.view.MotionEvent p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.25.1 Constructor & Destructor Documentation

### 6.25.1.1 ButtonRenderer() [1/3]

```
md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.ButtonRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.25.1.2 ButtonRenderer() [2/3]

```
md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.ButtonRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.25.1.3 ButtonRenderer() [3/3]

```
md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.ButtonRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.25.2 Member Function Documentation

### 6.25.2.1 monodroidAddReference()

```
void md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.25.2.2 monodroidClearReferences()

```
void md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.monodroidClearReferences ( )
```

### 6.25.2.3 onClick()

```
void md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.onClick (
    android.view.View p0 )
```

#### 6.25.2.4 onFocusChange()

```
void md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.onFocusChange (
    android.view.View p0,
    boolean p1 )
```

#### 6.25.2.5 onLayout()

```
void md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

#### 6.25.2.6 onTouch()

```
boolean md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.onTouch (
    android.view.View p0,
    android.view.MotionEvent p1 )
```

#### 6.25.2.7 onTouchEvent()

```
boolean md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

#### 6.25.2.8 onViewAttachedToWindow()

```
void md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.onViewAttachedToWindow (
    android.view.View p0 )
```

#### 6.25.2.9 onViewDetachedFromWindow()

```
void md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.onViewDetachedFromWindow (
    android.view.View p0 )
```



### 6.25.3 Member Data Documentation

### 6.25.3.1 \_\_md\_methods


```
final String md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5701835**ButtonRenderer.java**

## 6.26 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer:



## Public Member Functions

- **ButtonRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **ButtonRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ButtonRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onViewAttachedToWindow** (android.view.View p0)
- void **onViewDetachedFromWindow** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **md** **methods**

### 6.26.1 Constructor & Destructor Documentation

### 6.26.1.1 ButtonRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRendererer.ButtonRendererer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.26.1.2 ButtonRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer.ButtonRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.26.1.3 ButtonRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer.ButtonRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.26.2 Member Function Documentation

### 6.26.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.26.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer.monodroidClearReferences ( )
```

### 6.26.2.3 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

### 6.26.2.4 onViewAttachedToWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer.onViewAttachedToWindow (
    android.view.View p0 )
```

## 6.26.2.5 onViewDetachedFromWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer.onViewDetachedFromWindow (
    android.view.View p0 )
```

## 6.26.3 Member Data Documentation

## 6.26.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer.java

## 6.27 md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonClickListener Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonClickListener:



## Public Member Functions

- **ButtonRenderer\_ButtonClickListener** () throws java.lang.Throwable
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.27.1 Constructor &amp; Destructor Documentation

### 6.27.1.1 ButtonRenderer\_ButtonClickListener()

```
md5270abb39e60627f0f200893b490alade.ButtonRenderer_ButtonClickListener.ButtonRenderer_ButtonClickListener ( ) throws java.lang.Throwable
```

## 6.27.2 Member Function Documentation

### 6.27.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490alade.ButtonRenderer_ButtonClickListener.monodroidAddReference (
    java.lang.Object obj )
```

### 6.27.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490alade.ButtonRenderer_ButtonClickListener.monodroidClearReferences ( )
```

### 6.27.2.3 onClick()

```
void md5270abb39e60627f0f200893b490alade.ButtonRenderer_ButtonClickListener.onClick (
    android.view.View p0 )
```

## 6.27.3 Member Data Documentation

### 6.27.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490alade.ButtonRenderer_ButtonClickListener.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade/ButtonRenderer\_ButtonClickListener.java

## 6.28 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonClickListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonClickListener:



### Public Member Functions

- **ButtonRenderer\_ButtonClickListener** () throws java.lang.Throwable
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.28.1 Constructor & Destructor Documentation

#### 6.28.1.1 ButtonRenderer\_ButtonClickListener()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonClickListener.ButtonRenderer\_ButtonClickListener ( ) throws java.lang.Throwable

### 6.28.2 Member Function Documentation

#### 6.28.2.1 monodroidAddReference()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonClickListener.monodroidAddReference ( java.lang.Object obj )

#### 6.28.2.2 monodroidClearReferences()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonClickListener.monodroidClearReferences ( )

### 6.28.2.3 onClick()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonClickListener.onClick (
    android.view.View p0 )
```

## 6.28.3 Member Data Documentation

### 6.28.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonClickListener.__md_↵
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonClickListener.java

## 6.29 md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonTouchListener Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonTouchListener:



### Public Member Functions

- **ButtonRenderer\_ButtonTouchListener** () throws java.lang.Throwable
- boolean **onTouch** (android.view.View p0, android.view.MotionEvent p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.29.1 Constructor & Destructor Documentation

### 6.29.1.1 ButtonRenderer\_ButtonTouchListener()

md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonTouchListener.ButtonRenderer\_ButtonTouchListener ( ) throws java.lang.Throwable

## 6.29.2 Member Function Documentation

### 6.29.2.1 monodroidAddReference()

void md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonTouchListener.monodroidAddReference (   
     java.lang.Object obj )

### 6.29.2.2 monodroidClearReferences()

void md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonTouchListener.monodroidClearReferences ( )

### 6.29.2.3 onTouch()

boolean md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonTouchListener.onTouch (   
     android.view.View p0,   
     android.view.MotionEvent p1 )

## 6.29.3 Member Data Documentation

### 6.29.3.1 \_\_md\_methods


final String md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonTouchListener.\_\_md\_methods [static]

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/ButtonRenderer\_ButtonTouchListener.java

## 6.30 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonTouchListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonTouchListener:



### Public Member Functions

- **ButtonRenderer\_ButtonTouchListener** () throws java.lang.Throwable
- boolean **onTouch** (android.view.View p0, android.view.MotionEvent p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.30.1 Constructor & Destructor Documentation

### 6.30.1.1 ButtonRenderer\_ButtonTouchListener()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonTouchListener.ButtonRenderer\_ButtonTouchListener ( ) throws java.lang.Throwable

## 6.30.2 Member Function Documentation

### 6.30.2.1 monodroidAddReference()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonTouchListener.monodroidAddReference ( java.lang.Object obj )

### 6.30.2.2 monodroidClearReferences()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonTouchListener.monodroidClearReferences ( )



## 6.30.2.3 onTouch()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonTouchListener.onTouch (
    android.view.View p0,
    android.view.MotionEvent p1 )
```

## 6.30.3 Member Data Documentation

## 6.30.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonTouchListener.__md_↔
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonTouchListener.java

## 6.31 mono.android.support.v4.os.CancellationSignal\_OnCancelListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.os.CancellationSignal\_OnCancelListenerImplementor:



## Public Member Functions

- **CancellationSignal\_OnCancelListenerImplementor** () throws java.lang.Throwable
- void **onCancel** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.31.1 Constructor &amp; Destructor Documentation

### 6.31.1.1 CancellationSignal\_OnCancelListenerImplementor()

```
mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor.CancellationSignal↵
_OnCancelListenerImplementor ( ) throws java.lang.Throwable
```

## 6.31.2 Member Function Documentation

### 6.31.2.1 monodroidAddReference()

```
void mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor.monodroidAdd↵
Reference (
    java.lang.Object obj )
```

### 6.31.2.2 monodroidClearReferences()

```
void mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor.monodroid↵
ClearReferences ( )
```

### 6.31.2.3 onCancel()

```
void mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor.onCancel ( )
```

## 6.31.3 Member Data Documentation

### 6.31.3.1 \_\_md\_methods


```
final String mono.android.support.v4.os.CancellationSignal_OnCancelListenerImplementor.__md↵
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro↵  
**CancellationSignal\_OnCancelListenerImplementor.java**

## 6.32 md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter:



### Public Member Functions

- **CarouselPagerAdapter** () throws java.lang.Throwable
- int **getCount** ()
- void **destroyItem** (android.view.ViewGroup p0, int p1, java.lang.Object p2)
- int **getItemPosition** (java.lang.Object p0)
- java.lang.Object **instantiateItem** (android.view.ViewGroup p0, int p1)
- boolean **isViewFromObject** (android.view.View p0, java.lang.Object p1)
- void **onPageScrollStateChanged** (int p0)
- void **onPageScrolled** (int p0, float p1, int p2)
- void **onPageSelected** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.32.1 Constructor & Destructor Documentation

### 6.32.1.1 CarouselPagerAdapter()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter.CarouselPagerAdapter ( ) throws java.lang.Throwable

## 6.32.2 Member Function Documentation

### 6.32.2.1 destroyItem()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter.destroyItem (
    android.view.ViewGroup p0,
    int p1,
    java.lang.Object p2 )
```

#### 6.32.2.2 getCount()

```
int md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter.getCount ( )
```

#### 6.32.2.3 getItemPosition()

```
int md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter.getItemPosition (
    java.lang.Object p0 )
```

#### 6.32.2.4 instantiateItem()

```
java.lang.Object md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter.instantiateItem (
    android.view.ViewGroup p0,
    int p1 )
```

#### 6.32.2.5 isViewFromObject()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter.isViewFromObject (
    android.view.View p0,
    java.lang.Object p1 )
```

#### 6.32.2.6 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.32.2.7 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter.monodroidClearReferences ( )
```

#### 6.32.2.8 onPageScrolled()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter.onPageScrolled (
    int p0,
    float p1,
    int p2 )
```

## 6.32.2.9 onPageScrollStateChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageAdapter.onPageScrollStateChanged (
    int p0 )
```

## 6.32.2.10 onPageSelected()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageAdapter.onPageSelected (
    int p0 )
```

## 6.32.3 Member Data Documentation

## 6.32.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageAdapter.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageAdapter.java

## 6.33 md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer:



## Public Member Functions

- **CarouselPageRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **CarouselPageRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↵ Throwable
- **CarouselPageRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onPageScrollStateChanged** (int p0)
- void **onPageScrolled** (int p0, float p1, int p2)
- void **onPageSelected** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.33.1 Constructor & Destructor Documentation

### 6.33.1.1 CarouselPageRenderer() [1/3]

```
md5270abb39e60627f0f200893b490alade.CarouselPageRenderer.CarouselPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.33.1.2 CarouselPageRenderer() [2/3]

```
md5270abb39e60627f0f200893b490alade.CarouselPageRenderer.CarouselPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.33.1.3 CarouselPageRenderer() [3/3]

```
md5270abb39e60627f0f200893b490alade.CarouselPageRenderer.CarouselPageRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.33.2 Member Function Documentation

### 6.33.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490alade.CarouselPageRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.33.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490alade.CarouselPageRenderer.monodroidClearReferences ( )
```

#### 6.33.2.3 onAttachedToWindow()

```
void md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer.onAttachedToWindow ( )
```

#### 6.33.2.4 onDetachedFromWindow()

```
void md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer.onDetachedFromWindow ( )
```

#### 6.33.2.5 onLayout()

```
void md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

#### 6.33.2.6 onPageScrolled()

```
void md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer.onPageScrolled (
    int p0,
    float p1,
    int p2 )
```

#### 6.33.2.7 onPageScrollStateChanged()

```
void md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer.onPageScrollStateChanged (
    int p0 )
```

#### 6.33.2.8 onPageSelected()

```
void md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer.onPageSelected (
    int p0 )
```

### 6.33.3 Member Data Documentation

### 6.33.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490alade.CarouselPageRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade.  
**CarouselPageRenderer.java**

## 6.34 md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer:



### Public Member Functions

- **CarouselPageRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↔ Throwable
- **CarouselPageRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↔ Throwable
- **CarouselPageRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onMeasure** (int p0, int p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.34.1 Constructor & Destructor Documentation

#### 6.34.1.1 CarouselPageRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.CarouselPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```



### 6.34.1.2 CarouselPageRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.CarouselPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.34.1.3 CarouselPageRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.CarouselPageRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.34.2 Member Function Documentation

### 6.34.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.34.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.monodroidClearReferences ( )
```

### 6.34.2.3 onAttachedToWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.onAttachedToWindow ( )
```

### 6.34.2.4 onDetachedFromWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.onDetachedFromWindow ( )
```

### 6.34.2.5 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

### 6.34.2.6 onMeasure()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.onMeasure (
    int p0,
    int p1 )
```

## 6.34.3 Member Data Documentation

### 6.34.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer.java

## 6.35 md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer Class Reference

Inheritance diagram for md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer:



### Public Member Functions

- **CarouselRenderer** (android.content.Context p0) throws java.lang.Throwable
- **CarouselRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **CarouselRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵  
Throwable
- **CarouselRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.↵  
lang.Throwable
- void **draw** (android.graphics.Canvas p0)
- void **onSizeChanged** (int p0, int p1, int p2, int p3)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.35.1 Constructor & Destructor Documentation

### 6.35.1.1 CarouselRenderer() [1/4]

```
md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer.CarouselRenderer (  
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.35.1.2 CarouselRenderer() [2/4]

```
md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer.CarouselRenderer (  
    android.content.Context p0,  
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.35.1.3 CarouselRenderer() [3/4]

```
md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer.CarouselRenderer (  
    android.content.Context p0,  
    android.util.AttributeSet p1,  
    int p2 ) throws java.lang.Throwable
```

### 6.35.1.4 CarouselRenderer() [4/4]

```
md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer.CarouselRenderer (  
    android.content.Context p0,  
    android.util.AttributeSet p1,  
    int p2,  
    int p3 ) throws java.lang.Throwable
```

## 6.35.2 Member Function Documentation

#### 6.35.2.1 draw()

```
void md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer.draw (
    android.graphics.Canvas p0 )
```

#### 6.35.2.2 monodroidAddReference()

```
void md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.35.2.3 monodroidClearReferences()

```
void md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer.monodroidClearReferences ( )
```

#### 6.35.2.4 onSizeChanged()

```
void md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer.onSizeChanged (
    int p0,
    int p1,
    int p2,
    int p3 )
```

### 6.35.3 Member Data Documentation

#### 6.35.3.1 \_\_md\_methods


```
final String md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5ec2e2772f76de7e64e0148801db2bb13/CarouselRenderer.java

## 6.36 PROJEKT.Droid.Renderers.CarouselRenderer Class Reference

Inheritance diagram for PROJEKT.Droid.Renderers.CarouselRenderer:



### Public Member Functions

- override void **Draw** (Canvas canvas)

### Protected Member Functions

- override void **OnElementChanged** (VisualElementChangedEventArgs e)
- override void **OnSizeChanged** (int w, int h, int oldw, int oldh)

### 6.36.1 Member Function Documentation

#### 6.36.1.1 Draw()

```
override void PROJEKT.Droid.Renderers.CarouselRenderer.Draw (
    Canvas canvas )
```

#### 6.36.1.2 OnElementChanged()

```
override void PROJEKT.Droid.Renderers.CarouselRenderer.OnElementChanged (
    VisualElementChangedEventArgs e ) [protected]
```

#### 6.36.1.3 OnSizeChanged()


```
override void PROJEKT.Droid.Renderers.CarouselRenderer.OnSizeChanged (
    int w,
    int h,
    int oldw,
    int oldh ) [protected]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Renderers/**CarouselRenderer.cs**

## 6.37 md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter:



### Public Member Functions

- **CellAdapter** () throws java.lang.Throwable
- **CellAdapter** (android.content.Context p0) throws java.lang.Throwable
- boolean **onItemLongClick** (android.widget.AdapterView p0, android.view.View p1, int p2, long p3)
- boolean **onActionItemClicked** (android.view.ActionMode p0, android.view.MenuItem p1)
- boolean **onCreateActionMode** (android.view.ActionMode p0, android.view.Menu p1)
- void **onDestroyActionMode** (android.view.ActionMode p0)
- boolean **onPrepareActionMode** (android.view.ActionMode p0, android.view.Menu p1)
- void **onItemClick** (android.widget.AdapterView p0, android.view.View p1, int p2, long p3)
- boolean **onActionItemClicked** (android.support.v7.view.ActionMode p0, android.view.MenuItem p1)
- boolean **onCreateActionMode** (android.support.v7.view.ActionMode p0, android.view.Menu p1)
- void **onDestroyActionMode** (android.support.v7.view.ActionMode p0)
- boolean **onPrepareActionMode** (android.support.v7.view.ActionMode p0, android.view.Menu p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.37.1 Constructor & Destructor Documentation

#### 6.37.1.1 CellAdapter() [1/2]

md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.CellAdapter ( ) throws java.lang.Throwable

#### 6.37.1.2 CellAdapter() [2/2]

md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.CellAdapter ( android.content.Context p0 ) throws java.lang.Throwable

### 6.37.2 Member Function Documentation

### 6.37.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.monodroidAddReference (
    java.lang.Object obj )
```

### 6.37.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.monodroidClearReferences ( )
```

### 6.37.2.3 onActionItemClicked() [1/2]

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onActionItemClicked (
    android.view.ActionMode p0,
    android.view.MenuItem p1 )
```

### 6.37.2.4 onActionItemClicked() [2/2]

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onActionItemClicked (
    android.support.v7.view.ActionMode p0,
    android.view.MenuItem p1 )
```

### 6.37.2.5 onCreateActionMode() [1/2]

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onCreateActionMode (
    android.view.ActionMode p0,
    android.view.Menu p1 )
```

### 6.37.2.6 onCreateActionMode() [2/2]

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onCreateActionMode (
    android.support.v7.view.ActionMode p0,
    android.view.Menu p1 )
```

**6.37.2.7 onDestroyActionMode()** [1/2]

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onDestroyActionMode (
    android.view.ActionMode p0 )
```

**6.37.2.8 onDestroyActionMode()** [2/2]

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onDestroyActionMode (
    android.support.v7.view.ActionMode p0 )
```

**6.37.2.9 onItemClick()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onItemClick (
    android.widget.AdapterView p0,
    android.view.View p1,
    int p2,
    long p3 )
```

**6.37.2.10 onItemLongClick()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onItemLongClick (
    android.widget.AdapterView p0,
    android.view.View p1,
    int p2,
    long p3 )
```

**6.37.2.11 onPrepareActionMode()** [1/2]

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onPrepareActionMode (
    android.view.ActionMode p0,
    android.view.Menu p1 )
```

**6.37.2.12 onPrepareActionMode()** [2/2]

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.onPrepareActionMode (
    android.support.v7.view.ActionMode p0,
    android.view.Menu p1 )
```



### 6.37.3 Member Data Documentation

#### 6.37.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter.java

## 6.38 md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer\_RendererHolder Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer\_RendererHolder:



### Public Member Functions

- **CellRenderer\_RendererHolder** () throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.38.1 Constructor & Destructor Documentation

#### 6.38.1.1 CellRenderer\_RendererHolder()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer_RendererHolder.CellRenderer_RendererHolder ( ) throws java.lang.Throwable
```

### 6.38.2 Member Function Documentation

### 6.38.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer_RendererHolder.monodroidAddReference (
    java.lang.Object obj )
```

### 6.38.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer_RendererHolder.monodroidClearReferences
( )
```

## 6.38.3 Member Data Documentation

### 6.38.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer_RendererHolder.__md_methods
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer\_RendererHolder.java

## 6.39 PROJEKT.Droid.Resource.Color Class Reference

### Public Attributes

- const int **abc\_background\_cache\_hint\_selector\_material\_dark** = 2131427400
- const int **abc\_background\_cache\_hint\_selector\_material\_light** = 2131427401
- const int **abc\_color\_highlight\_material** = 2131427402
- const int **abc\_input\_method\_navigation\_guard** = 2131427332
- const int **abc\_primary\_text\_disable\_only\_material\_dark** = 2131427403
- const int **abc\_primary\_text\_disable\_only\_material\_light** = 2131427404
- const int **abc\_primary\_text\_material\_dark** = 2131427405
- const int **abc\_primary\_text\_material\_light** = 2131427406
- const int **abc\_search\_url\_text** = 2131427407
- const int **abc\_search\_url\_text\_normal** = 2131427333
- const int **abc\_search\_url\_text\_pressed** = 2131427334
- const int **abc\_search\_url\_text\_selected** = 2131427335
- const int **abc\_secondary\_text\_material\_dark** = 2131427408
- const int **abc\_secondary\_text\_material\_light** = 2131427409
- const int **accent\_material\_dark** = 2131427336
- const int **accent\_material\_light** = 2131427337
- const int **background\_floating\_material\_dark** = 2131427338
- const int **background\_floating\_material\_light** = 2131427339

- const int **background\_material\_dark** = 2131427340
- const int **background\_material\_light** = 2131427341
- const int **bright\_foreground\_disabled\_material\_dark** = 2131427342
- const int **bright\_foreground\_disabled\_material\_light** = 2131427343
- const int **bright\_foreground\_inverse\_material\_dark** = 2131427344
- const int **bright\_foreground\_inverse\_material\_light** = 2131427345
- const int **bright\_foreground\_material\_dark** = 2131427346
- const int **bright\_foreground\_material\_light** = 2131427347
- const int **button\_material\_dark** = 2131427348
- const int **button\_material\_light** = 2131427349
- const int **cardview\_dark\_background** = 2131427328
- const int **cardview\_light\_background** = 2131427329
- const int **cardview\_shadow\_end\_color** = 2131427330
- const int **cardview\_shadow\_start\_color** = 2131427331
- const int **design\_fab\_shadow\_end\_color** = 2131427390
- const int **design\_fab\_shadow\_mid\_color** = 2131427391
- const int **design\_fab\_shadow\_start\_color** = 2131427392
- const int **design\_fab\_stroke\_end\_inner\_color** = 2131427393
- const int **design\_fab\_stroke\_end\_outer\_color** = 2131427394
- const int **design\_fab\_stroke\_top\_inner\_color** = 2131427395
- const int **design\_fab\_stroke\_top\_outer\_color** = 2131427396
- const int **design\_snackbar\_background\_color** = 2131427397
- const int **design\_textinput\_error\_color\_dark** = 2131427398
- const int **design\_textinput\_error\_color\_light** = 2131427399
- const int **dim\_foreground\_disabled\_material\_dark** = 2131427350
- const int **dim\_foreground\_disabled\_material\_light** = 2131427351
- const int **dim\_foreground\_material\_dark** = 2131427352
- const int **dim\_foreground\_material\_light** = 2131427353
- const int **foreground\_material\_dark** = 2131427354
- const int **foreground\_material\_light** = 2131427355
- const int **highlighted\_text\_material\_dark** = 2131427356
- const int **highlighted\_text\_material\_light** = 2131427357
- const int **hint\_foreground\_material\_dark** = 2131427358
- const int **hint\_foreground\_material\_light** = 2131427359
- const int **material\_blue\_grey\_800** = 2131427360
- const int **material\_blue\_grey\_900** = 2131427361
- const int **material\_blue\_grey\_950** = 2131427362
- const int **material\_deep\_teal\_200** = 2131427363
- const int **material\_deep\_teal\_500** = 2131427364
- const int **material\_grey\_100** = 2131427365
- const int **material\_grey\_300** = 2131427366
- const int **material\_grey\_50** = 2131427367
- const int **material\_grey\_600** = 2131427368
- const int **material\_grey\_800** = 2131427369
- const int **material\_grey\_850** = 2131427370
- const int **material\_grey\_900** = 2131427371
- const int **primary\_dark\_material\_dark** = 2131427372
- const int **primary\_dark\_material\_light** = 2131427373
- const int **primary\_material\_dark** = 2131427374
- const int **primary\_material\_light** = 2131427375
- const int **primary\_text\_default\_material\_dark** = 2131427376
- const int **primary\_text\_default\_material\_light** = 2131427377
- const int **primary\_text\_disabled\_material\_dark** = 2131427378
- const int **primary\_text\_disabled\_material\_light** = 2131427379
- const int **ripple\_material\_dark** = 2131427380

- const int **ripple\_material\_light** = 2131427381
- const int **secondary\_text\_default\_material\_dark** = 2131427382
- const int **secondary\_text\_default\_material\_light** = 2131427383
- const int **secondary\_text\_disabled\_material\_dark** = 2131427384
- const int **secondary\_text\_disabled\_material\_light** = 2131427385
- const int **switch\_thumb\_disabled\_material\_dark** = 2131427386
- const int **switch\_thumb\_disabled\_material\_light** = 2131427387
- const int **switch\_thumb\_material\_dark** = 2131427410
- const int **switch\_thumb\_material\_light** = 2131427411
- const int **switch\_thumb\_normal\_material\_dark** = 2131427388
- const int **switch\_thumb\_normal\_material\_light** = 2131427389

## 6.39.1 Member Data Documentation

### 6.39.1.1 abc\_background\_cache\_hint\_selector\_material\_dark

```
const int PROJEKT.Droid.Resource.Color.abc_background_cache_hint_selector_material_dark =  
2131427400
```

### 6.39.1.2 abc\_background\_cache\_hint\_selector\_material\_light

```
const int PROJEKT.Droid.Resource.Color.abc_background_cache_hint_selector_material_light =  
2131427401
```

### 6.39.1.3 abc\_color\_highlight\_material

```
const int PROJEKT.Droid.Resource.Color.abc_color_highlight_material = 2131427402
```

### 6.39.1.4 abc\_input\_method\_navigation\_guard

```
const int PROJEKT.Droid.Resource.Color.abc_input_method_navigation_guard = 2131427332
```

### 6.39.1.5 abc\_primary\_text\_disable\_only\_material\_dark

```
const int PROJEKT.Droid.Resource.Color.abc_primary_text_disable_only_material_dark = 2131427403
```

**6.39.1.6 abc\_primary\_text\_disable\_only\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.abc_primary_text_disable_only_material_light = 2131427404
```

**6.39.1.7 abc\_primary\_text\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.abc_primary_text_material_dark = 2131427405
```

**6.39.1.8 abc\_primary\_text\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.abc_primary_text_material_light = 2131427406
```

**6.39.1.9 abc\_search\_url\_text**

```
const int PROJEKT.Droid.Resource.Color.abc_search_url_text = 2131427407
```

**6.39.1.10 abc\_search\_url\_text\_normal**

```
const int PROJEKT.Droid.Resource.Color.abc_search_url_text_normal = 2131427333
```

**6.39.1.11 abc\_search\_url\_text\_pressed**

```
const int PROJEKT.Droid.Resource.Color.abc_search_url_text_pressed = 2131427334
```

**6.39.1.12 abc\_search\_url\_text\_selected**

```
const int PROJEKT.Droid.Resource.Color.abc_search_url_text_selected = 2131427335
```

**6.39.1.13 abc\_secondary\_text\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.abc_secondary_text_material_dark = 2131427408
```

**6.39.1.14 abc\_secondary\_text\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.abc_secondary_text_material_light = 2131427409
```

**6.39.1.15 accent\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.accent_material_dark = 2131427336
```

**6.39.1.16 accent\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.accent_material_light = 2131427337
```

**6.39.1.17 background\_floating\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.background_floating_material_dark = 2131427338
```

**6.39.1.18 background\_floating\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.background_floating_material_light = 2131427339
```

**6.39.1.19 background\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.background_material_dark = 2131427340
```

**6.39.1.20 background\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.background_material_light = 2131427341
```

**6.39.1.21 bright\_foreground\_disabled\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.bright_foreground_disabled_material_dark = 2131427342
```

**6.39.1.22 bright\_foreground\_disabled\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.bright_foreground_disabled_material_light = 2131427343
```

**6.39.1.23 bright\_foreground\_inverse\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.bright_foreground_inverse_material_dark = 2131427344
```

**6.39.1.24 bright\_foreground\_inverse\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.bright_foreground_inverse_material_light = 2131427345
```

**6.39.1.25 bright\_foreground\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.bright_foreground_material_dark = 2131427346
```

**6.39.1.26 bright\_foreground\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.bright_foreground_material_light = 2131427347
```

**6.39.1.27 button\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.button_material_dark = 2131427348
```

**6.39.1.28 button\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.button_material_light = 2131427349
```

**6.39.1.29 cardview\_dark\_background**

```
const int PROJEKT.Droid.Resource.Color.cardview_dark_background = 2131427328
```

**6.39.1.30 cardview\_light\_background**

```
const int PROJEKT.Droid.Resource.Color.cardview_light_background = 2131427329
```

**6.39.1.31 cardview\_shadow\_end\_color**

```
const int PROJEKT.Droid.Resource.Color.cardview_shadow_end_color = 2131427330
```

**6.39.1.32 cardview\_shadow\_start\_color**

```
const int PROJEKT.Droid.Resource.Color.cardview_shadow_start_color = 2131427331
```

**6.39.1.33 design\_fab\_shadow\_end\_color**

```
const int PROJEKT.Droid.Resource.Color.design_fab_shadow_end_color = 2131427390
```

**6.39.1.34 design\_fab\_shadow\_mid\_color**

```
const int PROJEKT.Droid.Resource.Color.design_fab_shadow_mid_color = 2131427391
```

**6.39.1.35 design\_fab\_shadow\_start\_color**

```
const int PROJEKT.Droid.Resource.Color.design_fab_shadow_start_color = 2131427392
```

**6.39.1.36 design\_fab\_stroke\_end\_inner\_color**

```
const int PROJEKT.Droid.Resource.Color.design_fab_stroke_end_inner_color = 2131427393
```

**6.39.1.37 design\_fab\_stroke\_end\_outer\_color**

```
const int PROJEKT.Droid.Resource.Color.design_fab_stroke_end_outer_color = 2131427394
```



**6.39.1.38 design\_fab\_stroke\_top\_inner\_color**

```
const int PROJEKT.Droid.Resource.Color.design_fab_stroke_top_inner_color = 2131427395
```

**6.39.1.39 design\_fab\_stroke\_top\_outer\_color**

```
const int PROJEKT.Droid.Resource.Color.design_fab_stroke_top_outer_color = 2131427396
```

**6.39.1.40 design\_snackbar\_background\_color**

```
const int PROJEKT.Droid.Resource.Color.design_snackbar_background_color = 2131427397
```

**6.39.1.41 design\_textinput\_error\_color\_dark**

```
const int PROJEKT.Droid.Resource.Color.design_textinput_error_color_dark = 2131427398
```

**6.39.1.42 design\_textinput\_error\_color\_light**

```
const int PROJEKT.Droid.Resource.Color.design_textinput_error_color_light = 2131427399
```

**6.39.1.43 dim\_foreground\_disabled\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.dim_foreground_disabled_material_dark = 2131427350
```

**6.39.1.44 dim\_foreground\_disabled\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.dim_foreground_disabled_material_light = 2131427351
```

**6.39.1.45 dim\_foreground\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.dim_foreground_material_dark = 2131427352
```

**6.39.1.46 dim\_foreground\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.dim_foreground_material_light = 2131427353
```

**6.39.1.47 foreground\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.foreground_material_dark = 2131427354
```

**6.39.1.48 foreground\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.foreground_material_light = 2131427355
```

**6.39.1.49 highlighted\_text\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.highlighted_text_material_dark = 2131427356
```

**6.39.1.50 highlighted\_text\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.highlighted_text_material_light = 2131427357
```

**6.39.1.51 hint\_foreground\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.hint_foreground_material_dark = 2131427358
```

**6.39.1.52 hint\_foreground\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.hint_foreground_material_light = 2131427359
```

**6.39.1.53 material\_blue\_grey\_800**

```
const int PROJEKT.Droid.Resource.Color.material_blue_grey_800 = 2131427360
```

**6.39.1.54 material\_blue\_grey\_900**

```
const int PROJEKT.Droid.Resource.Color.material_blue_grey_900 = 2131427361
```

**6.39.1.55 material\_blue\_grey\_950**

```
const int PROJEKT.Droid.Resource.Color.material_blue_grey_950 = 2131427362
```

**6.39.1.56 material\_deep\_teal\_200**

```
const int PROJEKT.Droid.Resource.Color.material_deep_teal_200 = 2131427363
```

**6.39.1.57 material\_deep\_teal\_500**

```
const int PROJEKT.Droid.Resource.Color.material_deep_teal_500 = 2131427364
```

**6.39.1.58 material\_grey\_100**

```
const int PROJEKT.Droid.Resource.Color.material_grey_100 = 2131427365
```

**6.39.1.59 material\_grey\_300**

```
const int PROJEKT.Droid.Resource.Color.material_grey_300 = 2131427366
```

**6.39.1.60 material\_grey\_50**

```
const int PROJEKT.Droid.Resource.Color.material_grey_50 = 2131427367
```

**6.39.1.61 material\_grey\_600**

```
const int PROJEKT.Droid.Resource.Color.material_grey_600 = 2131427368
```

**6.39.1.62 material\_grey\_800**

```
const int PROJEKT.Droid.Resource.Color.material_grey_800 = 2131427369
```

**6.39.1.63 material\_grey\_850**

```
const int PROJEKT.Droid.Resource.Color.material_grey_850 = 2131427370
```

**6.39.1.64 material\_grey\_900**

```
const int PROJEKT.Droid.Resource.Color.material_grey_900 = 2131427371
```

**6.39.1.65 primary\_dark\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.primary_dark_material_dark = 2131427372
```

**6.39.1.66 primary\_dark\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.primary_dark_material_light = 2131427373
```

**6.39.1.67 primary\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.primary_material_dark = 2131427374
```

**6.39.1.68 primary\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.primary_material_light = 2131427375
```

**6.39.1.69 primary\_text\_default\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.primary_text_default_material_dark = 2131427376
```

**6.39.1.70 primary\_text\_default\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.primary_text_default_material_light = 2131427377
```

**6.39.1.71 primary\_text\_disabled\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.primary_text_disabled_material_dark = 2131427378
```

**6.39.1.72 primary\_text\_disabled\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.primary_text_disabled_material_light = 2131427379
```

**6.39.1.73 ripple\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.ripple_material_dark = 2131427380
```

**6.39.1.74 ripple\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.ripple_material_light = 2131427381
```

**6.39.1.75 secondary\_text\_default\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.secondary_text_default_material_dark = 2131427382
```

**6.39.1.76 secondary\_text\_default\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.secondary_text_default_material_light = 2131427383
```

**6.39.1.77 secondary\_text\_disabled\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.secondary_text_disabled_material_dark = 2131427384
```

**6.39.1.78 secondary\_text\_disabled\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.secondary_text_disabled_material_light = 2131427385
```

**6.39.1.79 switch\_thumb\_disabled\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.switch_thumb_disabled_material_dark = 2131427386
```

**6.39.1.80 switch\_thumb\_disabled\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.switch_thumb_disabled_material_light = 2131427387
```

**6.39.1.81 switch\_thumb\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.switch_thumb_material_dark = 2131427410
```

**6.39.1.82 switch\_thumb\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.switch_thumb_material_light = 2131427411
```

**6.39.1.83 switch\_thumb\_normal\_material\_dark**

```
const int PROJEKT.Droid.Resource.Color.switch_thumb_normal_material_dark = 2131427388
```

**6.39.1.84 switch\_thumb\_normal\_material\_light**

```
const int PROJEKT.Droid.Resource.Color.switch_thumb_normal_material_light = 2131427389
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

## 6.40 PROJEKT.Models.API.CompetitionDTO Class Reference

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego konkursu.

### Properties

- int **Id** [get, set]
- string **Caption** [get, set]
- string **League** [get, set]
- string **Year** [get, set]
- int **CurrentMatchday** [get, set]
- int **NumberOfMatchdays** [get, set]
- int **NumberOfTeams** [get, set]
- int **NumberOfGames** [get, set]
- string **LastUpdated** [get, set]

### 6.40.1 Detailed Description

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego konkursu.

### 6.40.2 Property Documentation

#### 6.40.2.1 Caption

```
string PROJEKT.Models.API.CompetitionDTO.Caption [get], [set]
```

#### 6.40.2.2 CurrentMatchday

```
int PROJEKT.Models.API.CompetitionDTO.CurrentMatchday [get], [set]
```

#### 6.40.2.3 Id

```
int PROJEKT.Models.API.CompetitionDTO.Id [get], [set]
```

#### 6.40.2.4 LastUpdated

```
string PROJEKT.Models.API.CompetitionDTO.LastUpdated [get], [set]
```

#### 6.40.2.5 League

```
string PROJEKT.Models.API.CompetitionDTO.League [get], [set]
```

#### 6.40.2.6 NumberOfGames

```
int PROJEKT.Models.API.CompetitionDTO.NumberOfGames [get], [set]
```

#### 6.40.2.7 NumberOfMatchdays

```
int PROJEKT.Models.API.CompetitionDTO.NumberOfMatchdays [get], [set]
```

#### 6.40.2.8 NumberOfTeams

```
int PROJEKT.Models.API.CompetitionDTO.NumberOfTeams [get], [set]
```

#### 6.40.2.9 Year

```
string PROJEKT.Models.API.CompetitionDTO.Year [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/ **Competition**↔  
**DTO.cs**

## 6.41 PROJEKT.ViewModels.CompetitionItemViewModel Class Reference

Klasa pomocnicza do załadowania danych do widoku.



## Public Member Functions

- **CompetitionItemViewModel** ()  
*Konstruktor.*
- async void **DownloadData** (Label caption, Label year, Label currentMatchday, Label numberOfMatchdays, Label numberOfTeams)  
*Metoda do pobrania z API danych oraz wczytywanie ich do widoku.*

## Properties

- **CompetitionDTO Result** [get, set]  
*Lista obiektów CompetitionDTO do przekonwertowania danych z JSON.*

### 6.41.1 Detailed Description

Klasa pomocnicza do załadowania danych do widoku.

### 6.41.2 Constructor & Destructor Documentation

#### 6.41.2.1 CompetitionItemViewModel()

```
PROJEKT.ViewModels.CompetitionItemViewModel.CompetitionItemViewModel ( )
```

Konstruktor.

### 6.41.3 Member Function Documentation

#### 6.41.3.1 DownloadData()

```
async void PROJEKT.ViewModels.CompetitionItemViewModel.DownloadData (
    Label caption,
    Label year,
    Label currentMatchday,
    Label numberOfMatchdays,
    Label numberOfTeams )
```

Metoda do pobrania z API danych oraz wczytywanie ich do widoku.

### 6.41.4 Property Documentation

#### 6.41.4.1 Result

**CompetitionDTO** PROJEKT.ViewModels.CompetitionItemViewModel.Result [get], [set]


Lista obiektów CompetitionDTO do przekonwertowania danych z JSON.

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ **CompetitionItemViewModel.cs**

## 6.42 PROJEKT.Views.CompetitionPage Class Reference

Inheritance diagram for PROJEKT.Views.CompetitionPage:



### Public Member Functions

- **CompetitionPage** ()
- void **ChangeSelectedIndex** (int target)

### Protected Member Functions

- override void **OnAppearing** ()

## 6.42.1 Constructor & Destructor Documentation

### 6.42.1.1 CompetitionPage()

PROJEKT.Views.CompetitionPage.CompetitionPage ( )

## 6.42.2 Member Function Documentation

## 6.42.2.1 ChangeSelectedIndex()

```
void PROJEKT.Views.CompetitionPage.ChangeSelectedIndex (
    int target )
```

## 6.42.2.2 OnAppearing()


```
override void PROJEKT.Views.CompetitionPage.OnAppearing ( ) [protected]
```

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.Views.CompetitionPage.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/ **CompetitionPage.xaml.cs**

## 6.43 PROJEKT.Views.CompetitionsPage Class Reference

Inheritance diagram for PROJEKT.Views.CompetitionsPage:



## Public Member Functions

- **CompetitionsPage** ()

## Protected Member Functions

- override void **OnAppearing** ()

## 6.43.1 Constructor &amp; Destructor Documentation

## 6.43.1.1 CompetitionsPage()

```
PROJEKT.Views.CompetitionsPage.CompetitionsPage ( )
```

## 6.43.2 Member Function Documentation

### 6.43.2.1 OnAppearing()


```
override void PROJEKT.Views.CompetitionsPage.OnAppearing ( ) [protected]
```

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.Views.CompetitionsPage.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/ **CompetitionsPage.xaml.cs**

## 6.44 PROJEKT.Views.Controls.CompetitionsView Class Reference

Inheritance diagram for PROJEKT.Views.Controls.CompetitionsView:



### Public Member Functions

- **CompetitionsView ( )**

### 6.44.1 Constructor & Destructor Documentation

#### 6.44.1.1 CompetitionsView()

```
PROJEKT.Views.Controls.CompetitionsView.CompetitionsView ( )
```

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.Views.Controls.CompetitionsView.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/ **CompetitionsView.xaml.cs**

## 6.45 PROJEKT.ViewModels.CompetitionsViewModel Class Reference

Klasa pomocnicza do obsłużenia widoku CompetitionsPage.

### Public Member Functions

- async void **DownloadData** ( **IDownloadCompetition** download, ListView listView, Grid grid, Label lblNoInternet )

*Metoda do pobrania z API danych oraz wczytywanie ich do widoku.*

### Properties

- List< **CustomCompetition** > **Competitions** [get, set]  
*Lista CustomCompetition, która jest źródłem do kontrolki ListView.*
- List< **CompetitionDTO** > **Results** [get, set]  
*Lista obiektów CompetitionDTO do przekonwertowania danych z JSON.*

#### 6.45.1 Detailed Description

Klasa pomocnicza do obsłużenia widoku CompetitionsPage.

#### 6.45.2 Member Function Documentation

##### 6.45.2.1 DownloadData()

```
async void PROJEKT.ViewModels.CompetitionsViewModel.DownloadData (
    IDownloadCompetition download,
    ListView listView,
    Grid grid,
    Label lblNoInternet )
```

Metoda do pobrania z API danych oraz wczytywanie ich do widoku.

#### 6.45.3 Property Documentation

##### 6.45.3.1 Competitions

```
List< CustomCompetition> PROJEKT.ViewModels.CompetitionsViewModel.Competitions [get], [set]
```

Lista CustomCompetition, która jest źródłem do kontrolki ListView.

### 6.45.3.2 Results

```
List< CompetitionDTO> PROJEKT.ViewModels.CompetitionsViewModel.Results [get], [set]
```


Lista obiektów CompetitionDTO do przekonwertowania danych z JSON.

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ **Competitions↔  
ViewModel.cs**

## 6.46 PROJEKT.Views.Controls.CompetitionView Class Reference

Inheritance diagram for PROJEKT.Views.Controls.CompetitionView:



### Public Member Functions

- **CompetitionView** ()

### 6.46.1 Constructor & Destructor Documentation

#### 6.46.1.1 CompetitionView()

```
PROJEKT.Views.Controls.CompetitionView.CompetitionView ( )
```

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJE↔  
KT.Views.Controls.CompetitionView.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/  
**CompetitionView.xaml.cs**

## 6.47 PROJEKT.ViewModels.CompetitionViewModel Class Reference

Klasa pomocnicza do obsłużenia widoku CompetitionPage.

## Public Member Functions

- **CompetitionViewModel** ()  
*Konstruktor. Zaimplementowanie akcji.*
- void **ChangeBackground** (Grid grid)  
*Metoda zmieniająca tło menu dolnego.*
- void **DownloadData** ()  
*Metoda do utworzenia podstron.*

## Public Attributes

- **MyCarouselView view** = null  
*Obiekty kontrolek widoku.*
- Grid **GHome** = null
- Grid **GFixtures** = null
- Grid **GLeague** = null
- Grid **GTeams** = null

## Properties

- List< **CustomCompetition** > **ListPages** [get, set]  
*Lista CustomCompetition, która jest źródłem do kontrolki ListView.*
- Command **CmdHome** [get, set]  
*Komendy wykonywane na widoku.*
- Command **CmdFixtures** [get, set]
- Command **CmdLeague** [get, set]
- Command **CmdTeams** [get, set]

### 6.47.1 Detailed Description

Klasa pomocnicza do obsłużenia widoku CompetitionPage.

### 6.47.2 Constructor & Destructor Documentation

#### 6.47.2.1 CompetitionViewModel()

```
PROJEKT.ViewModels.CompetitionViewModel.CompetitionViewModel ( )
```

Konstruktor. Zaimplementowanie akcji.

### 6.47.3 Member Function Documentation

#### 6.47.3.1 ChangeBackground()

```
void PROJEKT.ViewModels.CompetitionViewModel.ChangeBackground (
    Grid grid )
```

Metoda zmieniająca tło menu dolnego.

#### 6.47.3.2 DownloadData()

```
void PROJEKT.ViewModels.CompetitionViewModel.DownloadData ( )
```

Metoda do utworzenia podstron.

### 6.47.4 Member Data Documentation

#### 6.47.4.1 GFixtures

```
Grid PROJEKT.ViewModels.CompetitionViewModel.GFixtures = null
```

#### 6.47.4.2 GHome

```
Grid PROJEKT.ViewModels.CompetitionViewModel.GHome = null
```

#### 6.47.4.3 GLeague

```
Grid PROJEKT.ViewModels.CompetitionViewModel.GLeague = null
```

#### 6.47.4.4 GTeams

```
Grid PROJEKT.ViewModels.CompetitionViewModel.GTeams = null
```



#### 6.47.4.5 view

**MyCarouselView** PROJEKT.ViewModels.CompetitionViewModel.view = null

Obiekty kontrolek widoku.

### 6.47.5 Property Documentation

#### 6.47.5.1 CmdFixtures

Command PROJEKT.ViewModels.CompetitionViewModel.CmdFixtures [get], [set]

#### 6.47.5.2 CmdHome

Command PROJEKT.ViewModels.CompetitionViewModel.CmdHome [get], [set]

Komendy wykonywane na widoku.

#### 6.47.5.3 CmdLeague

Command PROJEKT.ViewModels.CompetitionViewModel.CmdLeague [get], [set]

#### 6.47.5.4 CmdTeams

Command PROJEKT.ViewModels.CompetitionViewModel.CmdTeams [get], [set]

#### 6.47.5.5 ListPages

List< **CustomCompetition**> PROJEKT.ViewModels.CompetitionViewModel.ListPages [get], [set]


Lista CustomCompetition, która jest źródłem do kontrolki ListView.

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ **Competition↔  
ViewModel.cs**

## 6.48 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout:



### Public Member Functions

- **ConditionalFocusLayout** (android.content.Context p0) throws java.lang.Throwable
- **ConditionalFocusLayout** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↔ Throwable
- **ConditionalFocusLayout** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.↔ lang.Throwable
- **ConditionalFocusLayout** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- boolean **onTouch** (android.view.View p0, android.view.MotionEvent p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.48.1 Constructor & Destructor Documentation

#### 6.48.1.1 ConditionalFocusLayout() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout.ConditionalFocusLayout (
    android.content.Context p0 ) throws java.lang.Throwable
```

#### 6.48.1.2 ConditionalFocusLayout() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout.ConditionalFocusLayout (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.48.1.3 ConditionalFocusLayout() [ 3 / 4 ]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout.ConditionalFocusLayout (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.48.1.4 ConditionalFocusLayout() [ 4 / 4 ]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout.ConditionalFocusLayout (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.48.2 Member Function Documentation

### 6.48.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout.monodroidAddReference (
    java.lang.Object obj )
```

### 6.48.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout.monodroidClearReferences ( )
```

### 6.48.2.3 onTouch()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout.onTouch (
    android.view.View p0,
    android.view.MotionEvent p1 )
```

## 6.48.3 Member Data Documentation

### 6.48.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.**ConditionalFocusLayout.java**

## 6.49 PROJEKT.Models.Configuration Class Reference

Klasa pomocnicza ze stałymi wartościami do projektu

### Public Attributes

- const string **API\_COMPETITIONS** = "http://api.football-data.org/v1/competitions"

### 6.49.1 Detailed Description

Klasa pomocnicza ze stałymi wartościami do projektu

### 6.49.2 Member Data Documentation

#### 6.49.2.1 API\_COMPETITIONS

```
const string PROJEKT.Models.Configuration.API_COMPETITIONS = "http://api.football-data.org/v1/competitions"
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/ **Configuration.cs**

## 6.50 mono.android.support.v7.widget.ContentFrameLayout\_OnAttachListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.ContentFrameLayout\_OnAttachListenerImplementor:



## Public Member Functions

- **ContentFrameLayout\_OnAttachListenerImplementor** () throws java.lang.Throwable
- void **onAttachedFromWindow** ()
- void **onDetachedFromWindow** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.50.1 Constructor & Destructor Documentation

### 6.50.1.1 ContentFrameLayout\_OnAttachListenerImplementor()

```
mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor.ContentFrameLayout_OnAttachListenerImplementor ( ) throws java.lang.Throwable
```

## 6.50.2 Member Function Documentation

### 6.50.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

### 6.50.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor.monodroidClearReferences ( )
```

### 6.50.2.3 onAttachedFromWindow()

```
void mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor.onAttachedFromWindow ( )
```

#### 6.50.2.4 onDetachedFromWindow()

```
void mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor.onDetachedFromWindow ( )
```

### 6.50.3 Member Data Documentation

#### 6.50.3.1 \_\_md\_methods

```
final String mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android.support.v7.widget.ContentFrameLayout\_OnAttachListenerImplementor.java

## 6.51 PROJEKT.Models.CustomCompetition Class Reference

Klasa pomocnicza do przechowywania danych dla widoku.

### Properties

- int **Id** [get, set]
- string **Caption** [get, set]
- string **League** [get, set]
- string **Year** [get, set]
- string **CurrentMatchday** [get, set]
- string **NumberOfMatchdays** [get, set]
- string **NumerOfTeams** [get, set]

#### 6.51.1 Detailed Description

Klasa pomocnicza do przechowywania danych dla widoku.

#### 6.51.2 Property Documentation

#### 6.51.2.1 Caption

```
string PROJEKT.Models.CustomCompetition.Caption [get], [set]
```

#### 6.51.2.2 CurrentMatchday

```
string PROJEKT.Models.CustomCompetition.CurrentMatchday [get], [set]
```

#### 6.51.2.3 Id

```
int PROJEKT.Models.CustomCompetition.Id [get], [set]
```

#### 6.51.2.4 League

```
string PROJEKT.Models.CustomCompetition.League [get], [set]
```

#### 6.51.2.5 NumberOfMatchdays

```
string PROJEKT.Models.CustomCompetition.NumberOfMatchdays [get], [set]
```

#### 6.51.2.6 NumerOfTeams

```
string PROJEKT.Models.CustomCompetition.NumerOfTeams [get], [set]
```

#### 6.51.2.7 Year

```
string PROJEKT.Models.CustomCompetition.Year [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/**CustomCompetition.cs**

## 6.52 PROJEKT.Models.CustomFixture Class Reference

Klasa pomocnicza do przechowywania danych dla widoku.

### Properties

- string **Date** [get, set]
- string **HomeTeam** [get, set]
- string **AwayTeam** [get, set]
- string **HomeTeamGoals** [get, set]
- string **AwayTeamGoals** [get, set]

### 6.52.1 Detailed Description

Klasa pomocnicza do przechowywania danych dla widoku.

### 6.52.2 Property Documentation

#### 6.52.2.1 AwayTeam

```
string PROJEKT.Models.CustomFixture.AwayTeam [get], [set]
```

#### 6.52.2.2 AwayTeamGoals

```
string PROJEKT.Models.CustomFixture.AwayTeamGoals [get], [set]
```

#### 6.52.2.3 Date

```
string PROJEKT.Models.CustomFixture.Date [get], [set]
```

#### 6.52.2.4 HomeTeam

```
string PROJEKT.Models.CustomFixture.HomeTeam [get], [set]
```



#### 6.52.2.5 HomeTeamGoals

```
string PROJEKT.Models.CustomFixture.HomeTeamGoals [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/**CustomFixture.cs** ↩

## 6.53 PROJEKT.Models.CustomTeam Class Reference

Klasa pomocnicza do przechowywania danych dla widoku.

### Properties

- string **Lp** [get, set]
- string **Name** [get, set]

#### 6.53.1 Detailed Description

Klasa pomocnicza do przechowywania danych dla widoku.

#### 6.53.2 Property Documentation

##### 6.53.2.1 Lp

```
string PROJEKT.Models.CustomTeam.Lp [get], [set]
```

##### 6.53.2.2 Name

```
string PROJEKT.Models.CustomTeam.Name [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/**CustomTeam.cs** ↩



## 6.54.2 Member Function Documentation

### 6.54.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.54.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer.monodroidClearReferences ( )
```

## 6.54.3 Member Data Documentation

### 6.54.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer.java

## 6.55 md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer\_TextFieldClickHandler Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer\_TextFieldClickHandler:



## Public Member Functions

- **DatePickerRenderer\_TextFieldClickHandler** () throws java.lang.Throwable
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.55.1 Constructor & Destructor Documentation

### 6.55.1.1 DatePickerRenderer\_TextFieldClickHandler()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler.DatePicker↵  
Renderer_TextFieldClickHandler ( ) throws java.lang.Throwable
```

## 6.55.2 Member Function Documentation

### 6.55.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler.monodroid↵  
AddReference (   
    java.lang.Object obj )
```

### 6.55.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler.monodroid↵  
ClearReferences ( )
```

### 6.55.2.3 onClick()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler.onClick (   
    android.view.View p0 )
```

## 6.55.3 Member Data Documentation

## 6.55.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler.____↵
md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer\_TextFieldClickHandler.java

## 6.56 PROJEKT.Droid.Resource.Dimension Class Reference

## Public Attributes

- const int **abc\_action\_bar\_content\_inset\_material** = 2131099673
- const int **abc\_action\_bar\_default\_height\_material** = 2131099661
- const int **abc\_action\_bar\_default\_padding\_end\_material** = 2131099674
- const int **abc\_action\_bar\_default\_padding\_start\_material** = 2131099675
- const int **abc\_action\_bar\_icon\_vertical\_padding\_material** = 2131099677
- const int **abc\_action\_bar\_overflow\_padding\_end\_material** = 2131099678
- const int **abc\_action\_bar\_overflow\_padding\_start\_material** = 2131099679
- const int **abc\_action\_bar\_progress\_bar\_size** = 2131099662
- const int **abc\_action\_bar\_stacked\_max\_height** = 2131099680
- const int **abc\_action\_bar\_stacked\_tab\_max\_width** = 2131099681
- const int **abc\_action\_bar\_subtitle\_bottom\_margin\_material** = 2131099682
- const int **abc\_action\_bar\_subtitle\_top\_margin\_material** = 2131099683
- const int **abc\_action\_button\_min\_height\_material** = 2131099684
- const int **abc\_action\_button\_min\_width\_material** = 2131099685
- const int **abc\_action\_button\_min\_width\_overflow\_material** = 2131099686
- const int **abc\_alert\_dialog\_button\_bar\_height** = 2131099660
- const int **abc\_button\_inset\_horizontal\_material** = 2131099687
- const int **abc\_button\_inset\_vertical\_material** = 2131099688
- const int **abc\_button\_padding\_horizontal\_material** = 2131099689
- const int **abc\_button\_padding\_vertical\_material** = 2131099690
- const int **abc\_config\_prefDialogWidth** = 2131099665
- const int **abc\_control\_corner\_material** = 2131099691
- const int **abc\_control\_inset\_material** = 2131099692
- const int **abc\_control\_padding\_material** = 2131099693
- const int **abc\_dialog\_fixed\_height\_major** = 2131099666
- const int **abc\_dialog\_fixed\_height\_minor** = 2131099667
- const int **abc\_dialog\_fixed\_width\_major** = 2131099668
- const int **abc\_dialog\_fixed\_width\_minor** = 2131099669
- const int **abc\_dialog\_list\_padding\_vertical\_material** = 2131099694
- const int **abc\_dialog\_min\_width\_major** = 2131099670
- const int **abc\_dialog\_min\_width\_minor** = 2131099671
- const int **abc\_dialog\_padding\_material** = 2131099695
- const int **abc\_dialog\_padding\_top\_material** = 2131099696
- const int **abc\_disabled\_alpha\_material\_dark** = 2131099697
- const int **abc\_disabled\_alpha\_material\_light** = 2131099698
- const int **abc\_dropdownitem\_icon\_width** = 2131099699
- const int **abc\_dropdownitem\_text\_padding\_left** = 2131099700
- const int **abc\_dropdownitem\_text\_padding\_right** = 2131099701

- const int **abc\_edit\_text\_inset\_bottom\_material** = 2131099702
- const int **abc\_edit\_text\_inset\_horizontal\_material** = 2131099703
- const int **abc\_edit\_text\_inset\_top\_material** = 2131099704
- const int **abc\_floating\_window\_z** = 2131099705
- const int **abc\_list\_item\_padding\_horizontal\_material** = 2131099706
- const int **abc\_panel\_menu\_list\_width** = 2131099707
- const int **abc\_search\_view\_preferred\_width** = 2131099708
- const int **abc\_search\_view\_text\_min\_width** = 2131099672
- const int **abc\_seekbar\_track\_background\_height\_material** = 2131099709
- const int **abc\_seekbar\_track\_progress\_height\_material** = 2131099710
- const int **abc\_select\_dialog\_padding\_start\_material** = 2131099711
- const int **abc\_switch\_padding** = 2131099676
- const int **abc\_text\_size\_body\_1\_material** = 2131099712
- const int **abc\_text\_size\_body\_2\_material** = 2131099713
- const int **abc\_text\_size\_button\_material** = 2131099714
- const int **abc\_text\_size\_caption\_material** = 2131099715
- const int **abc\_text\_size\_display\_1\_material** = 2131099716
- const int **abc\_text\_size\_display\_2\_material** = 2131099717
- const int **abc\_text\_size\_display\_3\_material** = 2131099718
- const int **abc\_text\_size\_display\_4\_material** = 2131099719
- const int **abc\_text\_size\_headline\_material** = 2131099720
- const int **abc\_text\_size\_large\_material** = 2131099721
- const int **abc\_text\_size\_medium\_material** = 2131099722
- const int **abc\_text\_size\_menu\_material** = 2131099723
- const int **abc\_text\_size\_small\_material** = 2131099724
- const int **abc\_text\_size\_subhead\_material** = 2131099725
- const int **abc\_text\_size\_subtitle\_material\_toolbar** = 2131099663
- const int **abc\_text\_size\_title\_material** = 2131099726
- const int **abc\_text\_size\_title\_material\_toolbar** = 2131099664
- const int **cardview\_compat\_inset\_shadow** = 2131099657
- const int **cardview\_default\_elevation** = 2131099658
- const int **cardview\_default\_radius** = 2131099659
- const int **design\_appbar\_elevation** = 2131099743
- const int **design\_bottom\_sheet\_modal\_elevation** = 2131099744
- const int **design\_bottom\_sheet\_modal\_peek\_height** = 2131099745
- const int **design\_fab\_border\_width** = 2131099746
- const int **design\_fab\_elevation** = 2131099747
- const int **design\_fab\_image\_size** = 2131099748
- const int **design\_fab\_size\_mini** = 2131099749
- const int **design\_fab\_size\_normal** = 2131099750
- const int **design\_fab\_translation\_z\_pressed** = 2131099751
- const int **design\_navigation\_elevation** = 2131099752
- const int **design\_navigation\_icon\_padding** = 2131099753
- const int **design\_navigation\_icon\_size** = 2131099754
- const int **design\_navigation\_max\_width** = 2131099735
- const int **design\_navigation\_padding\_bottom** = 2131099755
- const int **design\_navigation\_separator\_vertical\_padding** = 2131099756
- const int **design\_snackbar\_action\_inline\_max\_width** = 2131099736
- const int **design\_snackbar\_background\_corner\_radius** = 2131099737
- const int **design\_snackbar\_elevation** = 2131099757
- const int **design\_snackbar\_extra\_spacing\_horizontal** = 2131099738
- const int **design\_snackbar\_max\_width** = 2131099739
- const int **design\_snackbar\_min\_width** = 2131099740
- const int **design\_snackbar\_padding\_horizontal** = 2131099758
- const int **design\_snackbar\_padding\_vertical** = 2131099759

- const int **design\_snackbar\_padding\_vertical\_2lines** = 2131099741
- const int **design\_snackbar\_text\_size** = 2131099760
- const int **design\_tab\_max\_width** = 2131099761
- const int **design\_tab\_scrollable\_min\_width** = 2131099742
- const int **design\_tab\_text\_size** = 2131099762
- const int **design\_tab\_text\_size\_2line** = 2131099763
- const int **disabled\_alpha\_material\_dark** = 2131099727
- const int **disabled\_alpha\_material\_light** = 2131099728
- const int **highlight\_alpha\_material\_colored** = 2131099729
- const int **highlight\_alpha\_material\_dark** = 2131099730
- const int **highlight\_alpha\_material\_light** = 2131099731
- const int **item\_touch\_helper\_max\_drag\_scroll\_per\_frame** = 2131099648
- const int **item\_touch\_helper\_swipe\_escape\_max\_velocity** = 2131099649
- const int **item\_touch\_helper\_swipe\_escape\_velocity** = 2131099650
- const int **mr\_controller\_volume\_group\_list\_item\_height** = 2131099651
- const int **mr\_controller\_volume\_group\_list\_item\_icon\_size** = 2131099652
- const int **mr\_controller\_volume\_group\_list\_max\_height** = 2131099653
- const int **mr\_controller\_volume\_group\_list\_padding\_top** = 2131099656
- const int **mr\_dialog\_fixed\_width\_major** = 2131099654
- const int **mr\_dialog\_fixed\_width\_minor** = 2131099655
- const int **notification\_large\_icon\_height** = 2131099732
- const int **notification\_large\_icon\_width** = 2131099733
- const int **notification\_subtext\_size** = 2131099734

### 6.56.1 Member Data Documentation

#### 6.56.1.1 abc\_action\_bar\_content\_inset\_material

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_content_inset_material = 2131099673
```

#### 6.56.1.2 abc\_action\_bar\_default\_height\_material

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_default_height_material = 2131099661
```

#### 6.56.1.3 abc\_action\_bar\_default\_padding\_end\_material

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_default_padding_end_material = 2131099674
```

#### 6.56.1.4 abc\_action\_bar\_default\_padding\_start\_material

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_default_padding_start_material =  
2131099675
```

#### 6.56.1.5 abc\_action\_bar\_icon\_vertical\_padding\_material

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_icon_vertical_padding_material =  
2131099677
```

#### 6.56.1.6 abc\_action\_bar\_overflow\_padding\_end\_material

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_overflow_padding_end_material =  
2131099678
```

#### 6.56.1.7 abc\_action\_bar\_overflow\_padding\_start\_material

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_overflow_padding_start_material =  
2131099679
```

#### 6.56.1.8 abc\_action\_bar\_progress\_bar\_size

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_progress_bar_size = 2131099662
```

#### 6.56.1.9 abc\_action\_bar\_stacked\_max\_height

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_stacked_max_height = 2131099680
```

#### 6.56.1.10 abc\_action\_bar\_stacked\_tab\_max\_width

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_stacked_tab_max_width = 2131099681
```



**6.56.1.11 abc\_action\_bar\_subtitle\_bottom\_margin\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_subtitle_bottom_margin_material =  
2131099682
```

**6.56.1.12 abc\_action\_bar\_subtitle\_top\_margin\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_bar_subtitle_top_margin_material = 2131099683
```

**6.56.1.13 abc\_action\_button\_min\_height\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_button_min_height_material = 2131099684
```

**6.56.1.14 abc\_action\_button\_min\_width\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_button_min_width_material = 2131099685
```

**6.56.1.15 abc\_action\_button\_min\_width\_overflow\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_action_button_min_width_overflow_material =  
2131099686
```

**6.56.1.16 abc\_alert\_dialog\_button\_bar\_height**

```
const int PROJEKT.Droid.Resource.Dimension.abc_alert_dialog_button_bar_height = 2131099660
```

**6.56.1.17 abc\_button\_inset\_horizontal\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_button_inset_horizontal_material = 2131099687
```

**6.56.1.18 abc\_button\_inset\_vertical\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_button_inset_vertical_material = 2131099688
```

**6.56.1.19 abc\_button\_padding\_horizontal\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_button_padding_horizontal_material = 2131099689
```

**6.56.1.20 abc\_button\_padding\_vertical\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_button_padding_vertical_material = 2131099690
```

**6.56.1.21 abc\_config\_prefDialogWidth**

```
const int PROJEKT.Droid.Resource.Dimension.abc_config_prefDialogWidth = 2131099665
```

**6.56.1.22 abc\_control\_corner\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_control_corner_material = 2131099691
```

**6.56.1.23 abc\_control\_inset\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_control_inset_material = 2131099692
```

**6.56.1.24 abc\_control\_padding\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_control_padding_material = 2131099693
```

**6.56.1.25 abc\_dialog\_fixed\_height\_major**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dialog_fixed_height_major = 2131099666
```

**6.56.1.26 abc\_dialog\_fixed\_height\_minor**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dialog_fixed_height_minor = 2131099667
```

**6.56.1.27 abc\_dialog\_fixed\_width\_major**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dialog_fixed_width_major = 2131099668
```

**6.56.1.28 abc\_dialog\_fixed\_width\_minor**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dialog_fixed_width_minor = 2131099669
```

**6.56.1.29 abc\_dialog\_list\_padding\_vertical\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dialog_list_padding_vertical_material = 2131099694
```

**6.56.1.30 abc\_dialog\_min\_width\_major**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dialog_min_width_major = 2131099670
```

**6.56.1.31 abc\_dialog\_min\_width\_minor**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dialog_min_width_minor = 2131099671
```

**6.56.1.32 abc\_dialog\_padding\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dialog_padding_material = 2131099695
```

**6.56.1.33 abc\_dialog\_padding\_top\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dialog_padding_top_material = 2131099696
```

**6.56.1.34 abc\_disabled\_alpha\_material\_dark**

```
const int PROJEKT.Droid.Resource.Dimension.abc_disabled_alpha_material_dark = 2131099697
```

**6.56.1.35 abc\_disabled\_alpha\_material\_light**

```
const int PROJEKT.Droid.Resource.Dimension.abc_disabled_alpha_material_light = 2131099698
```

**6.56.1.36 abc\_dropdownitem\_icon\_width**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dropdownitem_icon_width = 2131099699
```

**6.56.1.37 abc\_dropdownitem\_text\_padding\_left**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dropdownitem_text_padding_left = 2131099700
```

**6.56.1.38 abc\_dropdownitem\_text\_padding\_right**

```
const int PROJEKT.Droid.Resource.Dimension.abc_dropdownitem_text_padding_right = 2131099701
```

**6.56.1.39 abc\_edit\_text\_inset\_bottom\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_edit_text_inset_bottom_material = 2131099702
```

**6.56.1.40 abc\_edit\_text\_inset\_horizontal\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_edit_text_inset_horizontal_material = 2131099703
```

**6.56.1.41 abc\_edit\_text\_inset\_top\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_edit_text_inset_top_material = 2131099704
```

**6.56.1.42 abc\_floating\_window\_z**

```
const int PROJEKT.Droid.Resource.Dimension.abc_floating_window_z = 2131099705
```

**6.56.1.43 abc\_list\_item\_padding\_horizontal\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_list_item_padding_horizontal_material = 2131099706
```

**6.56.1.44 abc\_panel\_menu\_list\_width**

```
const int PROJEKT.Droid.Resource.Dimension.abc_panel_menu_list_width = 2131099707
```

**6.56.1.45 abc\_search\_view\_preferred\_width**

```
const int PROJEKT.Droid.Resource.Dimension.abc_search_view_preferred_width = 2131099708
```

**6.56.1.46 abc\_search\_view\_text\_min\_width**

```
const int PROJEKT.Droid.Resource.Dimension.abc_search_view_text_min_width = 2131099672
```

**6.56.1.47 abc\_seekbar\_track\_background\_height\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_seekbar_track_background_height_material =  
2131099709
```

**6.56.1.48 abc\_seekbar\_track\_progress\_height\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_seekbar_track_progress_height_material = 2131099710
```

**6.56.1.49 abc\_select\_dialog\_padding\_start\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_select_dialog_padding_start_material = 2131099711
```

**6.56.1.50 abc\_switch\_padding**

```
const int PROJEKT.Droid.Resource.Dimension.abc_switch_padding = 2131099676
```

**6.56.1.51 abc\_text\_size\_body\_1\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_body_1_material = 2131099712
```

**6.56.1.52 abc\_text\_size\_body\_2\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_body_2_material = 2131099713
```

**6.56.1.53 abc\_text\_size\_button\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_button_material = 2131099714
```

**6.56.1.54 abc\_text\_size\_caption\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_caption_material = 2131099715
```

**6.56.1.55 abc\_text\_size\_display\_1\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_display_1_material = 2131099716
```

**6.56.1.56 abc\_text\_size\_display\_2\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_display_2_material = 2131099717
```

**6.56.1.57 abc\_text\_size\_display\_3\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_display_3_material = 2131099718
```

**6.56.1.58 abc\_text\_size\_display\_4\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_display_4_material = 2131099719
```

**6.56.1.59 abc\_text\_size\_headline\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_headline_material = 2131099720
```

**6.56.1.60 abc\_text\_size\_large\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_large_material = 2131099721
```

**6.56.1.61 abc\_text\_size\_medium\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_medium_material = 2131099722
```

**6.56.1.62 abc\_text\_size\_menu\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_menu_material = 2131099723
```

**6.56.1.63 abc\_text\_size\_small\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_small_material = 2131099724
```

**6.56.1.64 abc\_text\_size\_subhead\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_subhead_material = 2131099725
```

**6.56.1.65 abc\_text\_size\_subtitle\_material\_toolbar**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_subtitle_material_toolbar = 2131099663
```

**6.56.1.66 abc\_text\_size\_title\_material**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_title_material = 2131099726
```

**6.56.1.67 abc\_text\_size\_title\_material\_toolbar**

```
const int PROJEKT.Droid.Resource.Dimension.abc_text_size_title_material_toolbar = 2131099664
```

**6.56.1.68 cardview\_compat\_inset\_shadow**

```
const int PROJEKT.Droid.Resource.Dimension.cardview_compat_inset_shadow = 2131099657
```

**6.56.1.69 cardview\_default\_elevation**

```
const int PROJEKT.Droid.Resource.Dimension.cardview_default_elevation = 2131099658
```

**6.56.1.70 cardview\_default\_radius**

```
const int PROJEKT.Droid.Resource.Dimension.cardview_default_radius = 2131099659
```

**6.56.1.71 design\_appbar\_elevation**

```
const int PROJEKT.Droid.Resource.Dimension.design_appbar_elevation = 2131099743
```

**6.56.1.72 design\_bottom\_sheet\_modal\_elevation**

```
const int PROJEKT.Droid.Resource.Dimension.design_bottom_sheet_modal_elevation = 2131099744
```



**6.56.1.73 design\_bottom\_sheet\_modal\_peek\_height**

```
const int PROJEKT.Droid.Resource.Dimension.design_bottom_sheet_modal_peek_height = 2131099745
```

**6.56.1.74 design\_fab\_border\_width**

```
const int PROJEKT.Droid.Resource.Dimension.design_fab_border_width = 2131099746
```

**6.56.1.75 design\_fab\_elevation**

```
const int PROJEKT.Droid.Resource.Dimension.design_fab_elevation = 2131099747
```

**6.56.1.76 design\_fab\_image\_size**

```
const int PROJEKT.Droid.Resource.Dimension.design_fab_image_size = 2131099748
```

**6.56.1.77 design\_fab\_size\_mini**

```
const int PROJEKT.Droid.Resource.Dimension.design_fab_size_mini = 2131099749
```

**6.56.1.78 design\_fab\_size\_normal**

```
const int PROJEKT.Droid.Resource.Dimension.design_fab_size_normal = 2131099750
```

**6.56.1.79 design\_fab\_translation\_z\_pressed**

```
const int PROJEKT.Droid.Resource.Dimension.design_fab_translation_z_pressed = 2131099751
```

**6.56.1.80 design\_navigation\_elevation**

```
const int PROJEKT.Droid.Resource.Dimension.design_navigation_elevation = 2131099752
```

**6.56.1.81 design\_navigation\_icon\_padding**

```
const int PROJEKT.Droid.Resource.Dimension.design_navigation_icon_padding = 2131099753
```

**6.56.1.82 design\_navigation\_icon\_size**

```
const int PROJEKT.Droid.Resource.Dimension.design_navigation_icon_size = 2131099754
```

**6.56.1.83 design\_navigation\_max\_width**

```
const int PROJEKT.Droid.Resource.Dimension.design_navigation_max_width = 2131099735
```

**6.56.1.84 design\_navigation\_padding\_bottom**

```
const int PROJEKT.Droid.Resource.Dimension.design_navigation_padding_bottom = 2131099755
```

**6.56.1.85 design\_navigation\_separator\_vertical\_padding**

```
const int PROJEKT.Droid.Resource.Dimension.design_navigation_separator_vertical_padding =  
2131099756
```

**6.56.1.86 design\_snackbar\_action\_inline\_max\_width**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_action_inline_max_width = 2131099736
```

**6.56.1.87 design\_snackbar\_background\_corner\_radius**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_background_corner_radius = 2131099737
```

**6.56.1.88 design\_snackbar\_elevation**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_elevation = 2131099757
```

**6.56.1.89 design\_snackbar\_extra\_spacing\_horizontal**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_extra_spacing_horizontal = 2131099738
```

**6.56.1.90 design\_snackbar\_max\_width**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_max_width = 2131099739
```

**6.56.1.91 design\_snackbar\_min\_width**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_min_width = 2131099740
```

**6.56.1.92 design\_snackbar\_padding\_horizontal**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_padding_horizontal = 2131099758
```

**6.56.1.93 design\_snackbar\_padding\_vertical**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_padding_vertical = 2131099759
```

**6.56.1.94 design\_snackbar\_padding\_vertical\_2lines**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_padding_vertical_2lines = 2131099741
```

**6.56.1.95 design\_snackbar\_text\_size**

```
const int PROJEKT.Droid.Resource.Dimension.design_snackbar_text_size = 2131099760
```

**6.56.1.96 design\_tab\_max\_width**

```
const int PROJEKT.Droid.Resource.Dimension.design_tab_max_width = 2131099761
```

**6.56.1.97 design\_tab\_scrollable\_min\_width**

```
const int PROJEKT.Droid.Resource.Dimension.design_tab_scrollable_min_width = 2131099742
```

**6.56.1.98 design\_tab\_text\_size**

```
const int PROJEKT.Droid.Resource.Dimension.design_tab_text_size = 2131099762
```

**6.56.1.99 design\_tab\_text\_size\_2line**

```
const int PROJEKT.Droid.Resource.Dimension.design_tab_text_size_2line = 2131099763
```

**6.56.1.100 disabled\_alpha\_material\_dark**

```
const int PROJEKT.Droid.Resource.Dimension.disabled_alpha_material_dark = 2131099727
```

**6.56.1.101 disabled\_alpha\_material\_light**

```
const int PROJEKT.Droid.Resource.Dimension.disabled_alpha_material_light = 2131099728
```

**6.56.1.102 highlight\_alpha\_material\_colored**

```
const int PROJEKT.Droid.Resource.Dimension.highlight_alpha_material_colored = 2131099729
```

**6.56.1.103 highlight\_alpha\_material\_dark**

```
const int PROJEKT.Droid.Resource.Dimension.highlight_alpha_material_dark = 2131099730
```

**6.56.1.104 highlight\_alpha\_material\_light**

```
const int PROJEKT.Droid.Resource.Dimension.highlight_alpha_material_light = 2131099731
```

**6.56.1.105 item\_touch\_helper\_max\_drag\_scroll\_per\_frame**

```
const int PROJEKT.Droid.Resource.Dimension.item_touch_helper_max_drag_scroll_per_frame = 2131099648
```

**6.56.1.106 item\_touch\_helper\_swipe\_escape\_max\_velocity**

```
const int PROJEKT.Droid.Resource.Dimension.item_touch_helper_swipe_escape_max_velocity = 2131099649
```

**6.56.1.107 item\_touch\_helper\_swipe\_escape\_velocity**

```
const int PROJEKT.Droid.Resource.Dimension.item_touch_helper_swipe_escape_velocity = 2131099650
```

**6.56.1.108 mr\_controller\_volume\_group\_list\_item\_height**

```
const int PROJEKT.Droid.Resource.Dimension.mr_controller_volume_group_list_item_height = 2131099651
```

**6.56.1.109 mr\_controller\_volume\_group\_list\_item\_icon\_size**

```
const int PROJEKT.Droid.Resource.Dimension.mr_controller_volume_group_list_item_icon_size =  
2131099652
```

**6.56.1.110 mr\_controller\_volume\_group\_list\_max\_height**

```
const int PROJEKT.Droid.Resource.Dimension.mr_controller_volume_group_list_max_height = 2131099653
```

**6.56.1.111 mr\_controller\_volume\_group\_list\_padding\_top**

```
const int PROJEKT.Droid.Resource.Dimension.mr_controller_volume_group_list_padding_top = 2131099656
```

**6.56.1.112 mr\_dialog\_fixed\_width\_major**

```
const int PROJEKT.Droid.Resource.Dimension.mr_dialog_fixed_width_major = 2131099654
```

**6.56.1.113 mr\_dialog\_fixed\_width\_minor**

```
const int PROJEKT.Droid.Resource.Dimension.mr_dialog_fixed_width_minor = 2131099655
```

**6.56.1.114 notification\_large\_icon\_height**

```
const int PROJEKT.Droid.Resource.Dimension.notification_large_icon_height = 2131099732
```

**6.56.1.115 notification\_large\_icon\_width**

```
const int PROJEKT.Droid.Resource.Dimension.notification_large_icon_width = 2131099733
```

**6.56.1.116 notification\_subtext\_size**

```
const int PROJEKT.Droid.Resource.Dimension.notification_subtext_size = 2131099734
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

## 6.57 PROJEKT.ViewModels.DownloadCompetition Class Reference

Klasa implementująca metode API potrzebna do pobrania Competition

Inheritance diagram for PROJEKT.ViewModels.DownloadCompetition:



## Public Member Functions

- `async System.Threading.Tasks.Task HttpCall ()`

## Properties

- `List< CompetitionDTO > results [get, set]`

### 6.57.1 Detailed Description

Klasa implementująca metode API potrzebna do pobrania Competition

### 6.57.2 Member Function Documentation

#### 6.57.2.1 HttpCall()

```
async System.Threading.Tasks.Task PROJEKT.ViewModels.DownloadCompetition.HttpCall ( )
```

Implements **PROJEKT.Models.Interfaces.IDownloadCompetition** (p. 323).

### 6.57.3 Property Documentation

#### 6.57.3.1 results

```
List< CompetitionDTO> PROJEKT.ViewModels.DownloadCompetition.results [get], [set]
```


The documentation for this class was generated from the following file:

- `C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ Competitions↔  
ViewModel.cs`

## 6.58 PROJEKT.ViewModels.DownloadFixture Class Reference

Klasa implementująca metode API potrzebna do pobrania Fixture

Inheritance diagram for PROJEKT.ViewModels.DownloadFixture:



## Public Member Functions

- `async System.Threading.Tasks.Task HttpCall ()`

## Properties

- **FixturesDTO results** `[get, set]`

### 6.58.1 Detailed Description

Klasa implementująca metode API potrzebna do pobrania Fixture

### 6.58.2 Member Function Documentation

#### 6.58.2.1 HttpCall()

`async System.Threading.Tasks.Task PROJEKT.ViewModels.DownloadFixture.HttpCall ()`

Implements **PROJEKT.Models.Interfaces.IDownloadFixture** (p. 324).

### 6.58.3 Property Documentation

#### 6.58.3.1 results

**FixturesDTO** `PROJEKT.ViewModels.DownloadFixture.results [get], [set]`


The documentation for this class was generated from the following file:

- `C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/FixtureItemViewModel.cs`↔

## 6.59 PROJEKT.ViewModels.DownloadTeam Class Reference

Klasa implementująca metode API potrzebna do pobrania Team

Inheritance diagram for PROJEKT.ViewModels.DownloadTeam:





## Public Member Functions

- `async System.Threading.Tasks.Task HttpCall ()`

## Properties

- `TeamsDTO results [get, set]`

### 6.59.1 Detailed Description

Klasa implementująca metode API potrzebna do pobrania Team

### 6.59.2 Member Function Documentation

#### 6.59.2.1 HttpCall()

`async System.Threading.Tasks.Task PROJEKT.ViewModels.DownloadTeam.HttpCall ( )`

Implements **PROJEKT.Models.Interfaces.IDownloadTeam** (p. 325).

### 6.59.3 Property Documentation

#### 6.59.3.1 results

**TeamsDTO** `PROJEKT.ViewModels.DownloadTeam.results [get], [set]`

The documentation for this class was generated from the following file:

- `C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ Team↔  
ItemViewModel.cs`

## 6.60 PROJEKT.Droid.Resource.Drawable Class Reference

### Public Attributes

- const int **abc\_ab\_share\_pack\_mtrl\_alpha** = 2130837504
- const int **abc\_action\_bar\_item\_background\_material** = 2130837505
- const int **abc\_btn\_borderless\_material** = 2130837506
- const int **abc\_btn\_check\_material** = 2130837507
- const int **abc\_btn\_check\_to\_on\_mtrl\_000** = 2130837508
- const int **abc\_btn\_check\_to\_on\_mtrl\_015** = 2130837509
- const int **abc\_btn\_colored\_material** = 2130837510
- const int **abc\_btn\_default\_mtrl\_shape** = 2130837511
- const int **abc\_btn\_radio\_material** = 2130837512
- const int **abc\_btn\_radio\_to\_on\_mtrl\_000** = 2130837513
- const int **abc\_btn\_radio\_to\_on\_mtrl\_015** = 2130837514
- const int **abc\_btn\_rating\_star\_off\_mtrl\_alpha** = 2130837515
- const int **abc\_btn\_rating\_star\_on\_mtrl\_alpha** = 2130837516
- const int **abc\_btn\_switch\_to\_on\_mtrl\_00001** = 2130837517
- const int **abc\_btn\_switch\_to\_on\_mtrl\_00012** = 2130837518
- const int **abc\_cab\_background\_internal\_bg** = 2130837519
- const int **abc\_cab\_background\_top\_material** = 2130837520
- const int **abc\_cab\_background\_top\_mtrl\_alpha** = 2130837521
- const int **abc\_control\_background\_material** = 2130837522
- const int **abc\_dialog\_material\_background\_dark** = 2130837523
- const int **abc\_dialog\_material\_background\_light** = 2130837524
- const int **abc\_edit\_text\_material** = 2130837525
- const int **abc\_ic\_ab\_back\_mtrl\_am\_alpha** = 2130837526
- const int **abc\_ic\_clear\_mtrl\_alpha** = 2130837527
- const int **abc\_ic\_commit\_search\_api\_mtrl\_alpha** = 2130837528
- const int **abc\_ic\_go\_search\_api\_mtrl\_alpha** = 2130837529
- const int **abc\_ic\_menu\_copy\_mtrl\_am\_alpha** = 2130837530
- const int **abc\_ic\_menu\_cut\_mtrl\_alpha** = 2130837531
- const int **abc\_ic\_menu\_moreoverflow\_mtrl\_alpha** = 2130837532
- const int **abc\_ic\_menu\_paste\_mtrl\_am\_alpha** = 2130837533
- const int **abc\_ic\_menu\_selectall\_mtrl\_alpha** = 2130837534
- const int **abc\_ic\_menu\_share\_mtrl\_alpha** = 2130837535
- const int **abc\_ic\_search\_api\_mtrl\_alpha** = 2130837536
- const int **abc\_ic\_star\_black\_16dp** = 2130837537
- const int **abc\_ic\_star\_black\_36dp** = 2130837538
- const int **abc\_ic\_star\_half\_black\_16dp** = 2130837539
- const int **abc\_ic\_star\_half\_black\_36dp** = 2130837540
- const int **abc\_ic\_voice\_search\_api\_mtrl\_alpha** = 2130837541
- const int **abc\_item\_background\_holo\_dark** = 2130837542
- const int **abc\_item\_background\_holo\_light** = 2130837543
- const int **abc\_list\_divider\_mtrl\_alpha** = 2130837544
- const int **abc\_list\_focused\_holo** = 2130837545
- const int **abc\_list\_longpressed\_holo** = 2130837546
- const int **abc\_list\_pressed\_holo\_dark** = 2130837547
- const int **abc\_list\_pressed\_holo\_light** = 2130837548
- const int **abc\_list\_selector\_background\_transition\_holo\_dark** = 2130837549
- const int **abc\_list\_selector\_background\_transition\_holo\_light** = 2130837550
- const int **abc\_list\_selector\_disabled\_holo\_dark** = 2130837551
- const int **abc\_list\_selector\_disabled\_holo\_light** = 2130837552
- const int **abc\_list\_selector\_holo\_dark** = 2130837553

- const int **abc\_list\_selector\_holo\_light** = 2130837554
- const int **abc\_menu\_hardkey\_panel\_mtrl\_mult** = 2130837555
- const int **abc\_popup\_background\_mtrl\_mult** = 2130837556
- const int **abc\_ratingbar\_full\_material** = 2130837557
- const int **abc\_ratingbar\_indicator\_material** = 2130837558
- const int **abc\_ratingbar\_small\_material** = 2130837559
- const int **abc\_scrubber\_control\_off\_mtrl\_alpha** = 2130837560
- const int **abc\_scrubber\_control\_to\_pressed\_mtrl\_000** = 2130837561
- const int **abc\_scrubber\_control\_to\_pressed\_mtrl\_005** = 2130837562
- const int **abc\_scrubber\_primary\_mtrl\_alpha** = 2130837563
- const int **abc\_scrubber\_track\_mtrl\_alpha** = 2130837564
- const int **abc\_seekbar\_thumb\_material** = 2130837565
- const int **abc\_seekbar\_track\_material** = 2130837566
- const int **abc\_spinner\_mtrl\_am\_alpha** = 2130837567
- const int **abc\_spinner\_textfield\_background\_material** = 2130837568
- const int **abc\_switch\_thumb\_material** = 2130837569
- const int **abc\_switch\_track\_mtrl\_alpha** = 2130837570
- const int **abc\_tab\_indicator\_material** = 2130837571
- const int **abc\_tab\_indicator\_mtrl\_alpha** = 2130837572
- const int **abc\_text\_cursor\_material** = 2130837573
- const int **abc\_textfield\_activated\_mtrl\_alpha** = 2130837574
- const int **abc\_textfield\_default\_mtrl\_alpha** = 2130837575
- const int **abc\_textfield\_search\_activated\_mtrl\_alpha** = 2130837576
- const int **abc\_textfield\_search\_default\_mtrl\_alpha** = 2130837577
- const int **abc\_textfield\_search\_material** = 2130837578
- const int **design\_fab\_background** = 2130837579
- const int **design\_snackbar\_background** = 2130837580
- const int **ic\_audiotrack** = 2130837581
- const int **ic\_audiotrack\_light** = 2130837582
- const int **ic\_bluetooth\_grey** = 2130837583
- const int **ic\_bluetooth\_white** = 2130837584
- const int **ic\_cast\_dark** = 2130837585
- const int **ic\_cast\_disabled\_light** = 2130837586
- const int **ic\_cast\_grey** = 2130837587
- const int **ic\_cast\_light** = 2130837588
- const int **ic\_cast\_off\_light** = 2130837589
- const int **ic\_cast\_on\_0\_light** = 2130837590
- const int **ic\_cast\_on\_1\_light** = 2130837591
- const int **ic\_cast\_on\_2\_light** = 2130837592
- const int **ic\_cast\_on\_light** = 2130837593
- const int **ic\_cast\_white** = 2130837594
- const int **ic\_close\_dark** = 2130837595
- const int **ic\_close\_light** = 2130837596
- const int **ic\_collapse** = 2130837597
- const int **ic\_collapse\_00000** = 2130837598
- const int **ic\_collapse\_00001** = 2130837599
- const int **ic\_collapse\_00002** = 2130837600
- const int **ic\_collapse\_00003** = 2130837601
- const int **ic\_collapse\_00004** = 2130837602
- const int **ic\_collapse\_00005** = 2130837603
- const int **ic\_collapse\_00006** = 2130837604
- const int **ic\_collapse\_00007** = 2130837605
- const int **ic\_collapse\_00008** = 2130837606
- const int **ic\_collapse\_00009** = 2130837607
- const int **ic\_collapse\_00010** = 2130837608

- `const int ic_collapse_00011 = 2130837609`
- `const int ic_collapse_00012 = 2130837610`
- `const int ic_collapse_00013 = 2130837611`
- `const int ic_collapse_00014 = 2130837612`
- `const int ic_collapse_00015 = 2130837613`
- `const int ic_expand = 2130837614`
- `const int ic_expand_00000 = 2130837615`
- `const int ic_expand_00001 = 2130837616`
- `const int ic_expand_00002 = 2130837617`
- `const int ic_expand_00003 = 2130837618`
- `const int ic_expand_00004 = 2130837619`
- `const int ic_expand_00005 = 2130837620`
- `const int ic_expand_00006 = 2130837621`
- `const int ic_expand_00007 = 2130837622`
- `const int ic_expand_00008 = 2130837623`
- `const int ic_expand_00009 = 2130837624`
- `const int ic_expand_00010 = 2130837625`
- `const int ic_expand_00011 = 2130837626`
- `const int ic_expand_00012 = 2130837627`
- `const int ic_expand_00013 = 2130837628`
- `const int ic_expand_00014 = 2130837629`
- `const int ic_expand_00015 = 2130837630`
- `const int ic_media_pause = 2130837631`
- `const int ic_media_play = 2130837632`
- `const int ic_media_route_disabled_mono_dark = 2130837633`
- `const int ic_media_route_off_mono_dark = 2130837634`
- `const int ic_media_route_on_0_mono_dark = 2130837635`
- `const int ic_media_route_on_1_mono_dark = 2130837636`
- `const int ic_media_route_on_2_mono_dark = 2130837637`
- `const int ic_media_route_on_mono_dark = 2130837638`
- `const int ic_pause_dark = 2130837639`
- `const int ic_pause_light = 2130837640`
- `const int ic_play_dark = 2130837641`
- `const int ic_play_light = 2130837642`
- `const int ic_speaker_dark = 2130837643`
- `const int ic_speaker_group_dark = 2130837644`
- `const int ic_speaker_group_light = 2130837645`
- `const int ic_speaker_light = 2130837646`
- `const int ic_tv_dark = 2130837647`
- `const int ic_tv_light = 2130837648`
- `const int icon = 2130837649`
- `const int mr_dialog_material_background_dark = 2130837650`
- `const int mr_dialog_material_background_light = 2130837651`
- `const int mr_ic_audiotrack_light = 2130837652`
- `const int mr_ic_cast_dark = 2130837653`
- `const int mr_ic_cast_light = 2130837654`
- `const int mr_ic_close_dark = 2130837655`
- `const int mr_ic_close_light = 2130837656`
- `const int mr_ic_media_route_connecting_mono_dark = 2130837657`
- `const int mr_ic_media_route_connecting_mono_light = 2130837658`
- `const int mr_ic_media_route_mono_dark = 2130837659`
- `const int mr_ic_media_route_mono_light = 2130837660`
- `const int mr_ic_pause_dark = 2130837661`
- `const int mr_ic_pause_light = 2130837662`
- `const int mr_ic_play_dark = 2130837663`
- `const int mr_ic_play_light = 2130837664`
- `const int notification_template_icon_bg = 2130837665`

## 6.60.1 Member Data Documentation

### 6.60.1.1 abc\_ab\_share\_pack\_mtrl\_alpha

```
const int PROJEKT.Droid.Resource.Drawable.abc_ab_share_pack_mtrl_alpha = 2130837504
```

### 6.60.1.2 abc\_action\_bar\_item\_background\_material

```
const int PROJEKT.Droid.Resource.Drawable.abc_action_bar_item_background_material = 2130837505
```

### 6.60.1.3 abc\_btn\_borderless\_material

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_borderless_material = 2130837506
```

### 6.60.1.4 abc\_btn\_check\_material

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_check_material = 2130837507
```

### 6.60.1.5 abc\_btn\_check\_to\_on\_mtrl\_000

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_check_to_on_mtrl_000 = 2130837508
```

### 6.60.1.6 abc\_btn\_check\_to\_on\_mtrl\_015

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_check_to_on_mtrl_015 = 2130837509
```

### 6.60.1.7 abc\_btn\_colored\_material

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_colored_material = 2130837510
```

#### 6.60.1.8 abc\_btn\_default\_mtrl\_shape

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_default_mtrl_shape = 2130837511
```

#### 6.60.1.9 abc\_btn\_radio\_material

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_radio_material = 2130837512
```

#### 6.60.1.10 abc\_btn\_radio\_to\_on\_mtrl\_000

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_radio_to_on_mtrl_000 = 2130837513
```

#### 6.60.1.11 abc\_btn\_radio\_to\_on\_mtrl\_015

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_radio_to_on_mtrl_015 = 2130837514
```

#### 6.60.1.12 abc\_btn\_rating\_star\_off\_mtrl\_alpha

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_rating_star_off_mtrl_alpha = 2130837515
```

#### 6.60.1.13 abc\_btn\_rating\_star\_on\_mtrl\_alpha

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_rating_star_on_mtrl_alpha = 2130837516
```

#### 6.60.1.14 abc\_btn\_switch\_to\_on\_mtrl\_00001

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_switch_to_on_mtrl_00001 = 2130837517
```

#### 6.60.1.15 abc\_btn\_switch\_to\_on\_mtrl\_00012

```
const int PROJEKT.Droid.Resource.Drawable.abc_btn_switch_to_on_mtrl_00012 = 2130837518
```

**6.60.1.16 abc\_cab\_background\_internal\_bg**

```
const int PROJEKT.Droid.Resource.Drawable.abc_cab_background_internal_bg = 2130837519
```

**6.60.1.17 abc\_cab\_background\_top\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_cab_background_top_material = 2130837520
```

**6.60.1.18 abc\_cab\_background\_top\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_cab_background_top_mtrl_alpha = 2130837521
```

**6.60.1.19 abc\_control\_background\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_control_background_material = 2130837522
```

**6.60.1.20 abc\_dialog\_material\_background\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.abc_dialog_material_background_dark = 2130837523
```

**6.60.1.21 abc\_dialog\_material\_background\_light**

```
const int PROJEKT.Droid.Resource.Drawable.abc_dialog_material_background_light = 2130837524
```

**6.60.1.22 abc\_edit\_text\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_edit_text_material = 2130837525
```

**6.60.1.23 abc\_ic\_ab\_back\_mtrl\_am\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_ab_back_mtrl_am_alpha = 2130837526
```

**6.60.1.24 abc\_ic\_clear\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_clear_mtrl_alpha = 2130837527
```

**6.60.1.25 abc\_ic\_commit\_search\_api\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_commit_search_api_mtrl_alpha = 2130837528
```

**6.60.1.26 abc\_ic\_go\_search\_api\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_go_search_api_mtrl_alpha = 2130837529
```

**6.60.1.27 abc\_ic\_menu\_copy\_mtrl\_am\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_menu_copy_mtrl_am_alpha = 2130837530
```

**6.60.1.28 abc\_ic\_menu\_cut\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_menu_cut_mtrl_alpha = 2130837531
```

**6.60.1.29 abc\_ic\_menu\_moreoverflow\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_menu_moreoverflow_mtrl_alpha = 2130837532
```

**6.60.1.30 abc\_ic\_menu\_paste\_mtrl\_am\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_menu_paste_mtrl_am_alpha = 2130837533
```

**6.60.1.31 abc\_ic\_menu\_selectall\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_menu_selectall_mtrl_alpha = 2130837534
```



**6.60.1.32 abc\_ic\_menu\_share\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_menu_share_mtrl_alpha = 2130837535
```

**6.60.1.33 abc\_ic\_search\_api\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_search_api_mtrl_alpha = 2130837536
```

**6.60.1.34 abc\_ic\_star\_black\_16dp**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_star_black_16dp = 2130837537
```

**6.60.1.35 abc\_ic\_star\_black\_36dp**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_star_black_36dp = 2130837538
```

**6.60.1.36 abc\_ic\_star\_half\_black\_16dp**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_star_half_black_16dp = 2130837539
```

**6.60.1.37 abc\_ic\_star\_half\_black\_36dp**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_star_half_black_36dp = 2130837540
```

**6.60.1.38 abc\_ic\_voice\_search\_api\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ic_voice_search_api_mtrl_alpha = 2130837541
```

**6.60.1.39 abc\_item\_background\_holo\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.abc_item_background_holo_dark = 2130837542
```

**6.60.1.40 abc\_item\_background\_holo\_light**

```
const int PROJEKT.Droid.Resource.Drawable.abc_item_background_holo_light = 2130837543
```

**6.60.1.41 abc\_list\_divider\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_divider_mtrl_alpha = 2130837544
```

**6.60.1.42 abc\_list\_focused\_holo**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_focused_holo = 2130837545
```

**6.60.1.43 abc\_list\_longpressed\_holo**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_longpressed_holo = 2130837546
```

**6.60.1.44 abc\_list\_pressed\_holo\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_pressed_holo_dark = 2130837547
```

**6.60.1.45 abc\_list\_pressed\_holo\_light**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_pressed_holo_light = 2130837548
```

**6.60.1.46 abc\_list\_selector\_background\_transition\_holo\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_selector_background_transition_holo_dark = 2130837549
```

**6.60.1.47 abc\_list\_selector\_background\_transition\_holo\_light**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_selector_background_transition_holo_light =
2130837550
```

**6.60.1.48 abc\_list\_selector\_disabled\_holo\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_selector_disabled_holo_dark = 2130837551
```

**6.60.1.49 abc\_list\_selector\_disabled\_holo\_light**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_selector_disabled_holo_light = 2130837552
```

**6.60.1.50 abc\_list\_selector\_holo\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_selector_holo_dark = 2130837553
```

**6.60.1.51 abc\_list\_selector\_holo\_light**

```
const int PROJEKT.Droid.Resource.Drawable.abc_list_selector_holo_light = 2130837554
```

**6.60.1.52 abc\_menu\_hardkey\_panel\_mtrl\_mult**

```
const int PROJEKT.Droid.Resource.Drawable.abc_menu_hardkey_panel_mtrl_mult = 2130837555
```

**6.60.1.53 abc\_popup\_background\_mtrl\_mult**

```
const int PROJEKT.Droid.Resource.Drawable.abc_popup_background_mtrl_mult = 2130837556
```

**6.60.1.54 abc\_ratingbar\_full\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ratingbar_full_material = 2130837557
```

**6.60.1.55 abc\_ratingbar\_indicator\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ratingbar_indicator_material = 2130837558
```

**6.60.1.56 abc\_ratingbar\_small\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_ratingbar_small_material = 2130837559
```

**6.60.1.57 abc\_scrubber\_control\_off\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_scrubber_control_off_mtrl_alpha = 2130837560
```

**6.60.1.58 abc\_scrubber\_control\_to\_pressed\_mtrl\_000**

```
const int PROJEKT.Droid.Resource.Drawable.abc_scrubber_control_to_pressed_mtrl_000 = 2130837561
```

**6.60.1.59 abc\_scrubber\_control\_to\_pressed\_mtrl\_005**

```
const int PROJEKT.Droid.Resource.Drawable.abc_scrubber_control_to_pressed_mtrl_005 = 2130837562
```

**6.60.1.60 abc\_scrubber\_primary\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_scrubber_primary_mtrl_alpha = 2130837563
```

**6.60.1.61 abc\_scrubber\_track\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_scrubber_track_mtrl_alpha = 2130837564
```

**6.60.1.62 abc\_seekbar\_thumb\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_seekbar_thumb_material = 2130837565
```

**6.60.1.63 abc\_seekbar\_track\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_seekbar_track_material = 2130837566
```

**6.60.1.64 abc\_spinner\_mtrl\_am\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_spinner_mtrl_am_alpha = 2130837567
```

**6.60.1.65 abc\_spinner\_textfield\_background\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_spinner_textfield_background_material = 2130837568
```

**6.60.1.66 abc\_switch\_thumb\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_switch_thumb_material = 2130837569
```

**6.60.1.67 abc\_switch\_track\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_switch_track_mtrl_alpha = 2130837570
```

**6.60.1.68 abc\_tab\_indicator\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_tab_indicator_material = 2130837571
```

**6.60.1.69 abc\_tab\_indicator\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_tab_indicator_mtrl_alpha = 2130837572
```

**6.60.1.70 abc\_text\_cursor\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_text_cursor_material = 2130837573
```

**6.60.1.71 abc\_textfield\_activated\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_textfield_activated_mtrl_alpha = 2130837574
```

**6.60.1.72 abc\_textfield\_default\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_textfield_default_mtrl_alpha = 2130837575
```

**6.60.1.73 abc\_textfield\_search\_activated\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_textfield_search_activated_mtrl_alpha = 2130837576
```

**6.60.1.74 abc\_textfield\_search\_default\_mtrl\_alpha**

```
const int PROJEKT.Droid.Resource.Drawable.abc_textfield_search_default_mtrl_alpha = 2130837577
```

**6.60.1.75 abc\_textfield\_search\_material**

```
const int PROJEKT.Droid.Resource.Drawable.abc_textfield_search_material = 2130837578
```

**6.60.1.76 design\_fab\_background**

```
const int PROJEKT.Droid.Resource.Drawable.design_fab_background = 2130837579
```

**6.60.1.77 design\_snackbar\_background**

```
const int PROJEKT.Droid.Resource.Drawable.design_snackbar_background = 2130837580
```

**6.60.1.78 ic\_audiotrack**

```
const int PROJEKT.Droid.Resource.Drawable.ic_audiotrack = 2130837581
```

**6.60.1.79 ic\_audiotrack\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_audiotrack_light = 2130837582
```

**6.60.1.80 ic\_bluetooth\_grey**

```
const int PROJEKT.Droid.Resource.Drawable.ic_bluetooth_grey = 2130837583
```

**6.60.1.81 ic\_bluetooth\_white**

```
const int PROJEKT.Droid.Resource.Drawable.ic_bluetooth_white = 2130837584
```

**6.60.1.82 ic\_cast\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_dark = 2130837585
```

**6.60.1.83 ic\_cast\_disabled\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_disabled_light = 2130837586
```

**6.60.1.84 ic\_cast\_grey**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_grey = 2130837587
```

**6.60.1.85 ic\_cast\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_light = 2130837588
```

**6.60.1.86 ic\_cast\_off\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_off_light = 2130837589
```

**6.60.1.87 ic\_cast\_on\_0\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_on_0_light = 2130837590
```

**6.60.1.88 ic\_cast\_on\_1\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_on_1_light = 2130837591
```

**6.60.1.89 ic\_cast\_on\_2\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_on_2_light = 2130837592
```

**6.60.1.90 ic\_cast\_on\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_on_light = 2130837593
```

**6.60.1.91 ic\_cast\_white**

```
const int PROJEKT.Droid.Resource.Drawable.ic_cast_white = 2130837594
```

**6.60.1.92 ic\_close\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_close_dark = 2130837595
```

**6.60.1.93 ic\_close\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_close_light = 2130837596
```



**6.60.1.94 ic\_collapse**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse = 2130837597
```

**6.60.1.95 ic\_collapse\_00000**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00000 = 2130837598
```

**6.60.1.96 ic\_collapse\_00001**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00001 = 2130837599
```

**6.60.1.97 ic\_collapse\_00002**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00002 = 2130837600
```

**6.60.1.98 ic\_collapse\_00003**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00003 = 2130837601
```

**6.60.1.99 ic\_collapse\_00004**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00004 = 2130837602
```

**6.60.1.100 ic\_collapse\_00005**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00005 = 2130837603
```

**6.60.1.101 ic\_collapse\_00006**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00006 = 2130837604
```

**6.60.1.102 ic\_collapse\_00007**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00007 = 2130837605
```

**6.60.1.103 ic\_collapse\_00008**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00008 = 2130837606
```

**6.60.1.104 ic\_collapse\_00009**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00009 = 2130837607
```

**6.60.1.105 ic\_collapse\_00010**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00010 = 2130837608
```

**6.60.1.106 ic\_collapse\_00011**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00011 = 2130837609
```

**6.60.1.107 ic\_collapse\_00012**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00012 = 2130837610
```

**6.60.1.108 ic\_collapse\_00013**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00013 = 2130837611
```

**6.60.1.109 ic\_collapse\_00014**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00014 = 2130837612
```

**6.60.1.110 ic\_collapse\_00015**

```
const int PROJEKT.Droid.Resource.Drawable.ic_collapse_00015 = 2130837613
```

**6.60.1.111 ic\_expand**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand = 2130837614
```

**6.60.1.112 ic\_expand\_00000**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00000 = 2130837615
```

**6.60.1.113 ic\_expand\_00001**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00001 = 2130837616
```

**6.60.1.114 ic\_expand\_00002**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00002 = 2130837617
```

**6.60.1.115 ic\_expand\_00003**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00003 = 2130837618
```

**6.60.1.116 ic\_expand\_00004**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00004 = 2130837619
```

**6.60.1.117 ic\_expand\_00005**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00005 = 2130837620
```

**6.60.1.118 ic\_expand\_00006**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00006 = 2130837621
```

**6.60.1.119 ic\_expand\_00007**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00007 = 2130837622
```

**6.60.1.120 ic\_expand\_00008**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00008 = 2130837623
```

**6.60.1.121 ic\_expand\_00009**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00009 = 2130837624
```

**6.60.1.122 ic\_expand\_00010**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00010 = 2130837625
```

**6.60.1.123 ic\_expand\_00011**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00011 = 2130837626
```

**6.60.1.124 ic\_expand\_00012**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00012 = 2130837627
```

**6.60.1.125 ic\_expand\_00013**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00013 = 2130837628
```

**6.60.1.126 ic\_expand\_00014**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00014 = 2130837629
```

**6.60.1.127 ic\_expand\_00015**

```
const int PROJEKT.Droid.Resource.Drawable.ic_expand_00015 = 2130837630
```

**6.60.1.128 ic\_media\_pause**

```
const int PROJEKT.Droid.Resource.Drawable.ic_media_pause = 2130837631
```

**6.60.1.129 ic\_media\_play**

```
const int PROJEKT.Droid.Resource.Drawable.ic_media_play = 2130837632
```

**6.60.1.130 ic\_media\_route\_disabled\_mono\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_media_route_disabled_mono_dark = 2130837633
```

**6.60.1.131 ic\_media\_route\_off\_mono\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_media_route_off_mono_dark = 2130837634
```

**6.60.1.132 ic\_media\_route\_on\_0\_mono\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_media_route_on_0_mono_dark = 2130837635
```

**6.60.1.133 ic\_media\_route\_on\_1\_mono\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_media_route_on_1_mono_dark = 2130837636
```

**6.60.1.134 ic\_media\_route\_on\_2\_mono\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_media_route_on_2_mono_dark = 2130837637
```

**6.60.1.135 ic\_media\_route\_on\_mono\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_media_route_on_mono_dark = 2130837638
```

**6.60.1.136 ic\_pause\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_pause_dark = 2130837639
```

**6.60.1.137 ic\_pause\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_pause_light = 2130837640
```

**6.60.1.138 ic\_play\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_play_dark = 2130837641
```

**6.60.1.139 ic\_play\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_play_light = 2130837642
```

**6.60.1.140 ic\_speaker\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_speaker_dark = 2130837643
```

**6.60.1.141 ic\_speaker\_group\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_speaker_group_dark = 2130837644
```

**6.60.1.142 ic\_speaker\_group\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_speaker_group_light = 2130837645
```

**6.60.1.143 ic\_speaker\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_speaker_light = 2130837646
```

**6.60.1.144 ic\_tv\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.ic_tv_dark = 2130837647
```

**6.60.1.145 ic\_tv\_light**

```
const int PROJEKT.Droid.Resource.Drawable.ic_tv_light = 2130837648
```

**6.60.1.146 icon**

```
const int PROJEKT.Droid.Resource.Drawable.icon = 2130837649
```

**6.60.1.147 mr\_dialog\_material\_background\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.mr_dialog_material_background_dark = 2130837650
```

**6.60.1.148 mr\_dialog\_material\_background\_light**

```
const int PROJEKT.Droid.Resource.Drawable.mr_dialog_material_background_light = 2130837651
```

**6.60.1.149 mr\_ic\_audiotrack\_light**

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_audiotrack_light = 2130837652
```

**6.60.1.150 mr\_ic\_cast\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_cast_dark = 2130837653
```

**6.60.1.151 mr\_ic\_cast\_light**

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_cast_light = 2130837654
```

**6.60.1.152 mr\_ic\_close\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_close_dark = 2130837655
```

**6.60.1.153 mr\_ic\_close\_light**

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_close_light = 2130837656
```

**6.60.1.154 mr\_ic\_media\_route\_connecting\_mono\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_media_route_connecting_mono_dark = 2130837657
```

**6.60.1.155 mr\_ic\_media\_route\_connecting\_mono\_light**

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_media_route_connecting_mono_light = 2130837658
```

**6.60.1.156 mr\_ic\_media\_route\_mono\_dark**

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_media_route_mono_dark = 2130837659
```

**6.60.1.157 mr\_ic\_media\_route\_mono\_light**

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_media_route_mono_light = 2130837660
```



## 6.60.1.158 mr\_ic\_pause\_dark

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_pause_dark = 2130837661
```

## 6.60.1.159 mr\_ic\_pause\_light

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_pause_light = 2130837662
```

## 6.60.1.160 mr\_ic\_play\_dark

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_play_dark = 2130837663
```

## 6.60.1.161 mr\_ic\_play\_light

```
const int PROJEKT.Droid.Resource.Drawable.mr_ic_play_light = 2130837664
```

## 6.60.1.162 notification\_template\_icon\_bg


```
const int PROJEKT.Droid.Resource.Drawable.notification_template_icon_bg = 2130837665
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

## 6.61 mono.android.support.v4.widget.DrawerLayout\_DrawerListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.widget.DrawerLayout\_DrawerListenerImplementor:



## Public Member Functions

- **DrawerLayout\_DrawerListenerImplementor** () throws java.lang.Throwable
- void **onDrawerClosed** (android.view.View p0)
- void **onDrawerOpened** (android.view.View p0)
- void **onDrawerSlide** (android.view.View p0, float p1)
- void **onDrawerStateChanged** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.61.1 Constructor & Destructor Documentation

#### 6.61.1.1 DrawerLayout\_DrawerListenerImplementor()

```
mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor.DrawerLayout_DrawerListenerImplementor ( ) throws java.lang.Throwable
```

### 6.61.2 Member Function Documentation

#### 6.61.2.1 monodroidAddReference()

```
void mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor.monodroidAddReference ( java.lang.Object obj )
```

#### 6.61.2.2 monodroidClearReferences()

```
void mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor.monodroidClearReferences ( )
```

#### 6.61.2.3 onDrawerClosed()

```
void mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor.onDrawerClosed ( android.view.View p0 )
```

## 6.61.2.4 onDrawerOpened()

```
void mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor.onDrawerOpened (
    android.view.View p0 )
```

## 6.61.2.5 onDrawerSlide()

```
void mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor.onDrawerSlide (
    android.view.View p0,
    float p1 )
```

## 6.61.2.6 onDrawerStateChanged()

```
void mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor.onDrawerState↔
Changed (
    int p0 )
```

## 6.61.3 Member Data Documentation

## 6.61.3.1 \_\_md\_methods


```
final String mono.android.support.v4.widget.DrawerLayout_DrawerListenerImplementor.__md_↔
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
DrawerLayout\_DrawerListenerImplementor.java

## 6.62 md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText:



## Public Member Functions

- **EditorEditText** (android.content.Context p0) throws java.lang.Throwable
- **EditorEditText** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **EditorEditText** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **EditorEditText** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.↵  
Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.62.1 Constructor & Destructor Documentation

### 6.62.1.1 EditorEditText() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText.EditorEditText (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.62.1.2 EditorEditText() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText.EditorEditText (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.62.1.3 EditorEditText() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText.EditorEditText (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.62.1.4 EditorEditText() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText.EditorEditText (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```



## Static Public Attributes

- static final String `__md_methods`

## 6.63.1 Constructor & Destructor Documentation

### 6.63.1.1 EditorRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.EditorRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.63.1.2 EditorRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.EditorRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.63.1.3 EditorRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.EditorRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.63.2 Member Function Documentation

### 6.63.2.1 afterTextChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.afterTextChanged (
    android.text.Editable p0 )
```

#### 6.63.2.2 beforeTextChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.beforeTextChanged (
    java.lang.CharSequence p0,
    int p1,
    int p2,
    int p3 )
```

#### 6.63.2.3 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.63.2.4 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.monodroidClearReferences ( )
```

#### 6.63.2.5 onTextChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.onTextChanged (
    java.lang.CharSequence p0,
    int p1,
    int p2,
    int p3 )
```

### 6.63.3 Member Data Documentation

#### 6.63.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer.java

## 6.64 md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText:



### Public Member Functions

- **EntryCellEditText** (android.content.Context p0) throws java.lang.Throwable
- **EntryCellEditText** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **EntryCellEditText** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵  
Throwable
- **EntryCellEditText** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.↵  
lang.Throwable
- boolean **onKeyPrelme** (int p0, android.view.KeyEvent p1)
- void **onFocusChanged** (boolean p0, int p1, android.graphics.Rect p2)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.64.1 Constructor & Destructor Documentation

#### 6.64.1.1 EntryCellEditText() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.EntryCellEditText (
    android.content.Context p0 ) throws java.lang.Throwable
```

#### 6.64.1.2 EntryCellEditText() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.EntryCellEditText (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```



### 6.64.1.3 EntryCellEditText() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.EntryCellEditText (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.64.1.4 EntryCellEditText() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.EntryCellEditText (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.64.2 Member Function Documentation

### 6.64.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.monodroidAddReference (
    java.lang.Object obj )
```

### 6.64.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.monodroidClearReferences ( )
```

### 6.64.2.3 onFocusChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.onFocusChanged (
    boolean p0,
    int p1,
    android.graphics.Rect p2 )
```

### 6.64.2.4 onKeyPrelme()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.onKeyPreIme (
    int p0,
    android.view.KeyEvent p1 )
```

## 6.64.3 Member Data Documentation

### 6.64.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText.java

## 6.65 md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView:



### Public Member Functions

- **EntryCellView** (android.content.Context p0) throws java.lang.Throwable
- **EntryCellView** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **EntryCellView** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **EntryCellView** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **afterTextChanged** (android.text.Editable p0)
- void **beforeTextChanged** (java.lang.CharSequence p0, int p1, int p2, int p3)
- void **onTextChanged** (java.lang.CharSequence p0, int p1, int p2, int p3)
- void **onFocusChange** (android.view.View p0, boolean p1)
- boolean **onEditorAction** (android.widget.TextView p0, int p1, android.view.KeyEvent p2)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.65.1 Constructor & Destructor Documentation

#### 6.65.1.1 EntryCellView() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.EntryCellView (  
    android.content.Context p0 ) throws java.lang.Throwable
```

#### 6.65.1.2 EntryCellView() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.EntryCellView (  
    android.content.Context p0,  
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

#### 6.65.1.3 EntryCellView() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.EntryCellView (  
    android.content.Context p0,  
    android.util.AttributeSet p1,  
    int p2 ) throws java.lang.Throwable
```

#### 6.65.1.4 EntryCellView() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.EntryCellView (  
    android.content.Context p0,  
    android.util.AttributeSet p1,  
    int p2,  
    int p3 ) throws java.lang.Throwable
```

### 6.65.2 Member Function Documentation

#### 6.65.2.1 afterTextChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.afterTextChanged (  
    android.text.Editable p0 )
```

### 6.65.2.2 beforeTextChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.beforeTextChanged (
    java.lang.CharSequence p0,
    int p1,
    int p2,
    int p3 )
```

### 6.65.2.3 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.monodroidAddReference (
    java.lang.Object obj )
```

### 6.65.2.4 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.monodroidClearReferences ( )
```

### 6.65.2.5 onEditorAction()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.onEditorAction (
    android.widget.TextView p0,
    int p1,
    android.view.KeyEvent p2 )
```

### 6.65.2.6 onFocusChange()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.onFocusChange (
    android.view.View p0,
    boolean p1 )
```

### 6.65.2.7 onTextChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.onTextChanged (
    java.lang.CharSequence p0,
    int p1,
    int p2,
    int p3 )
```

### 6.65.3 Member Data Documentation

#### 6.65.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView.java

## 6.66 md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText:



### Public Member Functions

- **EntryEditText** (android.content.Context p0) throws java.lang.Throwable
- **EntryEditText** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **EntryEditText** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **EntryEditText** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.66.1 Constructor & Destructor Documentation

#### 6.66.1.1 EntryEditText() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText.EntryEditText (
    android.content.Context p0 ) throws java.lang.Throwable
```

#### 6.66.1.2 `EntryEditText()` [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText.EntryEditText (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

#### 6.66.1.3 `EntryEditText()` [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText.EntryEditText (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.66.1.4 `EntryEditText()` [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText.EntryEditText (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

### 6.66.2 Member Function Documentation

#### 6.66.2.1 `monodroidAddReference()`

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.66.2.2 `monodroidClearReferences()`

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText.monodroidClearReferences ( )
```

### 6.66.3 Member Data Documentation

### 6.66.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffebf987c2d4e190ad9e1b7c47b/EntryEditText.java

## 6.67 md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer:



## Public Member Functions

- **EntryRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **EntryRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **EntryRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **afterTextChanged** (android.text.Editable p0)
- void **beforeTextChanged** (java.lang.CharSequence p0, int p1, int p2, int p3)
- void **onTextChanged** (java.lang.CharSequence p0, int p1, int p2, int p3)
- boolean **onEditorAction** (android.widget.TextView p0, int p1, android.view.KeyEvent p2)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.67.1 Constructor & Destructor Documentation

### 6.67.1.1 EntryRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.EntryRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.67.1.2 EntryRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.EntryRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.67.1.3 EntryRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.EntryRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.67.2 Member Function Documentation

### 6.67.2.1 afterTextChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.afterTextChanged (
    android.text.Editable p0 )
```

### 6.67.2.2 beforeTextChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.beforeTextChanged (
    java.lang.CharSequence p0,
    int p1,
    int p2,
    int p3 )
```

### 6.67.2.3 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.67.2.4 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.monodroidClearReferences ( )
```



### 6.67.2.5 onEditorAction()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.onEditorAction (
    android.widget.TextView p0,
    int p1,
    android.view.KeyEvent p2 )
```

### 6.67.2.6 onTextChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.onTextChanged (
    java.lang.CharSequence p0,
    int p1,
    int p2,
    int p3 )
```

## 6.67.3 Member Data Documentation

### 6.67.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EntryRenderer.java

## 6.68 mono.android.support.v7.widget.FitWindowsViewGroup\_OnFitSystemWindowsListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.FitWindowsViewGroup\_OnFitSystemWindowsListenerImplementor↔



### Public Member Functions

- FitWindowsViewGroup\_OnFitSystemWindowsListenerImplementor** () throws java.lang.Throwable
- void **onFitSystemWindows** (android.graphics.Rect p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.68.1 Constructor & Destructor Documentation

### 6.68.1.1 FitWindowsViewGroup\_OnFitSystemWindowsListenerImplementor()

```
mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor ( ) throws java.lang.Throwable
```

## 6.68.2 Member Function Documentation

### 6.68.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor.monodroidAddReference ( java.lang.Object obj )
```

### 6.68.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor.monodroidClearReferences ( )
```

### 6.68.2.3 onFitSystemWindows()

```
void mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor.onFitSystemWindows ( android.graphics.Rect p0 )
```

## 6.68.3 Member Data Documentation

### 6.68.3.1 \_\_md\_methods

```
final String mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListener↵  
Implementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**FitWindowsViewGroup\_OnFitSystemWindowsListenerImplementor.java**

## 6.69 PROJEKT.Models.API.FixtureDTO Class Reference

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego meczu.

### Properties

- string **Status** [get, set]
- string **HomeTeamName** [get, set]
- string **AwayTeamName** [get, set]
- DateTime **Date** [get, set]
- **FixtureResultDTO Result** [get, set]

### 6.69.1 Detailed Description

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego meczu.

### 6.69.2 Property Documentation

#### 6.69.2.1 AwayTeamName

```
string PROJEKT.Models.API.FixtureDTO.AwayTeamName [get], [set]
```

#### 6.69.2.2 Date

```
DateTime PROJEKT.Models.API.FixtureDTO.Date [get], [set]
```

### 6.69.2.3 HomeTeamName

string PROJEKT.Models.API.FixtureDTO.HomeTeamName [get], [set]

### 6.69.2.4 Result

**FixtureResultDTO** PROJEKT.Models.API.FixtureDTO.Result [get], [set]

### 6.69.2.5 Status

string PROJEKT.Models.API.FixtureDTO.Status [get], [set]

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/ **Fixture**↔  
**DTO.cs**

## 6.70 PROJEKT.ViewModels.FixtureItemViewModel Class Reference

Klasa pomocnicza do obsłużenia widoku.

### Public Member Functions

- **FixtureItemViewModel** ()  
*Konstruktor.*
- async void **DownloadData** ( **IDownloadFixture** download, ListView listView)  
*Metoda do pobrania z API danych oraz wczytywanie ich do widoku.*

### Properties

- **FixturesDTO Results** [get, set]  
*Lista obiektów FixturesDTO do przekonwertowania danych z JSON.*

### 6.70.1 Detailed Description

Klasa pomocnicza do obsłużenia widoku.

### 6.70.2 Constructor & Destructor Documentation

### 6.70.2.1 FixtureItemViewModel()

```
PROJEKT.ViewModels.FixtureItemViewModel.FixtureItemViewModel ( )
```

Konstruktor.

## 6.70.3 Member Function Documentation

### 6.70.3.1 DownloadData()

```
async void PROJEKT.ViewModels.FixtureItemViewModel.DownloadData (
    IDownloadFixture download,
    ListView listView )
```

Metoda do pobrania z API danych oraz wczytywanie ich do widoku.

## 6.70.4 Property Documentation

### 6.70.4.1 Results

```
FixturesDTO PROJEKT.ViewModels.FixtureItemViewModel.Results [get], [set]
```

Lista obiektów FixturesDTO do przekonwertowania danych z JSON.

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/**FixtureItemViewModel.cs**

## 6.71 PROJEKT.Models.API.FixtureResultDTO Class Reference

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane wyniku meczu danego zespołu.

### Properties

- int **GoalsHomeTeam** [get, set]
- int **GoalsAwayTeam** [get, set]

### 6.71.1 Detailed Description

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane wyniku meczu danego zespołu.

## 6.71.2 Property Documentation

### 6.71.2.1 GoalsAwayTeam

```
int PROJEKT.Models.API.FixtureResultDTO.GoalsAwayTeam [get], [set]
```

### 6.71.2.2 GoalsHomeTeam

```
int PROJEKT.Models.API.FixtureResultDTO.GoalsHomeTeam [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/ **Fixture↔ResultDTO.cs**

## 6.72 PROJEKT.Models.API.FixturesDTO Class Reference

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista meczy.

### Properties

- List< **FixtureDTO** > **Fixtures** [get, set]

### 6.72.1 Detailed Description

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista meczy.

## 6.72.2 Property Documentation

### 6.72.2.1 Fixtures


```
List< FixtureDTO > PROJEKT.Models.API.FixturesDTO.Fixtures [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/ **Fixtures↔DTO.cs**

## 6.73 PROJEKT.Views.Controls.FixturesItemView Class Reference

Inheritance diagram for PROJEKT.Views.Controls.FixturesItemView:



### Public Member Functions

- **FixturesItemView ()**

### 6.73.1 Constructor & Destructor Documentation

#### 6.73.1.1 FixturesItemView()


`PROJEKT.Views.Controls.FixturesItemView.FixturesItemView ( )`

The documentation for this class was generated from the following files:

- `C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ PROJEKT.Views.Controls.FixturesItemView.xaml.g.cs`
- `C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/FixturesItemView.xaml.cs`

## 6.74 PROJEKT.Views.Controls.FixturesView Class Reference

Inheritance diagram for PROJEKT.Views.Controls.FixturesView:



### Public Member Functions

- **FixturesView ()**

## 6.74.1 Constructor & Destructor Documentation

### 6.74.1.1 FixturesView()


PROJEKT.Views.Controls.FixturesView.FixturesView ( )

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.Views.Controls.FixturesView.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/**FixturesView.xaml.cs**

## 6.75 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions\_FontSpan Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions\_FontSpan:



### Public Member Functions

- **FormattedStringExtensions\_FontSpan** () throws java.lang.Throwable
- void **updateDrawState** (android.text.TextPaint p0)
- void **updateMeasureState** (android.text.TextPaint p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.75.1 Constructor & Destructor Documentation

### 6.75.1.1 FormattedStringExtensions\_FontSpan()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions\_FontSpan.FormattedStringExtensions\_FontSpan ( ) throws java.lang.Throwable



## 6.75.2 Member Function Documentation

### 6.75.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan.monodroidAdd↵
Reference (
    java.lang.Object obj )
```

### 6.75.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan.monodroidClear↵
References ( )
```

### 6.75.2.3 updateDrawState()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan.updateDrawState (
    android.text.TextPaint p0 )
```

### 6.75.2.4 updateMeasureState()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan.updateMeasureState
(
    android.text.TextPaint p0 )
```

## 6.75.3 Member Data Documentation

### 6.75.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan.__md_↵
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions\_FontSpan.java

## 6.76 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity:



### Public Member Functions

- **FormsAppCompatActivity** () throws java.lang.Throwable
- void **onBackPressed** ()
- void **onConfigurationChanged** (android.content.res.Configuration p0)
- boolean **onOptionsItemSelected** (android.view.MenuItem p0)
- void **onActivityResult** (int p0, int p1, android.content.Intent p2)
- void **onCreate** (android.os.Bundle p0)
- void **onDestroy** ()
- void **onNewIntent** (android.content.Intent p0)
- void **onPause** ()
- void **onRestart** ()
- void **onResume** ()
- void **onStart** ()
- void **onStop** ()
- void **onWindowAttributesChanged** (android.view.WindowManager.LayoutParams p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.76.1 Constructor & Destructor Documentation

#### 6.76.1.1 FormsAppCompatActivity()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.FormsAppCompatActivity ( ) throws java.lang.Throwable

### 6.76.2 Member Function Documentation

#### 6.76.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.76.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.monodroidClearReferences ( )
```

#### 6.76.2.3 onActivityResult()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onActivityResult (
    int p0,
    int p1,
    android.content.Intent p2 )
```

#### 6.76.2.4 onBackPressed()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onBackPressed ( )
```

#### 6.76.2.5 onConfigurationChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onConfigurationChanged (
    android.content.res.Configuration p0 )
```

#### 6.76.2.6 onCreate()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onCreate (
    android.os.Bundle p0 )
```

#### 6.76.2.7 onDestroy()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onDestroy ( )
```

**6.76.2.8 onNewIntent()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onNewIntent (
    android.content.Intent p0 )
```

**6.76.2.9 onOptionsItemSelected()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onOptionsItemSelected (
    android.view.MenuItem p0 )
```

**6.76.2.10 onPause()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onPause ( )
```

**6.76.2.11 onRestart()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onRestart ( )
```

**6.76.2.12 onResume()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onResume ( )
```

**6.76.2.13 onStart()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onStart ( )
```

**6.76.2.14 onStop()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onStop ( )
```

## 6.76.2.15 onWindowAttributesChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.onWindowAttributesChanged (
    android.view.WindowManager.LayoutParams p0 )
```

## 6.76.3 Member Data Documentation

## 6.76.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity.java

## 6.77 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity:



## Public Member Functions

- **FormsApplicationActivity** () throws java.lang.Throwable
- void **onBackPressed** ()
- void **onConfigurationChanged** (android.content.res.Configuration p0)
- boolean **onOptionsItemSelected** (android.view.MenuItem p0)
- boolean **onPrepareOptionsMenu** (android.view.Menu p0)
- void **onActivityResult** (int p0, int p1, android.content.Intent p2)
- void **onCreate** (android.os.Bundle p0)
- void **onDestroy** ()
- void **onPause** ()
- void **onRestart** ()
- void **onResume** ()
- void **onStart** ()
- void **onStop** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.77.1 Constructor & Destructor Documentation

### 6.77.1.1 FormsApplicationActivity()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.FormsApplicationActivity ( )  
throws java.lang.Throwable
```

## 6.77.2 Member Function Documentation

### 6.77.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.monodroidAddReference (   
    java.lang.Object obj )
```

### 6.77.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.monodroidClearReferences ( )
```

### 6.77.2.3 onActivityResult()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onActivityResult (   
    int p0,   
    int p1,   
    android.content.Intent p2 )
```

### 6.77.2.4 onBackPressed()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onBackPressed ( )
```

#### 6.77.2.5 onConfigurationChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onConfigurationChanged (
    android.content.res.Configuration p0 )
```

#### 6.77.2.6 onCreate()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onCreate (
    android.os.Bundle p0 )
```

#### 6.77.2.7 onDestroy()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onDestroy ( )
```

#### 6.77.2.8 onOptionsItemSelected()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onOptionsItemSelected (
    android.view.MenuItem p0 )
```

#### 6.77.2.9 onPause()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onPause ( )
```

#### 6.77.2.10 onPrepareOptionsMenu()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onPrepareOptionsMenu (
    android.view.Menu p0 )
```

#### 6.77.2.11 onRestart()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onRestart ( )
```

### 6.77.2.12 onResume()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onResume ( )
```

### 6.77.2.13 onStart()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onStart ( )
```

### 6.77.2.14 onStop()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.onStop ( )
```

## 6.77.3 Member Data Documentation

### 6.77.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity.java

## 6.78 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText:





## Public Member Functions

- **FormsEditText** (android.content.Context p0) throws java.lang.Throwable
- **FormsEditText** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **FormsEditText** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **FormsEditText** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.↔  
Throwable
- boolean **onKeyPrelme** (int p0, android.view.KeyEvent p1)
- boolean **requestFocus** (int p0, android.graphics.Rect p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.78.1 Constructor & Destructor Documentation

### 6.78.1.1 FormsEditText() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.FormsEditText (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.78.1.2 FormsEditText() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.FormsEditText (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.78.1.3 FormsEditText() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.FormsEditText (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.78.1.4 FormsEditText() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.FormsEditText (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

### 6.78.2 Member Function Documentation

#### 6.78.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.78.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.monodroidClearReferences ( )
```

#### 6.78.2.3 onKeyPreIme()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.onKeyPreIme (
    int p0,
    android.view.KeyEvent p1 )
```

#### 6.78.2.4 requestFocus()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.requestFocus (
    int p0,
    android.graphics.Rect p1 )
```

### 6.78.3 Member Data Documentation

## 6.78.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText.java

## 6.79 md5270abb39e60627f0f200893b490a1ade.FormsFragmentPagerAdapter\_1 Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.FormsFragmentPagerAdapter\_1:



### Public Member Functions

- **FormsFragmentPagerAdapter\_1** (android.support.v4.app.FragmentManager p0) throws java.lang.↵ Throwable
- int **getCount** ()
- android.support.v4.app.Fragment **getItem** (int p0)
- long **getItemId** (int p0)
- int **getItemPosition** (java.lang.Object p0)
- java.lang.CharSequence **getPageTitle** (int p0)
- void **restoreState** (android.os.Parcelable p0, java.lang.ClassLoader p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.79.1 Constructor & Destructor Documentation

#### 6.79.1.1 FormsFragmentPagerAdapter\_1()

```
md5270abb39e60627f0f200893b490a1ade.FormsFragmentPagerAdapter_1.FormsFragmentPagerAdapter_1 (
    android.support.v4.app.FragmentManager p0 ) throws java.lang.Throwable
```

## 6.79.2 Member Function Documentation

### 6.79.2.1 getCount()

```
int md5270abb39e60627f0f200893b490alade.FormsFragmentPagerAdapter_1.getCount ( )
```

### 6.79.2.2 getItem()

```
android.support.v4.app.Fragment md5270abb39e60627f0f200893b490alade.FormsFragmentPagerAdapter_1.getItem (
    int p0 )
```

### 6.79.2.3 getItemId()

```
long md5270abb39e60627f0f200893b490alade.FormsFragmentPagerAdapter_1.getItemId (
    int p0 )
```

### 6.79.2.4 getItemPosition()

```
int md5270abb39e60627f0f200893b490alade.FormsFragmentPagerAdapter_1.getItemPosition (
    java.lang.Object p0 )
```

### 6.79.2.5 getPageTitle()

```
java.lang.CharSequence md5270abb39e60627f0f200893b490alade.FormsFragmentPagerAdapter_1.getPageTitle (
    int p0 )
```

### 6.79.2.6 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490alade.FormsFragmentPagerAdapter_1.monodroidAddReference (
    java.lang.Object obj )
```

## 6.79.2.7 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490alade.FormsPagerAdapter_1.monodroidClearReferences
( )
```

## 6.79.2.8 restoreState()

```
void md5270abb39e60627f0f200893b490alade.FormsPagerAdapter_1.restoreState (
    android.os.Parcelable p0,
    java.lang.ClassLoader p1 )
```

## 6.79.3 Member Data Documentation

## 6.79.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490alade.FormsPagerAdapter_1.__md_methods
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade/FormsPagerAdapter\_1.java

## 6.80 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView:



## Public Member Functions

- **FormsImageView** (android.content.Context p0) throws java.lang.Throwable
- **FormsImageView** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **FormsImageView** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **FormsImageView** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **invalidate** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.80.1 Constructor & Destructor Documentation

### 6.80.1.1 FormsImageView() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView.FormsImageView (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.80.1.2 FormsImageView() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView.FormsImageView (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.80.1.3 FormsImageView() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView.FormsImageView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.80.1.4 FormsImageView() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView.FormsImageView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.80.2 Member Function Documentation

### 6.80.2.1 invalidate()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView.invalidate ( )
```

### 6.80.2.2 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView.monodroidAddReference (
    java.lang.Object obj )
```

### 6.80.2.3 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView.monodroidClearReferences ( )
```

## 6.80.3 Member Data Documentation

### 6.80.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsSeekBar.java

## 6.81 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar:



## Public Member Functions

- **FormsSeekBar** (android.content.Context p0) throws java.lang.Throwable
- **FormsSeekBar** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **FormsSeekBar** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **FormsSeekBar** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- boolean **isPressed** ()
- void **setPressed** (boolean p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.81.1 Constructor & Destructor Documentation

### 6.81.1.1 FormsSeekBar() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.FormsSeekBar (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.81.1.2 FormsSeekBar() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.FormsSeekBar (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.81.1.3 FormsSeekBar() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.FormsSeekBar (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```



#### 6.81.1.4 FormsSeekBar() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.FormsSeekBar (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

### 6.81.2 Member Function Documentation

#### 6.81.2.1 isPressed()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.isPressed ( )
```

#### 6.81.2.2 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.81.2.3 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.monodroidClearReferences ( )
```

#### 6.81.2.4 onTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.onTouchEvent (
    android.view.MotionEvent p0 )
```

#### 6.81.2.5 setPressed()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.setPressed (
    boolean p0 )
```

### 6.81.3 Member Data Documentation

### 6.81.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar.java

## 6.82 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView:



### Public Member Functions

- **FormsTextView** (android.content.Context p0) throws java.lang.Throwable
- **FormsTextView** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **FormsTextView** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **FormsTextView** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **invalidate** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.82.1 Constructor & Destructor Documentation

### 6.82.1.1 FormsTextView() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView.FormsTextView (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.82.1.2 FormsTextView() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView.FormsTextView (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.82.1.3 FormsTextView() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView.FormsTextView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.82.1.4 FormsTextView() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView.FormsTextView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.82.2 Member Function Documentation

### 6.82.2.1 invalidate()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView.invalidate ( )
```

### 6.82.2.2 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView.monodroidAddReference (
    java.lang.Object obj )
```

### 6.82.2.3 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView.monodroidClearReferences ( )
```

### 6.82.3 Member Data Documentation

#### 6.82.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView.java

## 6.83 md5270abb39e60627f0f200893b490a1ade.FormsViewPager Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.FormsViewPager:



### Public Member Functions

- **FormsViewPager** (android.content.Context p0) throws java.lang.Throwable
- **FormsViewPager** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- boolean **onInterceptTouchEvent** (android.view.MotionEvent p0)
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.83.1 Constructor & Destructor Documentation

#### 6.83.1.1 FormsViewPager() [1/2]

```
md5270abb39e60627f0f200893b490a1ade.FormsViewPager.FormsViewPager (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.83.1.2 FormsViewPager() [2/2]

```
md5270abb39e60627f0f200893b490a1ade.FormsViewPager.FormsViewPager (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

## 6.83.2 Member Function Documentation

### 6.83.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490a1ade.FormsViewPager.monodroidAddReference (
    java.lang.Object obj )
```

### 6.83.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490a1ade.FormsViewPager.monodroidClearReferences ( )
```

### 6.83.2.3 onInterceptTouchEvent()

```
boolean md5270abb39e60627f0f200893b490a1ade.FormsViewPager.onInterceptTouchEvent (
    android.view.MotionEvent p0 )
```

### 6.83.2.4 onTouchEvent()

```
boolean md5270abb39e60627f0f200893b490a1ade.FormsViewPager.onTouchEvent (
    android.view.MotionEvent p0 )
```

## 6.83.3 Member Data Documentation

### 6.83.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490a1ade.FormsViewPager.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/FormsViewPager.java

## 6.84 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient:



### Public Member Functions

- **FormsWebChromeClient** () throws java.lang.Throwable
- boolean **onShowFileChooser** (android.webkit.WebView p0, android.webkit.ValueCallback p1, android.webkit.WebChromeClient.FileChooserParams p2)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.84.1 Constructor & Destructor Documentation

#### 6.84.1.1 FormsWebChromeClient()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient.FormsWebChromeClient ( ) throws java.lang.Throwable
```

### 6.84.2 Member Function Documentation

#### 6.84.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.84.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient.monodroidClearReferences ( )
```

## 6.84.2.3 onShowFileChooser()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient.onShowFileChooser (
    android.webkit.WebView p0,
    android.webkit.ValueCallback p1,
    android.webkit.WebChromeClient.FileChooserParams p2 )
```

## 6.84.3 Member Data Documentation

## 6.84.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient.java

## 6.85 md5270abb39e60627f0f200893b490a1ade.FragmentContainer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.FragmentContainer:



## Public Member Functions

- **FragmentContainer** () throws java.lang.Throwable
- boolean **getUserVisibleHint** ()
- void **setUserVisibleHint** (boolean p0)
- android.view.View **onCreateView** (android.view.LayoutInflater p0, android.view.ViewGroup p1, android.os.Bundle p2)
- void **onDestroyView** ()
- void **onHiddenChanged** (boolean p0)
- void **onPause** ()
- void **onResume** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.85.1 Constructor & Destructor Documentation

### 6.85.1.1 FragmentContainer()

md5270abb39e60627f0f200893b490alade.FragmentContainer.FragmentContainer ( ) throws java.↔  
lang.Throwable

## 6.85.2 Member Function Documentation

### 6.85.2.1 getUserVisibleHint()

boolean md5270abb39e60627f0f200893b490alade.FragmentContainer.getUserVisibleHint ( )

### 6.85.2.2 monodroidAddReference()

void md5270abb39e60627f0f200893b490alade.FragmentContainer.monodroidAddReference (   
java.lang.Object obj )

### 6.85.2.3 monodroidClearReferences()

void md5270abb39e60627f0f200893b490alade.FragmentContainer.monodroidClearReferences ( )

### 6.85.2.4 onCreateView()

android.view.View md5270abb39e60627f0f200893b490alade.FragmentContainer.onCreateView (   
android.view.LayoutInflater p0,   
android.view.ViewGroup p1,   
android.os.Bundle p2 )

### 6.85.2.5 onDestroyView()

void md5270abb39e60627f0f200893b490alade.FragmentContainer.onDestroyView ( )



### 6.85.2.6 onHiddenChanged()

```
void md5270abb39e60627f0f200893b490alade.FragmentContainer.onHiddenChanged (
    boolean p0 )
```

### 6.85.2.7 onPause()

```
void md5270abb39e60627f0f200893b490alade.FragmentContainer.onPause ( )
```

### 6.85.2.8 onResume()

```
void md5270abb39e60627f0f200893b490alade.FragmentContainer.onResume ( )
```

### 6.85.2.9 setUserVisibleHint()

```
void md5270abb39e60627f0f200893b490alade.FragmentContainer.setUserVisibleHint (
    boolean p0 )
```

## 6.85.3 Member Data Documentation

### 6.85.3.1 \_\_md\_methods

```
final String md5270abb39e60627f0f200893b490alade.FragmentContainer.__md_methods [static]
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade/FragmentContainer.java

## 6.86 mono.android.support.v4.app.FragmentManager\_OnBackStackChangedListenerImplementor Class Reference↩

### Implementor Class Reference

Inheritance diagram for mono.android.support.v4.app.FragmentManager\_OnBackStackChangedListenerImplementor↩



## Public Member Functions

- **FragmentManager\_OnBackStackChangedListenerImplementor** () throws java.lang.Throwable
- void **onBackStackChanged** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.86.1 Constructor & Destructor Documentation

### 6.86.1.1 FragmentManager\_OnBackStackChangedListenerImplementor()

```
mono.android.support.v4.app.FragmentManager_OnBackStackChangedListenerImplementor.Fragment↔
Manager_OnBackStackChangedListenerImplementor ( ) throws java.lang.Throwable
```

## 6.86.2 Member Function Documentation

### 6.86.2.1 monodroidAddReference()

```
void mono.android.support.v4.app.FragmentManager_OnBackStackChangedListenerImplementor.↔
monodroidAddReference (
    java.lang.Object obj )
```

### 6.86.2.2 monodroidClearReferences()

```
void mono.android.support.v4.app.FragmentManager_OnBackStackChangedListenerImplementor.↔
monodroidClearReferences ( )
```

### 6.86.2.3 onBackStackChanged()

```
void mono.android.support.v4.app.FragmentManager_OnBackStackChangedListenerImplementor.on↔
BackStackChanged ( )
```

### 6.86.3 Member Data Documentation

#### 6.86.3.1 \_\_md\_methods


```
final String mono.android.support.v4.app.FragmentManager_OnBackStackChangeListenerImplementor.↔
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**FragmentManager\_OnBackStackChangeListenerImplementor.java**

## 6.87 md5270abb39e60627f0f200893b490a1ade.FrameRenderer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.FrameRenderer:



### Public Member Functions

- **FrameRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **FrameRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **FrameRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.87.1 Constructor & Destructor Documentation

#### 6.87.1.1 FrameRenderer() [1/3]

```
md5270abb39e60627f0f200893b490a1ade.FrameRenderer.FrameRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

**6.87.1.2 FrameRenderer()** [2/3]

```
md5270abb39e60627f0f200893b490alade.FrameRenderer.FrameRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.87.1.3 FrameRenderer()** [3/3]

```
md5270abb39e60627f0f200893b490alade.FrameRenderer.FrameRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.87.2 Member Function Documentation****6.87.2.1 monodroidAddReference()**

```
void md5270abb39e60627f0f200893b490alade.FrameRenderer.monodroidAddReference (
    java.lang.Object obj )
```

**6.87.2.2 monodroidClearReferences()**

```
void md5270abb39e60627f0f200893b490alade.FrameRenderer.monodroidClearReferences ( )
```

**6.87.3 Member Data Documentation****6.87.3.1 \_\_md\_methods**

```
final String md5270abb39e60627f0f200893b490alade.FrameRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade/FrameRenderer.java

## 6.88 md57018357d52b54713cd814fbd5262dd1f.FrameRenderer Class Reference

Inheritance diagram for md57018357d52b54713cd814fbd5262dd1f.FrameRenderer:



### Public Member Functions

- **FrameRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **FrameRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **FrameRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.88.1 Constructor & Destructor Documentation

### 6.88.1.1 FrameRenderer() [1/3]

```
md57018357d52b54713cd814fbd5262dd1f.FrameRenderer.FrameRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.88.1.2 FrameRenderer() [2/3]

```
md57018357d52b54713cd814fbd5262dd1f.FrameRenderer.FrameRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.88.1.3 FrameRenderer() [3/3]

```
md57018357d52b54713cd814fbd5262dd1f.FrameRenderer.FrameRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.88.2 Member Function Documentation

### 6.88.2.1 monodroidAddReference()

```
void md57018357d52b54713cd814fbd5262dd1f.FrameRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.88.2.2 monodroidClearReferences()

```
void md57018357d52b54713cd814fbd5262dd1f.FrameRenderer.monodroidClearReferences ( )
```

### 6.88.2.3 onLayout()

```
void md57018357d52b54713cd814fbd5262dd1f.FrameRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

### 6.88.2.4 onTouchEvent()

```
boolean md57018357d52b54713cd814fbd5262dd1f.FrameRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

## 6.88.3 Member Data Documentation

## 6.88.3.1 \_\_md\_methods


```
final String md57018357d52b54713cd814fbd5262dd1f.FrameRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d52b54713cd814fbd5262dd1f.FrameRenderer.java

## 6.89 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer:



## Public Member Functions

- **FrameRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **FrameRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **FrameRenderer** (android.content.Context p0) throws java.lang.Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.89.1 Constructor &amp; Destructor Documentation

## 6.89.1.1 FrameRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer.FrameRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

**6.89.1.2 FrameRenderer()** [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer.FrameRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.89.1.3 FrameRenderer()** [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer.FrameRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.89.2 Member Function Documentation****6.89.2.1 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer.monodroidAddReference (
    java.lang.Object obj )
```

**6.89.2.2 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer.monodroidClearReferences ( )
```

**6.89.2.3 onTouchEvent()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

**6.89.3 Member Data Documentation****6.89.3.1 \_\_md\_methods**

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer.__md_methods [static]
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FrameRenderer.java



## 6.90 md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer\_FrameDrawable Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer\_FrameDrawable:



### Public Member Functions

- **FrameRenderer\_FrameDrawable** () throws java.lang.Throwable
- boolean **isStateful** ()
- int **getOpacity** ()
- void **draw** (android.graphics.Canvas p0)
- void **setAlpha** (int p0)
- void **setColorFilter** (android.graphics.ColorFilter p0)
- boolean **onStateChange** (int[] p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.90.1 Constructor & Destructor Documentation

### 6.90.1.1 FrameRenderer\_FrameDrawable()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.FrameRenderer_FrameDrawable (
) throws java.lang.Throwable
```

## 6.90.2 Member Function Documentation

### 6.90.2.1 draw()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.draw (
    android.graphics.Canvas p0 )
```

### 6.90.2.2 getOpacity()

```
int md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.getOpacity ( )
```

### 6.90.2.3 isStateful()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.isStateful ( )
```

### 6.90.2.4 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.monodroidAddReference (
    java.lang.Object obj )
```

### 6.90.2.5 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.monodroidClearReferences
( )
```

### 6.90.2.6 onStateChange()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.onStateChange (
    int [] p0 )
```

### 6.90.2.7 setAlpha()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.setAlpha (
    int p0 )
```

### 6.90.2.8 setColorFilter()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.setColorFilter (
    android.graphics.ColorFilter p0 )
```

### 6.90.3 Member Data Documentation

#### 6.90.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer_FrameDrawable.__md_methods
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer\_FrameDrawable.java

## 6.91 md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener:



### Public Member Functions

- **GenericAnimatorListener** () throws java.lang.Throwable
- void **onAnimationCancel** (android.animation.Animator p0)
- void **onAnimationEnd** (android.animation.Animator p0)
- void **onAnimationRepeat** (android.animation.Animator p0)
- void **finalize** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.91.1 Constructor & Destructor Documentation

#### 6.91.1.1 GenericAnimatorListener()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener.GenericAnimatorListener ( ) throws
java.lang.Throwable
```

## 6.91.2 Member Function Documentation

### 6.91.2.1 finalize()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener.finalize ( )
```

### 6.91.2.2 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener.monodroidAddReference (
    java.lang.Object obj )
```

### 6.91.2.3 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener.monodroidClearReferences ( )
```

### 6.91.2.4 onAnimationCancel()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener.onAnimationCancel (
    android.animation.Animator p0 )
```

### 6.91.2.5 onAnimationEnd()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener.onAnimationEnd (
    android.animation.Animator p0 )
```

### 6.91.2.6 onAnimationRepeat()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener.onAnimationRepeat (
    android.animation.Animator p0 )
```

## 6.91.3 Member Data Documentation

## 6.91.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener.java

## 6.92 md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericMenuClickListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericMenuClickListener:



## Public Member Functions

- **GenericMenuClickListener** () throws java.lang.Throwable
- boolean **onMenuItemClick** (android.view.MenuItem p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.92.1 Constructor &amp; Destructor Documentation

## 6.92.1.1 GenericMenuClickListener()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericMenuClickListener.GenericMenuClickListener ( )  
throws java.lang.Throwable
```

## 6.92.2 Member Function Documentation



## Static Public Attributes

- static final String `__md_methods`

## 6.93.1 Constructor & Destructor Documentation

### 6.93.1.1 GroupedListViewAdapter() [1/2]

md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter.GroupedListViewAdapter ( ) throws `java.lang.Throwable`

### 6.93.1.2 GroupedListViewAdapter() [2/2]

md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter.GroupedListViewAdapter ( `android.content.Context p0` ) throws `java.lang.Throwable`

## 6.93.2 Member Function Documentation

### 6.93.2.1 getPositionForSection()

`int` md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter.getPositionForSection ( `int p0` )

### 6.93.2.2 getSectionForPosition()

`int` md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter.getSectionForPosition ( `int p0` )

### 6.93.2.3 getSections()

`java.lang.Object []` md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter.getSections ( )

#### 6.93.2.4 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.93.2.5 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter.monodroidClearReferences ( )
```

### 6.93.3 Member Data Documentation

#### 6.93.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListViewAdapter.java

## 6.94 PROJEKT.Droid.Resource.Id Class Reference

### Public Attributes

- const int **action0** = 2131165323
- const int **action\_bar** = 2131165274
- const int **action\_bar\_activity\_content** = 2131165185
- const int **action\_bar\_container** = 2131165273
- const int **action\_bar\_root** = 2131165269
- const int **action\_bar\_spinner** = 2131165186
- const int **action\_bar\_subtitle** = 2131165243
- const int **action\_bar\_title** = 2131165242
- const int **action\_context\_bar** = 2131165275
- const int **action\_divider** = 2131165327
- const int **action\_menu\_divider** = 2131165187
- const int **action\_menu\_presenter** = 2131165188
- const int **action\_mode\_bar** = 2131165271
- const int **action\_mode\_bar\_stub** = 2131165270
- const int **action\_mode\_close\_button** = 2131165244
- const int **activity\_chooser\_view\_content** = 2131165245
- const int **alertTitle** = 2131165257
- const int **always** = 2131165214
- const int **beginning** = 2131165211
- const int **bottom** = 2131165226



- const int **buttonPanel** = 2131165252
- const int **cancel\_action** = 2131165324
- const int **center** = 2131165227
- const int **center\_horizontal** = 2131165228
- const int **center\_vertical** = 2131165229
- const int **checkbox** = 2131165266
- const int **chronometer** = 2131165330
- const int **clip\_horizontal** = 2131165235
- const int **clip\_vertical** = 2131165236
- const int **collapseActionView** = 2131165215
- const int **contentPanel** = 2131165258
- const int **custom** = 2131165264
- const int **customPanel** = 2131165263
- const int **decor\_content\_parent** = 2131165272
- const int **default\_activity\_button** = 2131165248
- const int **design\_bottom\_sheet** = 2131165290
- const int **design\_menu\_item\_action\_area** = 2131165297
- const int **design\_menu\_item\_action\_area\_stub** = 2131165296
- const int **design\_menu\_item\_text** = 2131165295
- const int **design\_navigation\_view** = 2131165294
- const int **disableHome** = 2131165198
- const int **edit\_query** = 2131165276
- const int **end** = 2131165212
- const int **end\_padder** = 2131165335
- const int **enterAlways** = 2131165219
- const int **enterAlwaysCollapsed** = 2131165220
- const int **exitUntilCollapsed** = 2131165221
- const int **expand\_activities\_button** = 2131165246
- const int **expanded\_menu** = 2131165265
- const int **fill** = 2131165237
- const int **fill\_horizontal** = 2131165238
- const int **fill\_vertical** = 2131165230
- const int **fixed** = 2131165240
- const int **home** = 2131165189
- const int **homeAsUp** = 2131165199
- const int **icon** = 2131165250
- const int **ifRoom** = 2131165216
- const int **image** = 2131165247
- const int **info** = 2131165334
- const int **item\_touch\_helper\_previous\_elevation** = 2131165184
- const int **left** = 2131165231
- const int **line1** = 2131165328
- const int **line3** = 2131165332
- const int **listMode** = 2131165195
- const int **list\_item** = 2131165249
- const int **media\_actions** = 2131165326
- const int **middle** = 2131165213
- const int **mini** = 2131165239
- const int **mr\_art** = 2131165309
- const int **mr\_chooser\_list** = 2131165298
- const int **mr\_chooser\_route\_desc** = 2131165301
- const int **mr\_chooser\_route\_icon** = 2131165299
- const int **mr\_chooser\_route\_name** = 2131165300
- const int **mr\_close** = 2131165306
- const int **mr\_control\_divider** = 2131165312

- const int **mr\_control\_play\_pause** = 2131165318
- const int **mr\_control\_subtitle** = 2131165321
- const int **mr\_control\_title** = 2131165320
- const int **mr\_control\_title\_container** = 2131165319
- const int **mr\_custom\_control** = 2131165307
- const int **mr\_default\_control** = 2131165308
- const int **mr\_dialog\_area** = 2131165303
- const int **mr\_expandable\_area** = 2131165302
- const int **mr\_group\_expand\_collapse** = 2131165322
- const int **mr\_media\_main\_control** = 2131165310
- const int **mr\_name** = 2131165305
- const int **mr\_playback\_control** = 2131165311
- const int **mr\_title\_bar** = 2131165304
- const int **mr\_volume\_control** = 2131165313
- const int **mr\_volume\_group\_list** = 2131165314
- const int **mr\_volume\_item\_icon** = 2131165316
- const int **mr\_volume\_slider** = 2131165317
- const int **multiply** = 2131165206
- const int **navigation\_header\_container** = 2131165293
- const int **never** = 2131165217
- const int **none** = 2131165200
- const int **normal** = 2131165196
- const int **parallax** = 2131165224
- const int **parentPanel** = 2131165254
- const int **pin** = 2131165225
- const int **progress\_circular** = 2131165190
- const int **progress\_horizontal** = 2131165191
- const int **radio** = 2131165268
- const int **right** = 2131165232
- const int **screen** = 2131165207
- const int **scroll** = 2131165222
- const int **scrollIndicatorDown** = 2131165262
- const int **scrollIndicatorUp** = 2131165259
- const int **scrollView** = 2131165260
- const int **scrollable** = 2131165241
- const int **search\_badge** = 2131165278
- const int **search\_bar** = 2131165277
- const int **search\_button** = 2131165279
- const int **search\_close\_btn** = 2131165284
- const int **search\_edit\_frame** = 2131165280
- const int **search\_go\_btn** = 2131165286
- const int **search\_mag\_icon** = 2131165281
- const int **search\_plate** = 2131165282
- const int **search\_src\_text** = 2131165283
- const int **search\_voice\_btn** = 2131165287
- const int **select\_dialog\_listview** = 2131165288
- const int **shortcut** = 2131165267
- const int **showCustom** = 2131165201
- const int **showHome** = 2131165202
- const int **showTitle** = 2131165203
- const int **sliding\_tabs** = 2131165336
- const int **snackbar\_action** = 2131165292
- const int **snackbar\_text** = 2131165291
- const int **snap** = 2131165223
- const int **spacer** = 2131165253

- const int **split\_action\_bar** = 2131165192
- const int **src\_atop** = 2131165208
- const int **src\_in** = 2131165209
- const int **src\_over** = 2131165210
- const int **start** = 2131165233
- const int **status\_bar\_latest\_event\_content** = 2131165325
- const int **submit\_area** = 2131165285
- const int **tabMode** = 2131165197
- const int **text** = 2131165333
- const int **text2** = 2131165331
- const int **textSpacerNoButtons** = 2131165261
- const int **time** = 2131165329
- const int **title** = 2131165251
- const int **title\_template** = 2131165256
- const int **toolbar** = 2131165337
- const int **top** = 2131165234
- const int **topPanel** = 2131165255
- const int **touch\_outside** = 2131165289
- const int **up** = 2131165193
- const int **useLogo** = 2131165204
- const int **view\_offset\_helper** = 2131165194
- const int **volume\_item\_container** = 2131165315
- const int **withText** = 2131165218
- const int **wrap\_content** = 2131165205

### 6.94.1 Member Data Documentation

#### 6.94.1.1 action0

```
const int PROJEKT.Droid.Resource.Id.action0 = 2131165323
```

#### 6.94.1.2 action\_bar

```
const int PROJEKT.Droid.Resource.Id.action_bar = 2131165274
```

#### 6.94.1.3 action\_bar\_activity\_content

```
const int PROJEKT.Droid.Resource.Id.action_bar_activity_content = 2131165185
```

#### 6.94.1.4 action\_bar\_container

```
const int PROJEKT.Droid.Resource.Id.action_bar_container = 2131165273
```

#### 6.94.1.5 action\_bar\_root

```
const int PROJEKT.Droid.Resource.Id.action_bar_root = 2131165269
```

#### 6.94.1.6 action\_bar\_spinner

```
const int PROJEKT.Droid.Resource.Id.action_bar_spinner = 2131165186
```

#### 6.94.1.7 action\_bar\_subtitle

```
const int PROJEKT.Droid.Resource.Id.action_bar_subtitle = 2131165243
```

#### 6.94.1.8 action\_bar\_title

```
const int PROJEKT.Droid.Resource.Id.action_bar_title = 2131165242
```

#### 6.94.1.9 action\_context\_bar

```
const int PROJEKT.Droid.Resource.Id.action_context_bar = 2131165275
```

#### 6.94.1.10 action\_divider

```
const int PROJEKT.Droid.Resource.Id.action_divider = 2131165327
```

#### 6.94.1.11 action\_menu\_divider

```
const int PROJEKT.Droid.Resource.Id.action_menu_divider = 2131165187
```

**6.94.1.12 action\_menu\_presenter**

```
const int PROJEKT.Droid.Resource.Id.action_menu_presenter = 2131165188
```

**6.94.1.13 action\_mode\_bar**

```
const int PROJEKT.Droid.Resource.Id.action_mode_bar = 2131165271
```

**6.94.1.14 action\_mode\_bar\_stub**

```
const int PROJEKT.Droid.Resource.Id.action_mode_bar_stub = 2131165270
```

**6.94.1.15 action\_mode\_close\_button**

```
const int PROJEKT.Droid.Resource.Id.action_mode_close_button = 2131165244
```

**6.94.1.16 activity\_chooser\_view\_content**

```
const int PROJEKT.Droid.Resource.Id.activity_chooser_view_content = 2131165245
```

**6.94.1.17 alertTitle**

```
const int PROJEKT.Droid.Resource.Id.alertTitle = 2131165257
```

**6.94.1.18 always**

```
const int PROJEKT.Droid.Resource.Id.always = 2131165214
```

**6.94.1.19 beginning**

```
const int PROJEKT.Droid.Resource.Id.beginning = 2131165211
```

**6.94.1.20 bottom**

```
const int PROJEKT.Droid.Resource.Id.bottom = 2131165226
```

**6.94.1.21 buttonPanel**

```
const int PROJEKT.Droid.Resource.Id.buttonPanel = 2131165252
```

**6.94.1.22 cancel\_action**

```
const int PROJEKT.Droid.Resource.Id.cancel_action = 2131165324
```

**6.94.1.23 center**

```
const int PROJEKT.Droid.Resource.Id.center = 2131165227
```

**6.94.1.24 center\_horizontal**

```
const int PROJEKT.Droid.Resource.Id.center_horizontal = 2131165228
```

**6.94.1.25 center\_vertical**

```
const int PROJEKT.Droid.Resource.Id.center_vertical = 2131165229
```

**6.94.1.26 checkbox**

```
const int PROJEKT.Droid.Resource.Id.checkbox = 2131165266
```

**6.94.1.27 chronometer**

```
const int PROJEKT.Droid.Resource.Id.chronometer = 2131165330
```

**6.94.1.28 clip\_horizontal**

```
const int PROJEKT.Droid.Resource.Id.clip_horizontal = 2131165235
```

**6.94.1.29 clip\_vertical**

```
const int PROJEKT.Droid.Resource.Id.clip_vertical = 2131165236
```

**6.94.1.30 collapseActionView**

```
const int PROJEKT.Droid.Resource.Id.collapseActionView = 2131165215
```

**6.94.1.31 contentPanel**

```
const int PROJEKT.Droid.Resource.Id.contentPanel = 2131165258
```

**6.94.1.32 custom**

```
const int PROJEKT.Droid.Resource.Id.custom = 2131165264
```

**6.94.1.33 customPanel**

```
const int PROJEKT.Droid.Resource.Id.customPanel = 2131165263
```

**6.94.1.34 decor\_content\_parent**

```
const int PROJEKT.Droid.Resource.Id.decor_content_parent = 2131165272
```

**6.94.1.35 default\_activity\_button**

```
const int PROJEKT.Droid.Resource.Id.default_activity_button = 2131165248
```

**6.94.1.36 design\_bottom\_sheet**

```
const int PROJEKT.Droid.Resource.Id.design_bottom_sheet = 2131165290
```

**6.94.1.37 design\_menu\_item\_action\_area**

```
const int PROJEKT.Droid.Resource.Id.design_menu_item_action_area = 2131165297
```

**6.94.1.38 design\_menu\_item\_action\_area\_stub**

```
const int PROJEKT.Droid.Resource.Id.design_menu_item_action_area_stub = 2131165296
```

**6.94.1.39 design\_menu\_item\_text**

```
const int PROJEKT.Droid.Resource.Id.design_menu_item_text = 2131165295
```

**6.94.1.40 design\_navigation\_view**

```
const int PROJEKT.Droid.Resource.Id.design_navigation_view = 2131165294
```

**6.94.1.41 disableHome**

```
const int PROJEKT.Droid.Resource.Id.disableHome = 2131165198
```

**6.94.1.42 edit\_query**

```
const int PROJEKT.Droid.Resource.Id.edit_query = 2131165276
```

**6.94.1.43 end**

```
const int PROJEKT.Droid.Resource.Id.end = 2131165212
```



**6.94.1.44 end\_padder**

```
const int PROJEKT.Droid.Resource.Id.end_padder = 2131165335
```

**6.94.1.45 enterAlways**

```
const int PROJEKT.Droid.Resource.Id.enterAlways = 2131165219
```

**6.94.1.46 enterAlwaysCollapsed**

```
const int PROJEKT.Droid.Resource.Id.enterAlwaysCollapsed = 2131165220
```

**6.94.1.47 exitUntilCollapsed**

```
const int PROJEKT.Droid.Resource.Id.exitUntilCollapsed = 2131165221
```

**6.94.1.48 expand\_activities\_button**

```
const int PROJEKT.Droid.Resource.Id.expand_activities_button = 2131165246
```

**6.94.1.49 expanded\_menu**

```
const int PROJEKT.Droid.Resource.Id.expanded_menu = 2131165265
```

**6.94.1.50 fill**

```
const int PROJEKT.Droid.Resource.Id.fill = 2131165237
```

**6.94.1.51 fill\_horizontal**

```
const int PROJEKT.Droid.Resource.Id.fill_horizontal = 2131165238
```

**6.94.1.52 fill\_vertical**

```
const int PROJEKT.Droid.Resource.Id.fill_vertical = 2131165230
```

**6.94.1.53 fixed**

```
const int PROJEKT.Droid.Resource.Id.fixed = 2131165240
```

**6.94.1.54 home**

```
const int PROJEKT.Droid.Resource.Id.home = 2131165189
```

**6.94.1.55 homeAsUp**

```
const int PROJEKT.Droid.Resource.Id.homeAsUp = 2131165199
```

**6.94.1.56 icon**

```
const int PROJEKT.Droid.Resource.Id.icon = 2131165250
```

**6.94.1.57 ifRoom**

```
const int PROJEKT.Droid.Resource.Id.ifRoom = 2131165216
```

**6.94.1.58 image**

```
const int PROJEKT.Droid.Resource.Id.image = 2131165247
```

**6.94.1.59 info**

```
const int PROJEKT.Droid.Resource.Id.info = 2131165334
```

**6.94.1.60 item\_touch\_helper\_previous\_elevation**

```
const int PROJEKT.Droid.Resource.Id.item_touch_helper_previous_elevation = 2131165184
```

**6.94.1.61 left**

```
const int PROJEKT.Droid.Resource.Id.left = 2131165231
```

**6.94.1.62 line1**

```
const int PROJEKT.Droid.Resource.Id.line1 = 2131165328
```

**6.94.1.63 line3**

```
const int PROJEKT.Droid.Resource.Id.line3 = 2131165332
```

**6.94.1.64 list\_item**

```
const int PROJEKT.Droid.Resource.Id.list_item = 2131165249
```

**6.94.1.65 listMode**

```
const int PROJEKT.Droid.Resource.Id.listMode = 2131165195
```

**6.94.1.66 media\_actions**

```
const int PROJEKT.Droid.Resource.Id.media_actions = 2131165326
```

**6.94.1.67 middle**

```
const int PROJEKT.Droid.Resource.Id.middle = 2131165213
```

**6.94.1.68 mini**

```
const int PROJEKT.Droid.Resource.Id.mini = 2131165239
```

**6.94.1.69 mr\_art**

```
const int PROJEKT.Droid.Resource.Id.mr_art = 2131165309
```

**6.94.1.70 mr\_chooser\_list**

```
const int PROJEKT.Droid.Resource.Id.mr_chooser_list = 2131165298
```

**6.94.1.71 mr\_chooser\_route\_desc**

```
const int PROJEKT.Droid.Resource.Id.mr_chooser_route_desc = 2131165301
```

**6.94.1.72 mr\_chooser\_route\_icon**

```
const int PROJEKT.Droid.Resource.Id.mr_chooser_route_icon = 2131165299
```

**6.94.1.73 mr\_chooser\_route\_name**

```
const int PROJEKT.Droid.Resource.Id.mr_chooser_route_name = 2131165300
```

**6.94.1.74 mr\_close**

```
const int PROJEKT.Droid.Resource.Id.mr_close = 2131165306
```

**6.94.1.75 mr\_control\_divider**

```
const int PROJEKT.Droid.Resource.Id.mr_control_divider = 2131165312
```

**6.94.1.76 mr\_control\_play\_pause**

```
const int PROJEKT.Droid.Resource.Id.mr_control_play_pause = 2131165318
```

**6.94.1.77 mr\_control\_subtitle**

```
const int PROJEKT.Droid.Resource.Id.mr_control_subtitle = 2131165321
```

**6.94.1.78 mr\_control\_title**

```
const int PROJEKT.Droid.Resource.Id.mr_control_title = 2131165320
```

**6.94.1.79 mr\_control\_title\_container**

```
const int PROJEKT.Droid.Resource.Id.mr_control_title_container = 2131165319
```

**6.94.1.80 mr\_custom\_control**

```
const int PROJEKT.Droid.Resource.Id.mr_custom_control = 2131165307
```

**6.94.1.81 mr\_default\_control**

```
const int PROJEKT.Droid.Resource.Id.mr_default_control = 2131165308
```

**6.94.1.82 mr\_dialog\_area**

```
const int PROJEKT.Droid.Resource.Id.mr_dialog_area = 2131165303
```

**6.94.1.83 mr\_expandable\_area**

```
const int PROJEKT.Droid.Resource.Id.mr_expandable_area = 2131165302
```

**6.94.1.84 mr\_group\_expand\_collapse**

```
const int PROJEKT.Droid.Resource.Id.mr_group_expand_collapse = 2131165322
```

**6.94.1.85 mr\_media\_main\_control**

```
const int PROJEKT.Droid.Resource.Id.mr_media_main_control = 2131165310
```

**6.94.1.86 mr\_name**

```
const int PROJEKT.Droid.Resource.Id.mr_name = 2131165305
```

**6.94.1.87 mr\_playback\_control**

```
const int PROJEKT.Droid.Resource.Id.mr_playback_control = 2131165311
```

**6.94.1.88 mr\_title\_bar**

```
const int PROJEKT.Droid.Resource.Id.mr_title_bar = 2131165304
```

**6.94.1.89 mr\_volume\_control**

```
const int PROJEKT.Droid.Resource.Id.mr_volume_control = 2131165313
```

**6.94.1.90 mr\_volume\_group\_list**

```
const int PROJEKT.Droid.Resource.Id.mr_volume_group_list = 2131165314
```

**6.94.1.91 mr\_volume\_item\_icon**

```
const int PROJEKT.Droid.Resource.Id.mr_volume_item_icon = 2131165316
```

**6.94.1.92 mr\_volume\_slider**

```
const int PROJEKT.Droid.Resource.Id.mr_volume_slider = 2131165317
```

**6.94.1.93 multiply**

```
const int PROJEKT.Droid.Resource.Id.multiply = 2131165206
```

**6.94.1.94 navigation\_header\_container**

```
const int PROJEKT.Droid.Resource.Id.navigation_header_container = 2131165293
```

**6.94.1.95 never**

```
const int PROJEKT.Droid.Resource.Id.never = 2131165217
```

**6.94.1.96 none**

```
const int PROJEKT.Droid.Resource.Id.none = 2131165200
```

**6.94.1.97 normal**

```
const int PROJEKT.Droid.Resource.Id.normal = 2131165196
```

**6.94.1.98 parallax**

```
const int PROJEKT.Droid.Resource.Id.parallax = 2131165224
```

**6.94.1.99 parentPanel**

```
const int PROJEKT.Droid.Resource.Id.parentPanel = 2131165254
```

**6.94.1.100 pin**

```
const int PROJEKT.Droid.Resource.Id.pin = 2131165225
```

**6.94.1.101 progress\_circular**

```
const int PROJEKT.Droid.Resource.Id.progress_circular = 2131165190
```

**6.94.1.102 progress\_horizontal**

```
const int PROJEKT.Droid.Resource.Id.progress_horizontal = 2131165191
```

**6.94.1.103 radio**

```
const int PROJEKT.Droid.Resource.Id.radio = 2131165268
```

**6.94.1.104 right**

```
const int PROJEKT.Droid.Resource.Id.right = 2131165232
```

**6.94.1.105 screen**

```
const int PROJEKT.Droid.Resource.Id.screen = 2131165207
```

**6.94.1.106 scroll**

```
const int PROJEKT.Droid.Resource.Id.scroll = 2131165222
```

**6.94.1.107 scrollable**

```
const int PROJEKT.Droid.Resource.Id.scrollable = 2131165241
```



**6.94.1.108 scrollIndicatorDown**

```
const int PROJEKT.Droid.Resource.Id.scrollIndicatorDown = 2131165262
```

**6.94.1.109 scrollIndicatorUp**

```
const int PROJEKT.Droid.Resource.Id.scrollIndicatorUp = 2131165259
```

**6.94.1.110 scrollView**

```
const int PROJEKT.Droid.Resource.Id.scrollView = 2131165260
```

**6.94.1.111 search\_badge**

```
const int PROJEKT.Droid.Resource.Id.search_badge = 2131165278
```

**6.94.1.112 search\_bar**

```
const int PROJEKT.Droid.Resource.Id.search_bar = 2131165277
```

**6.94.1.113 search\_button**

```
const int PROJEKT.Droid.Resource.Id.search_button = 2131165279
```

**6.94.1.114 search\_close\_btn**

```
const int PROJEKT.Droid.Resource.Id.search_close_btn = 2131165284
```

**6.94.1.115 search\_edit\_frame**

```
const int PROJEKT.Droid.Resource.Id.search_edit_frame = 2131165280
```

**6.94.1.116 search\_go\_btn**

```
const int PROJEKT.Droid.Resource.Id.search_go_btn = 2131165286
```

**6.94.1.117 search\_mag\_icon**

```
const int PROJEKT.Droid.Resource.Id.search_mag_icon = 2131165281
```

**6.94.1.118 search\_plate**

```
const int PROJEKT.Droid.Resource.Id.search_plate = 2131165282
```

**6.94.1.119 search\_src\_text**

```
const int PROJEKT.Droid.Resource.Id.search_src_text = 2131165283
```

**6.94.1.120 search\_voice\_btn**

```
const int PROJEKT.Droid.Resource.Id.search_voice_btn = 2131165287
```

**6.94.1.121 select\_dialog\_listview**

```
const int PROJEKT.Droid.Resource.Id.select_dialog_listview = 2131165288
```

**6.94.1.122 shortcut**

```
const int PROJEKT.Droid.Resource.Id.shortcut = 2131165267
```

**6.94.1.123 showCustom**

```
const int PROJEKT.Droid.Resource.Id.showCustom = 2131165201
```

**6.94.1.124 showHome**

```
const int PROJEKT.Droid.Resource.Id.showHome = 2131165202
```

**6.94.1.125 showTitle**

```
const int PROJEKT.Droid.Resource.Id.showTitle = 2131165203
```

**6.94.1.126 sliding\_tabs**

```
const int PROJEKT.Droid.Resource.Id.sliding_tabs = 2131165336
```

**6.94.1.127 snackbar\_action**

```
const int PROJEKT.Droid.Resource.Id.snackbar_action = 2131165292
```

**6.94.1.128 snackbar\_text**

```
const int PROJEKT.Droid.Resource.Id.snackbar_text = 2131165291
```

**6.94.1.129 snap**

```
const int PROJEKT.Droid.Resource.Id.snap = 2131165223
```

**6.94.1.130 spacer**

```
const int PROJEKT.Droid.Resource.Id.spacer = 2131165253
```

**6.94.1.131 split\_action\_bar**

```
const int PROJEKT.Droid.Resource.Id.split_action_bar = 2131165192
```

**6.94.1.132 src\_atop**

```
const int PROJEKT.Droid.Resource.Id.src_atop = 2131165208
```

**6.94.1.133 src\_in**

```
const int PROJEKT.Droid.Resource.Id.src_in = 2131165209
```

**6.94.1.134 src\_over**

```
const int PROJEKT.Droid.Resource.Id.src_over = 2131165210
```

**6.94.1.135 start**

```
const int PROJEKT.Droid.Resource.Id.start = 2131165233
```

**6.94.1.136 status\_bar\_latest\_event\_content**

```
const int PROJEKT.Droid.Resource.Id.status_bar_latest_event_content = 2131165325
```

**6.94.1.137 submit\_area**

```
const int PROJEKT.Droid.Resource.Id.submit_area = 2131165285
```

**6.94.1.138 tabMode**

```
const int PROJEKT.Droid.Resource.Id.tabMode = 2131165197
```

**6.94.1.139 text**

```
const int PROJEKT.Droid.Resource.Id.text = 2131165333
```

**6.94.1.140 text2**

```
const int PROJEKT.Droid.Resource.Id.text2 = 2131165331
```

**6.94.1.141 textSpacerNoButtons**

```
const int PROJEKT.Droid.Resource.Id.textSpacerNoButtons = 2131165261
```

**6.94.1.142 time**

```
const int PROJEKT.Droid.Resource.Id.time = 2131165329
```

**6.94.1.143 title**

```
const int PROJEKT.Droid.Resource.Id.title = 2131165251
```

**6.94.1.144 title\_template**

```
const int PROJEKT.Droid.Resource.Id.title_template = 2131165256
```

**6.94.1.145 toolbar**

```
const int PROJEKT.Droid.Resource.Id.toolbar = 2131165337
```

**6.94.1.146 top**

```
const int PROJEKT.Droid.Resource.Id.top = 2131165234
```

**6.94.1.147 topPanel**

```
const int PROJEKT.Droid.Resource.Id.topPanel = 2131165255
```

**6.94.1.148 touch\_outside**

```
const int PROJEKT.Droid.Resource.Id.touch_outside = 2131165289
```

**6.94.1.149 up**

```
const int PROJEKT.Droid.Resource.Id.up = 2131165193
```

**6.94.1.150 useLogo**

```
const int PROJEKT.Droid.Resource.Id.useLogo = 2131165204
```

**6.94.1.151 view\_offset\_helper**

```
const int PROJEKT.Droid.Resource.Id.view_offset_helper = 2131165194
```

**6.94.1.152 volume\_item\_container**

```
const int PROJEKT.Droid.Resource.Id.volume_item_container = 2131165315
```

**6.94.1.153 withText**

```
const int PROJEKT.Droid.Resource.Id.withText = 2131165218
```

**6.94.1.154 wrap\_content**

```
const int PROJEKT.Droid.Resource.Id.wrap_content = 2131165205
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

## 6.95 PROJEKT.Models.Interfaces.IDownloadCompetition Interface Reference

Interfejs do pobrania Competition

Inheritance diagram for PROJEKT.Models.Interfaces.IDownloadCompetition:



### Public Member Functions

- System.Threading.Tasks.Task **HttpCall** ()

### Properties

- List< **CompetitionDTO** > **results** [get, set]

#### 6.95.1 Detailed Description

Interfejs do pobrania Competition

#### 6.95.2 Member Function Documentation

##### 6.95.2.1 HttpCall()

System.Threading.Tasks.Task PROJEKT.Models.Interfaces.IDownloadCompetition.HttpCall ( )

Implemented in **PROJEKT.ViewModels.DownloadCompetition** (p. 211).

#### 6.95.3 Property Documentation

##### 6.95.3.1 results

List< **CompetitionDTO**> PROJEKT.Models.Interfaces.IDownloadCompetition.results [get], [set]


The documentation for this interface was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/ **IDownloadCompetition.cs**

## 6.96 PROJEKT.Models.Interfaces.IDownloadFixture Interface Reference

Interfejs do pobrania danych dla Fixture

Inheritance diagram for PROJEKT.Models.Interfaces.IDownloadFixture:



### Public Member Functions

- System.Threading.Tasks.Task **HttpCall** ()

### Properties

- **FixturesDTO results** [get, set]

### 6.96.1 Detailed Description

Interfejs do pobrania danych dla Fixture

### 6.96.2 Member Function Documentation

#### 6.96.2.1 HttpCall()

System.Threading.Tasks.Task PROJEKT.Models.Interfaces.IDownloadFixture.HttpCall ( )

Implemented in **PROJEKT.ViewModels.DownloadFixture** (p.212).

### 6.96.3 Property Documentation

#### 6.96.3.1 results

**FixturesDTO** PROJEKT.Models.Interfaces.IDownloadFixture.results [get], [set]

The documentation for this interface was generated from the following file:


- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/ **IDownloadFixture.cs**



## 6.97 PROJEKT.Models.Interfaces.IDownloadTeam Interface Reference

Interfejs do pobrania danych dla Team

Inheritance diagram for PROJEKT.Models.Interfaces.IDownloadTeam:



### Public Member Functions

- System.Threading.Tasks.Task **HttpCall** ()

### Properties

- **TeamsDTO results** [get, set]

#### 6.97.1 Detailed Description

Interfejs do pobrania danych dla Team

#### 6.97.2 Member Function Documentation

##### 6.97.2.1 HttpCall()

System.Threading.Tasks.Task PROJEKT.Models.Interfaces.IDownloadTeam.HttpCall ( )


Implemented in **PROJEKT.ViewModels.DownloadTeam** (p. 213).

#### 6.97.3 Property Documentation

##### 6.97.3.1 results


**TeamsDTO** PROJEKT.Models.Interfaces.IDownloadTeam.results [get], [set]

The documentation for this interface was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/  **DownloadTeam.cs**

## 6.98 md57018357d52b54713cd814fbd5262dd1f.ImageRenderer Class Reference

Inheritance diagram for md57018357d52b54713cd814fbd5262dd1f.ImageRenderer:



### Public Member Functions

- **ImageRenderer** (android.content.Context p0) throws java.lang.Throwable
- **ImageRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ImageRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **ImageRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **invalidate** ()
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.98.1 Constructor & Destructor Documentation

#### 6.98.1.1 ImageRenderer() [1/4]

```
md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.ImageRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

#### 6.98.1.2 ImageRenderer() [2/4]

```
md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.ImageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.98.1.3 ImageRenderer() [3/4]

```
md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.ImageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.98.1.4 ImageRenderer() [4/4]

```
md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.ImageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.98.2 Member Function Documentation

### 6.98.2.1 invalidate()

```
void md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.invalidate ( )
```

### 6.98.2.2 monodroidAddReference()

```
void md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.98.2.3 monodroidClearReferences()

```
void md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.monodroidClearReferences ( )
```

### 6.98.2.4 onTouchEvent()

```
boolean md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

### 6.98.3 Member Data Documentation

#### 6.98.3.1 \_\_md\_methods


```
final String md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d52b54713cd814fbd5262dd1f.ImageRenderer.java

## 6.99 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer:



### Public Member Functions

- **ImageRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **ImageRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ImageRenderer** (android.content.Context p0) throws java.lang.Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.99.1 Constructor & Destructor Documentation

#### 6.99.1.1 ImageRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer.ImageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.99.1.2 ImageRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer.ImageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.99.1.3 ImageRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer.ImageRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.99.2 Member Function Documentation

### 6.99.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.99.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer.monodroidClearReferences ( )
```

### 6.99.2.3 onTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

## 6.99.3 Member Data Documentation

### 6.99.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ImageRenderer.java

## 6.100 PROJEKT.Views.InitializationPage Class Reference

Inheritance diagram for PROJEKT.Views.InitializationPage:



### Public Member Functions

- **InitializationPage** ()
- **InitializationPage** ()

### Protected Member Functions

- override async void **OnAppearing** ()

### 6.100.1 Constructor & Destructor Documentation

#### 6.100.1.1 InitializationPage() [1/2]

```
PROJEKT.Views.InitializationPage.InitializationPage ( )
```

#### 6.100.1.2 InitializationPage() [2/2]

```
PROJEKT.Views.InitializationPage.InitializationPage ( )
```

### 6.100.2 Member Function Documentation

#### 6.100.2.1 OnAppearing()

```
override async void PROJEKT.Views.InitializationPage.OnAppearing ( ) [protected]
```

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.Views.InitializationPage.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/ **InitializationPage.xaml.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/ **InitializationPage.cs**

## 6.101 PROJEKT.ViewModels.InitializationViewModel Class Reference

Klasa pomocnicza do obsłużenia widoku InitializationPage.

### Public Member Functions

- void **SizeChanged** (double width, double height)  
*Metoda do zapisywania rozdzielczości telefonu.*

#### 6.101.1 Detailed Description

Klasa pomocnicza do obsłużenia widoku InitializationPage.

#### 6.101.2 Member Function Documentation

##### 6.101.2.1 SizeChanged()

```
void PROJEKT.ViewModels.InitializationViewModel.SizeChanged (
    double width,
    double height )
```

Metoda do zapisywania rozdzielczości telefonu.

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ **InitializationViewModel.cs**

## 6.102 md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener:



### Public Member Functions

- **InnerGestureListener** () throws java.lang.Throwable
- boolean **onDown** (android.view.MotionEvent p0)
- boolean **onFling** (android.view.MotionEvent p0, android.view.MotionEvent p1, float p2, float p3)
- void **onLongPress** (android.view.MotionEvent p0)
- boolean **onScroll** (android.view.MotionEvent p0, android.view.MotionEvent p1, float p2, float p3)
- void **onShowPress** (android.view.MotionEvent p0)
- boolean **onSingleTapUp** (android.view.MotionEvent p0)
- boolean **onDoubleTap** (android.view.MotionEvent p0)
- boolean **onDoubleTapEvent** (android.view.MotionEvent p0)
- boolean **onSingleTapConfirmed** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.102.1 Constructor & Destructor Documentation

### 6.102.1.1 InnerGestureListener()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.InnerGestureListener ( ) throws java.↵  
lang.Throwable

## 6.102.2 Member Function Documentation

### 6.102.2.1 monodroidAddReference()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.monodroidAddReference (   
java.lang.Object obj )

### 6.102.2.2 monodroidClearReferences()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.monodroidClearReferences ( )

### 6.102.2.3 onDoubleTap()

boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.onDoubleTap (   
android.view.MotionEvent p0 )

### 6.102.2.4 onDoubleTapEvent()

boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.onDoubleTapEvent (   
android.view.MotionEvent p0 )



#### 6.102.2.5 onDown()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.onDown (
    android.view.MotionEvent p0 )
```

#### 6.102.2.6 onFling()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.onFling (
    android.view.MotionEvent p0,
    android.view.MotionEvent p1,
    float p2,
    float p3 )
```

#### 6.102.2.7 onLongPress()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.onLongPress (
    android.view.MotionEvent p0 )
```

#### 6.102.2.8 onScroll()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.onScroll (
    android.view.MotionEvent p0,
    android.view.MotionEvent p1,
    float p2,
    float p3 )
```

#### 6.102.2.9 onShowPress()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.onShowPress (
    android.view.MotionEvent p0 )
```

#### 6.102.2.10 onSingleTapConfirmed()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.onSingleTapConfirmed (
    android.view.MotionEvent p0 )
```

### 6.102.2.11 onSingleTapUp()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.onSingleTapUp (
    android.view.MotionEvent p0 )
```

## 6.102.3 Member Data Documentation

### 6.102.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener.java

## 6.103 md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener:



### Public Member Functions

- **InnerScaleListener** () throws java.lang.Throwable
- boolean **onScale** (android.view.ScaleGestureDetector p0)
- boolean **onScaleBegin** (android.view.ScaleGestureDetector p0)
- void **onScaleEnd** (android.view.ScaleGestureDetector p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.103.1 Constructor & Destructor Documentation

### 6.103.1.1 InnerScaleListener()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener.InnerScaleListener ( ) throws java.lang.↵  
lang.Throwable

## 6.103.2 Member Function Documentation

### 6.103.2.1 monodroidAddReference()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener.monodroidAddReference (   
java.lang.Object *obj* )

### 6.103.2.2 monodroidClearReferences()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener.monodroidClearReferences ( )

### 6.103.2.3 onScale()

boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener.onScale (   
android.view.ScaleGestureDetector *p0* )

### 6.103.2.4 onScaleBegin()

boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener.onScaleBegin (   
android.view.ScaleGestureDetector *p0* )

### 6.103.2.5 onScaleEnd()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener.onScaleEnd (   
android.view.ScaleGestureDetector *p0* )

## 6.103.3 Member Data Documentation

### 6.103.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener.java

## 6.104 PROJEKT.Droid.Resource.Integer Class Reference

### Public Attributes

- const int **abc\_config\_activityDefaultDur** = 2131296260
- const int **abc\_config\_activityShortDur** = 2131296261
- const int **abc\_max\_action\_buttons** = 2131296259
- const int **bottom\_sheet\_slide\_duration** = 2131296265
- const int **cancel\_button\_image\_alpha** = 2131296262
- const int **design\_snackbar\_text\_max\_lines** = 2131296264
- const int **mr\_controller\_volume\_group\_list\_animation\_duration\_ms** = 2131296256
- const int **mr\_controller\_volume\_group\_list\_fade\_in\_duration\_ms** = 2131296257
- const int **mr\_controller\_volume\_group\_list\_fade\_out\_duration\_ms** = 2131296258
- const int **status\_bar\_notification\_info\_maxnum** = 2131296263

### 6.104.1 Member Data Documentation

#### 6.104.1.1 abc\_config\_activityDefaultDur

```
const int PROJEKT.Droid.Resource.Integer.abc_config_activityDefaultDur = 2131296260
```

#### 6.104.1.2 abc\_config\_activityShortDur

```
const int PROJEKT.Droid.Resource.Integer.abc_config_activityShortDur = 2131296261
```

#### 6.104.1.3 abc\_max\_action\_buttons

```
const int PROJEKT.Droid.Resource.Integer.abc_max_action_buttons = 2131296259
```

#### 6.104.1.4 bottom\_sheet\_slide\_duration

```
const int PROJEKT.Droid.Resource.Integer.bottom_sheet_slide_duration = 2131296265
```

#### 6.104.1.5 cancel\_button\_image\_alpha

```
const int PROJEKT.Droid.Resource.Integer.cancel_button_image_alpha = 2131296262
```

#### 6.104.1.6 design\_snackbar\_text\_max\_lines

```
const int PROJEKT.Droid.Resource.Integer.design_snackbar_text_max_lines = 2131296264
```

#### 6.104.1.7 mr\_controller\_volume\_group\_list\_animation\_duration\_ms

```
const int PROJEKT.Droid.Resource.Integer.mr_controller_volume_group_list_animation_duration_ms  
= 2131296256
```

#### 6.104.1.8 mr\_controller\_volume\_group\_list\_fade\_in\_duration\_ms

```
const int PROJEKT.Droid.Resource.Integer.mr_controller_volume_group_list_fade_in_duration_ms =  
2131296257
```

#### 6.104.1.9 mr\_controller\_volume\_group\_list\_fade\_out\_duration\_ms

```
const int PROJEKT.Droid.Resource.Integer.mr_controller_volume_group_list_fade_out_duration_ms  
= 2131296258
```

#### 6.104.1.10 status\_bar\_notification\_info\_maxnum

```
const int PROJEKT.Droid.Resource.Integer.status_bar_notification_info_maxnum = 2131296263
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/  
**Resource.Designer.cs**

## 6.105 PROJEKT.Droid.Resource.Interpolator Class Reference

### Public Attributes

- const int **mr\_fast\_out\_slow\_in** = 2131034112
- const int **mr\_linear\_out\_slow\_in** = 2131034113

### 6.105.1 Member Data Documentation

#### 6.105.1.1 mr\_fast\_out\_slow\_in

```
const int PROJEKT.Droid.Resource.Interpolator.mr_fast_out_slow_in = 2131034112
```

#### 6.105.1.2 mr\_linear\_out\_slow\_in

```
const int PROJEKT.Droid.Resource.Interpolator.mr_linear_out_slow_in = 2131034113
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

## 6.106 PROJEKT.Models.Interfaces.IStreamService Interface Reference

Intefejs do uzyskania stream ze ścieżki do zdjęcia.

Inheritance diagram for PROJEKT.Models.Interfaces.IStreamService:



### Public Member Functions

- Stream **GetStream** (string path)

### 6.106.1 Detailed Description

Intefejs do uzyskania stream ze ścieżki do zdjęcia.

## 6.106.2 Member Function Documentation

### 6.106.2.1 GetStream()

```
Stream PROJEKT.Models.Interfaces.IStreamService.GetStream (
    string path )
```


Implemented in **PROJEKT.Droid.DependencyServices.StreamService** (p. 480), and **PROJEKT.Droid.↔  
DependencyServices.StreamService** (p. 480).

The documentation for this interface was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/ I↔  
**StreamService.cs**

## 6.107 md57018357d52b54713cd814fbd5262dd1f.LabelRenderer Class Reference

Inheritance diagram for md57018357d52b54713cd814fbd5262dd1f.LabelRenderer:



## Public Member Functions

- **LabelRenderer** (android.content.Context p0) throws java.lang.Throwable
- **LabelRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **LabelRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **LabelRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.↔  
Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.107.1 Constructor & Destructor Documentation

**6.107.1.1 LabelRenderer()** [1/4]

```
md57018357d52b54713cd814fbd5262dd1f.LabelRendererer.LabelRendererer (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.107.1.2 LabelRenderer()** [2/4]

```
md57018357d52b54713cd814fbd5262dd1f.LabelRendererer.LabelRendererer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.107.1.3 LabelRenderer()** [3/4]

```
md57018357d52b54713cd814fbd5262dd1f.LabelRendererer.LabelRendererer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

**6.107.1.4 LabelRenderer()** [4/4]

```
md57018357d52b54713cd814fbd5262dd1f.LabelRendererer.LabelRendererer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

**6.107.2 Member Function Documentation****6.107.2.1 monodroidAddReference()**

```
void md57018357d52b54713cd814fbd5262dd1f.LabelRendererer.monodroidAddReference (
    java.lang.Object obj )
```

**6.107.2.2 monodroidClearReferences()**

```
void md57018357d52b54713cd814fbd5262dd1f.LabelRendererer.monodroidClearReferences ( )
```



## 6.107.2.3 onTouchEvent()

```
boolean md57018357d52b54713cd814fbd5262dd1f.LabelRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

## 6.107.3 Member Data Documentation

## 6.107.3.1 \_\_md\_methods


```
final String md57018357d52b54713cd814fbd5262dd1f.LabelRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d52b54713cd814fbd5262dd1f.LabelRenderer.java

## 6.108 md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer:



## Public Member Functions

- **LabelRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **LabelRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **LabelRenderer** (android.content.Context p0) throws java.lang.Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.108.1 Constructor &amp; Destructor Documentation

### 6.108.1.1 LabelRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer.LabelRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.108.1.2 LabelRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer.LabelRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.108.1.3 LabelRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer.LabelRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.108.2 Member Function Documentation

### 6.108.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.108.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer.monodroidClearReferences ( )
```

### 6.108.2.3 onTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

### 6.108.3 Member Data Documentation

#### 6.108.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer.java

## 6.109 PROJEKT.Droid.Resource.Layout Class Reference

### Public Attributes

- const int **abc\_action\_bar\_title\_item** = 2130903040
- const int **abc\_action\_bar\_up\_container** = 2130903041
- const int **abc\_action\_bar\_view\_list\_nav\_layout** = 2130903042
- const int **abc\_action\_menu\_item\_layout** = 2130903043
- const int **abc\_action\_menu\_layout** = 2130903044
- const int **abc\_action\_mode\_bar** = 2130903045
- const int **abc\_action\_mode\_close\_item\_material** = 2130903046
- const int **abc\_activity\_chooser\_view** = 2130903047
- const int **abc\_activity\_chooser\_view\_list\_item** = 2130903048
- const int **abc\_alert\_dialog\_button\_bar\_material** = 2130903049
- const int **abc\_alert\_dialog\_material** = 2130903050
- const int **abc\_dialog\_title\_material** = 2130903051
- const int **abc\_expanded\_menu\_layout** = 2130903052
- const int **abc\_list\_menu\_item\_checkbox** = 2130903053
- const int **abc\_list\_menu\_item\_icon** = 2130903054
- const int **abc\_list\_menu\_item\_layout** = 2130903055
- const int **abc\_list\_menu\_item\_radio** = 2130903056
- const int **abc\_popup\_menu\_item\_layout** = 2130903057
- const int **abc\_screen\_content\_include** = 2130903058
- const int **abc\_screen\_simple** = 2130903059
- const int **abc\_screen\_simple\_overlay\_action\_mode** = 2130903060
- const int **abc\_screen\_toolbar** = 2130903061
- const int **abc\_search\_dropdown\_item\_icons\_2line** = 2130903062
- const int **abc\_search\_view** = 2130903063
- const int **abc\_select\_dialog\_material** = 2130903064
- const int **design\_bottom\_sheet\_dialog** = 2130903065
- const int **design\_layout\_snackbar** = 2130903066
- const int **design\_layout\_snackbar\_include** = 2130903067
- const int **design\_layout\_tab\_icon** = 2130903068
- const int **design\_layout\_tab\_text** = 2130903069
- const int **design\_menu\_item\_action\_area** = 2130903070
- const int **design\_navigation\_item** = 2130903071
- const int **design\_navigation\_item\_header** = 2130903072

- const int **design\_navigation\_item\_separator** = 2130903073
- const int **design\_navigation\_item\_subheader** = 2130903074
- const int **design\_navigation\_menu** = 2130903075
- const int **design\_navigation\_menu\_item** = 2130903076
- const int **mr\_chooser\_dialog** = 2130903077
- const int **mr\_chooser\_list\_item** = 2130903078
- const int **mr\_controller\_material\_dialog\_b** = 2130903079
- const int **mr\_controller\_volume\_item** = 2130903080
- const int **mr\_playback\_control** = 2130903081
- const int **mr\_volume\_control** = 2130903082
- const int **notification\_media\_action** = 2130903083
- const int **notification\_media\_cancel\_action** = 2130903084
- const int **notification\_template\_big\_media** = 2130903085
- const int **notification\_template\_big\_media\_narrow** = 2130903086
- const int **notification\_template\_lines** = 2130903087
- const int **notification\_template\_media** = 2130903088
- const int **notification\_template\_part\_chronometer** = 2130903089
- const int **notification\_template\_part\_time** = 2130903090
- const int **select\_dialog\_item\_material** = 2130903091
- const int **select\_dialog\_multichoice\_material** = 2130903092
- const int **select\_dialog\_singlechoice\_material** = 2130903093
- const int **support\_simple\_spinner\_dropdown\_item** = 2130903094
- const int **Tabbar** = 2130903095
- const int **Toolbar** = 2130903096

### 6.109.1 Member Data Documentation

#### 6.109.1.1 abc\_action\_bar\_title\_item

```
const int PROJEKT.Droid.Resource.Layout.abc_action_bar_title_item = 2130903040
```

#### 6.109.1.2 abc\_action\_bar\_up\_container

```
const int PROJEKT.Droid.Resource.Layout.abc_action_bar_up_container = 2130903041
```

#### 6.109.1.3 abc\_action\_bar\_view\_list\_nav\_layout

```
const int PROJEKT.Droid.Resource.Layout.abc_action_bar_view_list_nav_layout = 2130903042
```

**6.109.1.4 abc\_action\_menu\_item\_layout**

```
const int PROJEKT.Droid.Resource.Layout.abc_action_menu_item_layout = 2130903043
```

**6.109.1.5 abc\_action\_menu\_layout**

```
const int PROJEKT.Droid.Resource.Layout.abc_action_menu_layout = 2130903044
```

**6.109.1.6 abc\_action\_mode\_bar**

```
const int PROJEKT.Droid.Resource.Layout.abc_action_mode_bar = 2130903045
```

**6.109.1.7 abc\_action\_mode\_close\_item\_material**

```
const int PROJEKT.Droid.Resource.Layout.abc_action_mode_close_item_material = 2130903046
```

**6.109.1.8 abc\_activity\_chooser\_view**

```
const int PROJEKT.Droid.Resource.Layout.abc_activity_chooser_view = 2130903047
```

**6.109.1.9 abc\_activity\_chooser\_view\_list\_item**

```
const int PROJEKT.Droid.Resource.Layout.abc_activity_chooser_view_list_item = 2130903048
```

**6.109.1.10 abc\_alert\_dialog\_button\_bar\_material**

```
const int PROJEKT.Droid.Resource.Layout.abc_alert_dialog_button_bar_material = 2130903049
```

**6.109.1.11 abc\_alert\_dialog\_material**

```
const int PROJEKT.Droid.Resource.Layout.abc_alert_dialog_material = 2130903050
```

**6.109.1.12 abc\_dialog\_title\_material**

```
const int PROJEKT.Droid.Resource.Layout.abc_dialog_title_material = 2130903051
```

**6.109.1.13 abc\_expanded\_menu\_layout**

```
const int PROJEKT.Droid.Resource.Layout.abc_expanded_menu_layout = 2130903052
```

**6.109.1.14 abc\_list\_menu\_item\_checkbox**

```
const int PROJEKT.Droid.Resource.Layout.abc_list_menu_item_checkbox = 2130903053
```

**6.109.1.15 abc\_list\_menu\_item\_icon**

```
const int PROJEKT.Droid.Resource.Layout.abc_list_menu_item_icon = 2130903054
```

**6.109.1.16 abc\_list\_menu\_item\_layout**

```
const int PROJEKT.Droid.Resource.Layout.abc_list_menu_item_layout = 2130903055
```

**6.109.1.17 abc\_list\_menu\_item\_radio**

```
const int PROJEKT.Droid.Resource.Layout.abc_list_menu_item_radio = 2130903056
```

**6.109.1.18 abc\_popup\_menu\_item\_layout**

```
const int PROJEKT.Droid.Resource.Layout.abc_popup_menu_item_layout = 2130903057
```

**6.109.1.19 abc\_screen\_content\_include**

```
const int PROJEKT.Droid.Resource.Layout.abc_screen_content_include = 2130903058
```

**6.109.1.20 abc\_screen\_simple**

```
const int PROJEKT.Droid.Resource.Layout.abc_screen_simple = 2130903059
```

**6.109.1.21 abc\_screen\_simple\_overlay\_action\_mode**

```
const int PROJEKT.Droid.Resource.Layout.abc_screen_simple_overlay_action_mode = 2130903060
```

**6.109.1.22 abc\_screen\_toolbar**

```
const int PROJEKT.Droid.Resource.Layout.abc_screen_toolbar = 2130903061
```

**6.109.1.23 abc\_search\_dropdown\_item\_icons\_2line**

```
const int PROJEKT.Droid.Resource.Layout.abc_search_dropdown_item_icons_2line = 2130903062
```

**6.109.1.24 abc\_search\_view**

```
const int PROJEKT.Droid.Resource.Layout.abc_search_view = 2130903063
```

**6.109.1.25 abc\_select\_dialog\_material**

```
const int PROJEKT.Droid.Resource.Layout.abc_select_dialog_material = 2130903064
```

**6.109.1.26 design\_bottom\_sheet\_dialog**

```
const int PROJEKT.Droid.Resource.Layout.design_bottom_sheet_dialog = 2130903065
```

**6.109.1.27 design\_layout\_snackbar**

```
const int PROJEKT.Droid.Resource.Layout.design_layout_snackbar = 2130903066
```

**6.109.1.28 design\_layout\_snackbar\_include**

```
const int PROJEKT.Droid.Resource.Layout.design_layout_snackbar_include = 2130903067
```

**6.109.1.29 design\_layout\_tab\_icon**

```
const int PROJEKT.Droid.Resource.Layout.design_layout_tab_icon = 2130903068
```

**6.109.1.30 design\_layout\_tab\_text**

```
const int PROJEKT.Droid.Resource.Layout.design_layout_tab_text = 2130903069
```

**6.109.1.31 design\_menu\_item\_action\_area**

```
const int PROJEKT.Droid.Resource.Layout.design_menu_item_action_area = 2130903070
```

**6.109.1.32 design\_navigation\_item**

```
const int PROJEKT.Droid.Resource.Layout.design_navigation_item = 2130903071
```

**6.109.1.33 design\_navigation\_item\_header**

```
const int PROJEKT.Droid.Resource.Layout.design_navigation_item_header = 2130903072
```

**6.109.1.34 design\_navigation\_item\_separator**

```
const int PROJEKT.Droid.Resource.Layout.design_navigation_item_separator = 2130903073
```

**6.109.1.35 design\_navigation\_item\_subheader**

```
const int PROJEKT.Droid.Resource.Layout.design_navigation_item_subheader = 2130903074
```



**6.109.1.36 design\_navigation\_menu**

```
const int PROJEKT.Droid.Resource.Layout.design_navigation_menu = 2130903075
```

**6.109.1.37 design\_navigation\_menu\_item**

```
const int PROJEKT.Droid.Resource.Layout.design_navigation_menu_item = 2130903076
```

**6.109.1.38 mr\_chooser\_dialog**

```
const int PROJEKT.Droid.Resource.Layout.mr_chooser_dialog = 2130903077
```

**6.109.1.39 mr\_chooser\_list\_item**

```
const int PROJEKT.Droid.Resource.Layout.mr_chooser_list_item = 2130903078
```

**6.109.1.40 mr\_controller\_material\_dialog\_b**

```
const int PROJEKT.Droid.Resource.Layout.mr_controller_material_dialog_b = 2130903079
```

**6.109.1.41 mr\_controller\_volume\_item**

```
const int PROJEKT.Droid.Resource.Layout.mr_controller_volume_item = 2130903080
```

**6.109.1.42 mr\_playback\_control**

```
const int PROJEKT.Droid.Resource.Layout.mr_playback_control = 2130903081
```

**6.109.1.43 mr\_volume\_control**

```
const int PROJEKT.Droid.Resource.Layout.mr_volume_control = 2130903082
```

**6.109.1.44 notification\_media\_action**

```
const int PROJEKT.Droid.Resource.Layout.notification_media_action = 2130903083
```

**6.109.1.45 notification\_media\_cancel\_action**

```
const int PROJEKT.Droid.Resource.Layout.notification_media_cancel_action = 2130903084
```

**6.109.1.46 notification\_template\_big\_media**

```
const int PROJEKT.Droid.Resource.Layout.notification_template_big_media = 2130903085
```

**6.109.1.47 notification\_template\_big\_media\_narrow**

```
const int PROJEKT.Droid.Resource.Layout.notification_template_big_media_narrow = 2130903086
```

**6.109.1.48 notification\_template\_lines**

```
const int PROJEKT.Droid.Resource.Layout.notification_template_lines = 2130903087
```

**6.109.1.49 notification\_template\_media**

```
const int PROJEKT.Droid.Resource.Layout.notification_template_media = 2130903088
```

**6.109.1.50 notification\_template\_part\_chronometer**

```
const int PROJEKT.Droid.Resource.Layout.notification_template_part_chronometer = 2130903089
```

**6.109.1.51 notification\_template\_part\_time**

```
const int PROJEKT.Droid.Resource.Layout.notification_template_part_time = 2130903090
```

**6.109.1.52 select\_dialog\_item\_material**

```
const int PROJEKT.Droid.Resource.Layout.select_dialog_item_material = 2130903091
```

**6.109.1.53 select\_dialog\_multichoice\_material**

```
const int PROJEKT.Droid.Resource.Layout.select_dialog_multichoice_material = 2130903092
```

**6.109.1.54 select\_dialog\_singlechoice\_material**

```
const int PROJEKT.Droid.Resource.Layout.select_dialog_singlechoice_material = 2130903093
```

**6.109.1.55 support\_simple\_spinner\_dropdown\_item**

```
const int PROJEKT.Droid.Resource.Layout.support_simple_spinner_dropdown_item = 2130903094
```

**6.109.1.56 Tabbar**

```
const int PROJEKT.Droid.Resource.Layout.Tabbar = 2130903095
```

**6.109.1.57 Toolbar**

```
const int PROJEKT.Droid.Resource.Layout.Toolbar = 2130903096
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

**6.110 PROJEKT.Models.API.LeagueDTO Class Reference**

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego wiersza w tabeli ligi.

## Properties

- int **Position** [get, set]
- string **TeamName** [get, set]
- int **PlayedGames** [get, set]
- int **Points** [get, set]
- int **Goals** [get, set]
- int **Wins** [get, set]
- int **Draws** [get, set]
- int **Losses** [get, set]

### 6.110.1 Detailed Description

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego wiersza w tabeli ligi.

### 6.110.2 Property Documentation

#### 6.110.2.1 Draws

```
int PROJEKT.Models.API.LeagueDTO.Draws [get], [set]
```

#### 6.110.2.2 Goals

```
int PROJEKT.Models.API.LeagueDTO.Goals [get], [set]
```

#### 6.110.2.3 Losses

```
int PROJEKT.Models.API.LeagueDTO.Losses [get], [set]
```

#### 6.110.2.4 PlayedGames

```
int PROJEKT.Models.API.LeagueDTO.PlayedGames [get], [set]
```

#### 6.110.2.5 Points

```
int PROJEKT.Models.API.LeagueDTO.Points [get], [set]
```

#### 6.110.2.6 Position

```
int PROJEKT.Models.API.LeagueDTO.Position [get], [set]
```

#### 6.110.2.7 TeamName

```
string PROJEKT.Models.API.LeagueDTO.TeamName [get], [set]
```

#### 6.110.2.8 Wins


```
int PROJEKT.Models.API.LeagueDTO.Wins [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/ **League↔  
DTO.cs**

## 6.111 PROJEKT.Views.Controls.LeagueItemView Class Reference

Inheritance diagram for PROJEKT.Views.Controls.LeagueItemView:



### Public Member Functions

- **LeagueItemView ()**

#### 6.111.1 Constructor & Destructor Documentation

### 6.111.1.1 LeagueItemView()

PROJEKT.Views.Controls.LeagueItemView.LeagueItemView ( )

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.Views.Controls.LeagueItemView.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/**LeagueItemView.xaml.cs**

## 6.112 PROJEKT.ViewModels.LeagueItemViewModel Class Reference

Klasa pomocnicza do obsłużenia widoku.

### Public Member Functions

- **LeagueItemViewModel ()**  
*Konstruktor.*
- async void **DownloadData** (StackLayout stlItem)  
*Metoda do pobrania z API danych oraz wczytywanie ich do widoku.*

### Properties

- **LeaguesDTO Results** [get, set]  
*Lista obiektów LeaguesDTO do przekonwertowania danych z JSON.*

### 6.112.1 Detailed Description

Klasa pomocnicza do obsłużenia widoku.

### 6.112.2 Constructor & Destructor Documentation

#### 6.112.2.1 LeagueItemViewModel()

PROJEKT.ViewModels.LeagueItemViewModel.LeagueItemViewModel ( )

Konstruktor.

### 6.112.3 Member Function Documentation

#### 6.112.3.1 DownloadData()

```
async void PROJEKT.ViewModels.LeagueItemViewModel.DownloadData (
    StackLayout stlItem )
```

Metoda do pobrania z API danych oraz wczytywanie ich do widoku.

#### 6.112.4 Property Documentation

##### 6.112.4.1 Results

```
LeaguesDTO PROJEKT.ViewModels.LeagueItemViewModel.Results [get], [set]
```

Lista obiektów LeaguesDTO do przekonwertowania danych z JSON.

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ **League↔ItemViewModel.cs**

### 6.113 PROJEKT.Models.API.LeaguesDTO Class Reference

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista wierszy w tabeli ligi.

#### Properties

- List< **LeagueDTO** > **League** [get, set]

#### 6.113.1 Detailed Description

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista wierszy w tabeli ligi.

#### 6.113.2 Property Documentation

##### 6.113.2.1 League


```
List< LeagueDTO> PROJEKT.Models.API.LeaguesDTO.League [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/ **Leagues↔DTO.cs**

## 6.114 PROJEKT.Views.Controls.LeagueView Class Reference

Inheritance diagram for PROJEKT.Views.Controls.LeagueView:



### Public Member Functions

- **LeagueView** ()

### 6.114.1 Constructor & Destructor Documentation

#### 6.114.1.1 LeagueView()

`PROJEKT.Views.Controls.LeagueView.LeagueView ( )`

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.Views.Controls.LeagueView.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/ **LeagueView.xaml.cs**

## 6.115 PROJEKT.ViewModels.LeagueViewModel Class Reference

Klasa pomocnicza do przechowywania danych dla widoku.

### Properties

- string **Position** [get, set]
- string **TeamName** [get, set]
- string **PlayedGames** [get, set]
- string **Points** [get, set]
- string **Goals** [get, set]
- string **Wins** [get, set]
- string **Draws** [get, set]
- string **Losses** [get, set]



### 6.115.1 Detailed Description

Klasa pomocnicza do przechowywania danych dla widoku.

### 6.115.2 Property Documentation

#### 6.115.2.1 Draws

```
string PROJEKT.ViewModels.LeagueViewModel.Draws [get], [set]
```

#### 6.115.2.2 Goals

```
string PROJEKT.ViewModels.LeagueViewModel.Goals [get], [set]
```

#### 6.115.2.3 Losses

```
string PROJEKT.ViewModels.LeagueViewModel.Losses [get], [set]
```

#### 6.115.2.4 PlayedGames

```
string PROJEKT.ViewModels.LeagueViewModel.PlayedGames [get], [set]
```

#### 6.115.2.5 Points

```
string PROJEKT.ViewModels.LeagueViewModel.Points [get], [set]
```

#### 6.115.2.6 Position

```
string PROJEKT.ViewModels.LeagueViewModel.Position [get], [set]
```

### 6.115.2.7 TeamName

```
string PROJEKT.ViewModels.LeagueViewModel.TeamName [get], [set]
```

### 6.115.2.8 Wins


```
string PROJEKT.ViewModels.LeagueViewModel.Wins [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ **League**↔  
**ViewModel.cs**

## 6.116 md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer Class Reference

Inheritance diagram for md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer:



### Public Member Functions

- **ListRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **ListRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ListRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.116.1 Constructor & Destructor Documentation

#### 6.116.1.1 ListRenderer() [1/3]

```
md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer.ListRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.116.1.2 ListRenderer() [2/3]

```
md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer.ListRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.116.1.3 ListRenderer() [3/3]

```
md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer.ListRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.116.2 Member Function Documentation

### 6.116.2.1 monodroidAddReference()

```
void md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.116.2.2 monodroidClearReferences()

```
void md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer.monodroidClearReferences ( )
```

## 6.116.3 Member Data Documentation

### 6.116.3.1 \_\_md\_methods

```
final String md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer.java



## Static Public Attributes

- static final String `__md_methods`

## 6.118.1 Constructor & Destructor Documentation

### 6.118.1.1 ListViewAdapter() [1/2]

md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.ListViewAdapter ( ) throws java.lang.↵  
Throwable

### 6.118.1.2 ListViewAdapter() [2/2]

md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.ListViewAdapter (   
android.content.Context *p0* ) throws java.lang.Throwable

## 6.118.2 Member Function Documentation

### 6.118.2.1 areAllItemsEnabled()

boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.areAllItemsEnabled ( )

### 6.118.2.2 getCount()

int md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.getCount ( )

### 6.118.2.3 getItem()

java.lang.Object md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.getItem (   
int *p0* )

**6.118.2.4 getItemId()**

```
long md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.getItemId (
    int p0 )
```

**6.118.2.5 getItemViewType()**

```
int md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.getItemViewType (
    int p0 )
```

**6.118.2.6 getView()**

```
android.view.View md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.getView (
    int p0,
    android.view.View p1,
    android.view.ViewGroup p2 )
```

**6.118.2.7 getViewTypeCount()**

```
int md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.getViewTypeCount ( )
```

**6.118.2.8 hasStableIds()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.hasStableIds ( )
```

**6.118.2.9 isEnabled()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.isEnabled (
    int p0 )
```

**6.118.2.10 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.monodroidAddReference (
    java.lang.Object obj )
```

### 6.118.2.11 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.monodroidClearReferences ( )
```

### 6.118.3 Member Data Documentation

### 6.118.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffebf...  
**ListViewAdapter.java**

## 6.119 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer:



## Public Member Functions

- **ListViewRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **ListViewRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ListViewRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onRefresh** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.119.1 Constructor & Destructor Documentation

**6.119.1.1 ListViewRenderer()** [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.ListViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

**6.119.1.2 ListViewRenderer()** [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.ListViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.119.1.3 ListViewRenderer()** [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.ListViewRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.119.2 Member Function Documentation****6.119.2.1 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.monodroidAddReference (
    java.lang.Object obj )
```

**6.119.2.2 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.monodroidClearReferences ( )
```

**6.119.2.3 onAttachedToWindow()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.onAttachedToWindow ( )
```



#### 6.119.2.4 onDetachedFromWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.onDetachedFromWindow ( )
```

#### 6.119.2.5 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

#### 6.119.2.6 onRefresh()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.onRefresh ( )
```

### 6.119.3 Member Data Documentation

#### 6.119.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer.java

## 6.120 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer\_Container Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer\_Container:



## Public Member Functions

- **ListViewRenderer\_Container** (android.content.Context p0) throws java.lang.Throwable
- **ListViewRenderer\_Container** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ListViewRenderer\_Container** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **ListViewRenderer\_Container** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onMeasure** (int p0, int p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.120.1 Constructor & Destructor Documentation

### 6.120.1.1 ListViewRenderer\_Container() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container.ListViewRenderer_Container (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.120.1.2 ListViewRenderer\_Container() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container.ListViewRenderer_Container (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.120.1.3 ListViewRenderer\_Container() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container.ListViewRenderer_Container (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.120.1.4 ListViewRenderer\_Container() [ 4 / 4 ]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container.ListViewRenderer_Container (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

### 6.120.2 Member Function Documentation

#### 6.120.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.120.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container.monodroidClearReferences (
)
```

#### 6.120.2.3 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

#### 6.120.2.4 onMeasure()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container.onMeasure (
    int p0,
    int p1 )
```

### 6.120.3 Member Data Documentation

### 6.120.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer_Container.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer\_Container.java

## 6.121 mono.android.support.v4.content.Loader\_OnLoadCanceledListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.content.Loader\_OnLoadCanceledListenerImplementor:



### Public Member Functions

- **Loader\_OnLoadCanceledListenerImplementor** () throws java.lang.Throwable
- void **onLoadCanceled** (android.support.v4.content.Loader p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.121.1 Constructor & Destructor Documentation

#### 6.121.1.1 Loader\_OnLoadCanceledListenerImplementor()

```
mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor.Loader_OnLoadCanceledListenerImplementor ( ) throws java.lang.Throwable
```

### 6.121.2 Member Function Documentation

#### 6.121.2.1 monodroidAddReference()

```
void mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.121.2.2 monodroidClearReferences()

```
void mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor.monodroidClearReferences ( )
```

#### 6.121.2.3 onLoadCanceled()

```
void mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor.onLoadCanceled (
    android.support.v4.content.Loader p0 )
```

### 6.121.3 Member Data Documentation

#### 6.121.3.1 \_\_md\_methods


```
final String mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/Loader\_OnLoadCanceledListenerImplementor.java

## 6.122 mono.android.support.v4.content.Loader\_OnLoadCompleteListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.content.Loader\_OnLoadCompleteListenerImplementor:



## Public Member Functions

- **Loader\_OnLoadCompleteListenerImplementor** () throws java.lang.Throwable
- void **onLoadComplete** (android.support.v4.content.Loader p0, java.lang.Object p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.122.1 Constructor & Destructor Documentation

### 6.122.1.1 Loader\_OnLoadCompleteListenerImplementor()

```
mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor.Loader_OnLoadComplete↵
ListenerImplementor ( ) throws java.lang.Throwable
```

## 6.122.2 Member Function Documentation

### 6.122.2.1 monodroidAddReference()

```
void mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor.monodroidAdd↵
Reference (
    java.lang.Object obj )
```

### 6.122.2.2 monodroidClearReferences()

```
void mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor.monodroidClear↵
References ( )
```

### 6.122.2.3 onLoadComplete()

```
void mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor.onLoadComplete (
    android.support.v4.content.Loader p0,
    java.lang.Object p1 )
```

### 6.122.3 Member Data Documentation

#### 6.122.3.1 \_\_md\_methods


```
final String mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android.support.v4.content.Loader\_OnLoadCompleteListenerImplementor.java

## 6.123 md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener:



### Public Member Functions

- **LocalizedDigitsKeyListener** () throws java.lang.Throwable
- **LocalizedDigitsKeyListener** (int p0, char p1) throws java.lang.Throwable
- int **getInputType** ()
- char [] **getAcceptedChars** ()
- java.lang.CharSequence **filter** (java.lang.CharSequence p0, int p1, int p2, android.text.Spanned p3, int p4, int p5)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

#### 6.123.1 Constructor & Destructor Documentation

### 6.123.1.1 LocalizedDigitsKeyListener() [1/2]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener.LocalizedDigitsKeyListener ( )  
throws java.lang.Throwable
```

### 6.123.1.2 LocalizedDigitsKeyListener() [2/2]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener.LocalizedDigitsKeyListener (   
    int p0,  
    char p1 ) throws java.lang.Throwable
```

## 6.123.2 Member Function Documentation

### 6.123.2.1 filter()

```
java.lang.CharSequence md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener.filter (   
    java.lang.CharSequence p0,  
    int p1,  
    int p2,  
    android.text.Spanned p3,  
    int p4,  
    int p5 )
```

### 6.123.2.2 getAcceptedChars()

```
char [ ] md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener.getAcceptedChars ( )
```

### 6.123.2.3 getInputType()

```
int md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener.getInputType ( )
```

### 6.123.2.4 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener.monodroidAddReference (   
    java.lang.Object obj )
```



#### 6.123.2.5 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener.monodroidClearReferences (
)
```

### 6.123.3 Member Data Documentation

#### 6.123.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener.java

## 6.124 PROJEKT.Droid.MainActivity Class Reference

Inheritance diagram for PROJEKT.Droid.MainActivity:



### Protected Member Functions

- override void **OnCreate** (Bundle bundle)

#### 6.124.1 Member Function Documentation

##### 6.124.1.1 OnCreate()


```
override void PROJEKT.Droid.MainActivity.OnCreate (
    Bundle bundle ) [protected]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/ **MainActivity.cs**

## 6.125 md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity Class Reference

Inheritance diagram for md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity:



### Public Member Functions

- **MainActivity** () throws java.lang.Throwable
- void **onCreate** (android.os.Bundle p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.125.1 Constructor & Destructor Documentation

#### 6.125.1.1 MainActivity()

```
md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity.MainActivity ( ) throws java.lang.Throwable
```

### 6.125.2 Member Function Documentation

#### 6.125.2.1 monodroidAddReference()

```
void md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.125.2.2 monodroidClearReferences()

```
void md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity.monodroidClearReferences ( )
```

## 6.125.2.3 onCreate()

```
void md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity.onCreate (
    android.os.Bundle p0 )
```

## 6.125.3 Member Data Documentation

## 6.125.3.1 \_\_md\_methods


```
final String md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity.java

## 6.126 md5270abb39e60627f0f200893b490a1ade.MasterDetailContainer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.MasterDetailContainer:



## Public Member Functions

- **MasterDetailContainer** (android.content.Context p0) throws java.lang.Throwable
- **MasterDetailContainer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↵ Throwable
- **MasterDetailContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **MasterDetailContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.126.1 Constructor & Destructor Documentation

### 6.126.1.1 MasterDetailContainer() [1/4]

```
md5270abb39e60627f0f200893b490alade.MasterDetailContainer.MasterDetailContainer (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.126.1.2 MasterDetailContainer() [2/4]

```
md5270abb39e60627f0f200893b490alade.MasterDetailContainer.MasterDetailContainer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.126.1.3 MasterDetailContainer() [3/4]

```
md5270abb39e60627f0f200893b490alade.MasterDetailContainer.MasterDetailContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.126.1.4 MasterDetailContainer() [4/4]

```
md5270abb39e60627f0f200893b490alade.MasterDetailContainer.MasterDetailContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.126.2 Member Function Documentation

### 6.126.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490alade.MasterDetailContainer.monodroidAddReference (
    java.lang.Object obj )
```

## 6.126.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490alade.MasterDetailContainer.monodroidClearReferences ( )
```

## 6.126.2.3 onLayout()

```
void md5270abb39e60627f0f200893b490alade.MasterDetailContainer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

## 6.126.3 Member Data Documentation

## 6.126.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490alade.MasterDetailContainer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade.  
**MasterDetailContainer.java**

## 6.127 md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer:



## Public Member Functions

- **MasterDetailContainer** (android.content.Context p0) throws java.lang.Throwable
- **MasterDetailContainer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↵  
Throwable
- **MasterDetailContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵  
Throwable
- **MasterDetailContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws  
java.lang.Throwable
- boolean **onInterceptTouchEvent** (android.view.MotionEvent p0)
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.127.1 Constructor & Destructor Documentation

### 6.127.1.1 `MasterDetailContainer()` [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.MasterDetailContainer (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.127.1.2 `MasterDetailContainer()` [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.MasterDetailContainer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.127.1.3 `MasterDetailContainer()` [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.MasterDetailContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.127.1.4 `MasterDetailContainer()` [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.MasterDetailContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.127.2 Member Function Documentation

### 6.127.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.127.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.monodroidClearReferences ( )
```

### 6.127.2.3 onInterceptTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.onInterceptTouchEvent (
    android.view.MotionEvent p0 )
```

### 6.127.2.4 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

## 6.127.3 Member Data Documentation

### 6.127.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer.java

## 6.128 md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer:



### Public Member Functions

- **MasterDetailPageRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **MasterDetailPageRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **MasterDetailPageRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onDrawerClosed** (android.view.View p0)
- void **onDrawerOpened** (android.view.View p0)
- void **onDrawerSlide** (android.view.View p0, float p1)
- void **onDrawerStateChanged** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.128.1 Constructor & Destructor Documentation

### 6.128.1.1 MasterDetailPageRenderer() [1/3]

```
md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer.MasterDetailPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.128.1.2 MasterDetailPageRenderer() [2/3]

```
md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer.MasterDetailPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```



### 6.128.1.3 MasterDetailPageRenderer() [3/3]

```
md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer.MasterDetailPageRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.128.2 Member Function Documentation

### 6.128.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.128.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer.monodroidClearReferences ( )
```

### 6.128.2.3 onAttachedToWindow()

```
void md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer.onAttachedToWindow ( )
```

### 6.128.2.4 onDetachedFromWindow()

```
void md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer.onDetachedFromWindow ( )
```

### 6.128.2.5 onDrawerClosed()

```
void md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer.onDrawerClosed (
    android.view.View p0 )
```

### 6.128.2.6 onDrawerOpened()

```
void md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer.onDrawerOpened (
    android.view.View p0 )
```

**6.128.2.7 onDrawerSlide()**

```
void md5270abb39e60627f0f200893b490alade.MasterDetailPageRenderer.onDrawerSlide (
    android.view.View p0,
    float p1 )
```

**6.128.2.8 onDrawerStateChanged()**

```
void md5270abb39e60627f0f200893b490alade.MasterDetailPageRenderer.onDrawerStateChanged (
    int p0 )
```

**6.128.2.9 onLayout()**

```
void md5270abb39e60627f0f200893b490alade.MasterDetailPageRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

**6.128.3 Member Data Documentation****6.128.3.1 \_\_md\_methods**


```
final String md5270abb39e60627f0f200893b490alade.MasterDetailPageRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade/**MasterDetailPageRenderer.java**

**6.129 md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer Class Reference**

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer:



## Public Member Functions

- **MasterDetailRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **MasterDetailRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **MasterDetailRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onDrawerClosed** (android.view.View p0)
- void **onDrawerOpened** (android.view.View p0)
- void **onDrawerSlide** (android.view.View p0, float p1)
- void **onDrawerStateChanged** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.129.1 Constructor & Destructor Documentation

#### 6.129.1.1 MasterDetailRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.MasterDetailRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.129.1.2 MasterDetailRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.MasterDetailRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

#### 6.129.1.3 MasterDetailRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.MasterDetailRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.129.2 Member Function Documentation

### 6.129.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.129.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.monodroidClearReferences ( )
```

### 6.129.2.3 onAttachedToWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.onAttachedToWindow ( )
```

### 6.129.2.4 onDetachedFromWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.onDetachedFromWindow ( )
```

### 6.129.2.5 onDrawerClosed()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.onDrawerClosed (
    android.view.View p0 )
```

### 6.129.2.6 onDrawerOpened()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.onDrawerOpened (
    android.view.View p0 )
```

## 6.129.2.7 onDrawerSlide()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.onDrawerSlide (
    android.view.View p0,
    float p1 )
```

## 6.129.2.8 onDrawerStateChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.onDrawerStateChanged (
    int p0 )
```

## 6.129.2.9 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

## 6.129.3 Member Data Documentation

## 6.129.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer.java

## 6.130 mono.android.support.v4.media.session.MediaSessionCompat\_OnActiveChangeListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.media.session.MediaSessionCompat\_OnActiveChangeListenerImplementor:



## Public Member Functions

- **MediaSessionCompat\_OnActiveChangeListenerImplementor** () throws java.lang.Throwable
- void **onActiveChanged** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.130.1 Constructor & Destructor Documentation

### 6.130.1.1 MediaSessionCompat\_OnActiveChangeListenerImplementor()

```
mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListenerImplementor.↔
MediaSessionCompat_OnActiveChangeListenerImplementor ( ) throws java.lang.Throwable
```

## 6.130.2 Member Function Documentation

### 6.130.2.1 monodroidAddReference()

```
void mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListenerImplementor.↔
monodroidAddReference (
    java.lang.Object obj )
```

### 6.130.2.2 monodroidClearReferences()

```
void mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListenerImplementor.↔
monodroidClearReferences ( )
```

### 6.130.2.3 onActiveChanged()

```
void mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListenerImplementor.↔
onActiveChanged ( )
```

### 6.130.3 Member Data Documentation

#### 6.130.3.1 \_\_md\_methods


```
final String mono.android.support.v4.media.session.MediaSessionCompat_OnActiveChangeListener↔  
Implementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**MediaSessionCompat\_OnActiveChangeListenerImplementor.java**

## 6.131 mono.android.support.v4.view.MenuItemCompat\_OnActionExpandListener↔ Implementor Class Reference

Inheritance diagram for mono.android.support.v4.view.MenuItemCompat\_OnActionExpandListenerImplementor:



### Public Member Functions

- **MenuItemCompat\_OnActionExpandListenerImplementor** () throws java.lang.Throwable
- boolean **onMenuItemActionCollapse** (android.view.MenuItem p0)
- boolean **onMenuItemActionExpand** (android.view.MenuItem p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.131.1 Constructor & Destructor Documentation

#### 6.131.1.1 MenuItemCompat\_OnActionExpandListenerImplementor()

```
mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor.MenuItemCompat↔  
_OnActionExpandListenerImplementor ( ) throws java.lang.Throwable
```

## 6.131.2 Member Function Documentation

### 6.131.2.1 monodroidAddReference()

```
void mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor.monodroid↵
AddReference (
    java.lang.Object obj )
```

### 6.131.2.2 monodroidClearReferences()

```
void mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor.monodroid↵
ClearReferences ( )
```

### 6.131.2.3 onMenuItemActionCollapse()

```
boolean mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor.onMenu↵
ItemActionCollapse (
    android.view.MenuItem p0 )
```

### 6.131.2.4 onMenuItemActionExpand()

```
boolean mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor.onMenu↵
ItemActionExpand (
    android.view.MenuItem p0 )
```

## 6.131.3 Member Data Documentation

### 6.131.3.1 \_\_md\_methods

```
final String mono.android.support.v4.view.MenuItemCompat_OnActionExpandListenerImplementor.↵
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro↵  
**MenuItemCompat\_OnActionExpandListenerImplementor.java**



## 6.132 mono.MonoPackageManager Class Reference

### Static Public Member Functions

- static void **LoadApplication** (Context context, ApplicationInfo runtimePackage, String[] apks)
- static void **setContext** (Context context)
- static String [] **getAssemblies** ()
- static String [] **getDependencies** ()
- static String **getApiPackageName** ()

### 6.132.1 Member Function Documentation

#### 6.132.1.1 getApiPackageName()

```
static String mono.MonoPackageManager.getApiPackageName ( ) [static]
```

#### 6.132.1.2 getAssemblies()

```
static String [] mono.MonoPackageManager.getAssemblies ( ) [static]
```

#### 6.132.1.3 getDependencies()

```
static String [] mono.MonoPackageManager.getDependencies ( ) [static]
```

#### 6.132.1.4 LoadApplication()

```
static void mono.MonoPackageManager.LoadApplication (
    Context context,
    ApplicationInfo runtimePackage,
    String [] apks ) [static]
```

#### 6.132.1.5 setContext()


```
static void mono.MonoPackageManager.setContext (
    Context context ) [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/**MonoPackageManager.java**

## 6.133 mono.MonoRuntimeProvider Class Reference

Inheritance diagram for mono.MonoRuntimeProvider:



### Public Member Functions

- **MonoRuntimeProvider** ()
- boolean **onCreate** ()
- void **attachInfo** (android.content.Context context, android.content.pm.ProviderInfo info)
- android.database.Cursor **query** (android.net.Uri uri, String[] projection, String selection, String[] selectionArgs, String sortOrder)
- String **getType** (android.net.Uri uri)
- android.net.Uri **insert** (android.net.Uri uri, android.content.ContentValues initialValues)
- int **delete** (android.net.Uri uri, String where, String[] whereArgs)
- int **update** (android.net.Uri uri, android.content.ContentValues values, String where, String[] whereArgs)

### 6.133.1 Constructor & Destructor Documentation

#### 6.133.1.1 MonoRuntimeProvider()

```
mono.MonoRuntimeProvider.MonoRuntimeProvider ( )
```

### 6.133.2 Member Function Documentation

#### 6.133.2.1 attachInfo()

```
void mono.MonoRuntimeProvider.attachInfo (
    android.content.Context context,
    android.content.pm.ProviderInfo info )
```

#### 6.133.2.2 delete()

```
int mono.MonoRuntimeProvider.delete (
    android.net.Uri uri,
    String where,
    String [] whereArgs )
```

#### 6.133.2.3 getType()

```
String mono.MonoRuntimeProvider.getType (
    android.net.Uri uri )
```

#### 6.133.2.4 insert()

```
android.net.Uri mono.MonoRuntimeProvider.insert (
    android.net.Uri uri,
    android.content.ContentValues initialValues )
```

#### 6.133.2.5 onCreate()

```
boolean mono.MonoRuntimeProvider.onCreate ( )
```

#### 6.133.2.6 query()

```
android.database.Cursor mono.MonoRuntimeProvider.query (
    android.net.Uri uri,
    String [] projection,
    String selection,
    String [] selectionArgs,
    String sortOrder )
```

#### 6.133.2.7 update()

```
int mono.MonoRuntimeProvider.update (
    android.net.Uri uri,
    android.content.ContentValues values,
    String where,
    String [] whereArgs )
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/**MonoRuntimeProvider.java**

## 6.134 PROJEKT.Views.Controls.MyCarouselView Class Reference

Klasa własnej kontroli.

Inheritance diagram for PROJEKT.Views.Controls.MyCarouselView:



### Public Member Functions

- **MyCarouselView** ()
- void **ChangeBackground** (int target)

### Static Public Attributes

- static readonly BindableProperty **SelectedIndexProperty**
- static readonly BindableProperty **ItemsSourceProperty**
- static readonly BindableProperty **SelectedItemProperty**

### Properties

- **CompetitionPage page** [get, set]
- IList **ItemsSource** [get, set]
- int **SelectedIndex** [get, set]
- DataTemplate **ItemTemplate** [get, set]
- object **SelectedItem** [get, set]
- IList< View > **Children** [get]

#### 6.134.1 Detailed Description

Klasa własnej kontroli.

#### 6.134.2 Constructor & Destructor Documentation

##### 6.134.2.1 MyCarouselView()

```
PROJEKT.Views.Controls.MyCarouselView.MyCarouselView ( )
```

### 6.134.3 Member Function Documentation

#### 6.134.3.1 ChangeBackground()

```
void PROJEKT.Views.Controls.MyCarouselView.ChangeBackground (
    int target )
```

### 6.134.4 Member Data Documentation

#### 6.134.4.1 ItemsSourceProperty

```
readonly BindableProperty PROJEKT.Views.Controls.MyCarouselView.ItemsSourceProperty [static]
```

##### Initial value:

```
=
    BindableProperty.Create(
        nameof(ItemsSource),
        typeof(ICollection),
        typeof(MyCarouselView),
        null,
        propertyChanging: (bindableObject, oldValue, newValue) =>
        {
            ((MyCarouselView)bindableObject).ItemsSourceChanging();
        },
        propertyChanged: (bindableObject, oldValue, newValue) =>
        {
            ((MyCarouselView)bindableObject).ItemsSourceChanged();
        }
    )
```

#### 6.134.4.2 SelectedIndexProperty

```
readonly BindableProperty PROJEKT.Views.Controls.MyCarouselView.SelectedIndexProperty [static]
```

##### Initial value:

```
=
    BindableProperty.Create(
        nameof(SelectedIndex),
        typeof(int),
        typeof(MyCarouselView),
        0,
        BindingMode.TwoWay,
        propertyChanged: async (bindable, oldValue, newValue) =>
        {
            await ((MyCarouselView)bindable).UpdateItem();
        }
    )
```

#### 6.134.4.3 SelectedItemProperty

readonly BindableProperty PROJEKT.Views.Controls.MyCarouselView.SelectedItemProperty [static]

##### Initial value:

```
=
    BindableProperty.Create(
        nameof(SelectedItem),
        typeof(object),
        typeof(MyCarouselView),
        null,
        BindingMode.TwoWay,
        propertyChanged: (bindable, oldValue, newValue) =>
        {
            ((MyCarouselView)bindable).Update();
        }
    )
```

### 6.134.5 Property Documentation

#### 6.134.5.1 Children

ICollection<View> PROJEKT.Views.Controls.MyCarouselView.Children [get]

#### 6.134.5.2 ItemsSource

ICollection PROJEKT.Views.Controls.MyCarouselView.ItemsSource [get], [set]

#### 6.134.5.3 ItemTemplate

DataTemplate PROJEKT.Views.Controls.MyCarouselView.ItemTemplate [get], [set]

#### 6.134.5.4 page

CompetitionPage PROJEKT.Views.Controls.MyCarouselView.page [get], [set]

#### 6.134.5.5 SelectedIndex

int PROJEKT.Views.Controls.MyCarouselView.SelectedIndex [get], [set]

## 6.134.5.6 SelectedItem

object PROJEKT.Views.Controls.MyCarouselView.SelectedItem [get], [set]


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/ **My↔  
CarouselView.cs**

## 6.135 PROJEKT.Views.Controls.MyListView Class Reference

Klasa własnej kontroli.

Inheritance diagram for PROJEKT.Views.Controls.MyListView:



## 6.135.1 Detailed Description


Klasa własnej kontroli.

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/ **My↔  
ListView.cs**

## 6.136 md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer:



## Public Member Functions

- **NativeViewWrapperRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **NativeViewWrapperRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↔  
Throwable
- **NativeViewWrapperRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onMeasure** (int p0, int p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.136.1 Constructor & Destructor Documentation

### 6.136.1.1 NativeViewWrapperRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer.NativeViewWrapperRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.136.1.2 NativeViewWrapperRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer.NativeViewWrapperRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.136.1.3 NativeViewWrapperRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer.NativeViewWrapperRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.136.2 Member Function Documentation

### 6.136.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.136.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer.monodroidClearReferences (
)
```



## 6.136.2.3 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

## 6.136.2.4 onMeasure()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer.onMeasure (
    int p0,
    int p1 )
```

## 6.136.3 Member Data Documentation

## 6.136.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer.java

## 6.137 md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer:



## Public Member Functions

- **NavigationMenuRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵  
lang.Throwable
- **NavigationMenuRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↵  
Throwable
- **NavigationMenuRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onSizeChanged** (int p0, int p1, int p2, int p3)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.137.1 Constructor & Destructor Documentation

### 6.137.1.1 `NavigationMenuRenderer()` [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer.NavigationMenuRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.137.1.2 `NavigationMenuRenderer()` [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer.NavigationMenuRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.137.1.3 `NavigationMenuRenderer()` [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer.NavigationMenuRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.137.2 Member Function Documentation

### 6.137.2.1 `monodroidAddReference()`

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.137.2.2 `monodroidClearReferences()`

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer.monodroidClearReferences ( )
```

## 6.137.2.3 onSizeChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer.onSizeChanged (
    int p0,
    int p1,
    int p2,
    int p3 )
```

## 6.137.3 Member Data Documentation

## 6.137.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer.java

## 6.138 md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuAdapter Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuAdapter:



## Public Member Functions

- **NavigationMenuRenderer\_MenuAdapter** () throws java.lang.Throwable
- java.lang.Object **getItem** (int p0)
- android.view.View **getView** (int p0, android.view.View p1, android.view.ViewGroup p2)
- long **getItemId** (int p0)
- int **getCount** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.138.1 Constructor & Destructor Documentation

### 6.138.1.1 NavigationMenuRenderer\_MenuAdapter()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuAdapter.NavigationMenuRenderer↔  
\_MenuAdapter ( ) throws java.lang.Throwable

## 6.138.2 Member Function Documentation

### 6.138.2.1 getCount()

int md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuAdapter.getCount ( )

### 6.138.2.2 getItem()

java.lang.Object md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuAdapter.get↔  
Item (   
int p0 )

### 6.138.2.3 getItemId()

long md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuAdapter.getItemId (   
int p0 )

### 6.138.2.4 getView()

android.view.View md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuAdapter.get↔  
View (   
int p0,   
android.view.View p1,   
android.view.ViewGroup p2 )

## 6.138.2.5 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuAdapter.monodroidAddReference (
    java.lang.Object obj )
```

## 6.138.2.6 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuAdapter.monodroidClearReferences ( )
```

## 6.138.3 Member Data Documentation

## 6.138.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuAdapter.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuAdapter.java

## 6.139 md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuElementView Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuElementView:



## Public Member Functions

- **NavigationMenuRenderer\_MenuElementView** (android.content.Context p0) throws java.lang.Throwable
- **NavigationMenuRenderer\_MenuElementView** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **NavigationMenuRenderer\_MenuElementView** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **NavigationMenuRenderer\_MenuElementView** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.139.1 Constructor & Destructor Documentation

### 6.139.1.1 `NavigationMenuRenderer_MenuElementView()` [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView.NavigationMenu↵
Renderer_MenuElementView (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.139.1.2 `NavigationMenuRenderer_MenuElementView()` [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView.NavigationMenu↵
Renderer_MenuElementView (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.139.1.3 `NavigationMenuRenderer_MenuElementView()` [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView.NavigationMenu↵
Renderer_MenuElementView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.139.1.4 `NavigationMenuRenderer_MenuElementView()` [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView.NavigationMenu↵
Renderer_MenuElementView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.139.2 Member Function Documentation

## 6.139.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView.monodroidAdd↵
Reference (
    java.lang.Object obj )
```

## 6.139.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView.monodroid↵
ClearReferences ( )
```

## 6.139.3 Member Data Documentation

## 6.139.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView.__md↵
_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer\_MenuElementView.java

## 6.140 md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer:



## Public Member Functions

- **NavigationPageRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **NavigationPageRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **NavigationPageRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.140.1 Constructor & Destructor Documentation

### 6.140.1.1 `NavigationPageRenderer()` [1/3]

```
md5270abb39e60627f0f200893b490alade.NavigationPageRenderer.NavigationPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.140.1.2 `NavigationPageRenderer()` [2/3]

```
md5270abb39e60627f0f200893b490alade.NavigationPageRenderer.NavigationPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.140.1.3 `NavigationPageRenderer()` [3/3]

```
md5270abb39e60627f0f200893b490alade.NavigationPageRenderer.NavigationPageRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.140.2 Member Function Documentation

### 6.140.2.1 `monodroidAddReference()`

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.140.2.2 `monodroidClearReferences()`

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer.monodroidClearReferences ( )
```



6.140.2.3 onAttachedToWindow()

```
void md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer.onAttachedToWindow ( )
```

6.140.2.4 onClick()

```
void md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer.onClick (
    android.view.View p0 )
```

6.140.2.5 onDetachedFromWindow()

```
void md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer.onDetachedFromWindow ( )
```

6.140.2.6 onLayout()

```
void md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

6.140.3 Member Data Documentation

6.140.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer.java

6.141 md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer\_ClickListener Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer\_ClickListener:



## Public Member Functions

- **NavigationPageRenderer\_ClickListener** () throws java.lang.Throwable
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.141.1 Constructor & Destructor Documentation

#### 6.141.1.1 NavigationPageRenderer\_ClickListener()

```
md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_ClickListener.NavigationPage↵
Renderer_ClickListener ( ) throws java.lang.Throwable
```

### 6.141.2 Member Function Documentation

#### 6.141.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_ClickListener.monodroidAdd↵
Reference (
    java.lang.Object obj )
```

#### 6.141.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_ClickListener.monodroidClear↵
References ( )
```

#### 6.141.2.3 onClick()

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_ClickListener.onClick (
    android.view.View p0 )
```

### 6.141.3 Member Data Documentation

#### 6.141.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_ClickListener.__md_↔  
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer\_ClickListener.java

## 6.142 md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer\_Drawer↔ MultiplexedListener Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer\_DrawerMultiplexed↔  
Listener:



### Public Member Functions

- **NavigationPageRenderer\_DrawerMultiplexedListener** () throws java.lang.Throwable
- void **onDrawerClosed** (android.view.View p0)
- void **onDrawerOpened** (android.view.View p0)
- void **onDrawerSlide** (android.view.View p0, float p1)
- void **onDrawerStateChanged** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.142.1 Constructor & Destructor Documentation

#### 6.142.1.1 NavigationPageRenderer\_DrawerMultiplexedListener()

```
md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_DrawerMultiplexedListener.Navigation↔  
PageRenderer_DrawerMultiplexedListener ( ) throws java.lang.Throwable
```

## 6.142.2 Member Function Documentation

### 6.142.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_DrawerMultiplexedListener.↔  
monodroidAddReference (   
    java.lang.Object obj )
```

### 6.142.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_DrawerMultiplexedListener.↔  
monodroidClearReferences ( )
```

### 6.142.2.3 onDrawerClosed()

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_DrawerMultiplexedListener.on↔  
DrawerClosed (   
    android.view.View p0 )
```

### 6.142.2.4 onDrawerOpened()

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_DrawerMultiplexedListener.on↔  
DrawerOpened (   
    android.view.View p0 )
```

### 6.142.2.5 onDrawerSlide()

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_DrawerMultiplexedListener.on↔  
DrawerSlide (   
    android.view.View p0,  
    float p1 )
```

### 6.142.2.6 onDrawerStateChanged()

```
void md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_DrawerMultiplexedListener.on↔  
DrawerStateChanged (   
    int p0 )
```

### 6.142.3 Member Data Documentation

#### 6.142.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490alade.NavigationPageRenderer_DrawerMultiplexed↔
Listener.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade.NavigationPageRenderer\_DrawerMultiplexedListener.java

## 6.143 md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer:



### Public Member Functions

- **NavigationRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↔Throwable
- **NavigationRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **NavigationRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.143.1 Constructor & Destructor Documentation

#### 6.143.1.1 NavigationRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.NavigationRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.143.1.2 NavigationRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.NavigationRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

#### 6.143.1.3 NavigationRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.NavigationRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.143.2 Member Function Documentation

#### 6.143.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.143.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.monodroidClearReferences ( )
```

#### 6.143.2.3 onAttachedToWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.onAttachedToWindow ( )
```

## 6.143.2.4 onDetachedFromWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.onDetachedFromWindow ( )
```

## 6.143.2.5 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

## 6.143.3 Member Data Documentation

## 6.143.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer.java

## 6.144 mono.android.support.design.widget.NavigationView\_OnNavigationItemSelectedListenerImplementor Class Reference ↩

Inheritance diagram for mono.android.support.design.widget.NavigationView\_OnNavigationItemSelectedListenerImplementor ↩  
Implementor:



## Public Member Functions

- **NavigationView\_OnNavigationItemSelectedListenerImplementor** () throws java.lang.Throwable
- boolean **onNavigationItemSelectedListener** (android.view.Menuitem p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

### 6.144.1 Constructor & Destructor Documentation

#### 6.144.1.1 `NavigationView_OnNavigationItemSelectedListenerImplementor()`

```
mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListenerImplementor.↔
NavigationView_OnNavigationItemSelectedListenerImplementor ( ) throws java.lang.Throwable
```

### 6.144.2 Member Function Documentation

#### 6.144.2.1 `monodroidAddReference()`

```
void mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListener↔
Implementor.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.144.2.2 `monodroidClearReferences()`

```
void mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListener↔
Implementor.monodroidClearReferences ( )
```

#### 6.144.2.3 `onNavigationItemSelectedListener()`

```
boolean mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListener↔
Implementor.onNavigationItemSelectedListener (
    android.view.MenuItem p0 )
```

### 6.144.3 Member Data Documentation



## 6.144.3.1 \_\_md\_methods


```
final String mono.android.support.design.widget.NavigationView_OnNavigationItemSelectedListener←  
ListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
NavigationView\_OnNavigationItemSelectedListenerListenerImplementor.java

## 6.145 mono.android.support.v4.widget.NestedScrollView\_OnScrollChangeListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.widget.NestedScrollView\_OnScrollChangeListenerImplementor↔  
:



## Public Member Functions

- **NestedScrollView\_OnScrollChangeListenerImplementor** () throws java.lang.Throwable
- void **onScrollChange** (android.support.v4.widget.NestedScrollView p0, int p1, int p2, int p3, int p4)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.145.1 Constructor &amp; Destructor Documentation

## 6.145.1.1 NestedScrollView\_OnScrollChangeListenerImplementor()

```
mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor.Nested←  
ScrollView_OnScrollChangeListenerImplementor ( ) throws java.lang.Throwable
```

## 6.145.2 Member Function Documentation

### 6.145.2.1 monodroidAddReference()

```
void mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor.↵
monodroidAddReference (
    java.lang.Object obj )
```

### 6.145.2.2 monodroidClearReferences()

```
void mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor.↵
monodroidClearReferences ( )
```

### 6.145.2.3 onScrollChange()

```
void mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor.on↵
ScrollChange (
    android.support.v4.widget.NestedScrollView p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

## 6.145.3 Member Data Documentation

### 6.145.3.1 \_\_md\_methods


```
final String mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor.↵
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**NestedScrollView\_OnScrollChangeListenerImplementor.java**

## 6.146 mono.android.app.NotifyTimeZoneChanges Class Reference

Inheritance diagram for mono.android.app.NotifyTimeZoneChanges:



## Public Member Functions

- void **onReceive** (android.content.Context context, android.content.Intent intent)

### 6.146.1 Member Function Documentation

#### 6.146.1.1 onReceive()


```
void mono.android.app.NotifyTimeZoneChanges.onReceive (
    android.content.Context context,
    android.content.Intent intent )
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**NotifyTimeZoneChanges.java**

## 6.147 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox\_1 Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox\_1:



## Public Member Functions

- **ObjectJavaBox\_1** () throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.147.1 Constructor & Destructor Documentation

### 6.147.1.1 ObjectJavaBox\_1()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox\_1.ObjectJavaBox\_1 ( ) throws java.lang.↵  
Throwable

## 6.147.2 Member Function Documentation

### 6.147.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox_1.monodroidAddReference (
    java.lang.Object obj )
```

### 6.147.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox_1.monodroidClearReferences ( )
```

## 6.147.3 Member Data Documentation

### 6.147.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox_1.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox\_1.java

## 6.148 mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor:



## Public Member Functions

- **OnApplyWindowInsetsListenerImplementor** () throws java.lang.Throwable
- android.support.v4.view.WindowInsetsCompat **onApplyWindowInsets** (android.view.View p0, android.support.v4.view.WindowInsetsCompat p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.148.1 Constructor & Destructor Documentation

#### 6.148.1.1 OnApplyWindowInsetsListenerImplementor()

```
mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor.OnApplyWindowInsetsListenerImplementor ( ) throws java.lang.Throwable
```

### 6.148.2 Member Function Documentation

#### 6.148.2.1 monodroidAddReference()

```
void mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.148.2.2 monodroidClearReferences()

```
void mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor.monodroidClearReferences ( )
```

#### 6.148.2.3 onApplyWindowInsets()

```
android.support.v4.view.WindowInsetsCompat mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor.onApplyWindowInsets (
    android.view.View p0,
    android.support.v4.view.WindowInsetsCompat p1 )
```

### 6.148.3 Member Data Documentation

#### 6.148.3.1 \_\_md\_methods


```
final String mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor.__md_methods
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**OnApplyWindowInsetsListenerImplementor.java**

## 6.149 md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer:



### Public Member Functions

- **OpenGLViewRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↔  
Throwable
- **OpenGLViewRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↔  
Throwable
- **OpenGLViewRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.149.1 Constructor & Destructor Documentation

#### 6.149.1.1 OpenGLViewRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer.OpenGLViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.149.1.2 OpenGLViewRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer.OpenGLViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.149.1.3 OpenGLViewRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer.OpenGLViewRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.149.2 Member Function Documentation

### 6.149.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.149.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer.monodroidClearReferences ( )
```

## 6.149.3 Member Data Documentation

### 6.149.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer.java

## 6.150 md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer\_Renderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer\_Renderer:



### Public Member Functions

- **OpenGLViewRenderer\_Renderer** () throws java.lang.Throwable
- void **onDrawFrame** (javax.microedition.khronos.opengles.GL10 p0)
- void **onSurfaceChanged** (javax.microedition.khronos.opengles.GL10 p0, int p1, int p2)
- void **onSurfaceCreated** (javax.microedition.khronos.opengles.GL10 p0, javax.microedition.khronos.egl.E↵GLConfig p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.150.1 Constructor & Destructor Documentation

### 6.150.1.1 OpenGLViewRenderer\_Renderer()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer.OpenGLViewRenderer_Renderer (
) throws java.lang.Throwable
```

## 6.150.2 Member Function Documentation

### 6.150.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer.monodroidAddReference (
    java.lang.Object obj )
```



### 6.150.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer.monodroidClearReferences  
( )
```

### 6.150.2.3 onDrawFrame()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer.onDrawFrame (   
    javax.microedition.khronos.opengles.GL10 p0 )
```

### 6.150.2.4 onSurfaceChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer.onSurfaceChanged (   
    javax.microedition.khronos.opengles.GL10 p0,   
    int p1,   
    int p2 )
```

### 6.150.2.5 onSurfaceCreated()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer.onSurfaceCreated (   
    javax.microedition.khronos.opengles.GL10 p0,   
    javax.microedition.khronos.egl.EGLConfig p1 )
```

## 6.150.3 Member Data Documentation

### 6.150.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer_Renderer.__md_methods  
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer\_Renderer.java

## 6.151 md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer:



### Public Member Functions

- **PageContainer** (android.content.Context p0) throws java.lang.Throwable
- **PageContainer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **PageContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **PageContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onMeasure** (int p0, int p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.151.1 Constructor & Destructor Documentation

#### 6.151.1.1 PageContainer() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer.PageContainer (
    android.content.Context p0 ) throws java.lang.Throwable
```

#### 6.151.1.2 PageContainer() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer.PageContainer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.151.1.3 PageContainer() [ 3/4 ]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer.PageContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.151.1.4 PageContainer() [ 4/4 ]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer.PageContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.151.2 Member Function Documentation

### 6.151.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.151.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer.monodroidClearReferences ( )
```

### 6.151.2.3 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

#### 6.151.2.4 onMeasure()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer.onMeasure (
    int p0,
    int p1 )
```

### 6.151.3 Member Data Documentation

#### 6.151.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.**PageContainer.java**

## 6.152 md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer:



### Public Member Functions

- **PageRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **PageRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **PageRenderer** (android.content.Context p0) throws java.lang.Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

#### 6.152.1 Constructor & Destructor Documentation

### 6.152.1.1 PageRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer.PageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.152.1.2 PageRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer.PageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.152.1.3 PageRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer.PageRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.152.2 Member Function Documentation

### 6.152.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.152.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer.monodroidClearReferences ( )
```

### 6.152.2.3 onAttachedToWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer.onAttachedToWindow ( )
```

#### 6.152.2.4 onDetachedFromWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer.onDetachedFromWindow ( )
```

#### 6.152.2.5 onTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

### 6.152.3 Member Data Documentation

#### 6.152.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.**PageRenderer.java**

## 6.153 md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer:



### Public Member Functions

- **PickerRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **PickerRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **PickerRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.153.1 Constructor & Destructor Documentation

### 6.153.1.1 PickerRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer.PickerRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.153.1.2 PickerRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer.PickerRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.153.1.3 PickerRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer.PickerRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.153.2 Member Function Documentation

### 6.153.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.153.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer.monodroidClearReferences ( )
```

## 6.153.3 Member Data Documentation

### 6.153.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer.java

## 6.154 md5270abb39e60627f0f200893b490a1ade.PickerRenderer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.PickerRenderer:



### Public Member Functions

- **PickerRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **PickerRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **PickerRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.154.1 Constructor & Destructor Documentation

### 6.154.1.1 PickerRenderer() [1/3]

```
md5270abb39e60627f0f200893b490a1ade.PickerRenderer.PickerRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```



### 6.154.1.2 PickerRenderer() [2/3]

```
md5270abb39e60627f0f200893b490a1ade.PickerRenderer.PickerRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.154.1.3 PickerRenderer() [3/3]

```
md5270abb39e60627f0f200893b490a1ade.PickerRenderer.PickerRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.154.2 Member Function Documentation

### 6.154.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490a1ade.PickerRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.154.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490a1ade.PickerRenderer.monodroidClearReferences ( )
```

## 6.154.3 Member Data Documentation

### 6.154.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490a1ade.PickerRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/PickerRenderer.java

## 6.155 md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer\_PickerListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer\_PickerListener:



### Public Member Functions

- **PickerRenderer\_PickerListener** () throws java.lang.Throwable
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.155.1 Constructor & Destructor Documentation

### 6.155.1.1 PickerRenderer\_PickerListener()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener.PickerRenderer_PickerListener ( ) throws java.lang.Throwable
```

## 6.155.2 Member Function Documentation

### 6.155.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener.monodroidAddReference ( java.lang.Object obj )
```

### 6.155.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener.monodroidClearReferences ( )
```

## 6.155.2.3 onClick()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener.onClick (
    android.view.View p0 )
```

## 6.155.3 Member Data Documentation

## 6.155.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer_PickerListener.__md_methods
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer\_PickerListener.java

## 6.156 md5270abb39e60627f0f200893b490a1ade.PickerRenderer\_PickerListener Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.PickerRenderer\_PickerListener:



## Public Member Functions

- **PickerRenderer\_PickerListener** () throws java.lang.Throwable
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.156.1 Constructor &amp; Destructor Documentation

### 6.156.1.1 PickerRenderer\_PickerListener()

md5270abb39e60627f0f200893b490alade.PickerRenderer\_PickerListener.PickerRenderer\_PickerListener ( ) throws java.lang.Throwable

## 6.156.2 Member Function Documentation

### 6.156.2.1 monodroidAddReference()

void md5270abb39e60627f0f200893b490alade.PickerRenderer\_PickerListener.monodroidAddReference ( java.lang.Object obj )

### 6.156.2.2 monodroidClearReferences()

void md5270abb39e60627f0f200893b490alade.PickerRenderer\_PickerListener.monodroidClearReferences ( )

### 6.156.2.3 onClick()

void md5270abb39e60627f0f200893b490alade.PickerRenderer\_PickerListener.onClick ( android.view.View p0 )

## 6.156.3 Member Data Documentation

### 6.156.3.1 \_\_md\_methods


final String md5270abb39e60627f0f200893b490alade.PickerRenderer\_PickerListener.\_\_md\_methods [static]

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade/PickerRenderer\_PickerListener.java

## 6.157 md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform\_DefaultRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform\_DefaultRenderer:



### Public Member Functions

- **Platform\_DefaultRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **Platform\_DefaultRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **Platform\_DefaultRenderer** (android.content.Context p0) throws java.lang.Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- boolean **dispatchTouchEvent** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.157.1 Constructor & Destructor Documentation

#### 6.157.1.1 Platform\_DefaultRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer.Platform_DefaultRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.157.1.2 Platform\_DefaultRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer.Platform_DefaultRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.157.1.3 Platform\_DefaultRenderer()** [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer.Platform_DefaultRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.157.2 Member Function Documentation****6.157.2.1 dispatchTouchEvent()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer.dispatchTouchEvent (
    android.view.MotionEvent p0 )
```

**6.157.2.2 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer.monodroidAddReference (
    java.lang.Object obj )
```

**6.157.2.3 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer.monodroidClearReferences ( )
```

**6.157.2.4 onTouchEvent()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

**6.157.3 Member Data Documentation****6.157.3.1 \_\_md\_methods**


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform_DefaultRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform\_DefaultRenderer.java

## 6.158 md5270abb39e60627f0f200893b490a1ade.Platform\_ModalContainer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.Platform\_ModalContainer:



### Public Member Functions

- **Platform\_ModalContainer** (android.content.Context p0) throws java.lang.Throwable
- **Platform\_ModalContainer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.↵  
Throwable
- **Platform\_ModalContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.↵  
lang.Throwable
- **Platform\_ModalContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws  
java.lang.Throwable
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.158.1 Constructor & Destructor Documentation

### 6.158.1.1 Platform\_ModalContainer() [1/4]

```
md5270abb39e60627f0f200893b490a1ade.Platform_ModalContainer.Platform_ModalContainer (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.158.1.2 Platform\_ModalContainer() [2/4]

```
md5270abb39e60627f0f200893b490a1ade.Platform_ModalContainer.Platform_ModalContainer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.158.1.3 Platform\_ModalContainer() [3/4]

```
md5270abb39e60627f0f200893b490alade.Platform_ModalContainer.Platform_ModalContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.158.1.4 Platform\_ModalContainer() [4/4]

```
md5270abb39e60627f0f200893b490alade.Platform_ModalContainer.Platform_ModalContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.158.2 Member Function Documentation

### 6.158.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490alade.Platform_ModalContainer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.158.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490alade.Platform_ModalContainer.monodroidClearReferences ( )
```

### 6.158.2.3 onLayout()

```
void md5270abb39e60627f0f200893b490alade.Platform_ModalContainer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

## 6.158.3 Member Data Documentation



## 6.158.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490a1ade.Platform_ModalContainer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade.Platform\_ModalContainer.java

## 6.159 md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer:



## Public Member Functions

- **PlatformRenderer** (android.content.Context p0) throws java.lang.Throwable
- **PlatformRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **PlatformRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **PlatformRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- boolean **dispatchTouchEvent** (android.view.MotionEvent p0)
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onMeasure** (int p0, int p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.159.1 Constructor &amp; Destructor Documentation

## 6.159.1.1 PlatformRenderer() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.PlatformRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.159.1.2 PlatformRenderer()** [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.PlatformRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.159.1.3 PlatformRenderer()** [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.PlatformRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

**6.159.1.4 PlatformRenderer()** [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.PlatformRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

**6.159.2 Member Function Documentation****6.159.2.1 dispatchTouchEvent()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.dispatchTouchEvent (
    android.view.MotionEvent p0 )
```

**6.159.2.2 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.monodroidAddReference (
    java.lang.Object obj )
```

**6.159.2.3 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.monodroidClearReferences ( )
```

## 6.159.2.4 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

## 6.159.2.5 onMeasure()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.onMeasure (
    int p0,
    int p1 )
```

## 6.159.3 Member Data Documentation

## 6.159.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer.java

## 6.160 mono.android.support.v7.widget.PopupMenu\_OnDismissListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.PopupMenu\_OnDismissListenerImplementor:



## Public Member Functions

- **PopupMenu\_OnDismissListenerImplementor** () throws java.lang.Throwable
- void **onDismiss** (android.support.v7.widget.PopupMenu p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.160.1 Constructor & Destructor Documentation

### 6.160.1.1 PopupMenu\_OnDismissListenerImplementor()

`mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor.PopupMenu_OnDismissListenerImplementor ( )` throws `java.lang.Throwable`

## 6.160.2 Member Function Documentation

### 6.160.2.1 monodroidAddReference()

`void mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor.monodroidAddReference (   
                    java.lang.Object obj )`

### 6.160.2.2 monodroidClearReferences()

`void mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor.monodroidClearReferences ( )`

### 6.160.2.3 onDismiss()

`void mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor.onDismiss (   
                    android.support.v7.widget.PopupMenu p0 )`

## 6.160.3 Member Data Documentation

## 6.160.3.1 \_\_md\_methods


```
final String mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android.support.v7.widget.PopupMenu\_OnDismissListenerImplementor.java

## 6.161 mono.android.support.v7.widget.PopupMenu\_OnMenuItemClickListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.PopupMenu\_OnMenuItemClickListenerImplementor:



### Public Member Functions

- **PopupMenu\_OnMenuItemClickListenerImplementor** () throws java.lang.Throwable
- boolean **onMenuItemClick** (android.view.MenuItem p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.161.1 Constructor & Destructor Documentation

#### 6.161.1.1 PopupMenu\_OnMenuItemClickListenerImplementor()

```
mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor.PopupMenu_OnMenuItemClickListenerImplementor ( ) throws java.lang.Throwable
```

### 6.161.2 Member Function Documentation

### 6.161.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor.monodroid↔
AddReference (
    java.lang.Object obj )
```

### 6.161.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor.monodroid↔
ClearReferences ( )
```

### 6.161.2.3 onMenuItemClick()

```
boolean mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor.onMenu↔
ItemClick (
    android.view.MenuItem p0 )
```

## 6.161.3 Member Data Documentation

### 6.161.3.1 \_\_md\_methods


```
final String mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor.↔
md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**PopupMenu\_OnMenuItemClickListenerImplementor.java**

## 6.162 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer:



## Public Member Functions

- **ProgressBarRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **ProgressBarRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ProgressBarRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.162.1 Constructor & Destructor Documentation

### 6.162.1.1 ProgressBarRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer.ProgressBarRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.162.1.2 ProgressBarRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer.ProgressBarRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.162.1.3 ProgressBarRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer.ProgressBarRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.162.2 Member Function Documentation

**6.162.2.1 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer.monodroidAddReference (
    java.lang.Object obj )
```

**6.162.2.2 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer.monodroidClearReferences ( )
```

**6.162.3 Member Data Documentation****6.162.3.1 \_\_md\_methods**

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer.java

**6.163 android.support.v7.mediarouter.R Class Reference****Classes**

- class **anim**
- class **attr**
- class **bool**
- class **color**
- class **dimen**
- class **drawable**
- class **id**
- class **integer**
- class **interpolator**
- class **layout**
- class **string**
- class **style**
- class **styleable**

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/mediarouter/R.java



## 6.164 android.support.v7.cardview.R Class Reference

### Classes

- class **anim**
- class **attr**
- class **bool**
- class **color**
- class **dimen**
- class **drawable**
- class **id**
- class **integer**
- class **interpolator**
- class **layout**
- class **string**
- class **style**
- class **styleable**

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/cardview/R.java

## 6.165 android.support.graphics.drawable.R Class Reference

### Classes

- class **anim**
- class **attr**
- class **bool**
- class **color**
- class **dimen**
- class **drawable**
- class **id**
- class **integer**
- class **interpolator**
- class **layout**
- class **string**
- class **style**
- class **styleable**

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/graphics/drawable/R.java

## 6.166 android.support.v7.recyclerview.R Class Reference

### Classes

- class **anim**
- class **attr**
- class **bool**
- class **color**
- class **dimen**
- class **drawable**
- class **id**
- class **integer**
- class **interpolator**
- class **layout**
- class **string**
- class **style**
- class **styleable**

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/recyclerview/R.java

## 6.167 projekt.droid.R Class Reference

### Classes

- class **anim**
- class **attr**
- class **bool**
- class **color**
- class **dimen**
- class **drawable**
- class **id**
- class **integer**
- class **interpolator**
- class **layout**
- class **string**
- class **style**
- class **styleable**

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/projekt/droid/R.java

## 6.168 android.support.v7.appcompat.R Class Reference

### Classes

- class **anim**
- class **attr**
- class **bool**
- class **color**
- class **dimen**
- class **drawable**
- class **id**
- class **integer**
- class **interpolator**
- class **layout**
- class **string**
- class **style**
- class **styleable**

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/appcompat/R.java

## 6.169 android.support.v4.R Class Reference

### Classes

- class **anim**
- class **attr**
- class **bool**
- class **color**
- class **dimen**
- class **drawable**
- class **id**
- class **integer**
- class **interpolator**
- class **layout**
- class **string**
- class **style**
- class **styleable**

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v4/R.java

## 6.170 android.support.graphics.drawable.animated.R Class Reference

### Classes

- class **anim**
- class **attr**
- class **bool**
- class **color**
- class **dimen**
- class **drawable**
- class **id**
- class **integer**
- class **interpolator**
- class **layout**
- class **string**
- class **style**
- class **styleable**

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/graphics/drawable/animated/R.java

## 6.171 android.support.design.R Class Reference

### Classes


- class **anim**
- class **attr**
- class **bool**
- class **color**
- class **dimen**
- class **drawable**
- class **id**
- class **integer**
- class **interpolator**
- class **layout**
- class **string**
- class **style**
- class **styleable**

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/design/R.java

## 6.172 mono.android.support.v7.widget.RecyclerView\_ItemAnimator\_ItemAnimatorFinishedListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.RecyclerView\_ItemAnimator\_ItemAnimatorFinishedListenerImplementor:



### Public Member Functions

- **RecyclerView\_ItemAnimator\_ItemAnimatorFinishedListenerImplementor** () throws java.lang.Throwable
- void **onAnimationsFinished** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.172.1 Constructor & Destructor Documentation

### 6.172.1.1 RecyclerView\_ItemAnimator\_ItemAnimatorFinishedListenerImplementor()

```
mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinishedListenerImplementor.↵
RecyclerView_ItemAnimator_ItemAnimatorFinishedListenerImplementor ( ) throws java.lang.↵
Throwable
```

## 6.172.2 Member Function Documentation

### 6.172.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinishedListener↵
Implementor.monodroidAddReference (
    java.lang.Object obj )
```

### 6.172.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinishedListener↔
Implementor.monodroidClearReferences ( )
```

### 6.172.2.3 onAnimationsFinished()

```
void mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinishedListener↔
Implementor.onAnimationsFinished ( )
```

## 6.172.3 Member Data Documentation

### 6.172.3.1 \_\_md\_methods


```
final String mono.android.support.v7.widget.RecyclerView_ItemAnimator_ItemAnimatorFinished↔
ListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**RecyclerView\_ItemAnimator\_ItemAnimatorFinishedListenerImplementor.java**

## 6.173 mono.android.support.v7.widget.RecyclerView\_OnChildAttachStateChange↔ ListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.RecyclerView\_OnChildAttachStateChangeListener↔  
Implementor:



### Public Member Functions

- **RecyclerView\_OnChildAttachStateChangeListenerImplementor** () throws java.lang.Throwable
- void **onChildViewAttachedToWindow** (android.view.View p0)
- void **onChildViewDetachedFromWindow** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.173.1 Constructor & Destructor Documentation

### 6.173.1.1 RecyclerView\_OnChildAttachStateChangeListenerImplementor()

mono.android.support.v7.widget.RecyclerView\_OnChildAttachStateChangeListenerImplementor.  
RecyclerView\_OnChildAttachStateChangeListenerImplementor ( ) throws java.lang.Throwable

## 6.173.2 Member Function Documentation

### 6.173.2.1 monodroidAddReference()

void mono.android.support.v7.widget.RecyclerView\_OnChildAttachStateChangeListenerImplementor.  
monodroidAddReference (   
    java.lang.Object obj )

### 6.173.2.2 monodroidClearReferences()

void mono.android.support.v7.widget.RecyclerView\_OnChildAttachStateChangeListenerImplementor.  
monodroidClearReferences ( )

### 6.173.2.3 onChildViewAttachedToWindow()

void mono.android.support.v7.widget.RecyclerView\_OnChildAttachStateChangeListenerImplementor.  
onChildViewAttachedToWindow (   
    android.view.View p0 )

### 6.173.2.4 onChildViewDetachedFromWindow()

void mono.android.support.v7.widget.RecyclerView\_OnChildAttachStateChangeListenerImplementor.  
onChildViewDetachedFromWindow (   
    android.view.View p0 )

## 6.173.3 Member Data Documentation

### 6.173.3.1 \_\_md\_methods


```
final String mono.android.support.v7.widget.RecyclerView_OnChildAttachStateChangeListener↔
Implementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**RecyclerView\_OnChildAttachStateChangeListenerImplementor.java**

## 6.174 mono.android.support.v7.widget.RecyclerView\_OnItemTouchListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.RecyclerView\_OnItemTouchListenerImplementor:



### Public Member Functions

- **RecyclerView\_OnItemTouchListenerImplementor ()** throws java.lang.Throwable
- boolean **onInterceptTouchEvent** (android.support.v7.widget.RecyclerView p0, android.view.MotionEvent p1)
- void **onRequestDisallowInterceptTouchEvent** (boolean p0)
- void **onTouchEvent** (android.support.v7.widget.RecyclerView p0, android.view.MotionEvent p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.174.1 Constructor & Destructor Documentation

#### 6.174.1.1 RecyclerView\_OnItemTouchListenerImplementor()

```
mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor.RecyclerView_On↔
ItemTouchListenerImplementor ( ) throws java.lang.Throwable
```

### 6.174.2 Member Function Documentation



**6.174.2.1 monodroidAddReference()**

```
void mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

**6.174.2.2 monodroidClearReferences()**

```
void mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor.monodroidClearReferences ( )
```

**6.174.2.3 onInterceptTouchEvent()**

```
boolean mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor.onInterceptTouchEvent (
    android.support.v7.widget.RecyclerView p0,
    android.view.MotionEvent p1 )
```

**6.174.2.4 onRequestDisallowInterceptTouchEvent()**

```
void mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor.onRequestDisallowInterceptTouchEvent (
    boolean p0 )
```

**6.174.2.5 onTouchEvent()**

```
void mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor.onTouchEvent (
    android.support.v7.widget.RecyclerView p0,
    android.view.MotionEvent p1 )
```

**6.174.3 Member Data Documentation****6.174.3.1 \_\_md\_methods**

```
final String mono.android.support.v7.widget.RecyclerView_OnItemTouchListenerImplementor.__md_methods [static]
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android.support.v7.widget.RecyclerView\_OnItemTouchListenerImplementor.java

## 6.175 mono.android.support.v7.widget.RecyclerView\_RecyclerViewListenerImplementor

### Class Reference

Inheritance diagram for mono.android.support.v7.widget.RecyclerView\_RecyclerViewListenerImplementor:



### Public Member Functions

- **RecyclerView\_RecyclerViewListenerImplementor** () throws java.lang.Throwable
- void **onViewRecycled** (android.support.v7.widget.RecyclerView.ViewHolder p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.175.1 Constructor & Destructor Documentation

#### 6.175.1.1 RecyclerView\_RecyclerViewListenerImplementor()

```
mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor.RecyclerView_RecyclerViewListenerImplementor ( ) throws java.lang.Throwable
```

### 6.175.2 Member Function Documentation

#### 6.175.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor.monodroidAddReference ( java.lang.Object obj )
```

#### 6.175.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor.monodroidClearReferences ( )
```

## 6.175.2.3 onViewRecycled()

```
void mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor.onViewRecycled (
    android.support.v7.widget.RecyclerView.ViewHolder p0 )
```

## 6.175.3 Member Data Documentation

## 6.175.3.1 \_\_md\_methods

```
final String mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor.__md_↵
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**RecyclerView\_RecyclerViewListenerImplementor.java**

## 6.176 PROJEKT.Droid.Resource Class Reference

## Classes

- class **Animation**
- class **Attribute**
- class **Boolean**
- class **Color**
- class **Dimension**
- class **Drawable**
- class **Id**
- class **Integer**
- class **Interpolator**
- class **Layout**
- class **String**
- class **Style**
- class **Styleable**

## Static Public Member Functions

- static void **UpdateIdValues** ()

## 6.176.1 Member Function Documentation

### 6.176.1.1 UpdateIdValues()

```
static void PROJEKT.Droid.Resource.UpdateIdValues ( ) [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

## 6.177 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController:



### Public Member Functions

- **ScrollViewController** (android.content.Context p0) throws java.lang.Throwable
- **ScrollViewController** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ScrollViewController** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **ScrollViewController** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onMeasure** (int p0, int p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.177.1 Constructor & Destructor Documentation

#### 6.177.1.1 ScrollViewController() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.ScrollViewController (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.177.1.2 ScrollViewController() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.ScrollViewController (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.177.1.3 ScrollViewController() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.ScrollViewController (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.177.1.4 ScrollViewController() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.ScrollViewController (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.177.2 Member Function Documentation

### 6.177.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.monodroidAddReference (
    java.lang.Object obj )
```

### 6.177.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.monodroidClearReferences ( )
```

### 6.177.2.3 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

### 6.177.2.4 onMeasure()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.onMeasure (
    int p0,
    int p1 )
```

## 6.177.3 Member Data Documentation

### 6.177.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewController.java

## 6.178 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer:



## Public Member Functions

- **ScrollViewRenderer** (android.content.Context p0) throws java.lang.Throwable
- **ScrollViewRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ScrollViewRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵  
Throwable
- **ScrollViewRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.↵  
lang.Throwable
- void **draw** (android.graphics.Canvas p0)
- boolean **onInterceptTouchEvent** (android.view.MotionEvent p0)
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onScrollChanged** (int p0, int p1, int p2, int p3)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.178.1 Constructor & Destructor Documentation

### 6.178.1.1 ScrollViewRenderer() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.ScrollViewRender (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.178.1.2 ScrollViewRenderer() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.ScrollViewRender (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.178.1.3 ScrollViewRenderer() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.ScrollViewRender (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.178.1.4 ScrollViewRenderer() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.ScrollViewRender (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

## 6.178.2 Member Function Documentation

**6.178.2.1 draw()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.draw (
    android.graphics.Canvas p0 )
```

**6.178.2.2 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.monodroidAddReference (
    java.lang.Object obj )
```

**6.178.2.3 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.monodroidClearReferences ( )
```

**6.178.2.4 onAttachedToWindow()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.onAttachedToWindow ( )
```

**6.178.2.5 onDetachedFromWindow()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.onDetachedFromWindow ( )
```

**6.178.2.6 onInterceptTouchEvent()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.onInterceptTouchEvent (
    android.view.MotionEvent p0 )
```

**6.178.2.7 onLayout()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```



## 6.178.2.8 onScrollChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.onScrollChanged (
    int p0,
    int p1,
    int p2,
    int p3 )
```

## 6.178.2.9 onTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.onTouchEvent (
    android.view.MotionEvent p0 )
```

## 6.178.3 Member Data Documentation

## 6.178.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer.java

## 6.179 md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer:



## Public Member Functions

- **SearchBarRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **SearchBarRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **SearchBarRenderer** (android.content.Context p0) throws java.lang.Throwable
- boolean **onQueryTextChange** (java.lang.String p0)
- boolean **onQueryTextSubmit** (java.lang.String p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.179.1 Constructor & Destructor Documentation

### 6.179.1.1 SearchBarRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer.SearchBarRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.179.1.2 SearchBarRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer.SearchBarRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.179.1.3 SearchBarRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer.SearchBarRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.179.2 Member Function Documentation

### 6.179.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.179.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer.monodroidClearReferences ( )
```

## 6.179.2.3 onQueryTextChanged()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer.onQueryTextChanged (
    java.lang.String p0 )
```

## 6.179.2.4 onQueryTextSubmit()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer.onQueryTextSubmit (
    java.lang.String p0 )
```

## 6.179.3 Member Data Documentation

## 6.179.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/SearchBarRenderer.java

## 6.180 mono.android.support.v7.widget.SearchView\_OnCloseListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.SearchView\_OnCloseListenerImplementor:



## Public Member Functions

- **SearchView\_OnCloseListenerImplementor** () throws java.lang.Throwable
- boolean **onClose** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.180.1 Constructor & Destructor Documentation

### 6.180.1.1 `SearchView_OnCloseListenerImplementor()`

`mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor.SearchView_OnCloseListenerImplementor ( )` throws `java.lang.Throwable`

## 6.180.2 Member Function Documentation

### 6.180.2.1 `monodroidAddReference()`

`void mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor.monodroidAddReference ( java.lang.Object obj )`

### 6.180.2.2 `monodroidClearReferences()`

`void mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor.monodroidClearReferences ( )`

### 6.180.2.3 `onClose()`

`boolean mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor.onClose ( )`

## 6.180.3 Member Data Documentation

### 6.180.3.1 `__md_methods`


`final String mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor.__md_methods [static]`

The documentation for this class was generated from the following file:

- `C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/androSearchView_OnCloseListenerImplementor.java`

## 6.181 mono.android.support.v7.widget.SearchView\_OnQueryTextListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.SearchView\_OnQueryTextListenerImplementor:



### Public Member Functions

- **SearchView\_OnQueryTextListenerImplementor** () throws java.lang.Throwable
- boolean **onQueryTextChange** (java.lang.String p0)
- boolean **onQueryTextSubmit** (java.lang.String p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.181.1 Constructor & Destructor Documentation

#### 6.181.1.1 SearchView\_OnQueryTextListenerImplementor()

```
mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor.SearchView_OnQueryTextListenerImplementor ( ) throws java.lang.Throwable
```

### 6.181.2 Member Function Documentation

#### 6.181.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

**6.181.2.2 monodroidClearReferences()**

```
void mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor.monodroidClearReferences ( )
```

**6.181.2.3 onQueryTextChange()**

```
boolean mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor.onQueryTextChange (
    java.lang.String p0 )
```

**6.181.2.4 onQueryTextSubmit()**

```
boolean mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor.onQueryTextSubmit (
    java.lang.String p0 )
```

**6.181.3 Member Data Documentation****6.181.3.1 \_\_md\_methods**


```
final String mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android.support.v7.widget.SearchView\_OnQueryTextListenerImplementor.java

## 6.182 mono.android.support.v7.widget.SearchView\_OnSuggestionListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.SearchView\_OnSuggestionListenerImplementor:



## Public Member Functions

- **SearchView\_OnSuggestionListenerImplementor** () throws java.lang.Throwable
- boolean **onSuggestionClick** (int p0)
- boolean **onSuggestionSelect** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.182.1 Constructor & Destructor Documentation

### 6.182.1.1 SearchView\_OnSuggestionListenerImplementor()

```
mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor.SearchView_OnSuggestionListenerImplementor ( ) throws java.lang.Throwable
```

## 6.182.2 Member Function Documentation

### 6.182.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor.monodroidAddReference ( java.lang.Object obj )
```

### 6.182.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor.monodroidClearReferences ( )
```

### 6.182.2.3 onSuggestionClick()

```
boolean mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor.onSuggestionClick ( int p0 )
```

#### 6.182.2.4 onSuggestionSelect()

```
boolean mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor.onSuggestionSelect (
    int p0 )
```

### 6.182.3 Member Data Documentation

#### 6.182.3.1 \_\_md\_methods


```
final String mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/SupportV7Widget/SearchView\_OnSuggestionListenerImplementor.java

## 6.183 mono.android.Seppuku Class Reference

Inheritance diagram for mono.android.Seppuku:



### Public Member Functions

- void **onReceive** (Context context, Intent intent)

#### 6.183.1 Member Function Documentation

##### 6.183.1.1 onReceive()

```
void mono.android.Seppuku.onReceive (
    Context context,
    Intent intent )
```


The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/Seppuku.java



## 6.184 mono.android.support.v7.widget.ShareActionProvider\_OnShareTargetSelectedListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.ShareActionProvider\_OnShareTargetSelectedListenerImplementor:



### Public Member Functions

- **ShareActionProvider\_OnShareTargetSelectedListenerImplementor** () throws java.lang.Throwable
- boolean **onShareTargetSelected** (android.support.v7.widget.ShareActionProvider p0, android.content.Intent p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.184.1 Constructor & Destructor Documentation

#### 6.184.1.1 ShareActionProvider\_OnShareTargetSelectedListenerImplementor()

```
mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListenerImplementor.↵
ShareActionProvider_OnShareTargetSelectedListenerImplementor ( ) throws java.lang.Throwable
```

### 6.184.2 Member Function Documentation

#### 6.184.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListenerImplementor.↵
monodroidAddReference (
    java.lang.Object obj )
```

### 6.184.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListenerImplementor.↵
monodroidClearReferences ( )
```

### 6.184.2.3 onShareTargetSelected()

```
boolean mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListener↵
Implementor.onShareTargetSelected (
    android.support.v7.widget.ShareActionProvider p0,
    android.content.Intent p1 )
```

## 6.184.3 Member Data Documentation

### 6.184.3.1 \_\_md\_methods


```
final String mono.android.support.v7.widget.ShareActionProvider_OnShareTargetSelectedListener↵
Implementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
ShareActionProvider\_OnShareTargetSelectedListenerImplementor.java

## 6.185 md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer:



## Public Member Functions

- **SliderRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **SliderRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **SliderRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onProgressChanged** (android.widget.SeekBar p0, int p1, boolean p2)
- void **onStartTrackingTouch** (android.widget.SeekBar p0)
- void **onStopTrackingTouch** (android.widget.SeekBar p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String `__md_methods`

## 6.185.1 Constructor & Destructor Documentation

### 6.185.1.1 SliderRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.SliderRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.185.1.2 SliderRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.SliderRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.185.1.3 SliderRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.SliderRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.185.2 Member Function Documentation

### 6.185.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.185.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.monodroidClearReferences ( )
```

### 6.185.2.3 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

### 6.185.2.4 onProgressChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.onProgressChanged (
    android.widget.SeekBar p0,
    int p1,
    boolean p2 )
```

### 6.185.2.5 onStartTrackingTouch()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.onStartTrackingTouch (
    android.widget.SeekBar p0 )
```

### 6.185.2.6 onStopTrackingTouch()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.onStopTrackingTouch (
    android.widget.SeekBar p0 )
```

## 6.185.3 Member Data Documentation

### 6.185.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer.java

## 6.186 mono.android.support.v4.widget.SlidingPaneLayout\_PanelSlideListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.widget.SlidingPaneLayout\_PanelSlideListenerImplementor:



### Public Member Functions

- **SlidingPaneLayout\_PanelSlideListenerImplementor** () throws java.lang.Throwable
- void **onPanelClosed** (android.view.View p0)
- void **onPanelOpened** (android.view.View p0)
- void **onPanelSlide** (android.view.View p0, float p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.186.1 Constructor & Destructor Documentation

#### 6.186.1.1 SlidingPaneLayout\_PanelSlideListenerImplementor()

mono.android.support.v4.widget.SlidingPaneLayout\_PanelSlideListenerImplementor.SlidingPaneLayout\_PanelSlideListenerImplementor ( ) throws java.lang.Throwable

### 6.186.2 Member Function Documentation

#### 6.186.2.1 monodroidAddReference()

void mono.android.support.v4.widget.SlidingPaneLayout\_PanelSlideListenerImplementor.monodroidAddReference ( java.lang.Object obj )

**6.186.2.2 monodroidClearReferences()**

```
void mono.android.support.v4.widget.SlidingPaneLayout_PanelSlideListenerImplementor.monodroid↵
ClearReferences ( )
```

**6.186.2.3 onPanelClosed()**

```
void mono.android.support.v4.widget.SlidingPaneLayout_PanelSlideListenerImplementor.onPanel↵
Closed (
    android.view.View p0 )
```

**6.186.2.4 onPanelOpened()**

```
void mono.android.support.v4.widget.SlidingPaneLayout_PanelSlideListenerImplementor.onPanel↵
Opened (
    android.view.View p0 )
```

**6.186.2.5 onPanelSlide()**

```
void mono.android.support.v4.widget.SlidingPaneLayout_PanelSlideListenerImplementor.onPanel↵
Slide (
    android.view.View p0,
    float p1 )
```

**6.186.3 Member Data Documentation****6.186.3.1 \_\_md\_methods**


```
final String mono.android.support.v4.widget.SlidingPaneLayout_PanelSlideListenerImplementor.↵
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro↵  
**SlidingPaneLayout\_PanelSlideListenerImplementor.java**

## 6.187 android.support.design.widget.Snackbar\_SnackbarActionClickImplementor Class Reference

Inheritance diagram for android.support.design.widget.Snackbar\_SnackbarActionClickImplementor:



### Public Member Functions

- **Snackbar\_SnackbarActionClickImplementor** () throws java.lang.Throwable
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.187.1 Constructor & Destructor Documentation

#### 6.187.1.1 Snackbar\_SnackbarActionClickImplementor()

```
android.support.design.widget.Snackbar_SnackbarActionClickImplementor.Snackbar_SnackbarActionClickImplementor ( ) throws java.lang.Throwable
```

### 6.187.2 Member Function Documentation

#### 6.187.2.1 monodroidAddReference()

```
void android.support.design.widget.Snackbar_SnackbarActionClickImplementor.monodroidAddReference ( java.lang.Object obj )
```

#### 6.187.2.2 monodroidClearReferences()

```
void android.support.design.widget.Snackbar_SnackbarActionClickImplementor.monodroidClearReferences ( )
```

### 6.187.2.3 onClick()

```
void android.support.design.widget.Snackbar_SnackbarActionClickImplementor.onClick (
    android.view.View p0 )
```

## 6.187.3 Member Data Documentation

### 6.187.3.1 \_\_md\_methods


```
final String android.support.design.widget.Snackbar_SnackbarActionClickImplementor.__md_↵
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/sup  
**Snackbar\_SnackbarActionClickImplementor.java**

## 6.188 md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer:



## Public Member Functions

- **StepperRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵  
Throwable
- **StepperRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **StepperRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.188.1 Constructor & Destructor Documentation



### 6.188.1.1 StepperRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer.StepperRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.188.1.2 StepperRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer.StepperRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.188.1.3 StepperRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer.StepperRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.188.2 Member Function Documentation

### 6.188.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.188.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer.monodroidClearReferences ( )
```

## 6.188.3 Member Data Documentation

### 6.188.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer.java

## 6.189 md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer\_StepperListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer\_StepperListener:



### Public Member Functions

- **StepperRenderer\_StepperListener** () throws java.lang.Throwable
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.189.1 Constructor & Destructor Documentation

### 6.189.1.1 StepperRenderer\_StepperListener()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener.StepperRenderer_StepperListener ( ) throws java.lang.Throwable
```

## 6.189.2 Member Function Documentation

**6.189.2.1 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener.monodroidAddReference
(
    java.lang.Object obj )
```

**6.189.2.2 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener.monodroidClear↵
References ( )
```

**6.189.2.3 onClick()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener.onClick (
    android.view.View p0 )
```

**6.189.3 Member Data Documentation****6.189.3.1 \_\_md\_methods**


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer_StepperListener.__md_methods
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/StepperRenderer\_StepperListener.java

**6.190 PROJEKT.Droid.DependencyServices.StreamService Class Reference**

Inheritance diagram for PROJEKT.Droid.DependencyServices.StreamService:



## Public Member Functions

- Stream **GetStream** (string path)
- Stream **GetStream** (string path)

### 6.190.1 Member Function Documentation

#### 6.190.1.1 **GetStream()** [1/2]

```
Stream PROJEKT.Droid.DependencyServices.StreamService.GetStream (
    string path )
```

Implements **PROJEKT.Models.Interfaces.IStreamService** (p. 339).

#### 6.190.1.2 **GetStream()** [2/2]

```
Stream PROJEKT.Droid.DependencyServices.StreamService.GetStream (
    string path )
```

Implements **PROJEKT.Models.Interfaces.IStreamService** (p. 339).

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Dependency↔  
Service/ **StreamService.cs**

## 6.191 PROJEKT.Droid.Resource.String Class Reference

### Public Attributes

- const int **abc\_action\_bar\_home\_description** = 2131230735
- const int **abc\_action\_bar\_home\_description\_format** = 2131230736
- const int **abc\_action\_bar\_home\_subtitle\_description\_format** = 2131230737
- const int **abc\_action\_bar\_up\_description** = 2131230738
- const int **abc\_action\_menu\_overflow\_description** = 2131230739
- const int **abc\_action\_mode\_done** = 2131230740
- const int **abc\_activity\_chooser\_view\_see\_all** = 2131230741
- const int **abc\_activitychooserview\_choose\_application** = 2131230742
- const int **abc\_capital\_off** = 2131230743
- const int **abc\_capital\_on** = 2131230744
- const int **abc\_search\_hint** = 2131230745
- const int **abc\_searchview\_description\_clear** = 2131230746
- const int **abc\_searchview\_description\_query** = 2131230747
- const int **abc\_searchview\_description\_search** = 2131230748
- const int **abc\_searchview\_description\_submit** = 2131230749

- const int **abc\_searchview\_description\_voice** = 2131230750
- const int **abc\_shareactionprovider\_share\_with** = 2131230751
- const int **abc\_shareactionprovider\_share\_with\_application** = 2131230752
- const int **abc\_toolbar\_collapse\_description** = 2131230753
- const int **appbar\_scrolling\_view\_behavior** = 2131230755
- const int **bottom\_sheet\_behavior** = 2131230756
- const int **character\_counter\_pattern** = 2131230757
- const int **mr\_button\_content\_description** = 2131230720
- const int **mr\_chooser\_searching** = 2131230721
- const int **mr\_chooser\_title** = 2131230722
- const int **mr\_controller\_casting\_screen** = 2131230723
- const int **mr\_controller\_close\_description** = 2131230724
- const int **mr\_controller\_collapse\_group** = 2131230725
- const int **mr\_controller\_disconnect** = 2131230726
- const int **mr\_controller\_expand\_group** = 2131230727
- const int **mr\_controller\_no\_info\_available** = 2131230728
- const int **mr\_controller\_no\_media\_selected** = 2131230729
- const int **mr\_controller\_pause** = 2131230730
- const int **mr\_controller\_play** = 2131230731
- const int **mr\_controller\_stop** = 2131230732
- const int **mr\_system\_route\_name** = 2131230733
- const int **mr\_user\_route\_category\_name** = 2131230734
- const int **status\_bar\_notification\_info\_overflow** = 2131230754

## 6.191.1 Member Data Documentation

### 6.191.1.1 abc\_action\_bar\_home\_description

```
const int PROJEKT.Droid.Resource.String.abc_action_bar_home_description = 2131230735
```

### 6.191.1.2 abc\_action\_bar\_home\_description\_format

```
const int PROJEKT.Droid.Resource.String.abc_action_bar_home_description_format = 2131230736
```

### 6.191.1.3 abc\_action\_bar\_home\_subtitle\_description\_format

```
const int PROJEKT.Droid.Resource.String.abc_action_bar_home_subtitle_description_format =  
2131230737
```

**6.191.1.4   abc\_action\_bar\_up\_description**

```
const int PROJEKT.Droid.Resource.String.abc_action_bar_up_description = 2131230738
```

**6.191.1.5   abc\_action\_menu\_overflow\_description**

```
const int PROJEKT.Droid.Resource.String.abc_action_menu_overflow_description = 2131230739
```

**6.191.1.6   abc\_action\_mode\_done**

```
const int PROJEKT.Droid.Resource.String.abc_action_mode_done = 2131230740
```

**6.191.1.7   abc\_activity\_chooser\_view\_see\_all**

```
const int PROJEKT.Droid.Resource.String.abc_activity_chooser_view_see_all = 2131230741
```

**6.191.1.8   abc\_activitychooserview\_choose\_application**

```
const int PROJEKT.Droid.Resource.String.abc_activitychooserview_choose_application = 2131230742
```

**6.191.1.9   abc\_capital\_off**

```
const int PROJEKT.Droid.Resource.String.abc_capital_off = 2131230743
```

**6.191.1.10   abc\_capital\_on**

```
const int PROJEKT.Droid.Resource.String.abc_capital_on = 2131230744
```

**6.191.1.11   abc\_search\_hint**

```
const int PROJEKT.Droid.Resource.String.abc_search_hint = 2131230745
```

**6.191.1.12 abc\_searchview\_description\_clear**

```
const int PROJEKT.Droid.Resource.String.abc_searchview_description_clear = 2131230746
```

**6.191.1.13 abc\_searchview\_description\_query**

```
const int PROJEKT.Droid.Resource.String.abc_searchview_description_query = 2131230747
```

**6.191.1.14 abc\_searchview\_description\_search**

```
const int PROJEKT.Droid.Resource.String.abc_searchview_description_search = 2131230748
```

**6.191.1.15 abc\_searchview\_description\_submit**

```
const int PROJEKT.Droid.Resource.String.abc_searchview_description_submit = 2131230749
```

**6.191.1.16 abc\_searchview\_description\_voice**

```
const int PROJEKT.Droid.Resource.String.abc_searchview_description_voice = 2131230750
```

**6.191.1.17 abc\_shareactionprovider\_share\_with**

```
const int PROJEKT.Droid.Resource.String.abc_shareactionprovider_share_with = 2131230751
```

**6.191.1.18 abc\_shareactionprovider\_share\_with\_application**

```
const int PROJEKT.Droid.Resource.String.abc_shareactionprovider_share_with_application = 2131230752
```

**6.191.1.19 abc\_toolbar\_collapse\_description**

```
const int PROJEKT.Droid.Resource.String.abc_toolbar_collapse_description = 2131230753
```

**6.191.1.20 appBar\_scrolling\_view\_behavior**

```
const int PROJEKT.Droid.Resource.String.appbar_scrolling_view_behavior = 2131230755
```

**6.191.1.21 bottom\_sheet\_behavior**

```
const int PROJEKT.Droid.Resource.String.bottom_sheet_behavior = 2131230756
```

**6.191.1.22 character\_counter\_pattern**

```
const int PROJEKT.Droid.Resource.String.character_counter_pattern = 2131230757
```

**6.191.1.23 mr\_button\_content\_description**

```
const int PROJEKT.Droid.Resource.String.mr_button_content_description = 2131230720
```

**6.191.1.24 mr\_chooser\_searching**

```
const int PROJEKT.Droid.Resource.String.mr_chooser_searching = 2131230721
```

**6.191.1.25 mr\_chooser\_title**

```
const int PROJEKT.Droid.Resource.String.mr_chooser_title = 2131230722
```

**6.191.1.26 mr\_controller\_casting\_screen**

```
const int PROJEKT.Droid.Resource.String.mr_controller_casting_screen = 2131230723
```

**6.191.1.27 mr\_controller\_close\_description**

```
const int PROJEKT.Droid.Resource.String.mr_controller_close_description = 2131230724
```



**6.191.1.28 mr\_controller\_collapse\_group**

```
const int PROJEKT.Droid.Resource.String.mr_controller_collapse_group = 2131230725
```

**6.191.1.29 mr\_controller\_disconnect**

```
const int PROJEKT.Droid.Resource.String.mr_controller_disconnect = 2131230726
```

**6.191.1.30 mr\_controller\_expand\_group**

```
const int PROJEKT.Droid.Resource.String.mr_controller_expand_group = 2131230727
```

**6.191.1.31 mr\_controller\_no\_info\_available**

```
const int PROJEKT.Droid.Resource.String.mr_controller_no_info_available = 2131230728
```

**6.191.1.32 mr\_controller\_no\_media\_selected**

```
const int PROJEKT.Droid.Resource.String.mr_controller_no_media_selected = 2131230729
```

**6.191.1.33 mr\_controller\_pause**

```
const int PROJEKT.Droid.Resource.String.mr_controller_pause = 2131230730
```

**6.191.1.34 mr\_controller\_play**

```
const int PROJEKT.Droid.Resource.String.mr_controller_play = 2131230731
```

**6.191.1.35 mr\_controller\_stop**

```
const int PROJEKT.Droid.Resource.String.mr_controller_stop = 2131230732
```

**6.191.1.36 mr\_system\_route\_name**

```
const int PROJEKT.Droid.Resource.String.mr_system_route_name = 2131230733
```

**6.191.1.37 mr\_user\_route\_category\_name**

```
const int PROJEKT.Droid.Resource.String.mr_user_route_category_name = 2131230734
```

**6.191.1.38 status\_bar\_notification\_info\_overflow**

```
const int PROJEKT.Droid.Resource.String.status_bar_notification_info_overflow = 2131230754
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

**6.192 PROJEKT.Droid.Resource.Style Class Reference****Public Attributes**

- const int **AlertDialog\_AppCompat** = 2131361953
- const int **AlertDialog\_AppCompat\_Light** = 2131361954
- const int **Animation\_AppCompat\_Dialog** = 2131361955
- const int **Animation\_AppCompat\_DropDownUp** = 2131361956
- const int **Animation\_Design\_BottomSheetDialog** = 2131362138
- const int **AppCompatDialogStyle** = 2131362164
- const int **Base\_AlertDialog\_AppCompat** = 2131361957
- const int **Base\_AlertDialog\_AppCompat\_Light** = 2131361958
- const int **Base\_Animation\_AppCompat\_Dialog** = 2131361959
- const int **Base\_Animation\_AppCompat\_DropDownUp** = 2131361960
- const int **Base\_CardView** = 2131361816
- const int **Base\_DialogWindowTitle\_AppCompat** = 2131361961
- const int **Base\_DialogWindowTitleBackground\_AppCompat** = 2131361962
- const int **Base\_TextAppearance\_AppCompat** = 2131361873
- const int **Base\_TextAppearance\_AppCompat\_Body1** = 2131361874
- const int **Base\_TextAppearance\_AppCompat\_Body2** = 2131361875
- const int **Base\_TextAppearance\_AppCompat\_Button** = 2131361851
- const int **Base\_TextAppearance\_AppCompat\_Caption** = 2131361876
- const int **Base\_TextAppearance\_AppCompat\_Display1** = 2131361877
- const int **Base\_TextAppearance\_AppCompat\_Display2** = 2131361878
- const int **Base\_TextAppearance\_AppCompat\_Display3** = 2131361879
- const int **Base\_TextAppearance\_AppCompat\_Display4** = 2131361880
- const int **Base\_TextAppearance\_AppCompat\_Headline** = 2131361881
- const int **Base\_TextAppearance\_AppCompat\_Inverse** = 2131361830

- const int **Base\_TextAppearance\_AppCompat\_Large** = 2131361882
- const int **Base\_TextAppearance\_AppCompat\_Large\_Inverse** = 2131361831
- const int **Base\_TextAppearance\_AppCompat\_Light\_Widget\_PopupMenu\_Large** = 2131361883
- const int **Base\_TextAppearance\_AppCompat\_Light\_Widget\_PopupMenu\_Small** = 2131361884
- const int **Base\_TextAppearance\_AppCompat\_Medium** = 2131361885
- const int **Base\_TextAppearance\_AppCompat\_Medium\_Inverse** = 2131361832
- const int **Base\_TextAppearance\_AppCompat\_Menu** = 2131361886
- const int **Base\_TextAppearance\_AppCompat\_SearchResult** = 2131361963
- const int **Base\_TextAppearance\_AppCompat\_SearchResult\_Subtitle** = 2131361887
- const int **Base\_TextAppearance\_AppCompat\_SearchResult\_Title** = 2131361888
- const int **Base\_TextAppearance\_AppCompat\_Small** = 2131361889
- const int **Base\_TextAppearance\_AppCompat\_Small\_Inverse** = 2131361833
- const int **Base\_TextAppearance\_AppCompat\_Subhead** = 2131361890
- const int **Base\_TextAppearance\_AppCompat\_Subhead\_Inverse** = 2131361834
- const int **Base\_TextAppearance\_AppCompat\_Title** = 2131361891
- const int **Base\_TextAppearance\_AppCompat\_Title\_Inverse** = 2131361835
- const int **Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Menu** = 2131361946
- const int **Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Subtitle** = 2131361892
- const int **Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Subtitle\_Inverse** = 2131361893
- const int **Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Title** = 2131361894
- const int **Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Title\_Inverse** = 2131361895
- const int **Base\_TextAppearance\_AppCompat\_Widget\_ActionMode\_Subtitle** = 2131361896
- const int **Base\_TextAppearance\_AppCompat\_Widget\_ActionMode\_Title** = 2131361897
- const int **Base\_TextAppearance\_AppCompat\_Widget\_Button** = 2131361898
- const int **Base\_TextAppearance\_AppCompat\_Widget\_Button\_Inverse** = 2131361947
- const int **Base\_TextAppearance\_AppCompat\_Widget\_DropDownItem** = 2131361964
- const int **Base\_TextAppearance\_AppCompat\_Widget\_PopupMenu\_Large** = 2131361899
- const int **Base\_TextAppearance\_AppCompat\_Widget\_PopupMenu\_Small** = 2131361900
- const int **Base\_TextAppearance\_AppCompat\_Widget\_Switch** = 2131361901
- const int **Base\_TextAppearance\_AppCompat\_Widget\_TextView\_SpinnerItem** = 2131361902
- const int **Base\_TextAppearance\_Widget\_AppCompat\_ExpandedMenu\_Item** = 2131361965
- const int **Base\_TextAppearance\_Widget\_AppCompat\_Toolbar\_Subtitle** = 2131361903
- const int **Base\_TextAppearance\_Widget\_AppCompat\_Toolbar\_Title** = 2131361904
- const int **Base\_Theme\_AppCompat** = 2131361905
- const int **Base\_Theme\_AppCompat\_CompactMenu** = 2131361966
- const int **Base\_Theme\_AppCompat\_Dialog** = 2131361836
- const int **Base\_Theme\_AppCompat\_Dialog\_Alert** = 2131361967
- const int **Base\_Theme\_AppCompat\_Dialog\_FixedSize** = 2131361968
- const int **Base\_Theme\_AppCompat\_Dialog\_MinWidth** = 2131361969
- const int **Base\_Theme\_AppCompat\_DialogWhenLarge** = 2131361820
- const int **Base\_Theme\_AppCompat\_Light** = 2131361906
- const int **Base\_Theme\_AppCompat\_Light\_DarkActionBar** = 2131361970
- const int **Base\_Theme\_AppCompat\_Light\_Dialog** = 2131361837
- const int **Base\_Theme\_AppCompat\_Light\_Dialog\_Alert** = 2131361971
- const int **Base\_Theme\_AppCompat\_Light\_Dialog\_FixedSize** = 2131361972
- const int **Base\_Theme\_AppCompat\_Light\_Dialog\_MinWidth** = 2131361973
- const int **Base\_Theme\_AppCompat\_Light\_DialogWhenLarge** = 2131361821
- const int **Base\_ThemeOverlay\_AppCompat** = 2131361974
- const int **Base\_ThemeOverlay\_AppCompat\_ActionBar** = 2131361975
- const int **Base\_ThemeOverlay\_AppCompat\_Dark** = 2131361976
- const int **Base\_ThemeOverlay\_AppCompat\_Dark\_ActionBar** = 2131361977
- const int **Base\_ThemeOverlay\_AppCompat\_Light** = 2131361978
- const int **Base\_V11\_Theme\_AppCompat\_Dialog** = 2131361838
- const int **Base\_V11\_Theme\_AppCompat\_Light\_Dialog** = 2131361839
- const int **Base\_V12\_Widget\_AppCompat\_AutoCompleteTextView** = 2131361847

- const int **Base\_V12\_Widget\_AppCompat\_EditText** = 2131361848
- const int **Base\_V21\_Theme\_AppCompat** = 2131361907
- const int **Base\_V21\_Theme\_AppCompat\_Dialog** = 2131361908
- const int **Base\_V21\_Theme\_AppCompat\_Light** = 2131361909
- const int **Base\_V21\_Theme\_AppCompat\_Light\_Dialog** = 2131361910
- const int **Base\_V22\_Theme\_AppCompat** = 2131361944
- const int **Base\_V22\_Theme\_AppCompat\_Light** = 2131361945
- const int **Base\_V23\_Theme\_AppCompat** = 2131361948
- const int **Base\_V23\_Theme\_AppCompat\_Light** = 2131361949
- const int **Base\_V7\_Theme\_AppCompat** = 2131361979
- const int **Base\_V7\_Theme\_AppCompat\_Dialog** = 2131361980
- const int **Base\_V7\_Theme\_AppCompat\_Light** = 2131361981
- const int **Base\_V7\_Theme\_AppCompat\_Light\_Dialog** = 2131361982
- const int **Base\_V7\_Widget\_AppCompat\_AutoCompleteTextView** = 2131361983
- const int **Base\_V7\_Widget\_AppCompat\_EditText** = 2131361984
- const int **Base\_Widget\_AppCompat\_ActionBar** = 2131361985
- const int **Base\_Widget\_AppCompat\_ActionBar\_Solid** = 2131361986
- const int **Base\_Widget\_AppCompat\_ActionBar\_TabBar** = 2131361987
- const int **Base\_Widget\_AppCompat\_ActionBar\_TabText** = 2131361911
- const int **Base\_Widget\_AppCompat\_ActionBar\_TabView** = 2131361912
- const int **Base\_Widget\_AppCompat\_ActionButton** = 2131361913
- const int **Base\_Widget\_AppCompat\_ActionButton\_CloseMode** = 2131361914
- const int **Base\_Widget\_AppCompat\_ActionButton\_Overflow** = 2131361915
- const int **Base\_Widget\_AppCompat\_ActionMode** = 2131361988
- const int **Base\_Widget\_AppCompat\_ActivityChooserView** = 2131361989
- const int **Base\_Widget\_AppCompat\_AutoCompleteTextView** = 2131361849
- const int **Base\_Widget\_AppCompat\_Button** = 2131361916
- const int **Base\_Widget\_AppCompat\_Button\_Borderless** = 2131361917
- const int **Base\_Widget\_AppCompat\_Button\_Borderless\_Colored** = 2131361918
- const int **Base\_Widget\_AppCompat\_Button\_ButtonBar\_AlertDialog** = 2131361990
- const int **Base\_Widget\_AppCompat\_Button\_Colored** = 2131361950
- const int **Base\_Widget\_AppCompat\_Button\_Small** = 2131361919
- const int **Base\_Widget\_AppCompat\_ButtonBar** = 2131361920
- const int **Base\_Widget\_AppCompat\_ButtonBar\_AlertDialog** = 2131361991
- const int **Base\_Widget\_AppCompat\_CompoundButton\_CheckBox** = 2131361921
- const int **Base\_Widget\_AppCompat\_CompoundButton\_RadioButton** = 2131361922
- const int **Base\_Widget\_AppCompat\_CompoundButton\_Switch** = 2131361992
- const int **Base\_Widget\_AppCompat\_DrawerArrowToggle** = 2131361819
- const int **Base\_Widget\_AppCompat\_DrawerArrowToggle\_Common** = 2131361993
- const int **Base\_Widget\_AppCompat\_DropDownItem\_Spinner** = 2131361923
- const int **Base\_Widget\_AppCompat\_EditText** = 2131361850
- const int **Base\_Widget\_AppCompat\_ImageButton** = 2131361924
- const int **Base\_Widget\_AppCompat\_Light\_ActionBar** = 2131361994
- const int **Base\_Widget\_AppCompat\_Light\_ActionBar\_Solid** = 2131361995
- const int **Base\_Widget\_AppCompat\_Light\_ActionBar\_TabBar** = 2131361996
- const int **Base\_Widget\_AppCompat\_Light\_ActionBar\_TabText** = 2131361925
- const int **Base\_Widget\_AppCompat\_Light\_ActionBar\_TabText\_Inverse** = 2131361926
- const int **Base\_Widget\_AppCompat\_Light\_ActionBar\_TabView** = 2131361927
- const int **Base\_Widget\_AppCompat\_Light\_PopupMenu** = 2131361928
- const int **Base\_Widget\_AppCompat\_Light\_PopupMenu\_Overflow** = 2131361929
- const int **Base\_Widget\_AppCompat\_ListPopupWindow** = 2131361930
- const int **Base\_Widget\_AppCompat\_ListView** = 2131361931
- const int **Base\_Widget\_AppCompat\_ListView\_DropDown** = 2131361932
- const int **Base\_Widget\_AppCompat\_ListView\_Menu** = 2131361933
- const int **Base\_Widget\_AppCompat\_PopupMenu** = 2131361934

- const int **Base\_Widget\_AppCompat\_PopupMenu\_Overflow** = 2131361935
- const int **Base\_Widget\_AppCompat\_PopupWindow** = 2131361997
- const int **Base\_Widget\_AppCompat\_ProgressBar** = 2131361840
- const int **Base\_Widget\_AppCompat\_ProgressBar\_Horizontal** = 2131361841
- const int **Base\_Widget\_AppCompat\_RatingBar** = 2131361936
- const int **Base\_Widget\_AppCompat\_RatingBar\_Indicator** = 2131361951
- const int **Base\_Widget\_AppCompat\_RatingBar\_Small** = 2131361952
- const int **Base\_Widget\_AppCompat\_SearchView** = 2131361998
- const int **Base\_Widget\_AppCompat\_SearchView\_ActionBar** = 2131361999
- const int **Base\_Widget\_AppCompat\_SeekBar** = 2131361937
- const int **Base\_Widget\_AppCompat\_Spinner** = 2131361938
- const int **Base\_Widget\_AppCompat\_Spinner\_Underlined** = 2131361822
- const int **Base\_Widget\_AppCompat\_TextView\_SpinnerItem** = 2131361939
- const int **Base\_Widget\_AppCompat\_Toolbar** = 2131362000
- const int **Base\_Widget\_AppCompat\_Toolbar\_Button\_Navigation** = 2131361940
- const int **Base\_Widget\_Design\_TabLayout** = 2131362139
- const int **CardView** = 2131361815
- const int **CardView\_Dark** = 2131361817
- const int **CardView\_Light** = 2131361818
- const int **MainTheme** = 2131362162
- const int **MainTheme\_Base** = 2131362163
- const int **Platform\_AppCompat** = 2131361842
- const int **Platform\_AppCompat\_Light** = 2131361843
- const int **Platform\_ThemeOverlay\_AppCompat** = 2131361941
- const int **Platform\_ThemeOverlay\_AppCompat\_Dark** = 2131361942
- const int **Platform\_ThemeOverlay\_AppCompat\_Light** = 2131361943
- const int **Platform\_V11\_AppCompat** = 2131361844
- const int **Platform\_V11\_AppCompat\_Light** = 2131361845
- const int **Platform\_V14\_AppCompat** = 2131361852
- const int **Platform\_V14\_AppCompat\_Light** = 2131361853
- const int **Platform\_Widget\_AppCompat\_Spinner** = 2131361846
- const int **RtlOverlay\_DialogWindowTitle\_AppCompat** = 2131361859
- const int **RtlOverlay\_Widget\_AppCompat\_ActionBar\_TitleItem** = 2131361860
- const int **RtlOverlay\_Widget\_AppCompat\_DialogTitle\_Icon** = 2131361861
- const int **RtlOverlay\_Widget\_AppCompat\_PopupMenuItem** = 2131361862
- const int **RtlOverlay\_Widget\_AppCompat\_PopupMenuItem\_InternalGroup** = 2131361863
- const int **RtlOverlay\_Widget\_AppCompat\_PopupMenuItem\_Text** = 2131361864
- const int **RtlOverlay\_Widget\_AppCompat\_Search\_DropDown** = 2131361865
- const int **RtlOverlay\_Widget\_AppCompat\_Search\_DropDown\_Icon1** = 2131361866
- const int **RtlOverlay\_Widget\_AppCompat\_Search\_DropDown\_Icon2** = 2131361867
- const int **RtlOverlay\_Widget\_AppCompat\_Search\_DropDown\_Query** = 2131361868
- const int **RtlOverlay\_Widget\_AppCompat\_Search\_DropDown\_Text** = 2131361869
- const int **RtlOverlay\_Widget\_AppCompat\_SearchView\_MagIcon** = 2131361870
- const int **RtlUnderlay\_Widget\_AppCompat\_ActionButton** = 2131361871
- const int **RtlUnderlay\_Widget\_AppCompat\_ActionButton\_Overflow** = 2131361872
- const int **TextAppearance\_AppCompat** = 2131362001
- const int **TextAppearance\_AppCompat\_Body1** = 2131362002
- const int **TextAppearance\_AppCompat\_Body2** = 2131362003
- const int **TextAppearance\_AppCompat\_Button** = 2131362004
- const int **TextAppearance\_AppCompat\_Caption** = 2131362005
- const int **TextAppearance\_AppCompat\_Display1** = 2131362006
- const int **TextAppearance\_AppCompat\_Display2** = 2131362007
- const int **TextAppearance\_AppCompat\_Display3** = 2131362008
- const int **TextAppearance\_AppCompat\_Display4** = 2131362009
- const int **TextAppearance\_AppCompat\_Headline** = 2131362010

- const int **TextAppearance\_AppCompat\_Inverse** = 2131362011
- const int **TextAppearance\_AppCompat\_Large** = 2131362012
- const int **TextAppearance\_AppCompat\_Large\_Inverse** = 2131362013
- const int **TextAppearance\_AppCompat\_Light\_SearchResult\_Subtitle** = 2131362014
- const int **TextAppearance\_AppCompat\_Light\_SearchResult\_Title** = 2131362015
- const int **TextAppearance\_AppCompat\_Light\_Widget\_PopupMenu\_Large** = 2131362016
- const int **TextAppearance\_AppCompat\_Light\_Widget\_PopupMenu\_Small** = 2131362017
- const int **TextAppearance\_AppCompat\_Medium** = 2131362018
- const int **TextAppearance\_AppCompat\_Medium\_Inverse** = 2131362019
- const int **TextAppearance\_AppCompat\_Menu** = 2131362020
- const int **TextAppearance\_AppCompat\_SearchResult\_Subtitle** = 2131362021
- const int **TextAppearance\_AppCompat\_SearchResult\_Title** = 2131362022
- const int **TextAppearance\_AppCompat\_Small** = 2131362023
- const int **TextAppearance\_AppCompat\_Small\_Inverse** = 2131362024
- const int **TextAppearance\_AppCompat\_Subhead** = 2131362025
- const int **TextAppearance\_AppCompat\_Subhead\_Inverse** = 2131362026
- const int **TextAppearance\_AppCompat\_Title** = 2131362027
- const int **TextAppearance\_AppCompat\_Title\_Inverse** = 2131362028
- const int **TextAppearance\_AppCompat\_Widget\_ActionBar\_Menu** = 2131362029
- const int **TextAppearance\_AppCompat\_Widget\_ActionBar\_Subtitle** = 2131362030
- const int **TextAppearance\_AppCompat\_Widget\_ActionBar\_Subtitle\_Inverse** = 2131362031
- const int **TextAppearance\_AppCompat\_Widget\_ActionBar\_Title** = 2131362032
- const int **TextAppearance\_AppCompat\_Widget\_ActionBar\_Title\_Inverse** = 2131362033
- const int **TextAppearance\_AppCompat\_Widget\_ActionMode\_Subtitle** = 2131362034
- const int **TextAppearance\_AppCompat\_Widget\_ActionMode\_Subtitle\_Inverse** = 2131362035
- const int **TextAppearance\_AppCompat\_Widget\_ActionMode\_Title** = 2131362036
- const int **TextAppearance\_AppCompat\_Widget\_ActionMode\_Title\_Inverse** = 2131362037
- const int **TextAppearance\_AppCompat\_Widget\_Button** = 2131362038
- const int **TextAppearance\_AppCompat\_Widget\_Button\_Inverse** = 2131362039
- const int **TextAppearance\_AppCompat\_Widget\_DropDownItem** = 2131362040
- const int **TextAppearance\_AppCompat\_Widget\_PopupMenu\_Large** = 2131362041
- const int **TextAppearance\_AppCompat\_Widget\_PopupMenu\_Small** = 2131362042
- const int **TextAppearance\_AppCompat\_Widget\_Switch** = 2131362043
- const int **TextAppearance\_AppCompat\_Widget\_TextView\_SpinnerItem** = 2131362044
- const int **TextAppearance\_Design\_CollapsingToolbar\_Expanded** = 2131362140
- const int **TextAppearance\_Design\_Counter** = 2131362141
- const int **TextAppearance\_Design\_Counter\_Overflow** = 2131362142
- const int **TextAppearance\_Design\_Error** = 2131362143
- const int **TextAppearance\_Design\_Hint** = 2131362144
- const int **TextAppearance\_Design\_Snackbar\_Message** = 2131362145
- const int **TextAppearance\_Design\_Tab** = 2131362146
- const int **TextAppearance\_StatusBar\_EventContent** = 2131361854
- const int **TextAppearance\_StatusBar\_EventContent\_Info** = 2131361855
- const int **TextAppearance\_StatusBar\_EventContent\_Line2** = 2131361856
- const int **TextAppearance\_StatusBar\_EventContent\_Time** = 2131361857
- const int **TextAppearance\_StatusBar\_EventContent\_Title** = 2131361858
- const int **TextAppearance\_Widget\_AppCompat\_ExpandedMenu\_Item** = 2131362045
- const int **TextAppearance\_Widget\_AppCompat\_Toolbar\_Subtitle** = 2131362046
- const int **TextAppearance\_Widget\_AppCompat\_Toolbar\_Title** = 2131362047
- const int **Theme\_AppCompat** = 2131362048
- const int **Theme\_AppCompat\_CompactMenu** = 2131362049
- const int **Theme\_AppCompat\_DayNight** = 2131361823
- const int **Theme\_AppCompat\_DayNight\_DarkActionBar** = 2131361824
- const int **Theme\_AppCompat\_DayNight\_Dialog** = 2131361825
- const int **Theme\_AppCompat\_DayNight\_Dialog\_Alert** = 2131361826

- const int **Theme\_AppCompat\_DayNight\_Dialog\_MinWidth** = 2131361827
- const int **Theme\_AppCompat\_DayNight\_DialogWhenLarge** = 2131361828
- const int **Theme\_AppCompat\_DayNight\_NoActionBar** = 2131361829
- const int **Theme\_AppCompat\_Dialog** = 2131362050
- const int **Theme\_AppCompat\_Dialog\_Alert** = 2131362051
- const int **Theme\_AppCompat\_Dialog\_MinWidth** = 2131362052
- const int **Theme\_AppCompat\_DialogWhenLarge** = 2131362053
- const int **Theme\_AppCompat\_Light** = 2131362054
- const int **Theme\_AppCompat\_Light\_DarkActionBar** = 2131362055
- const int **Theme\_AppCompat\_Light\_Dialog** = 2131362056
- const int **Theme\_AppCompat\_Light\_Dialog\_Alert** = 2131362057
- const int **Theme\_AppCompat\_Light\_Dialog\_MinWidth** = 2131362058
- const int **Theme\_AppCompat\_Light\_DialogWhenLarge** = 2131362059
- const int **Theme\_AppCompat\_Light\_NoActionBar** = 2131362060
- const int **Theme\_AppCompat\_NoActionBar** = 2131362061
- const int **Theme\_Design** = 2131362147
- const int **Theme\_Design\_BottomSheetDialog** = 2131362148
- const int **Theme\_Design\_Light** = 2131362149
- const int **Theme\_Design\_Light\_BottomSheetDialog** = 2131362150
- const int **Theme\_Design\_Light\_NoActionBar** = 2131362151
- const int **Theme\_Design\_NoActionBar** = 2131362152
- const int **Theme\_MediaRouter** = 2131361792
- const int **Theme\_MediaRouter\_Light** = 2131361793
- const int **Theme\_MediaRouter\_Light\_DarkControlPanel** = 2131361794
- const int **Theme\_MediaRouter\_LightControlPanel** = 2131361795
- const int **ThemeOverlay\_AppCompat** = 2131362062
- const int **ThemeOverlay\_AppCompat\_ActionBar** = 2131362063
- const int **ThemeOverlay\_AppCompat\_Dark** = 2131362064
- const int **ThemeOverlay\_AppCompat\_Dark\_ActionBar** = 2131362065
- const int **ThemeOverlay\_AppCompat\_Light** = 2131362066
- const int **Widget\_AppCompat\_ActionBar** = 2131362067
- const int **Widget\_AppCompat\_ActionBar\_Solid** = 2131362068
- const int **Widget\_AppCompat\_ActionBar\_TabBar** = 2131362069
- const int **Widget\_AppCompat\_ActionBar\_TabText** = 2131362070
- const int **Widget\_AppCompat\_ActionBar\_TabView** = 2131362071
- const int **Widget\_AppCompat\_ActionButton** = 2131362072
- const int **Widget\_AppCompat\_ActionButton\_CloseMode** = 2131362073
- const int **Widget\_AppCompat\_ActionButton\_Overflow** = 2131362074
- const int **Widget\_AppCompat\_ActionMode** = 2131362075
- const int **Widget\_AppCompat\_ActivityChooserView** = 2131362076
- const int **Widget\_AppCompat\_AutoCompleteTextView** = 2131362077
- const int **Widget\_AppCompat\_Button** = 2131362078
- const int **Widget\_AppCompat\_Button\_Borderless** = 2131362079
- const int **Widget\_AppCompat\_Button\_Borderless\_Colored** = 2131362080
- const int **Widget\_AppCompat\_Button\_ButtonBar\_AlertDialog** = 2131362081
- const int **Widget\_AppCompat\_Button\_Colored** = 2131362082
- const int **Widget\_AppCompat\_Button\_Small** = 2131362083
- const int **Widget\_AppCompat\_ButtonBar** = 2131362084
- const int **Widget\_AppCompat\_ButtonBar\_AlertDialog** = 2131362085
- const int **Widget\_AppCompat\_CompoundButton\_CheckBox** = 2131362086
- const int **Widget\_AppCompat\_CompoundButton\_RadioButton** = 2131362087
- const int **Widget\_AppCompat\_CompoundButton\_Switch** = 2131362088
- const int **Widget\_AppCompat\_DrawerArrowToggle** = 2131362089
- const int **Widget\_AppCompat\_DropDownItem\_Spinner** = 2131362090
- const int **Widget\_AppCompat\_EditText** = 2131362091

- const int **Widget\_AppCompat\_ImageButton** = 2131362092
- const int **Widget\_AppCompat\_Light\_ActionBar** = 2131362093
- const int **Widget\_AppCompat\_Light\_ActionBar\_Solid** = 2131362094
- const int **Widget\_AppCompat\_Light\_ActionBar\_Solid\_Inverse** = 2131362095
- const int **Widget\_AppCompat\_Light\_ActionBar\_TabBar** = 2131362096
- const int **Widget\_AppCompat\_Light\_ActionBar\_TabBar\_Inverse** = 2131362097
- const int **Widget\_AppCompat\_Light\_ActionBar\_TabText** = 2131362098
- const int **Widget\_AppCompat\_Light\_ActionBar\_TabText\_Inverse** = 2131362099
- const int **Widget\_AppCompat\_Light\_ActionBar\_TabView** = 2131362100
- const int **Widget\_AppCompat\_Light\_ActionBar\_TabView\_Inverse** = 2131362101
- const int **Widget\_AppCompat\_Light\_ActionButton** = 2131362102
- const int **Widget\_AppCompat\_Light\_ActionButton\_CloseMode** = 2131362103
- const int **Widget\_AppCompat\_Light\_ActionButton\_Overflow** = 2131362104
- const int **Widget\_AppCompat\_Light\_ActionMode\_Inverse** = 2131362105
- const int **Widget\_AppCompat\_Light\_ActivityChooserView** = 2131362106
- const int **Widget\_AppCompat\_Light\_AutoCompleteTextView** = 2131362107
- const int **Widget\_AppCompat\_Light\_DropDownItem\_Spinner** = 2131362108
- const int **Widget\_AppCompat\_Light\_ListPopupWindow** = 2131362109
- const int **Widget\_AppCompat\_Light\_ListView\_DropDown** = 2131362110
- const int **Widget\_AppCompat\_Light\_PopupMenu** = 2131362111
- const int **Widget\_AppCompat\_Light\_PopupMenu\_Overflow** = 2131362112
- const int **Widget\_AppCompat\_Light\_SearchView** = 2131362113
- const int **Widget\_AppCompat\_Light\_Spinner\_DropDown\_ActionBar** = 2131362114
- const int **Widget\_AppCompat\_ListPopupWindow** = 2131362115
- const int **Widget\_AppCompat\_ListView** = 2131362116
- const int **Widget\_AppCompat\_ListView\_DropDown** = 2131362117
- const int **Widget\_AppCompat\_ListView\_Menu** = 2131362118
- const int **Widget\_AppCompat\_PopupMenu** = 2131362119
- const int **Widget\_AppCompat\_PopupMenu\_Overflow** = 2131362120
- const int **Widget\_AppCompat\_PopupWindow** = 2131362121
- const int **Widget\_AppCompat\_ProgressBar** = 2131362122
- const int **Widget\_AppCompat\_ProgressBar\_Horizontal** = 2131362123
- const int **Widget\_AppCompat\_RatingBar** = 2131362124
- const int **Widget\_AppCompat\_RatingBar\_Indicator** = 2131362125
- const int **Widget\_AppCompat\_RatingBar\_Small** = 2131362126
- const int **Widget\_AppCompat\_SearchView** = 2131362127
- const int **Widget\_AppCompat\_SearchView\_ActionBar** = 2131362128
- const int **Widget\_AppCompat\_SeekBar** = 2131362129
- const int **Widget\_AppCompat\_Spinner** = 2131362130
- const int **Widget\_AppCompat\_Spinner\_DropDown** = 2131362131
- const int **Widget\_AppCompat\_Spinner\_DropDown\_ActionBar** = 2131362132
- const int **Widget\_AppCompat\_Spinner\_Underlined** = 2131362133
- const int **Widget\_AppCompat\_TextView\_SpinnerItem** = 2131362134
- const int **Widget\_AppCompat\_Toolbar** = 2131362135
- const int **Widget\_AppCompat\_Toolbar\_Button\_Navigation** = 2131362136
- const int **Widget\_Design\_AppBarLayout** = 2131362153
- const int **Widget\_Design\_BottomSheet\_Modal** = 2131362154
- const int **Widget\_Design\_CollapsingToolbar** = 2131362155
- const int **Widget\_Design\_CoordinatorLayout** = 2131362156
- const int **Widget\_Design\_FloatingActionButton** = 2131362157
- const int **Widget\_Design\_NavigationView** = 2131362158
- const int **Widget\_Design\_ScrimInsetsFrameLayout** = 2131362159
- const int **Widget\_Design\_Snackbar** = 2131362160
- const int **Widget\_Design\_TabLayout** = 2131362137
- const int **Widget\_Design\_TextInputLayout** = 2131362161



- const int **Widget\_MediaRouter\_ChooserText** = 2131361796
- const int **Widget\_MediaRouter\_ChooserText\_Primary** = 2131361797
- const int **Widget\_MediaRouter\_ChooserText\_Primary\_Dark** = 2131361798
- const int **Widget\_MediaRouter\_ChooserText\_Primary\_Light** = 2131361799
- const int **Widget\_MediaRouter\_ChooserText\_Secondary** = 2131361800
- const int **Widget\_MediaRouter\_ChooserText\_Secondary\_Dark** = 2131361801
- const int **Widget\_MediaRouter\_ChooserText\_Secondary\_Light** = 2131361802
- const int **Widget\_MediaRouter\_ControllerText** = 2131361803
- const int **Widget\_MediaRouter\_ControllerText\_Primary** = 2131361804
- const int **Widget\_MediaRouter\_ControllerText\_Primary\_Dark** = 2131361805
- const int **Widget\_MediaRouter\_ControllerText\_Primary\_Light** = 2131361806
- const int **Widget\_MediaRouter\_ControllerText\_Secondary** = 2131361807
- const int **Widget\_MediaRouter\_ControllerText\_Secondary\_Dark** = 2131361808
- const int **Widget\_MediaRouter\_ControllerText\_Secondary\_Light** = 2131361809
- const int **Widget\_MediaRouter\_ControllerText\_Title** = 2131361810
- const int **Widget\_MediaRouter\_ControllerText\_Title\_Dark** = 2131361811
- const int **Widget\_MediaRouter\_ControllerText\_Title\_Light** = 2131361812
- const int **Widget\_MediaRouter\_Light\_MediaRouteButton** = 2131361813
- const int **Widget\_MediaRouter\_MediaRouteButton** = 2131361814

## 6.192.1 Member Data Documentation

### 6.192.1.1 AlertDialog\_AppCompat

```
const int PROJEKT.Droid.Resource.Style.AlertDialog_AppCompat = 2131361953
```

### 6.192.1.2 AlertDialog\_AppCompat\_Light

```
const int PROJEKT.Droid.Resource.Style.AlertDialog_AppCompat_Light = 2131361954
```

### 6.192.1.3 Animation\_AppCompat\_Dialog

```
const int PROJEKT.Droid.Resource.Style.Animation_AppCompat_Dialog = 2131361955
```

### 6.192.1.4 Animation\_AppCompat\_DropDownUp

```
const int PROJEKT.Droid.Resource.Style.Animation_AppCompat_DropDownUp = 2131361956
```

#### 6.192.1.5 Animation\_Design\_BottomSheetDialog

```
const int PROJEKT.Droid.Resource.Style.Animation_Design_BottomSheetDialog = 2131362138
```

#### 6.192.1.6 AppCompatActivityStyle

```
const int PROJEKT.Droid.Resource.Style.AppCompatActivityStyle = 2131362164
```

#### 6.192.1.7 Base\_AlertDialog\_AppCompat

```
const int PROJEKT.Droid.Resource.Style.Base_AlertDialog_AppCompat = 2131361957
```

#### 6.192.1.8 Base\_AlertDialog\_AppCompat\_Light

```
const int PROJEKT.Droid.Resource.Style.Base_AlertDialog_AppCompat_Light = 2131361958
```

#### 6.192.1.9 Base\_Animation\_AppCompat\_Dialog

```
const int PROJEKT.Droid.Resource.Style.Base_Animation_AppCompat_Dialog = 2131361959
```

#### 6.192.1.10 Base\_Animation\_AppCompat\_DropDownUp

```
const int PROJEKT.Droid.Resource.Style.Base_Animation_AppCompat_DropDownUp = 2131361960
```

#### 6.192.1.11 Base\_CardView

```
const int PROJEKT.Droid.Resource.Style.Base_CardView = 2131361816
```

#### 6.192.1.12 Base\_DialogWindowTitle\_AppCompat

```
const int PROJEKT.Droid.Resource.Style.Base_DialogWindowTitle_AppCompat = 2131361961
```

**6.192.1.13 Base\_DialogWindowTitleBackground\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Base_DialogWindowTitleBackground_AppCompat = 2131361962
```

**6.192.1.14 Base\_TextAppearance\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat = 2131361873
```

**6.192.1.15 Base\_TextAppearance\_AppCompat\_Body1**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Body1 = 2131361874
```

**6.192.1.16 Base\_TextAppearance\_AppCompat\_Body2**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Body2 = 2131361875
```

**6.192.1.17 Base\_TextAppearance\_AppCompat\_Button**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Button = 2131361851
```

**6.192.1.18 Base\_TextAppearance\_AppCompat\_Caption**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Caption = 2131361876
```

**6.192.1.19 Base\_TextAppearance\_AppCompat\_Display1**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Display1 = 2131361877
```

**6.192.1.20 Base\_TextAppearance\_AppCompat\_Display2**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Display2 = 2131361878
```

**6.192.1.21 Base\_TextAppearance\_AppCompat\_Display3**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Display3 = 2131361879
```

**6.192.1.22 Base\_TextAppearance\_AppCompat\_Display4**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Display4 = 2131361880
```

**6.192.1.23 Base\_TextAppearance\_AppCompat\_Headline**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Headline = 2131361881
```

**6.192.1.24 Base\_TextAppearance\_AppCompat\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Inverse = 2131361830
```

**6.192.1.25 Base\_TextAppearance\_AppCompat\_Large**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Large = 2131361882
```

**6.192.1.26 Base\_TextAppearance\_AppCompat\_Large\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Large_Inverse = 2131361831
```

**6.192.1.27 Base\_TextAppearance\_AppCompat\_Light\_Widget\_PopupMenu\_Large**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Light_Widget_PopupMenu_↵  
Large = 2131361883
```

**6.192.1.28 Base\_TextAppearance\_AppCompat\_Light\_Widget\_PopupMenu\_Small**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Light_Widget_PopupMenu_↵  
Small = 2131361884
```

**6.192.1.29 Base\_TextAppearance\_AppCompat\_Medium**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Medium = 2131361885
```

**6.192.1.30 Base\_TextAppearance\_AppCompat\_Medium\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Medium_Inverse = 2131361832
```

**6.192.1.31 Base\_TextAppearance\_AppCompat\_Menu**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Menu = 2131361886
```

**6.192.1.32 Base\_TextAppearance\_AppCompat\_SearchResult**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_SearchResult = 2131361963
```

**6.192.1.33 Base\_TextAppearance\_AppCompat\_SearchResult\_Subtitle**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_SearchResult_Subtitle =  
2131361887
```

**6.192.1.34 Base\_TextAppearance\_AppCompat\_SearchResult\_Title**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_SearchResult_Title =  
2131361888
```

**6.192.1.35 Base\_TextAppearance\_AppCompat\_Small**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Small = 2131361889
```

**6.192.1.36 Base\_TextAppearance\_AppCompat\_Small\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Small_Inverse = 2131361833
```

**6.192.1.37 Base\_TextAppearance\_AppCompat\_Subhead**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Subhead = 2131361890
```

**6.192.1.38 Base\_TextAppearance\_AppCompat\_Subhead\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Subhead_Inverse = 2131361834
```

**6.192.1.39 Base\_TextAppearance\_AppCompat\_Title**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Title = 2131361891
```

**6.192.1.40 Base\_TextAppearance\_AppCompat\_Title\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Title_Inverse = 2131361835
```

**6.192.1.41 Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Menu**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_ActionBar_Menu =  
2131361946
```

**6.192.1.42 Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Subtitle**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_ActionBar_Subtitle
= 2131361892
```

**6.192.1.43 Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Subtitle\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_ActionBar_Subtitle↵
_Inverse = 2131361893
```

**6.192.1.44 Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Title**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_ActionBar_Title =
2131361894
```

**6.192.1.45 Base\_TextAppearance\_AppCompat\_Widget\_ActionBar\_Title\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_ActionBar_Title_↵
Inverse = 2131361895
```

**6.192.1.46 Base\_TextAppearance\_AppCompat\_Widget\_ActionMode\_Subtitle**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_ActionMode_↵
Subtitle = 2131361896
```

**6.192.1.47 Base\_TextAppearance\_AppCompat\_Widget\_ActionMode\_Title**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_ActionMode_Title =
2131361897
```

**6.192.1.48 Base\_TextAppearance\_AppCompat\_Widget\_Button**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_Button = 2131361898
```

**6.192.1.49 Base\_TextAppearance\_AppCompat\_Widget\_Button\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_Button_Inverse =  
2131361947
```

**6.192.1.50 Base\_TextAppearance\_AppCompat\_Widget\_DropDownItem**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_DropDownItem =  
2131361964
```

**6.192.1.51 Base\_TextAppearance\_AppCompat\_Widget\_PopupMenu\_Large**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_PopupMenu_Large =  
2131361899
```

**6.192.1.52 Base\_TextAppearance\_AppCompat\_Widget\_PopupMenu\_Small**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_PopupMenu_Small =  
2131361900
```

**6.192.1.53 Base\_TextAppearance\_AppCompat\_Widget\_Switch**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_Switch = 2131361901
```

**6.192.1.54 Base\_TextAppearance\_AppCompat\_Widget\_TextView\_SpinnerItem**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_AppCompat_Widget_TextView_Spinner↵  
Item = 2131361902
```

**6.192.1.55 Base\_TextAppearance\_Widget\_AppCompat\_ExpandedMenu\_Item**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_Widget_AppCompat_ExpandedMenu_Item  
= 2131361965
```



**6.192.1.56 Base\_TextAppearance\_Widget\_AppCompat\_Toolbar\_Subtitle**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_Widget_AppCompat_Toolbar_Subtitle =
2131361903
```

**6.192.1.57 Base\_TextAppearance\_Widget\_AppCompat\_Toolbar\_Title**

```
const int PROJEKT.Droid.Resource.Style.Base_TextAppearance_Widget_AppCompat_Toolbar_Title =
2131361904
```

**6.192.1.58 Base\_Theme\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat = 2131361905
```

**6.192.1.59 Base\_Theme\_AppCompat\_CompactMenu**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_CompactMenu = 2131361966
```

**6.192.1.60 Base\_Theme\_AppCompat\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Dialog = 2131361836
```

**6.192.1.61 Base\_Theme\_AppCompat\_Dialog\_Alert**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Dialog_Alert = 2131361967
```

**6.192.1.62 Base\_Theme\_AppCompat\_Dialog\_FixedSize**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Dialog_FixedSize = 2131361968
```

**6.192.1.63 Base\_Theme\_AppCompat\_Dialog\_MinWidth**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Dialog_MinWidth = 2131361969
```

**6.192.1.64 Base\_Theme\_AppCompat\_DialogWhenLarge**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_DialogWhenLarge = 2131361820
```

**6.192.1.65 Base\_Theme\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Light = 2131361906
```

**6.192.1.66 Base\_Theme\_AppCompat\_Light\_DarkActionBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Light_DarkActionBar = 2131361970
```

**6.192.1.67 Base\_Theme\_AppCompat\_Light\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Light_Dialog = 2131361837
```

**6.192.1.68 Base\_Theme\_AppCompat\_Light\_Dialog\_Alert**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Light_Dialog_Alert = 2131361971
```

**6.192.1.69 Base\_Theme\_AppCompat\_Light\_Dialog\_FixedSize**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Light_Dialog_FixedSize = 2131361972
```

**6.192.1.70 Base\_Theme\_AppCompat\_Light\_Dialog\_MinWidth**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Light_Dialog_MinWidth = 2131361973
```

**6.192.1.71 Base\_Theme\_AppCompat\_Light\_DialogWhenLarge**

```
const int PROJEKT.Droid.Resource.Style.Base_Theme_AppCompat_Light_DialogWhenLarge = 2131361821
```

**6.192.1.72 Base\_ThemeOverlay\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Base_ThemeOverlay_AppCompat = 2131361974
```

**6.192.1.73 Base\_ThemeOverlay\_AppCompat\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Base_ThemeOverlay_AppCompat_ActionBar = 2131361975
```

**6.192.1.74 Base\_ThemeOverlay\_AppCompat\_Dark**

```
const int PROJEKT.Droid.Resource.Style.Base_ThemeOverlay_AppCompat_Dark = 2131361976
```

**6.192.1.75 Base\_ThemeOverlay\_AppCompat\_Dark\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Base_ThemeOverlay_AppCompat_Dark_ActionBar = 2131361977
```

**6.192.1.76 Base\_ThemeOverlay\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Base_ThemeOverlay_AppCompat_Light = 2131361978
```

**6.192.1.77 Base\_V11\_Theme\_AppCompat\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Base_V11_Theme_AppCompat_Dialog = 2131361838
```

**6.192.1.78 Base\_V11\_Theme\_AppCompat\_Light\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Base_V11_Theme_AppCompat_Light_Dialog = 2131361839
```

**6.192.1.79 Base\_V12\_Widget\_AppCompat\_AutoCompleteTextView**

```
const int PROJEKT.Droid.Resource.Style.Base_V12_Widget_AppCompat_AutoCompleteTextView = 2131361847
```

**6.192.1.80 Base\_V12\_Widget\_AppCompat\_EditText**

```
const int PROJEKT.Droid.Resource.Style.Base_V12_Widget_AppCompat_EditText = 2131361848
```

**6.192.1.81 Base\_V21\_Theme\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Base_V21_Theme_AppCompat = 2131361907
```

**6.192.1.82 Base\_V21\_Theme\_AppCompat\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Base_V21_Theme_AppCompat_Dialog = 2131361908
```

**6.192.1.83 Base\_V21\_Theme\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Base_V21_Theme_AppCompat_Light = 2131361909
```

**6.192.1.84 Base\_V21\_Theme\_AppCompat\_Light\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Base_V21_Theme_AppCompat_Light_Dialog = 2131361910
```

**6.192.1.85 Base\_V22\_Theme\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Base_V22_Theme_AppCompat = 2131361944
```

**6.192.1.86 Base\_V22\_Theme\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Base_V22_Theme_AppCompat_Light = 2131361945
```

**6.192.1.87 Base\_V23\_Theme\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Base_V23_Theme_AppCompat = 2131361948
```

**6.192.1.88 Base\_V23\_Theme\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Base_V23_Theme_AppCompat_Light = 2131361949
```

**6.192.1.89 Base\_V7\_Theme\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Base_V7_Theme_AppCompat = 2131361979
```

**6.192.1.90 Base\_V7\_Theme\_AppCompat\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Base_V7_Theme_AppCompat_Dialog = 2131361980
```

**6.192.1.91 Base\_V7\_Theme\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Base_V7_Theme_AppCompat_Light = 2131361981
```

**6.192.1.92 Base\_V7\_Theme\_AppCompat\_Light\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Base_V7_Theme_AppCompat_Light_Dialog = 2131361982
```

**6.192.1.93 Base\_V7\_Widget\_AppCompat\_AutoCompleteTextView**

```
const int PROJEKT.Droid.Resource.Style.Base_V7_Widget_AppCompat_AutoCompleteTextView = 2131361983
```

**6.192.1.94 Base\_V7\_Widget\_AppCompat\_EditText**

```
const int PROJEKT.Droid.Resource.Style.Base_V7_Widget_AppCompat_EditText = 2131361984
```

**6.192.1.95 Base\_Widget\_AppCompat\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActionBar = 2131361985
```

**6.192.1.96 Base\_Widget\_AppCompat\_ActionBar\_Solid**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActionBar_Solid = 2131361986
```

**6.192.1.97 Base\_Widget\_AppCompat\_ActionBar\_TabBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActionBar_TabBar = 2131361987
```

**6.192.1.98 Base\_Widget\_AppCompat\_ActionBar\_TabText**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActionBar_TabText = 2131361911
```

**6.192.1.99 Base\_Widget\_AppCompat\_ActionBar\_TabView**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActionBar_TabView = 2131361912
```

**6.192.1.100 Base\_Widget\_AppCompat\_ActionButton**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActionButton = 2131361913
```

**6.192.1.101 Base\_Widget\_AppCompat\_ActionButton\_CloseMode**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActionButton_CloseMode = 2131361914
```

**6.192.1.102 Base\_Widget\_AppCompat\_ActionButton\_Overflow**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActionButton_Overflow = 2131361915
```

**6.192.1.103 Base\_Widget\_AppCompat\_ActionMode**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActionMode = 2131361988
```

**6.192.1.104 Base\_Widget\_AppCompat\_ActivityChooserView**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ActivityChooserView = 2131361989
```

**6.192.1.105 Base\_Widget\_AppCompat\_AutoCompleteTextView**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_AutoCompleteTextView = 2131361849
```

**6.192.1.106 Base\_Widget\_AppCompat\_Button**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Button = 2131361916
```

**6.192.1.107 Base\_Widget\_AppCompat\_Button\_Borderless**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Button_Borderless = 2131361917
```

**6.192.1.108 Base\_Widget\_AppCompat\_Button\_Borderless\_Colored**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Button_Borderless_Colored = 2131361918
```

**6.192.1.109 Base\_Widget\_AppCompat\_Button\_ButtonBar\_AlertDialog**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Button_ButtonBar_AlertDialog =  
2131361990
```

**6.192.1.110 Base\_Widget\_AppCompat\_Button\_Colored**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Button_Colored = 2131361950
```

**6.192.1.111 Base\_Widget\_AppCompat\_Button\_Small**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Button_Small = 2131361919
```

**6.192.1.112 Base\_Widget\_AppCompat\_ButtonBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ButtonBar = 2131361920
```

**6.192.1.113 Base\_Widget\_AppCompat\_ButtonBar\_AlertDialog**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ButtonBar_AlertDialog = 2131361991
```

**6.192.1.114 Base\_Widget\_AppCompat\_CompoundButton\_CheckBox**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_CompoundButton_CheckBox = 2131361921
```

**6.192.1.115 Base\_Widget\_AppCompat\_CompoundButton\_RadioButton**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_CompoundButton_RadioButton =  
2131361922
```

**6.192.1.116 Base\_Widget\_AppCompat\_CompoundButton\_Switch**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_CompoundButton_Switch = 2131361992
```



**6.192.1.117 Base\_Widget\_AppCompat\_DrawerArrowToggle**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_DrawerArrowToggle = 2131361819
```

**6.192.1.118 Base\_Widget\_AppCompat\_DrawerArrowToggle\_Common**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_DrawerArrowToggle_Common = 2131361993
```

**6.192.1.119 Base\_Widget\_AppCompat\_DropDownItem\_Spinner**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_DropDownItem_Spinner = 2131361923
```

**6.192.1.120 Base\_Widget\_AppCompat\_EditText**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_EditText = 2131361850
```

**6.192.1.121 Base\_Widget\_AppCompat\_ImageButton**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ImageButton = 2131361924
```

**6.192.1.122 Base\_Widget\_AppCompat\_Light\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Light_ActionBar = 2131361994
```

**6.192.1.123 Base\_Widget\_AppCompat\_Light\_ActionBar\_Solid**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Light_ActionBar_Solid = 2131361995
```

**6.192.1.124 Base\_Widget\_AppCompat\_Light\_ActionBar\_TabBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Light_ActionBar_TabBar = 2131361996
```

**6.192.1.125 Base\_Widget\_AppCompat\_Light\_ActionBar\_TabText**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Light_ActionBar_TabText = 2131361925
```

**6.192.1.126 Base\_Widget\_AppCompat\_Light\_ActionBar\_TabText\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Light_ActionBar_TabText_Inverse =  
2131361926
```

**6.192.1.127 Base\_Widget\_AppCompat\_Light\_ActionBar\_TabView**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Light_ActionBar_TabView = 2131361927
```

**6.192.1.128 Base\_Widget\_AppCompat\_Light\_PopupMenu**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Light_PopupMenu = 2131361928
```

**6.192.1.129 Base\_Widget\_AppCompat\_Light\_PopupMenu\_Overflow**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Light_PopupMenu_Overflow = 2131361929
```

**6.192.1.130 Base\_Widget\_AppCompat\_ListPopupWindow**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ListPopupWindow = 2131361930
```

**6.192.1.131 Base\_Widget\_AppCompat\_ListView**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ListView = 2131361931
```

**6.192.1.132 Base\_Widget\_AppCompat\_ListView\_DropDown**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ListView_DropDown = 2131361932
```

**6.192.1.133 Base\_Widget\_AppCompat\_ListView\_Menu**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ListView_Menu = 2131361933
```

**6.192.1.134 Base\_Widget\_AppCompat\_PopupMenu**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_PopupMenu = 2131361934
```

**6.192.1.135 Base\_Widget\_AppCompat\_PopupMenu\_Overflow**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_PopupMenu_Overflow = 2131361935
```

**6.192.1.136 Base\_Widget\_AppCompat\_PopupWindow**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_PopupWindow = 2131361997
```

**6.192.1.137 Base\_Widget\_AppCompat\_ProgressBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ProgressBar = 2131361840
```

**6.192.1.138 Base\_Widget\_AppCompat\_ProgressBar\_Horizontal**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_ProgressBar_Horizontal = 2131361841
```

**6.192.1.139 Base\_Widget\_AppCompat\_RatingBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_RatingBar = 2131361936
```

**6.192.1.140 Base\_Widget\_AppCompat\_RatingBar\_Indicator**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_RatingBar_Indicator = 2131361951
```

**6.192.1.141 Base\_Widget\_AppCompat\_RatingBar\_Small**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_RatingBar_Small = 2131361952
```

**6.192.1.142 Base\_Widget\_AppCompat\_SearchView**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_SearchView = 2131361998
```

**6.192.1.143 Base\_Widget\_AppCompat\_SearchView\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_SearchView_ActionBar = 2131361999
```

**6.192.1.144 Base\_Widget\_AppCompat\_SeekBar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_SeekBar = 2131361937
```

**6.192.1.145 Base\_Widget\_AppCompat\_Spinner**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Spinner = 2131361938
```

**6.192.1.146 Base\_Widget\_AppCompat\_Spinner\_Underlined**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Spinner_Underlined = 2131361822
```

**6.192.1.147 Base\_Widget\_AppCompat\_TextView\_SpinnerItem**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_TextView_SpinnerItem = 2131361939
```

**6.192.1.148 Base\_Widget\_AppCompat\_Toolbar**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Toolbar = 2131362000
```

**6.192.1.149 Base\_Widget\_AppCompat\_Toolbar\_Button\_Navigation**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_AppCompat_Toolbar_Button_Navigation = 2131361940
```

**6.192.1.150 Base\_Widget\_Design\_TabLayout**

```
const int PROJEKT.Droid.Resource.Style.Base_Widget_Design_TabLayout = 2131362139
```

**6.192.1.151 CardView**

```
const int PROJEKT.Droid.Resource.Style.CardView = 2131361815
```

**6.192.1.152 CardView\_Dark**

```
const int PROJEKT.Droid.Resource.Style.CardView_Dark = 2131361817
```

**6.192.1.153 CardView\_Light**

```
const int PROJEKT.Droid.Resource.Style.CardView_Light = 2131361818
```

**6.192.1.154 MainTheme**

```
const int PROJEKT.Droid.Resource.Style.MainTheme = 2131362162
```

**6.192.1.155 MainTheme\_Base**

```
const int PROJEKT.Droid.Resource.Style.MainTheme_Base = 2131362163
```

**6.192.1.156 Platform\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Platform_AppCompat = 2131361842
```

**6.192.1.157 Platform\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Platform_AppCompat_Light = 2131361843
```

**6.192.1.158 Platform\_ThemeOverlay\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Platform_ThemeOverlay_AppCompat = 2131361941
```

**6.192.1.159 Platform\_ThemeOverlay\_AppCompat\_Dark**

```
const int PROJEKT.Droid.Resource.Style.Platform_ThemeOverlay_AppCompat_Dark = 2131361942
```

**6.192.1.160 Platform\_ThemeOverlay\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Platform_ThemeOverlay_AppCompat_Light = 2131361943
```

**6.192.1.161 Platform\_V11\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Platform_V11_AppCompat = 2131361844
```

**6.192.1.162 Platform\_V11\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Platform_V11_AppCompat_Light = 2131361845
```

**6.192.1.163 Platform\_V14\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Platform_V14_AppCompat = 2131361852
```

**6.192.1.164 Platform\_V14\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Platform_V14_AppCompat_Light = 2131361853
```

**6.192.1.165 Platform\_Widget\_AppCompat\_Spinner**

```
const int PROJEKT.Droid.Resource.Style.Platform_Widget_AppCompat_Spinner = 2131361846
```

**6.192.1.166 RtlOverlay\_DialogWindowTitle\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_DialogWindowTitle_AppCompat = 2131361859
```

**6.192.1.167 RtlOverlay\_Widget\_AppCompat\_ActionBar\_TitleItem**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_ActionBar_TitleItem = 2131361860
```

**6.192.1.168 RtlOverlay\_Widget\_AppCompat\_DialogTitle\_Icon**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_DialogTitle_Icon = 2131361861
```

**6.192.1.169 RtlOverlay\_Widget\_AppCompat\_PopupMenuItem**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_PopupMenuItem = 2131361862
```

**6.192.1.170 RtlOverlay\_Widget\_AppCompat\_PopupMenuItem\_InternalGroup**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_PopupMenuItem_InternalGroup  
= 2131361863
```

**6.192.1.171 RtlOverlay\_Widget\_AppCompat\_PopupMenuItem\_Text**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_PopupMenuItem_Text = 2131361864
```

**6.192.1.172 RtlOverlay\_Widget\_AppCompat\_Search\_DropDown**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_Search_DropDown = 2131361865
```

**6.192.1.173 RtlOverlay\_Widget\_AppCompat\_Search\_DropDown\_Icon1**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_Search_DropDown_Icon1 =  
2131361866
```

**6.192.1.174 RtlOverlay\_Widget\_AppCompat\_Search\_DropDown\_Icon2**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_Search_DropDown_Icon2 =  
2131361867
```

**6.192.1.175 RtlOverlay\_Widget\_AppCompat\_Search\_DropDown\_Query**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_Search_DropDown_Query =  
2131361868
```

**6.192.1.176 RtlOverlay\_Widget\_AppCompat\_Search\_DropDown\_Text**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_Search_DropDown_Text =  
2131361869
```

**6.192.1.177 RtlOverlay\_Widget\_AppCompat\_SearchView\_MagIcon**

```
const int PROJEKT.Droid.Resource.Style.RtlOverlay_Widget_AppCompat_SearchView_MagIcon = 2131361870
```



**6.192.1.178 RtlUnderlay\_Widget\_AppCompat\_ActionButton**

```
const int PROJEKT.Droid.Resource.Style.RtlUnderlay_Widget_AppCompat_ActionButton = 2131361871
```

**6.192.1.179 RtlUnderlay\_Widget\_AppCompat\_ActionButton\_Overflow**

```
const int PROJEKT.Droid.Resource.Style.RtlUnderlay_Widget_AppCompat_ActionButton_Overflow =  
2131361872
```

**6.192.1.180 TextAppearance\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat = 2131362001
```

**6.192.1.181 TextAppearance\_AppCompat\_Body1**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Body1 = 2131362002
```

**6.192.1.182 TextAppearance\_AppCompat\_Body2**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Body2 = 2131362003
```

**6.192.1.183 TextAppearance\_AppCompat\_Button**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Button = 2131362004
```

**6.192.1.184 TextAppearance\_AppCompat\_Caption**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Caption = 2131362005
```

**6.192.1.185 TextAppearance\_AppCompat\_Display1**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Display1 = 2131362006
```

**6.192.1.186 TextAppearance\_AppCompat\_Display2**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Display2 = 2131362007
```

**6.192.1.187 TextAppearance\_AppCompat\_Display3**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Display3 = 2131362008
```

**6.192.1.188 TextAppearance\_AppCompat\_Display4**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Display4 = 2131362009
```

**6.192.1.189 TextAppearance\_AppCompat\_Headline**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Headline = 2131362010
```

**6.192.1.190 TextAppearance\_AppCompat\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Inverse = 2131362011
```

**6.192.1.191 TextAppearance\_AppCompat\_Large**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Large = 2131362012
```

**6.192.1.192 TextAppearance\_AppCompat\_Large\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Large_Inverse = 2131362013
```

**6.192.1.193 TextAppearance\_AppCompat\_Light\_SearchResult\_Subtitle**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Light_SearchResult_Subtitle =  
2131362014
```

**6.192.1.194 TextAppearance\_AppCompat\_Light\_SearchResult\_Title**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Light_SearchResult_Title =  
2131362015
```

**6.192.1.195 TextAppearance\_AppCompat\_Light\_Widget\_PopupMenu\_Large**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Light_Widget_PopupMenu_Large =  
2131362016
```

**6.192.1.196 TextAppearance\_AppCompat\_Light\_Widget\_PopupMenu\_Small**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Light_Widget_PopupMenu_Small =  
2131362017
```

**6.192.1.197 TextAppearance\_AppCompat\_Medium**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Medium = 2131362018
```

**6.192.1.198 TextAppearance\_AppCompat\_Medium\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Medium_Inverse = 2131362019
```

**6.192.1.199 TextAppearance\_AppCompat\_Menu**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Menu = 2131362020
```

**6.192.1.200 TextAppearance\_AppCompat\_SearchResult\_Subtitle**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_SearchResult_Subtitle = 2131362021
```

**6.192.1.201 TextAppearance\_AppCompat\_SearchResult\_Title**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_SearchResult_Title = 2131362022
```

**6.192.1.202 TextAppearance\_AppCompat\_Small**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Small = 2131362023
```

**6.192.1.203 TextAppearance\_AppCompat\_Small\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Small_Inverse = 2131362024
```

**6.192.1.204 TextAppearance\_AppCompat\_Subhead**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Subhead = 2131362025
```

**6.192.1.205 TextAppearance\_AppCompat\_Subhead\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Subhead_Inverse = 2131362026
```

**6.192.1.206 TextAppearance\_AppCompat\_Title**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Title = 2131362027
```

**6.192.1.207 TextAppearance\_AppCompat\_Title\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Title_Inverse = 2131362028
```

**6.192.1.208 TextAppearance\_AppCompat\_Widget\_ActionBar\_Menu**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_ActionBar_Menu = 2131362029
```

**6.192.1.209 TextAppearance\_AppCompat\_Widget\_ActionBar\_Subtitle**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_ActionBar_Subtitle =  
2131362030
```

**6.192.1.210 TextAppearance\_AppCompat\_Widget\_ActionBar\_Subtitle\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_ActionBar_Subtitle_↵  
Inverse = 2131362031
```

**6.192.1.211 TextAppearance\_AppCompat\_Widget\_ActionBar\_Title**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_ActionBar_Title = 2131362032
```

**6.192.1.212 TextAppearance\_AppCompat\_Widget\_ActionBar\_Title\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_ActionBar_Title_Inverse  
= 2131362033
```

**6.192.1.213 TextAppearance\_AppCompat\_Widget\_ActionMode\_Subtitle**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_ActionMode_Subtitle =  
2131362034
```

**6.192.1.214 TextAppearance\_AppCompat\_Widget\_ActionMode\_Subtitle\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_ActionMode_Subtitle_↵  
Inverse = 2131362035
```

**6.192.1.215 TextAppearance\_AppCompat\_Widget\_ActionMode\_Title**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_ActionMode_Title =  
2131362036
```

**6.192.1.216 TextAppearance\_AppCompat\_Widget\_ActionMode\_Title\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_ActionMode_Title_↔  
Inverse = 2131362037
```

**6.192.1.217 TextAppearance\_AppCompat\_Widget\_Button**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_Button = 2131362038
```

**6.192.1.218 TextAppearance\_AppCompat\_Widget\_Button\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_Button_Inverse = 2131362039
```

**6.192.1.219 TextAppearance\_AppCompat\_Widget\_DropDownItem**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_DropDownItem = 2131362040
```

**6.192.1.220 TextAppearance\_AppCompat\_Widget\_PopupMenu\_Large**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_PopupMenu_Large = 2131362041
```

**6.192.1.221 TextAppearance\_AppCompat\_Widget\_PopupMenu\_Small**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_PopupMenu_Small = 2131362042
```

**6.192.1.222 TextAppearance\_AppCompat\_Widget\_Switch**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_Switch = 2131362043
```

**6.192.1.223 TextAppearance\_AppCompat\_Widget\_TextView\_SpinnerItem**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_AppCompat_Widget_TextView_SpinnerItem = 2131362044
```

**6.192.1.224 TextAppearance\_Design\_CollapsingToolbar\_Expanded**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Design_CollapsingToolbar_Expanded = 2131362140
```

**6.192.1.225 TextAppearance\_Design\_Counter**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Design_Counter = 2131362141
```

**6.192.1.226 TextAppearance\_Design\_Counter\_Overflow**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Design_Counter_Overflow = 2131362142
```

**6.192.1.227 TextAppearance\_Design\_Error**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Design_Error = 2131362143
```

**6.192.1.228 TextAppearance\_Design\_Hint**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Design_Hint = 2131362144
```

**6.192.1.229 TextAppearance\_Design\_Snackbar\_Message**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Design_Snackbar_Message = 2131362145
```

**6.192.1.230 TextAppearance\_Design\_Tab**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Design_Tab = 2131362146
```

**6.192.1.231 TextAppearance\_StatusBar\_EventContent**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_StatusBar_EventContent = 2131361854
```

**6.192.1.232 TextAppearance\_StatusBar\_EventContent\_Info**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_StatusBar_EventContent_Info = 2131361855
```

**6.192.1.233 TextAppearance\_StatusBar\_EventContent\_Line2**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_StatusBar_EventContent_Line2 = 2131361856
```

**6.192.1.234 TextAppearance\_StatusBar\_EventContent\_Time**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_StatusBar_EventContent_Time = 2131361857
```

**6.192.1.235 TextAppearance\_StatusBar\_EventContent\_Title**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_StatusBar_EventContent_Title = 2131361858
```

**6.192.1.236 TextAppearance\_Widget\_AppCompat\_ExpandedMenu\_Item**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Widget_AppCompat_ExpandedMenu_Item =  
2131362045
```



**6.192.1.237 TextAppearance\_Widget\_AppCompat\_Toolbar\_Subtitle**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Widget_AppCompat_Toolbar_Subtitle =  
2131362046
```

**6.192.1.238 TextAppearance\_Widget\_AppCompat\_Toolbar\_Title**

```
const int PROJEKT.Droid.Resource.Style.TextAppearance_Widget_AppCompat_Toolbar_Title = 2131362047
```

**6.192.1.239 Theme\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat = 2131362048
```

**6.192.1.240 Theme\_AppCompat\_CompactMenu**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_CompactMenu = 2131362049
```

**6.192.1.241 Theme\_AppCompat\_DayNight**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_DayNight = 2131361823
```

**6.192.1.242 Theme\_AppCompat\_DayNight\_DarkActionBar**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_DayNight_DarkActionBar = 2131361824
```

**6.192.1.243 Theme\_AppCompat\_DayNight\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_DayNight_Dialog = 2131361825
```

**6.192.1.244 Theme\_AppCompat\_DayNight\_Dialog\_Alert**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_DayNight_Dialog_Alert = 2131361826
```

**6.192.1.245 Theme\_AppCompat\_DayNight\_Dialog\_MinWidth**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_DayNight_Dialog_MinWidth = 2131361827
```

**6.192.1.246 Theme\_AppCompat\_DayNight\_DialogWhenLarge**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_DayNight_DialogWhenLarge = 2131361828
```

**6.192.1.247 Theme\_AppCompat\_DayNight\_NoActionBar**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_DayNight_NoActionBar = 2131361829
```

**6.192.1.248 Theme\_AppCompat\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Dialog = 2131362050
```

**6.192.1.249 Theme\_AppCompat\_Dialog\_Alert**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Dialog_Alert = 2131362051
```

**6.192.1.250 Theme\_AppCompat\_Dialog\_MinWidth**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Dialog_MinWidth = 2131362052
```

**6.192.1.251 Theme\_AppCompat\_DialogWhenLarge**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_DialogWhenLarge = 2131362053
```

**6.192.1.252 Theme\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Light = 2131362054
```

**6.192.1.253 Theme\_AppCompat\_Light\_DarkActionBar**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Light_DarkActionBar = 2131362055
```

**6.192.1.254 Theme\_AppCompat\_Light\_Dialog**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Light_Dialog = 2131362056
```

**6.192.1.255 Theme\_AppCompat\_Light\_Dialog\_Alert**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Light_Dialog_Alert = 2131362057
```

**6.192.1.256 Theme\_AppCompat\_Light\_Dialog\_MinWidth**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Light_Dialog_MinWidth = 2131362058
```

**6.192.1.257 Theme\_AppCompat\_Light\_DialogWhenLarge**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Light_DialogWhenLarge = 2131362059
```

**6.192.1.258 Theme\_AppCompat\_Light\_NoActionBar**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_Light_NoActionBar = 2131362060
```

**6.192.1.259 Theme\_AppCompat\_NoActionBar**

```
const int PROJEKT.Droid.Resource.Style.Theme_AppCompat_NoActionBar = 2131362061
```

**6.192.1.260 Theme\_Design**

```
const int PROJEKT.Droid.Resource.Style.Theme_Design = 2131362147
```

**6.192.1.261 Theme\_Design\_BottomSheetDialog**

```
const int PROJEKT.Droid.Resource.Style.Theme_Design_BottomSheetDialog = 2131362148
```

**6.192.1.262 Theme\_Design\_Light**

```
const int PROJEKT.Droid.Resource.Style.Theme_Design_Light = 2131362149
```

**6.192.1.263 Theme\_Design\_Light\_BottomSheetDialog**

```
const int PROJEKT.Droid.Resource.Style.Theme_Design_Light_BottomSheetDialog = 2131362150
```

**6.192.1.264 Theme\_Design\_Light\_NoActionBar**

```
const int PROJEKT.Droid.Resource.Style.Theme_Design_Light_NoActionBar = 2131362151
```

**6.192.1.265 Theme\_Design\_NoActionBar**

```
const int PROJEKT.Droid.Resource.Style.Theme_Design_NoActionBar = 2131362152
```

**6.192.1.266 Theme\_MediaRouter**

```
const int PROJEKT.Droid.Resource.Style.Theme_MediaRouter = 2131361792
```

**6.192.1.267 Theme\_MediaRouter\_Light**

```
const int PROJEKT.Droid.Resource.Style.Theme_MediaRouter_Light = 2131361793
```

**6.192.1.268 Theme\_MediaRouter\_Light\_DarkControlPanel**

```
const int PROJEKT.Droid.Resource.Style.Theme_MediaRouter_Light_DarkControlPanel = 2131361794
```

**6.192.1.269 Theme\_MediaRouter\_LightControlPanel**

```
const int PROJEKT.Droid.Resource.Style.Theme_MediaRouter_LightControlPanel = 2131361795
```

**6.192.1.270 ThemeOverlay\_AppCompat**

```
const int PROJEKT.Droid.Resource.Style.ThemeOverlay_AppCompat = 2131362062
```

**6.192.1.271 ThemeOverlay\_AppCompat\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.ThemeOverlay_AppCompat_ActionBar = 2131362063
```

**6.192.1.272 ThemeOverlay\_AppCompat\_Dark**

```
const int PROJEKT.Droid.Resource.Style.ThemeOverlay_AppCompat_Dark = 2131362064
```

**6.192.1.273 ThemeOverlay\_AppCompat\_Dark\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.ThemeOverlay_AppCompat_Dark_ActionBar = 2131362065
```

**6.192.1.274 ThemeOverlay\_AppCompat\_Light**

```
const int PROJEKT.Droid.Resource.Style.ThemeOverlay_AppCompat_Light = 2131362066
```

**6.192.1.275 Widget\_AppCompat\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActionBar = 2131362067
```

**6.192.1.276 Widget\_AppCompat\_ActionBar\_Solid**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActionBar_Solid = 2131362068
```

**6.192.1.277 Widget\_AppCompat\_ActionBar\_TabBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActionBar_TabBar = 2131362069
```

**6.192.1.278 Widget\_AppCompat\_ActionBar\_TabText**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActionBar_TabText = 2131362070
```

**6.192.1.279 Widget\_AppCompat\_ActionBar\_TabView**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActionBar_TabView = 2131362071
```

**6.192.1.280 Widget\_AppCompat\_ActionButton**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActionButton = 2131362072
```

**6.192.1.281 Widget\_AppCompat\_ActionButton\_CloseMode**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActionButton_CloseMode = 2131362073
```

**6.192.1.282 Widget\_AppCompat\_ActionButton\_Overflow**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActionButton_Overflow = 2131362074
```

**6.192.1.283 Widget\_AppCompat\_ActionMode**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActionMode = 2131362075
```

**6.192.1.284   Widget\_AppCompat\_ActivityChooserView**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ActivityChooserView = 2131362076
```

**6.192.1.285   Widget\_AppCompat\_AutoCompleteTextView**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_AutoCompleteTextView = 2131362077
```

**6.192.1.286   Widget\_AppCompat\_Button**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Button = 2131362078
```

**6.192.1.287   Widget\_AppCompat\_Button\_Borderless**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Button_Borderless = 2131362079
```

**6.192.1.288   Widget\_AppCompat\_Button\_Borderless\_Colored**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Button_Borderless_Colored = 2131362080
```

**6.192.1.289   Widget\_AppCompat\_Button\_ButtonBar\_AlertDialog**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Button_ButtonBar_AlertDialog = 2131362081
```

**6.192.1.290   Widget\_AppCompat\_Button\_Colored**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Button_Colored = 2131362082
```

**6.192.1.291   Widget\_AppCompat\_Button\_Small**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Button_Small = 2131362083
```

**6.192.1.292 Widget\_AppCompat\_ButtonBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ButtonBar = 2131362084
```

**6.192.1.293 Widget\_AppCompat\_ButtonBar\_AlertDialog**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ButtonBar_AlertDialog = 2131362085
```

**6.192.1.294 Widget\_AppCompat\_CompoundButton\_CheckBox**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_CompoundButton_CheckBox = 2131362086
```

**6.192.1.295 Widget\_AppCompat\_CompoundButton\_RadioButton**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_CompoundButton_RadioButton = 2131362087
```

**6.192.1.296 Widget\_AppCompat\_CompoundButton\_Switch**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_CompoundButton_Switch = 2131362088
```

**6.192.1.297 Widget\_AppCompat\_DrawerArrowToggle**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_DrawerArrowToggle = 2131362089
```

**6.192.1.298 Widget\_AppCompat\_DropDownItem\_Spinner**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_DropDownItem_Spinner = 2131362090
```

**6.192.1.299 Widget\_AppCompat\_EditText**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_EditText = 2131362091
```



**6.192.1.300 Widget\_AppCompat\_ImageButton**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ImageButton = 2131362092
```

**6.192.1.301 Widget\_AppCompat\_Light\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionBar = 2131362093
```

**6.192.1.302 Widget\_AppCompat\_Light\_ActionBar\_Solid**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionBar_Solid = 2131362094
```

**6.192.1.303 Widget\_AppCompat\_Light\_ActionBar\_Solid\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionBar_Solid_Inverse = 2131362095
```

**6.192.1.304 Widget\_AppCompat\_Light\_ActionBar\_TabBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionBar_TabBar = 2131362096
```

**6.192.1.305 Widget\_AppCompat\_Light\_ActionBar\_TabBar\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionBar_TabBar_Inverse = 2131362097
```

**6.192.1.306 Widget\_AppCompat\_Light\_ActionBar\_TabText**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionBar_TabText = 2131362098
```

**6.192.1.307 Widget\_AppCompat\_Light\_ActionBar\_TabText\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionBar_TabText_Inverse =  
2131362099
```

**6.192.1.308 Widget\_AppCompat\_Light\_ActionBar\_TabView**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionBar_TabView = 2131362100
```

**6.192.1.309 Widget\_AppCompat\_Light\_ActionBar\_TabView\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionBar_TabView_Inverse =  
2131362101
```

**6.192.1.310 Widget\_AppCompat\_Light\_ActionButton**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionButton = 2131362102
```

**6.192.1.311 Widget\_AppCompat\_Light\_ActionButton\_CloseMode**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionButton_CloseMode = 2131362103
```

**6.192.1.312 Widget\_AppCompat\_Light\_ActionButton\_Overflow**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionButton_Overflow = 2131362104
```

**6.192.1.313 Widget\_AppCompat\_Light\_ActionMode\_Inverse**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActionMode_Inverse = 2131362105
```

**6.192.1.314 Widget\_AppCompat\_Light\_ActivityChooserView**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ActivityChooserView = 2131362106
```

**6.192.1.315   Widget\_AppCompat\_Light\_AutoCompleteTextView**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_AutoCompleteTextView = 2131362107
```

**6.192.1.316   Widget\_AppCompat\_Light\_DropDownItem\_Spinner**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_DropDownItem_Spinner = 2131362108
```

**6.192.1.317   Widget\_AppCompat\_Light\_ListPopupWindow**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ListPopupWindow = 2131362109
```

**6.192.1.318   Widget\_AppCompat\_Light\_ListView\_DropDown**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_ListView_DropDown = 2131362110
```

**6.192.1.319   Widget\_AppCompat\_Light\_PopupMenu**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_PopupMenu = 2131362111
```

**6.192.1.320   Widget\_AppCompat\_Light\_PopupMenu\_Overflow**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_PopupMenu_Overflow = 2131362112
```

**6.192.1.321   Widget\_AppCompat\_Light\_SearchView**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_SearchView = 2131362113
```

**6.192.1.322   Widget\_AppCompat\_Light\_Spinner\_DropDown\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Light_Spinner_DropDown_ActionBar =  
2131362114
```

**6.192.1.323 Widget\_AppCompat\_ListPopupWindow**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ListPopupWindow = 2131362115
```

**6.192.1.324 Widget\_AppCompat\_ListView**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ListView = 2131362116
```

**6.192.1.325 Widget\_AppCompat\_ListView\_DropDown**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ListView_DropDown = 2131362117
```

**6.192.1.326 Widget\_AppCompat\_ListView\_Menu**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ListView_Menu = 2131362118
```

**6.192.1.327 Widget\_AppCompat\_PopupMenu**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_PopupMenu = 2131362119
```

**6.192.1.328 Widget\_AppCompat\_PopupMenu\_Overflow**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_PopupMenu_Overflow = 2131362120
```

**6.192.1.329 Widget\_AppCompat\_PopupWindow**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_PopupWindow = 2131362121
```

**6.192.1.330 Widget\_AppCompat\_ProgressBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ProgressBar = 2131362122
```

**6.192.1.331   Widget\_AppCompat\_ProgressBar\_Horizontal**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_ProgressBar_Horizontal = 2131362123
```

**6.192.1.332   Widget\_AppCompat\_RatingBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_RatingBar = 2131362124
```

**6.192.1.333   Widget\_AppCompat\_RatingBar\_Indicator**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_RatingBar_Indicator = 2131362125
```

**6.192.1.334   Widget\_AppCompat\_RatingBar\_Small**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_RatingBar_Small = 2131362126
```

**6.192.1.335   Widget\_AppCompat\_SearchView**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_SearchView = 2131362127
```

**6.192.1.336   Widget\_AppCompat\_SearchView\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_SearchView_ActionBar = 2131362128
```

**6.192.1.337   Widget\_AppCompat\_SeekBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_SeekBar = 2131362129
```

**6.192.1.338   Widget\_AppCompat\_Spinner**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Spinner = 2131362130
```

**6.192.1.339 Widget\_AppCompat\_Spinner\_DropDown**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Spinner_DropDown = 2131362131
```

**6.192.1.340 Widget\_AppCompat\_Spinner\_DropDown\_ActionBar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Spinner_DropDown_ActionBar = 2131362132
```

**6.192.1.341 Widget\_AppCompat\_Spinner\_Underlined**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Spinner_Underlined = 2131362133
```

**6.192.1.342 Widget\_AppCompat\_TextView\_SpinnerItem**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_TextView_SpinnerItem = 2131362134
```

**6.192.1.343 Widget\_AppCompat\_Toolbar**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Toolbar = 2131362135
```

**6.192.1.344 Widget\_AppCompat\_Toolbar\_Button\_Navigation**

```
const int PROJEKT.Droid.Resource.Style.Widget_AppCompat_Toolbar_Button_Navigation = 2131362136
```

**6.192.1.345 Widget\_Design\_AppBarLayout**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_AppBarLayout = 2131362153
```

**6.192.1.346 Widget\_Design\_BottomSheet\_Modal**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_BottomSheet_Modal = 2131362154
```

**6.192.1.347 Widget\_Design\_CollapsingToolbar**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_CollapsingToolbar = 2131362155
```

**6.192.1.348 Widget\_Design\_CoordinatorLayout**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_CoordinatorLayout = 2131362156
```

**6.192.1.349 Widget\_Design\_FloatingActionButton**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_FloatingActionButton = 2131362157
```

**6.192.1.350 Widget\_Design\_NavigationView**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_NavigationView = 2131362158
```

**6.192.1.351 Widget\_Design\_ScrimInsetsFrameLayout**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_ScrimInsetsFrameLayout = 2131362159
```

**6.192.1.352 Widget\_Design\_Snackbar**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_Snackbar = 2131362160
```

**6.192.1.353 Widget\_Design\_TabLayout**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_TabLayout = 2131362137
```

**6.192.1.354 Widget\_Design\_TextInputLayout**

```
const int PROJEKT.Droid.Resource.Style.Widget_Design_TextInputLayout = 2131362161
```

**6.192.1.355 Widget\_MediaRouter\_ChooserText**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ChooserText = 2131361796
```

**6.192.1.356 Widget\_MediaRouter\_ChooserText\_Primary**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ChooserText_Primary = 2131361797
```

**6.192.1.357 Widget\_MediaRouter\_ChooserText\_Primary\_Dark**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ChooserText_Primary_Dark = 2131361798
```

**6.192.1.358 Widget\_MediaRouter\_ChooserText\_Primary\_Light**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ChooserText_Primary_Light = 2131361799
```

**6.192.1.359 Widget\_MediaRouter\_ChooserText\_Secondary**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ChooserText_Secondary = 2131361800
```

**6.192.1.360 Widget\_MediaRouter\_ChooserText\_Secondary\_Dark**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ChooserText_Secondary_Dark = 2131361801
```

**6.192.1.361 Widget\_MediaRouter\_ChooserText\_Secondary\_Light**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ChooserText_Secondary_Light = 2131361802
```

**6.192.1.362 Widget\_MediaRouter\_ControllerText**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText = 2131361803
```



**6.192.1.363   Widget\_MediaRouter\_ControllerText\_Primary**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText_Primary = 2131361804
```

**6.192.1.364   Widget\_MediaRouter\_ControllerText\_Primary\_Dark**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText_Primary_Dark = 2131361805
```

**6.192.1.365   Widget\_MediaRouter\_ControllerText\_Primary\_Light**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText_Primary_Light = 2131361806
```

**6.192.1.366   Widget\_MediaRouter\_ControllerText\_Secondary**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText_Secondary = 2131361807
```

**6.192.1.367   Widget\_MediaRouter\_ControllerText\_Secondary\_Dark**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText_Secondary_Dark =  
2131361808
```

**6.192.1.368   Widget\_MediaRouter\_ControllerText\_Secondary\_Light**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText_Secondary_Light =  
2131361809
```

**6.192.1.369   Widget\_MediaRouter\_ControllerText\_Title**

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText_Title = 2131361810
```

### 6.192.1.370 Widget\_MediaRouter\_ControllerText\_Title\_Dark

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText_Title_Dark = 2131361811
```

### 6.192.1.371 Widget\_MediaRouter\_ControllerText\_Title\_Light

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_ControllerText_Title_Light = 2131361812
```

### 6.192.1.372 Widget\_MediaRouter\_Light\_MediaRouteButton

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_Light_MediaRouteButton = 2131361813
```

### 6.192.1.373 Widget\_MediaRouter\_MediaRouteButton

```
const int PROJEKT.Droid.Resource.Style.Widget_MediaRouter_MediaRouteButton = 2131361814
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/**Resource.Designer.cs**

## 6.193 PROJEKT.Droid.Resource.Styleable Class Reference

### Public Attributes

- const int **ActionBar\_background** = 10
- const int **ActionBar\_backgroundSplit** = 12
- const int **ActionBar\_backgroundStacked** = 11
- const int **ActionBar\_contentInsetEnd** = 21
- const int **ActionBar\_contentInsetLeft** = 22
- const int **ActionBar\_contentInsetRight** = 23
- const int **ActionBar\_contentInsetStart** = 20
- const int **ActionBar\_customNavigationLayout** = 13
- const int **ActionBar\_displayOptions** = 3
- const int **ActionBar\_divider** = 9
- const int **ActionBar\_elevation** = 24
- const int **ActionBar\_height** = 0
- const int **ActionBar\_hideOnContentScroll** = 19
- const int **ActionBar\_homeAsUpIndicator** = 26
- const int **ActionBar\_homeLayout** = 14
- const int **ActionBar\_icon** = 7
- const int **ActionBar\_indeterminateProgressStyle** = 16

- const int **ActionBar\_itemPadding** = 18
- const int **ActionBar\_logo** = 8
- const int **ActionBar\_navigationMode** = 2
- const int **ActionBar\_popupTheme** = 25
- const int **ActionBar\_progressBarPadding** = 17
- const int **ActionBar\_progressBarStyle** = 15
- const int **ActionBar\_subtitle** = 4
- const int **ActionBar\_subtitleTextStyle** = 6
- const int **ActionBar\_title** = 1
- const int **ActionBar\_titleTextStyle** = 5
- const int **ActionBarLayout\_android\_layout\_gravity** = 0
- const int **ActionMenuItemView\_android\_minWidth** = 0
- const int **ActionMode\_background** = 3
- const int **ActionMode\_backgroundSplit** = 4
- const int **ActionMode\_closeItemLayout** = 5
- const int **ActionMode\_height** = 0
- const int **ActionMode\_subtitleTextStyle** = 2
- const int **ActionMode\_titleTextStyle** = 1
- const int **ActivityChooserView\_expandActivityOverflowButtonDrawable** = 1
- const int **ActivityChooserView\_initialActivityCount** = 0
- const int **AlertDialog\_android\_layout** = 0
- const int **AlertDialog\_buttonPanelSideLayout** = 1
- const int **AlertDialog\_listItemLayout** = 5
- const int **AlertDialog\_listLayout** = 2
- const int **AlertDialog\_multiChoiceItemLayout** = 3
- const int **AlertDialog\_singleChoiceItemLayout** = 4
- const int **AppBarLayout\_android\_background** = 0
- const int **AppBarLayout\_elevation** = 1
- const int **AppBarLayout\_expanded** = 2
- const int **AppBarLayout\_LayoutParams\_layout\_scrollFlags** = 0
- const int **AppBarLayout\_LayoutParams\_layout\_scrollInterpolator** = 1
- const int **AppCompatActivity\_android\_src** = 0
- const int **AppCompatActivity\_srcCompat** = 1
- const int **AppCompatActivity\_android\_textAppearance** = 0
- const int **AppCompatActivity\_textAllCaps** = 1
- const int **AppCompatActivity\_actionBarDivider** = 23
- const int **AppCompatActivity\_actionBarItemBackground** = 24
- const int **AppCompatActivity\_actionBarPopupTheme** = 17
- const int **AppCompatActivity\_actionBarSize** = 22
- const int **AppCompatActivity\_actionBarSplitStyle** = 19
- const int **AppCompatActivity\_actionBarStyle** = 18
- const int **AppCompatActivity\_actionBarTabBarStyle** = 13
- const int **AppCompatActivity\_actionBarTabStyle** = 12
- const int **AppCompatActivity\_actionBarTabTextStyle** = 14
- const int **AppCompatActivity\_actionBarTheme** = 20
- const int **AppCompatActivity\_actionBarWidgetTheme** = 21
- const int **AppCompatActivity\_actionButtonStyle** = 49
- const int **AppCompatActivity\_actionDropDownStyle** = 45
- const int **AppCompatActivity\_actionMenuTextAppearance** = 25
- const int **AppCompatActivity\_actionMenuTextColor** = 26
- const int **AppCompatActivity\_actionModeBackground** = 29
- const int **AppCompatActivity\_actionModeCloseButtonStyle** = 28
- const int **AppCompatActivity\_actionModeCloseDrawable** = 31
- const int **AppCompatActivity\_actionModeCopyDrawable** = 33
- const int **AppCompatActivity\_actionModeCutDrawable** = 32

- const int **AppCompatActivity\_actionModeFindDrawable** = 37
- const int **AppCompatActivity\_actionModePasteDrawable** = 34
- const int **AppCompatActivity\_actionModePopupWindowStyle** = 39
- const int **AppCompatActivity\_actionModeSelectAllDrawable** = 35
- const int **AppCompatActivity\_actionModeShareDrawable** = 36
- const int **AppCompatActivity\_actionModeSplitBackground** = 30
- const int **AppCompatActivity\_actionModeStyle** = 27
- const int **AppCompatActivity\_actionModeWebSearchDrawable** = 38
- const int **AppCompatActivity\_actionOverflowButtonStyle** = 15
- const int **AppCompatActivity\_actionOverflowMenuStyle** = 16
- const int **AppCompatActivity\_activityChooserViewStyle** = 57
- const int **AppCompatActivity\_alertDialogButtonGroupStyle** = 92
- const int **AppCompatActivity\_alertDialogCenterButtons** = 93
- const int **AppCompatActivity\_alertDialogStyle** = 91
- const int **AppCompatActivity\_alertDialogTheme** = 94
- const int **AppCompatActivity\_android\_windowAnimationStyle** = 1
- const int **AppCompatActivity\_android\_windowIsFloating** = 0
- const int **AppCompatActivity\_autoCompleteTextViewStyle** = 99
- const int **AppCompatActivity\_borderlessButtonStyle** = 54
- const int **AppCompatActivity\_buttonBarButtonStyle** = 51
- const int **AppCompatActivity\_buttonBarNegativeButtonStyle** = 97
- const int **AppCompatActivity\_buttonBarNeutralButtonStyle** = 98
- const int **AppCompatActivity\_buttonBarPositiveButtonStyle** = 96
- const int **AppCompatActivity\_buttonBarStyle** = 50
- const int **AppCompatActivity\_buttonStyle** = 100
- const int **AppCompatActivity\_buttonStyleSmall** = 101
- const int **AppCompatActivity\_checkboxStyle** = 102
- const int **AppCompatActivity\_checkedTextViewStyle** = 103
- const int **AppCompatActivity\_colorAccent** = 84
- const int **AppCompatActivity\_colorButtonNormal** = 88
- const int **AppCompatActivity\_colorControlActivated** = 86
- const int **AppCompatActivity\_colorControlHighlight** = 87
- const int **AppCompatActivity\_colorControlNormal** = 85
- const int **AppCompatActivity\_colorPrimary** = 82
- const int **AppCompatActivity\_colorPrimaryDark** = 83
- const int **AppCompatActivity\_colorSwitchThumbNormal** = 89
- const int **AppCompatActivity\_controlBackground** = 90
- const int **AppCompatActivity\_dialogPreferredPadding** = 43
- const int **AppCompatActivity\_dialogTheme** = 42
- const int **AppCompatActivity\_dividerHorizontal** = 56
- const int **AppCompatActivity\_dividerVertical** = 55
- const int **AppCompatActivity\_dropDownListViewStyle** = 74
- const int **AppCompatActivity\_dropdownListPreferredItemHeight** = 46
- const int **AppCompatActivity\_editTextBackground** = 63
- const int **AppCompatActivity\_editTextColor** = 62
- const int **AppCompatActivity\_editTextStyle** = 104
- const int **AppCompatActivity\_homeAsUpIndicator** = 48
- const int **AppCompatActivity\_imageButtonStyle** = 64
- const int **AppCompatActivity\_listChoiceBackgroundIndicator** = 81
- const int **AppCompatActivity\_listDividerAlertDialog** = 44
- const int **AppCompatActivity\_listPopupWindowStyle** = 75
- const int **AppCompatActivity\_listPreferredItemHeight** = 69
- const int **AppCompatActivity\_listPreferredItemHeightLarge** = 71
- const int **AppCompatActivity\_listPreferredItemHeightSmall** = 70
- const int **AppCompatActivity\_listPreferredItemPaddingLeft** = 72

- const int **AppCompatActivity\_listPreferredItemPaddingRight** = 73
- const int **AppCompatActivity\_panelBackground** = 78
- const int **AppCompatActivity\_panelMenuListTheme** = 80
- const int **AppCompatActivity\_panelMenuListWidth** = 79
- const int **AppCompatActivity\_popupMenuStyle** = 60
- const int **AppCompatActivity\_popupWindowStyle** = 61
- const int **AppCompatActivity\_radioButtonStyle** = 105
- const int **AppCompatActivity\_ratingBarStyle** = 106
- const int **AppCompatActivity\_ratingBarStyleIndicator** = 107
- const int **AppCompatActivity\_ratingBarStyleSmall** = 108
- const int **AppCompatActivity\_searchViewStyle** = 68
- const int **AppCompatActivity\_seekBarStyle** = 109
- const int **AppCompatActivity\_selectableItemBackground** = 52
- const int **AppCompatActivity\_selectableItemBackgroundBorderless** = 53
- const int **AppCompatActivity\_spinnerDropDownItemStyle** = 47
- const int **AppCompatActivity\_spinnerStyle** = 110
- const int **AppCompatActivity\_switchStyle** = 111
- const int **AppCompatActivity\_textAppearanceLargePopupMenu** = 40
- const int **AppCompatActivity\_textAppearanceListItem** = 76
- const int **AppCompatActivity\_textAppearanceListItemSmall** = 77
- const int **AppCompatActivity\_textAppearanceSearchResultSubtitle** = 66
- const int **AppCompatActivity\_textAppearanceSearchResultTitle** = 65
- const int **AppCompatActivity\_textAppearanceSmallPopupMenu** = 41
- const int **AppCompatActivity\_textColorAlertDialogListItem** = 95
- const int **AppCompatActivity\_textColorSearchUrl** = 67
- const int **AppCompatActivity\_toolbarNavigationButtonStyle** = 59
- const int **AppCompatActivity\_toolbarStyle** = 58
- const int **AppCompatActivity\_windowActionBar** = 2
- const int **AppCompatActivity\_windowActionBarOverlay** = 4
- const int **AppCompatActivity\_windowActionModeOverlay** = 5
- const int **AppCompatActivity\_windowFixedHeightMajor** = 9
- const int **AppCompatActivity\_windowFixedHeightMinor** = 7
- const int **AppCompatActivity\_windowFixedWidthMajor** = 6
- const int **AppCompatActivity\_windowFixedWidthMinor** = 8
- const int **AppCompatActivity\_windowMinWidthMajor** = 10
- const int **AppCompatActivity\_windowMinWidthMinor** = 11
- const int **AppCompatActivity\_windowNoTitle** = 3
- const int **BottomSheetBehavior\_Params\_behavior\_hideable** = 1
- const int **BottomSheetBehavior\_Params\_behavior\_peekHeight** = 0
- const int **ButtonBarLayout\_allowStacking** = 0
- const int **CardView\_android\_minHeight** = 1
- const int **CardView\_android\_minWidth** = 0
- const int **CardView\_cardBackgroundColor** = 2
- const int **CardView\_cardCornerRadius** = 3
- const int **CardView\_cardElevation** = 4
- const int **CardView\_cardMaxElevation** = 5
- const int **CardView\_cardPreventCornerOverlap** = 7
- const int **CardView\_cardUseCompatPadding** = 6
- const int **CardView\_contentPadding** = 8
- const int **CardView\_contentPaddingBottom** = 12
- const int **CardView\_contentPaddingLeft** = 9
- const int **CardView\_contentPaddingRight** = 10
- const int **CardView\_contentPaddingTop** = 11
- const int **CollapsingAppBarLayout\_LayoutParams\_layout\_collapseMode** = 0
- const int **CollapsingAppBarLayout\_LayoutParams\_layout\_collapseParallaxMultiplier** = 1

- const int **CollapsingToolbarLayout\_collapsedTitleGravity** = 11
- const int **CollapsingToolbarLayout\_collapsedTitleTextAppearance** = 7
- const int **CollapsingToolbarLayout\_contentScrim** = 8
- const int **CollapsingToolbarLayout\_expandedTitleGravity** = 12
- const int **CollapsingToolbarLayout\_expandedTitleMargin** = 1
- const int **CollapsingToolbarLayout\_expandedTitleMarginBottom** = 5
- const int **CollapsingToolbarLayout\_expandedTitleMarginEnd** = 4
- const int **CollapsingToolbarLayout\_expandedTitleMarginStart** = 2
- const int **CollapsingToolbarLayout\_expandedTitleMarginTop** = 3
- const int **CollapsingToolbarLayout\_expandedTitleTextAppearance** = 6
- const int **CollapsingToolbarLayout\_statusBarScrim** = 9
- const int **CollapsingToolbarLayout\_title** = 0
- const int **CollapsingToolbarLayout\_titleEnabled** = 13
- const int **CollapsingToolbarLayout\_toolbarId** = 10
- const int **CompoundButton\_android\_button** = 0
- const int **CompoundButton\_buttonTint** = 1
- const int **CompoundButton\_buttonTintMode** = 2
- const int **CoordinatorLayout\_keylines** = 0
- const int **CoordinatorLayout\_statusBarBackground** = 1
- const int **CoordinatorLayout\_LayoutParams\_android\_layout\_gravity** = 0
- const int **CoordinatorLayout\_LayoutParams\_layout\_anchor** = 2
- const int **CoordinatorLayout\_LayoutParams\_layout\_anchorGravity** = 4
- const int **CoordinatorLayout\_LayoutParams\_layout\_behavior** = 1
- const int **CoordinatorLayout\_LayoutParams\_layout\_keyline** = 3
- const int **DesignTheme\_bottomSheetDialogTheme** = 0
- const int **DesignTheme\_bottomSheetStyle** = 1
- const int **DesignTheme\_textColorError** = 2
- const int **DrawerArrowToggle\_arrowHeadLength** = 4
- const int **DrawerArrowToggle\_arrowShaftLength** = 5
- const int **DrawerArrowToggle\_barLength** = 6
- const int **DrawerArrowToggle\_color** = 0
- const int **DrawerArrowToggle\_drawableSize** = 2
- const int **DrawerArrowToggle\_gapBetweenBars** = 3
- const int **DrawerArrowToggle\_spinBars** = 1
- const int **DrawerArrowToggle\_thickness** = 7
- const int **FloatingActionButton\_backgroundTint** = 1
- const int **FloatingActionButton\_backgroundTintMode** = 2
- const int **FloatingActionButton\_borderWidth** = 6
- const int **FloatingActionButton\_elevation** = 0
- const int **FloatingActionButton\_fabSize** = 4
- const int **FloatingActionButton\_pressedTranslationZ** = 5
- const int **FloatingActionButton\_rippleColor** = 3
- const int **FloatingActionButton\_useCompatPadding** = 7
- const int **ForegroundLinearLayout\_android\_foreground** = 0
- const int **ForegroundLinearLayout\_android\_foregroundGravity** = 1
- const int **ForegroundLinearLayout\_foregroundInsidePadding** = 2
- const int **LinearLayoutCompat\_android\_baselineAligned** = 2
- const int **LinearLayoutCompat\_android\_baselineAlignedChildIndex** = 3
- const int **LinearLayoutCompat\_android\_gravity** = 0
- const int **LinearLayoutCompat\_android\_orientation** = 1
- const int **LinearLayoutCompat\_android\_weightSum** = 4
- const int **LinearLayoutCompat\_divider** = 5
- const int **LinearLayoutCompat\_dividerPadding** = 8
- const int **LinearLayoutCompat\_measureWithLargestChild** = 6
- const int **LinearLayoutCompat\_showDividers** = 7

- const int **LinearLayoutCompat\_Layout\_android\_layout\_gravity** = 0
- const int **LinearLayoutCompat\_Layout\_android\_layout\_height** = 2
- const int **LinearLayoutCompat\_Layout\_android\_layout\_weight** = 3
- const int **LinearLayoutCompat\_Layout\_android\_layout\_width** = 1
- const int **ListPopupWindow\_android\_dropDownHorizontalOffset** = 0
- const int **ListPopupWindow\_android\_dropDownVerticalOffset** = 1
- const int **MediaRouteButton\_android\_minHeight** = 1
- const int **MediaRouteButton\_android\_minWidth** = 0
- const int **MediaRouteButton\_externalRouteEnabledDrawable** = 2
- const int **MenuGroup\_android\_checkableBehavior** = 5
- const int **MenuGroup\_android\_enabled** = 0
- const int **MenuGroup\_android\_id** = 1
- const int **MenuGroup\_android\_menuCategory** = 3
- const int **MenuGroup\_android\_orderInCategory** = 4
- const int **MenuGroup\_android\_visible** = 2
- const int **MenuItem\_actionLayout** = 14
- const int **MenuItem\_actionProviderClass** = 16
- const int **MenuItem\_actionViewClass** = 15
- const int **MenuItem\_android\_alphabeticShortcut** = 9
- const int **MenuItem\_android\_checkable** = 11
- const int **MenuItem\_android\_checked** = 3
- const int **MenuItem\_android\_enabled** = 1
- const int **MenuItem\_android\_icon** = 0
- const int **MenuItem\_android\_id** = 2
- const int **MenuItem\_android\_menuCategory** = 5
- const int **MenuItem\_android\_numericShortcut** = 10
- const int **MenuItem\_android\_onClick** = 12
- const int **MenuItem\_android\_orderInCategory** = 6
- const int **MenuItem\_android\_title** = 7
- const int **MenuItem\_android\_titleCondensed** = 8
- const int **MenuItem\_android\_visible** = 4
- const int **MenuItem\_showAsAction** = 13
- const int **MenuView\_android\_headerBackground** = 4
- const int **MenuView\_android\_horizontalDivider** = 2
- const int **MenuView\_android\_itemBackground** = 5
- const int **MenuView\_android\_itemIconDisabledAlpha** = 6
- const int **MenuView\_android\_itemTextAppearance** = 1
- const int **MenuView\_android\_verticalDivider** = 3
- const int **MenuView\_android\_windowAnimationStyle** = 0
- const int **MenuView\_preserveIconSpacing** = 7
- const int **NavigationView\_android\_background** = 0
- const int **NavigationView\_android\_fitsSystemWindows** = 1
- const int **NavigationView\_android\_maxWidth** = 2
- const int **NavigationView\_elevation** = 3
- const int **NavigationView\_headerLayout** = 9
- const int **NavigationView\_itemBackground** = 7
- const int **NavigationView\_itemIconTint** = 5
- const int **NavigationView\_itemTextAppearance** = 8
- const int **NavigationView\_itemTextColor** = 6
- const int **NavigationView\_menu** = 4
- const int **PopupWindow\_android\_popupBackground** = 0
- const int **PopupWindow\_overlapAnchor** = 1
- const int **PopupWindowBackgroundState\_state\_above\_anchor** = 0
- const int **RecyclerView\_android\_orientation** = 0
- const int **RecyclerView\_layoutManager** = 1

- const int **RecyclerView\_reverseLayout** = 3
- const int **RecyclerView\_spanCount** = 2
- const int **RecyclerView\_stackFromEnd** = 4
- const int **ScrimInsetsFrameLayout\_insetForeground** = 0
- const int **ScrollingViewBehavior\_Params\_behavior\_overlapTop** = 0
- const int **SearchView\_android\_focusable** = 0
- const int **SearchView\_android\_imeOptions** = 3
- const int **SearchView\_android\_inputType** = 2
- const int **SearchView\_android\_maxWidth** = 1
- const int **SearchView\_closelcon** = 8
- const int **SearchView\_commitlcon** = 13
- const int **SearchView\_defaultQueryHint** = 7
- const int **SearchView\_golcon** = 9
- const int **SearchView\_iconifiedByDefault** = 5
- const int **SearchView\_layout** = 4
- const int **SearchView\_queryBackground** = 15
- const int **SearchView\_queryHint** = 6
- const int **SearchView\_searchHintlcon** = 11
- const int **SearchView\_searchlcon** = 10
- const int **SearchView\_submitBackground** = 16
- const int **SearchView\_suggestionRowLayout** = 14
- const int **SearchView\_voicelcon** = 12
- const int **SnackbarLayout\_android\_maxWidth** = 0
- const int **SnackbarLayout\_elevation** = 1
- const int **SnackbarLayout\_maxActionInlineWidth** = 2
- const int **Spinner\_android\_dropDownWidth** = 3
- const int **Spinner\_android\_entries** = 0
- const int **Spinner\_android\_popupBackground** = 1
- const int **Spinner\_android\_prompt** = 2
- const int **Spinner\_popupTheme** = 4
- const int **SwitchCompat\_android\_textOff** = 1
- const int **SwitchCompat\_android\_textOn** = 0
- const int **SwitchCompat\_android\_thumb** = 2
- const int **SwitchCompat\_showText** = 9
- const int **SwitchCompat\_splitTrack** = 8
- const int **SwitchCompat\_switchMinWidth** = 6
- const int **SwitchCompat\_switchPadding** = 7
- const int **SwitchCompat\_switchTextAppearance** = 5
- const int **SwitchCompat\_thumbTextPadding** = 4
- const int **SwitchCompat\_track** = 3
- const int **TabItem\_android\_icon** = 0
- const int **TabItem\_android\_layout** = 1
- const int **TabItem\_android\_text** = 2
- const int **TabLayout\_tabBackground** = 3
- const int **TabLayout\_tabContentStart** = 2
- const int **TabLayout\_tabGravity** = 5
- const int **TabLayout\_tabIndicatorColor** = 0
- const int **TabLayout\_tabIndicatorHeight** = 1
- const int **TabLayout\_tabMaxWidth** = 7
- const int **TabLayout\_tabMinWidth** = 6
- const int **TabLayout\_tabMode** = 4
- const int **TabLayout\_tabPadding** = 15
- const int **TabLayout\_tabPaddingBottom** = 14
- const int **TabLayout\_tabPaddingEnd** = 13
- const int **TabLayout\_tabPaddingStart** = 11



- const int **TabLayout\_tabPaddingTop** = 12
- const int **TabLayout\_tabSelectedTextColor** = 10
- const int **TabLayout\_tabTextAppearance** = 8
- const int **TabLayout\_tabTextColor** = 9
- const int **TextAppearance\_android\_shadowColor** = 4
- const int **TextAppearance\_android\_shadowDx** = 5
- const int **TextAppearance\_android\_shadowDy** = 6
- const int **TextAppearance\_android\_shadowRadius** = 7
- const int **TextAppearance\_android\_textColor** = 3
- const int **TextAppearance\_android\_textSize** = 0
- const int **TextAppearance\_android\_textStyle** = 2
- const int **TextAppearance\_android\_typeface** = 1
- const int **TextAppearance\_textAllCaps** = 8
- const int **TextInputLayout\_android\_hint** = 1
- const int **TextInputLayout\_android\_textColorHint** = 0
- const int **TextInputLayout\_counterEnabled** = 6
- const int **TextInputLayout\_counterMaxLength** = 7
- const int **TextInputLayout\_counterOverflowTextAppearance** = 9
- const int **TextInputLayout\_counterTextAppearance** = 8
- const int **TextInputLayout\_errorEnabled** = 4
- const int **TextInputLayout\_errorTextAppearance** = 5
- const int **TextInputLayout\_hintAnimationEnabled** = 10
- const int **TextInputLayout\_hintEnabled** = 3
- const int **TextInputLayout\_hintTextAppearance** = 2
- const int **Toolbar\_android\_gravity** = 0
- const int **Toolbar\_android\_minHeight** = 1
- const int **Toolbar\_collapseContentDescription** = 19
- const int **Toolbar\_collapsedIcon** = 18
- const int **Toolbar\_contentInsetEnd** = 6
- const int **Toolbar\_contentInsetLeft** = 7
- const int **Toolbar\_contentInsetRight** = 8
- const int **Toolbar\_contentInsetStart** = 5
- const int **Toolbar\_logo** = 4
- const int **Toolbar\_logoDescription** = 22
- const int **Toolbar\_maxButtonHeight** = 17
- const int **Toolbar\_navigationContentDescription** = 21
- const int **Toolbar\_navigationIcon** = 20
- const int **Toolbar\_popupTheme** = 9
- const int **Toolbar\_subtitle** = 3
- const int **Toolbar\_subtitleTextAppearance** = 11
- const int **Toolbar\_subtitleTextColor** = 24
- const int **Toolbar\_title** = 2
- const int **Toolbar\_titleMarginBottom** = 16
- const int **Toolbar\_titleMarginEnd** = 14
- const int **Toolbar\_titleMarginStart** = 13
- const int **Toolbar\_titleMarginTop** = 15
- const int **Toolbar\_titleMargins** = 12
- const int **Toolbar\_titleTextAppearance** = 10
- const int **Toolbar\_titleTextColor** = 23
- const int **View\_android\_focusable** = 1
- const int **View\_android\_theme** = 0
- const int **View\_paddingEnd** = 3
- const int **View\_paddingStart** = 2
- const int **View\_theme** = 4
- const int **ViewBackgroundHelper\_android\_background** = 0

- const int **ViewBackgroundHelper\_backgroundTint** = 1
- const int **ViewBackgroundHelper\_backgroundTintMode** = 2
- const int **ViewStubCompat\_android\_id** = 0
- const int **ViewStubCompat\_android\_inflatedId** = 2
- const int **ViewStubCompat\_android\_layout** = 1

### Static Public Attributes

- static int [] **ActionBar**
- static int [] **ActionBarLayout**
- static int [] **ActionMenuItemView**
- static int [] **ActionMenuView**
- static int [] **ActionMode**
- static int [] **ActivityChooserView**
- static int [] **AlertDialog**
- static int [] **AppBarLayout**
- static int [] **AppBarLayout\_LayoutParams**
- static int [] **AppCompatImageView**
- static int [] **AppCompatTextView**
- static int [] **AppCompatTheme**
- static int [] **BottomSheetBehavior\_Params**
- static int [] **ButtonBarLayout**
- static int [] **CardView**
- static int [] **CollapsingAppBarLayout\_LayoutParams**
- static int [] **CollapsingToolbarLayout**
- static int [] **CompoundButton**
- static int [] **CoordinatorLayout**
- static int [] **CoordinatorLayout\_LayoutParams**
- static int [] **DesignTheme**
- static int [] **DrawerArrowToggle**
- static int [] **FloatingActionButton**
- static int [] **ForegroundLinearLayout**
- static int [] **LinearLayoutCompat**
- static int [] **LinearLayoutCompat\_Layout**
- static int [] **ListPopupWindow**
- static int [] **MediaRouteButton**
- static int [] **MenuGroup**
- static int [] **MenuItem**
- static int [] **MenuView**
- static int [] **NavigationView**
- static int [] **PopupWindow**
- static int [] **PopupWindowBackgroundState**
- static int [] **RecyclerView**
- static int [] **ScrimInsetsFrameLayout**
- static int [] **ScrollingViewBehavior\_Params**
- static int [] **SearchView**
- static int [] **SnackBarLayout**
- static int [] **Spinner**
- static int [] **SwitchCompat**
- static int [] **TabItem**
- static int [] **TabLayout**
- static int [] **TextAppearance**
- static int [] **TextInputLayout**
- static int [] **Toolbar**
- static int [] **View**
- static int [] **ViewBackgroundHelper**
- static int [] **ViewStubCompat**

## 6.193.1 Member Data Documentation

### 6.193.1.1 ActionBar

```
int [] PROJEKT.Droid.Resource.Styleable.ActionBar [static]
```

**Initial value:**

```
= new int[] {  
    2130772007,  
    2130772009,  
    2130772010,  
    2130772011,  
    2130772012,  
    2130772013,  
    2130772014,  
    2130772015,  
    2130772016,  
    2130772017,  
    2130772018,  
    2130772019,  
    2130772020,  
    2130772021,  
    2130772022,  
    2130772023,  
    2130772024,  
    2130772025,  
    2130772026,  
    2130772027,  
    2130772028,  
    2130772029,  
    2130772030,  
    2130772031,  
    2130772032,  
    2130772033,  
    2130772090}
```

### 6.193.1.2 ActionBar\_background

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_background = 10
```

### 6.193.1.3 ActionBar\_backgroundSplit

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_backgroundSplit = 12
```

### 6.193.1.4 ActionBar\_backgroundStacked

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_backgroundStacked = 11
```

**6.193.1.5 ActionBar\_contentInsetEnd**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_contentInsetEnd = 21
```

**6.193.1.6 ActionBar\_contentInsetLeft**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_contentInsetLeft = 22
```

**6.193.1.7 ActionBar\_contentInsetRight**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_contentInsetRight = 23
```

**6.193.1.8 ActionBar\_contentInsetStart**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_contentInsetStart = 20
```

**6.193.1.9 ActionBar\_customNavigationLayout**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_customNavigationLayout = 13
```

**6.193.1.10 ActionBar\_displayOptions**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_displayOptions = 3
```

**6.193.1.11 ActionBar\_divider**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_divider = 9
```

**6.193.1.12 ActionBar\_elevation**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_elevation = 24
```

**6.193.1.13 ActionBar\_height**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_height = 0
```

**6.193.1.14 ActionBar\_hideOnContentScroll**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_hideOnContentScroll = 19
```

**6.193.1.15 ActionBar\_homeAsUpIndicator**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_homeAsUpIndicator = 26
```

**6.193.1.16 ActionBar\_homeLayout**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_homeLayout = 14
```

**6.193.1.17 ActionBar\_icon**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_icon = 7
```

**6.193.1.18 ActionBar\_indeterminateProgressStyle**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_indeterminateProgressStyle = 16
```

**6.193.1.19 ActionBar\_itemPadding**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_itemPadding = 18
```

**6.193.1.20 ActionBar\_logo**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_logo = 8
```

**6.193.1.21 ActionBar\_navigationMode**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_navigationMode = 2
```

**6.193.1.22 ActionBar\_popupTheme**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_popupTheme = 25
```

**6.193.1.23 ActionBar\_progressBarPadding**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_progressBarPadding = 17
```

**6.193.1.24 ActionBar\_progressBarStyle**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_progressBarStyle = 15
```

**6.193.1.25 ActionBar\_subtitle**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_subtitle = 4
```

**6.193.1.26 ActionBar\_subtitleTextStyle**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_subtitleTextStyle = 6
```

**6.193.1.27 ActionBar\_title**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_title = 1
```

**6.193.1.28 ActionBar\_titleTextStyle**

```
const int PROJEKT.Droid.Resource.Styleable.ActionBar_titleTextStyle = 5
```

### 6.193.1.29 ActionBarLayout

```
int [ ] PROJEKT.Droid.Resource.Styleable.ActionBarLayout [static]
```

**Initial value:**

```
= new int[] {  
    16842931}
```

### 6.193.1.30 ActionBarLayout\_android\_layout\_gravity

```
const int PROJEKT.Droid.Resource.Styleable.ActionBarLayout_android_layout_gravity = 0
```

### 6.193.1.31 ActionMenuItemView

```
int [ ] PROJEKT.Droid.Resource.Styleable.ActionMenuItemView [static]
```

**Initial value:**

```
= new int[] {  
    16843071}
```

### 6.193.1.32 ActionMenuItemView\_android\_minWidth

```
const int PROJEKT.Droid.Resource.Styleable.ActionMenuItemView_android_minWidth = 0
```

### 6.193.1.33 ActionMenuView

```
int [ ] PROJEKT.Droid.Resource.Styleable.ActionMenuView [static]
```

### 6.193.1.34 ActionMode

```
int [ ] PROJEKT.Droid.Resource.Styleable.ActionMode [static]
```

**Initial value:**

```
= new int[] {  
    2130772007,  
    2130772013,  
    2130772014,  
    2130772018,  
    2130772020,  
    2130772034}
```

**6.193.1.35 ActionMode\_background**

```
const int PROJEKT.Droid.Resource.Styleable.ActionMode_background = 3
```

**6.193.1.36 ActionMode\_backgroundSplit**

```
const int PROJEKT.Droid.Resource.Styleable.ActionMode_backgroundSplit = 4
```

**6.193.1.37 ActionMode\_closeItemLayout**

```
const int PROJEKT.Droid.Resource.Styleable.ActionMode_closeItemLayout = 5
```

**6.193.1.38 ActionMode\_height**

```
const int PROJEKT.Droid.Resource.Styleable.ActionMode_height = 0
```

**6.193.1.39 ActionMode\_subtitleTextStyle**

```
const int PROJEKT.Droid.Resource.Styleable.ActionMode_subtitleTextStyle = 2
```

**6.193.1.40 ActionMode\_titleTextStyle**

```
const int PROJEKT.Droid.Resource.Styleable.ActionMode_titleTextStyle = 1
```

**6.193.1.41 ActivityChooserView**

```
int [] PROJEKT.Droid.Resource.Styleable.ActivityChooserView [static]
```

**Initial value:**

```
= new int[] {  
    2130772035,  
    2130772036}
```



#### 6.193.1.42 ActivityChooserView\_expandActivityOverflowButtonDrawable

```
const int PROJEKT.Droid.Resource.Styleable.ActivityChooserView_expandActivityOverflowButton↵  
Drawable = 1
```

#### 6.193.1.43 ActivityChooserView\_initialActivityCount

```
const int PROJEKT.Droid.Resource.Styleable.ActivityChooserView_initialActivityCount = 0
```

#### 6.193.1.44 AlertDialog

```
int [] PROJEKT.Droid.Resource.Styleable.AlertDialog [static]
```

##### Initial value:

```
= new int[] {  
    16842994,  
    2130772037,  
    2130772038,  
    2130772039,  
    2130772040,  
    2130772041}
```

#### 6.193.1.45 AlertDialog\_android\_layout

```
const int PROJEKT.Droid.Resource.Styleable.AlertDialog_android_layout = 0
```

#### 6.193.1.46 AlertDialog\_buttonPanelSideLayout

```
const int PROJEKT.Droid.Resource.Styleable.AlertDialog_buttonPanelSideLayout = 1
```

#### 6.193.1.47 AlertDialog\_listItemLayout

```
const int PROJEKT.Droid.Resource.Styleable.AlertDialog_listItemLayout = 5
```

#### 6.193.1.48 AlertDialog\_listLayout

```
const int PROJEKT.Droid.Resource.Styleable.AlertDialog_listLayout = 2
```

#### 6.193.1.49 AlertDialog\_multiChoiceItemLayout

```
const int PROJEKT.Droid.Resource.Styleable.AlertDialog_multiChoiceItemLayout = 3
```

#### 6.193.1.50 AlertDialog\_singleChoiceItemLayout

```
const int PROJEKT.Droid.Resource.Styleable.AlertDialog_singleChoiceItemLayout = 4
```

#### 6.193.1.51 AppBarLayout

```
int [] PROJEKT.Droid.Resource.Styleable.AppBarLayout [static]
```

##### Initial value:

```
= new int[] {  
    16842964,  
    2130772032,  
    2130772215}
```

#### 6.193.1.52 AppBarLayout\_android\_background

```
const int PROJEKT.Droid.Resource.Styleable.AppBarLayout_android_background = 0
```

#### 6.193.1.53 AppBarLayout\_elevation

```
const int PROJEKT.Droid.Resource.Styleable.AppBarLayout_elevation = 1
```

#### 6.193.1.54 AppBarLayout\_expanded

```
const int PROJEKT.Droid.Resource.Styleable.AppBarLayout_expanded = 2
```

#### 6.193.1.55 AppBarLayout\_LayoutParams

```
int [] PROJEKT.Droid.Resource.Styleable.AppBarLayout_LayoutParams [static]
```

##### Initial value:

```
= new int[] {  
    2130772216,  
    2130772217}
```

#### 6.193.1.56 AppBarLayout\_LayoutParams\_layout\_scrollFlags

```
const int PROJEKT.Droid.Resource.Styleable.AppBarLayout_LayoutParams_layout_scrollFlags = 0
```

#### 6.193.1.57 AppBarLayout\_LayoutParams\_layout\_scrollInterpolator

```
const int PROJEKT.Droid.Resource.Styleable.AppBarLayout_LayoutParams_layout_scrollInterpolator  
= 1
```

#### 6.193.1.58 AppCompatImageView

```
int [] PROJEKT.Droid.Resource.Styleable.AppCompatImageView [static]
```

##### Initial value:

```
= new int[] {  
    16843033,  
    2130772042}
```

#### 6.193.1.59 AppCompatImageView\_android\_src

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatImageView_android_src = 0
```

#### 6.193.1.60 AppCompatImageView\_srcCompat

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatImageView_srcCompat = 1
```

#### 6.193.1.61 AppCompatTextView

```
int [] PROJEKT.Droid.Resource.Styleable.AppCompatTextView [static]
```

##### Initial value:

```
= new int[] {  
    16842804,  
    2130772043}
```

#### 6.193.1.62 AppCompatTextView\_android\_textAppearance

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatTextView_android_textAppearance = 0
```

#### 6.193.1.63 AppCompatTextView\_textAllCaps

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatTextView_textAllCaps = 1
```

#### 6.193.1.64 AppCompatTheme

```
int [] PROJEKT.Droid.Resource.Styleable.AppCompatTheme [static]
```

#### 6.193.1.65 AppCompatTheme\_actionBarDivider

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatTheme_actionBarDivider = 23
```

#### 6.193.1.66 AppCompatTheme\_actionBarItemBackground

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatTheme_actionBarItemBackground = 24
```

#### 6.193.1.67 AppCompatTheme\_actionBarPopupTheme

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatTheme_actionBarPopupTheme = 17
```

**6.193.1.68 AppCompatActivity\_actionBarSize**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionBarSize = 22
```

**6.193.1.69 AppCompatActivity\_actionBarSplitStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionBarSplitStyle = 19
```

**6.193.1.70 AppCompatActivity\_actionBarStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionBarStyle = 18
```

**6.193.1.71 AppCompatActivity\_actionBarTabBarStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionBarTabBarStyle = 13
```

**6.193.1.72 AppCompatActivity\_actionBarTabStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionBarTabStyle = 12
```

**6.193.1.73 AppCompatActivity\_actionBarTabTextStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionBarTabTextStyle = 14
```

**6.193.1.74 AppCompatActivity\_actionBarTheme**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionBarTheme = 20
```

**6.193.1.75 AppCompatActivity\_actionBarWidgetTheme**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionBarWidgetTheme = 21
```

**6.193.1.76   AppCompatActivity\_actionButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionButtonStyle = 49
```

**6.193.1.77   AppCompatActivity\_actionDropDownStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionDropDownStyle = 45
```

**6.193.1.78   AppCompatActivity\_actionMenuTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionMenuTextAppearance = 25
```

**6.193.1.79   AppCompatActivity\_actionMenuTextColor**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionMenuTextColor = 26
```

**6.193.1.80   AppCompatActivity\_actionModeBackground**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeBackground = 29
```

**6.193.1.81   AppCompatActivity\_actionModeCloseButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeCloseButtonStyle = 28
```

**6.193.1.82   AppCompatActivity\_actionModeCloseDrawable**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeCloseDrawable = 31
```

**6.193.1.83   AppCompatActivity\_actionModeCopyDrawable**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeCopyDrawable = 33
```

**6.193.1.84   AppCompatActivity\_actionModeCutDrawable**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeCutDrawable = 32
```

**6.193.1.85   AppCompatActivity\_actionModeFindDrawable**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeFindDrawable = 37
```

**6.193.1.86   AppCompatActivity\_actionModePasteDrawable**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModePasteDrawable = 34
```

**6.193.1.87   AppCompatActivity\_actionModePopupWindowStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModePopupWindowStyle = 39
```

**6.193.1.88   AppCompatActivity\_actionModeSelectAllDrawable**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeSelectAllDrawable = 35
```

**6.193.1.89   AppCompatActivity\_actionModeShareDrawable**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeShareDrawable = 36
```

**6.193.1.90   AppCompatActivity\_actionModeSplitBackground**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeSplitBackground = 30
```

**6.193.1.91   AppCompatActivity\_actionModeStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeStyle = 27
```

**6.193.1.92   AppCompatActivity\_actionModeWebSearchDrawable**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionModeWebSearchDrawable = 38
```

**6.193.1.93   AppCompatActivity\_actionOverflowButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionOverflowButtonStyle = 15
```

**6.193.1.94   AppCompatActivity\_actionOverflowMenuStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_actionOverflowMenuStyle = 16
```

**6.193.1.95   AppCompatActivity\_activityChooserViewStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_activityChooserViewStyle = 57
```

**6.193.1.96   AppCompatActivity\_alertDialogButtonGroupStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_alertDialogButtonGroupStyle = 92
```

**6.193.1.97   AppCompatActivity\_alertDialogCenterButtons**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_alertDialogCenterButtons = 93
```

**6.193.1.98   AppCompatActivity\_alertDialogStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_alertDialogStyle = 91
```

**6.193.1.99   AppCompatActivity\_alertDialogTheme**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_alertDialogTheme = 94
```



**6.193.1.100   AppCompatActivity\_android\_windowAnimationStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_android_windowAnimationStyle = 1
```

**6.193.1.101   AppCompatActivity\_android\_windowIsFloating**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_android_windowIsFloating = 0
```

**6.193.1.102   AppCompatActivity\_autoCompleteTextViewStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_autoCompleteTextViewStyle = 99
```

**6.193.1.103   AppCompatActivity\_borderlessButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_borderlessButtonStyle = 54
```

**6.193.1.104   AppCompatActivity\_buttonBarButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_buttonBarButtonStyle = 51
```

**6.193.1.105   AppCompatActivity\_buttonBarNegativeButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_buttonBarNegativeButtonStyle = 97
```

**6.193.1.106   AppCompatActivity\_buttonBarNeutralButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_buttonBarNeutralButtonStyle = 98
```

**6.193.1.107   AppCompatActivity\_buttonBarPositiveButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_buttonBarPositiveButtonStyle = 96
```

**6.193.1.108   AppCompatActivity\_buttonBarStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_buttonBarStyle = 50
```

**6.193.1.109   AppCompatActivity\_buttonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_buttonStyle = 100
```

**6.193.1.110   AppCompatActivity\_buttonStyleSmall**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_buttonStyleSmall = 101
```

**6.193.1.111   AppCompatActivity\_checkboxStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_checkboxStyle = 102
```

**6.193.1.112   AppCompatActivity\_checkedTextViewStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_checkedTextViewStyle = 103
```

**6.193.1.113   AppCompatActivity\_colorAccent**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_colorAccent = 84
```

**6.193.1.114   AppCompatActivity\_colorButtonNormal**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_colorButtonNormal = 88
```

**6.193.1.115   AppCompatActivity\_colorControlActivated**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_colorControlActivated = 86
```

**6.193.1.116   AppCompatActivity\_colorControlHighlight**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_colorControlHighlight = 87
```

**6.193.1.117   AppCompatActivity\_colorControlNormal**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_colorControlNormal = 85
```

**6.193.1.118   AppCompatActivity\_colorPrimary**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_colorPrimary = 82
```

**6.193.1.119   AppCompatActivity\_colorPrimaryDark**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_colorPrimaryDark = 83
```

**6.193.1.120   AppCompatActivity\_colorSwitchThumbNormal**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_colorSwitchThumbNormal = 89
```

**6.193.1.121   AppCompatActivity\_controlBackground**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_controlBackground = 90
```

**6.193.1.122   AppCompatActivity\_dialogPreferredPadding**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_dialogPreferredPadding = 43
```

**6.193.1.123   AppCompatActivity\_dialogTheme**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_dialogTheme = 42
```

**6.193.1.124   AppCompatActivity\_dividerHorizontal**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_dividerHorizontal = 56
```

**6.193.1.125   AppCompatActivity\_dividerVertical**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_dividerVertical = 55
```

**6.193.1.126   AppCompatActivity\_dropdownListPreferredItemHeight**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_dropdownListPreferredItemHeight = 46
```

**6.193.1.127   AppCompatActivity\_dropDownListViewStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_dropDownListViewStyle = 74
```

**6.193.1.128   AppCompatActivity\_editTextBackground**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_editTextBackground = 63
```

**6.193.1.129   AppCompatActivity\_editTextColor**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_editTextColor = 62
```

**6.193.1.130   AppCompatActivity\_editTextStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_editTextStyle = 104
```

**6.193.1.131   AppCompatActivity\_homeAsUpIndicator**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_homeAsUpIndicator = 48
```

**6.193.1.132   AppCompatActivity\_imageButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_imageButtonStyle = 64
```

**6.193.1.133   AppCompatActivity\_listChoiceBackgroundIndicator**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_listChoiceBackgroundIndicator = 81
```

**6.193.1.134   AppCompatActivity\_listDividerAlertDialog**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_listDividerAlertDialog = 44
```

**6.193.1.135   AppCompatActivity\_listPopupWindowStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_listPopupWindowStyle = 75
```

**6.193.1.136   AppCompatActivity\_listPreferredItemHeight**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_listPreferredItemHeight = 69
```

**6.193.1.137   AppCompatActivity\_listPreferredItemHeightLarge**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_listPreferredItemHeightLarge = 71
```

**6.193.1.138   AppCompatActivity\_listPreferredItemHeightSmall**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_listPreferredItemHeightSmall = 70
```

**6.193.1.139   AppCompatActivity\_listPreferredItemPaddingLeft**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_listPreferredItemPaddingLeft = 72
```

**6.193.1.140 AppCompatActivity\_listPreferredItemPaddingRight**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_listPreferredItemPaddingRight = 73
```

**6.193.1.141 AppCompatActivity\_panelBackground**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_panelBackground = 78
```

**6.193.1.142 AppCompatActivity\_panelMenuListTheme**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_panelMenuListTheme = 80
```

**6.193.1.143 AppCompatActivity\_panelMenuListWidth**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_panelMenuListWidth = 79
```

**6.193.1.144 AppCompatActivity\_popupMenuStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_popupMenuStyle = 60
```

**6.193.1.145 AppCompatActivity\_popupWindowStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_popupWindowStyle = 61
```

**6.193.1.146 AppCompatActivity\_radioButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_radioButtonStyle = 105
```

**6.193.1.147 AppCompatActivity\_ratingBarStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_ratingBarStyle = 106
```

**6.193.1.148 AppCompatActivity\_ratingBarStyleIndicator**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_ratingBarStyleIndicator = 107
```

**6.193.1.149 AppCompatActivity\_ratingBarStyleSmall**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_ratingBarStyleSmall = 108
```

**6.193.1.150 AppCompatActivity\_searchViewStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_searchViewStyle = 68
```

**6.193.1.151 AppCompatActivity\_seekBarStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_seekBarStyle = 109
```

**6.193.1.152 AppCompatActivity\_selectableItemBackground**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_selectableItemBackground = 52
```

**6.193.1.153 AppCompatActivity\_selectableItemBackgroundBorderless**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_selectableItemBackgroundBorderless = 53
```

**6.193.1.154 AppCompatActivity\_spinnerDropDownItemStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_spinnerDropDownItemStyle = 47
```

**6.193.1.155   AppCompatActivity\_spinnerStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_spinnerStyle = 110
```

**6.193.1.156   AppCompatActivity\_switchStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_switchStyle = 111
```

**6.193.1.157   AppCompatActivity\_textAppearanceLargePopupMenu**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_textAppearanceLargePopupMenu = 40
```

**6.193.1.158   AppCompatActivity\_textAppearanceListItem**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_textAppearanceListItem = 76
```

**6.193.1.159   AppCompatActivity\_textAppearanceListItemSmall**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_textAppearanceListItemSmall = 77
```

**6.193.1.160   AppCompatActivity\_textAppearanceSearchResultSubtitle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_textAppearanceSearchResultSubtitle =  
66
```

**6.193.1.161   AppCompatActivity\_textAppearanceSearchResultTitle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_textAppearanceSearchResultTitle = 65
```



**6.193.1.162   AppCompatActivity\_textAppearanceSmallPopupMenu**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_textAppearanceSmallPopupMenu = 41
```

**6.193.1.163   AppCompatActivity\_textColorAlertDialogListItem**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_textColorAlertDialogListItem = 95
```

**6.193.1.164   AppCompatActivity\_textColorSearchUrl**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_textColorSearchUrl = 67
```

**6.193.1.165   AppCompatActivity\_toolbarNavigationButtonStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_toolbarNavigationButtonStyle = 59
```

**6.193.1.166   AppCompatActivity\_toolbarStyle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_toolbarStyle = 58
```

**6.193.1.167   AppCompatActivity\_windowActionBar**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowActionBar = 2
```

**6.193.1.168   AppCompatActivity\_windowActionBarOverlay**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowActionBarOverlay = 4
```

**6.193.1.169   AppCompatActivity\_windowActionModeOverlay**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowActionModeOverlay = 5
```

**6.193.1.170   AppCompatActivity\_windowFixedHeightMajor**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowFixedHeightMajor = 9
```

**6.193.1.171   AppCompatActivity\_windowFixedHeightMinor**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowFixedHeightMinor = 7
```

**6.193.1.172   AppCompatActivity\_windowFixedWidthMajor**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowFixedWidthMajor = 6
```

**6.193.1.173   AppCompatActivity\_windowFixedWidthMinor**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowFixedWidthMinor = 8
```

**6.193.1.174   AppCompatActivity\_windowMinWidthMajor**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowMinWidthMajor = 10
```

**6.193.1.175   AppCompatActivity\_windowMinWidthMinor**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowMinWidthMinor = 11
```

**6.193.1.176   AppCompatActivity\_windowNoTitle**

```
const int PROJEKT.Droid.Resource.Styleable.AppCompatActivity_windowNoTitle = 3
```

**6.193.1.177 BottomSheetBehavior\_Params**

```
int [] PROJEKT.Droid.Resource.Styleable.BottomSheetBehavior_Params [static]
```

**Initial value:**

```
= new int[] {  
    2130772218,  
    2130772219}
```

**6.193.1.178 BottomSheetBehavior\_Params\_behavior\_hideable**

```
const int PROJEKT.Droid.Resource.Styleable.BottomSheetBehavior_Params_behavior_hideable = 1
```

**6.193.1.179 BottomSheetBehavior\_Params\_behavior\_peekHeight**

```
const int PROJEKT.Droid.Resource.Styleable.BottomSheetBehavior_Params_behavior_peekHeight = 0
```

**6.193.1.180 ButtonBarLayout**

```
int [] PROJEKT.Droid.Resource.Styleable.ButtonBarLayout [static]
```

**Initial value:**

```
= new int[] {  
    2130772154}
```

**6.193.1.181 ButtonBarLayout\_allowStacking**

```
const int PROJEKT.Droid.Resource.Styleable.ButtonBarLayout_allowStacking = 0
```

### 6.193.1.182 CardView

```
int [] PROJEKT.Droid.Resource.Styleable.CardView [static]
```

#### Initial value:

```
= new int[] {  
    16843071,  
    16843072,  
    2130771995,  
    2130771996,  
    2130771997,  
    2130771998,  
    2130771999,  
    2130772000,  
    2130772001,  
    2130772002,  
    2130772003,  
    2130772004,  
    2130772005}
```

### 6.193.1.183 CardView\_android\_minHeight

```
const int PROJEKT.Droid.Resource.Styleable.CardView_android_minHeight = 1
```

### 6.193.1.184 CardView\_android\_minWidth

```
const int PROJEKT.Droid.Resource.Styleable.CardView_android_minWidth = 0
```

### 6.193.1.185 CardView\_cardBackgroundColor

```
const int PROJEKT.Droid.Resource.Styleable.CardView_cardBackgroundColor = 2
```

### 6.193.1.186 CardView\_cardCornerRadius

```
const int PROJEKT.Droid.Resource.Styleable.CardView_cardCornerRadius = 3
```

### 6.193.1.187 CardView\_cardElevation

```
const int PROJEKT.Droid.Resource.Styleable.CardView_cardElevation = 4
```

**6.193.1.188    CardView\_cardMaxElevation**

```
const int PROJEKT.Droid.Resource.Styleable.CardView_cardMaxElevation = 5
```

**6.193.1.189    CardView\_cardPreventCornerOverlap**

```
const int PROJEKT.Droid.Resource.Styleable.CardView_cardPreventCornerOverlap = 7
```

**6.193.1.190    CardView\_cardUseCompatPadding**

```
const int PROJEKT.Droid.Resource.Styleable.CardView_cardUseCompatPadding = 6
```

**6.193.1.191    CardView\_contentPadding**

```
const int PROJEKT.Droid.Resource.Styleable.CardView_contentPadding = 8
```

**6.193.1.192    CardView\_contentPaddingBottom**

```
const int PROJEKT.Droid.Resource.Styleable.CardView_contentPaddingBottom = 12
```

**6.193.1.193    CardView\_contentPaddingLeft**

```
const int PROJEKT.Droid.Resource.Styleable.CardView_contentPaddingLeft = 9
```

**6.193.1.194    CardView\_contentPaddingRight**

```
const int PROJEKT.Droid.Resource.Styleable.CardView_contentPaddingRight = 10
```

**6.193.1.195    CardView\_contentPaddingTop**

```
const int PROJEKT.Droid.Resource.Styleable.CardView_contentPaddingTop = 11
```

### 6.193.1.196 CollapsingAppBarLayout\_LayoutParams

```
int [] PROJEKT.Droid.Resource.Styleable.CollapsingAppBarLayout_LayoutParams [static]
```

#### Initial value:

```
= new int[] {  
    2130772220,  
    2130772221}
```

### 6.193.1.197 CollapsingAppBarLayout\_LayoutParams\_layout\_collapseMode

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingAppBarLayout_LayoutParams_layout_collapse↵  
Mode = 0
```

### 6.193.1.198 CollapsingAppBarLayout\_LayoutParams\_layout\_collapseParallaxMultiplier

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingAppBarLayout_LayoutParams_layout_collapse↵  
ParallaxMultiplier = 1
```

### 6.193.1.199 CollapsingToolbarLayout

```
int [] PROJEKT.Droid.Resource.Styleable.CollapsingToolbarLayout [static]
```

#### Initial value:

```
= new int[] {  
    2130772009,  
    2130772222,  
    2130772223,  
    2130772224,  
    2130772225,  
    2130772226,  
    2130772227,  
    2130772228,  
    2130772229,  
    2130772230,  
    2130772231,  
    2130772232,  
    2130772233,  
    2130772234}
```

### 6.193.1.200 CollapsingToolbarLayout\_collapsedTitleGravity

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolbarLayout_collapsedTitleGravity = 11
```

**6.193.1.201 CollapsingToolbarLayout\_collapsedTitleTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolbarLayout_collapsedTitleTextAppearance  
= 7
```

**6.193.1.202 CollapsingToolbarLayout\_contentScrim**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolbarLayout_contentScrim = 8
```

**6.193.1.203 CollapsingToolbarLayout\_expandedTitleGravity**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolbarLayout_expandedTitleGravity = 12
```

**6.193.1.204 CollapsingToolbarLayout\_expandedTitleMargin**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolbarLayout_expandedTitleMargin = 1
```

**6.193.1.205 CollapsingToolbarLayout\_expandedTitleMarginBottom**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolbarLayout_expandedTitleMarginBottom =  
5
```

**6.193.1.206 CollapsingToolbarLayout\_expandedTitleMarginEnd**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolbarLayout_expandedTitleMarginEnd = 4
```

**6.193.1.207 CollapsingToolbarLayout\_expandedTitleMarginStart**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolbarLayout_expandedTitleMarginStart =  
2
```

**6.193.1.208 CollapsingToolBarLayout\_expandedTitleMarginTop**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolBarLayout_expandedTitleMarginTop = 3
```

**6.193.1.209 CollapsingToolBarLayout\_expandedTitleTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolBarLayout_expandedTitleTextAppearance  
= 6
```

**6.193.1.210 CollapsingToolBarLayout\_statusBarScrim**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolBarLayout_statusBarScrim = 9
```

**6.193.1.211 CollapsingToolBarLayout\_title**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolBarLayout_title = 0
```

**6.193.1.212 CollapsingToolBarLayout\_titleEnabled**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolBarLayout_titleEnabled = 13
```

**6.193.1.213 CollapsingToolBarLayout\_toolbarId**

```
const int PROJEKT.Droid.Resource.Styleable.CollapsingToolBarLayout_toolbarId = 10
```

**6.193.1.214 CompoundButton**

```
int [] PROJEKT.Droid.Resource.Styleable.CompoundButton [static]
```

**Initial value:**

```
= new int[] {  
    16843015,  
    2130772155,  
    2130772156}
```



**6.193.1.215 CompoundButton\_android\_button**

```
const int PROJEKT.Droid.Resource.Styleable.CompoundButton_android_button = 0
```

**6.193.1.216 CompoundButton\_buttonTint**

```
const int PROJEKT.Droid.Resource.Styleable.CompoundButton_buttonTint = 1
```

**6.193.1.217 CompoundButton\_buttonTintMode**

```
const int PROJEKT.Droid.Resource.Styleable.CompoundButton_buttonTintMode = 2
```

**6.193.1.218 CoordinatorLayout**

```
int [] PROJEKT.Droid.Resource.Styleable.CoordinatorLayout [static]
```

**Initial value:**

```
= new int[] {  
    2130772235,  
    2130772236}
```

**6.193.1.219 CoordinatorLayout\_keylines**

```
const int PROJEKT.Droid.Resource.Styleable.CoordinatorLayout_keylines = 0
```

**6.193.1.220 CoordinatorLayout\_LayoutParams**

```
int [] PROJEKT.Droid.Resource.Styleable.CoordinatorLayout_LayoutParams [static]
```

**Initial value:**

```
= new int[] {  
    16842931,  
    2130772237,  
    2130772238,  
    2130772239,  
    2130772240}
```

**6.193.1.221 CoordinatorLayout\_LayoutParams\_android\_layout\_gravity**

```
const int PROJEKT.Droid.Resource.Styleable.CoordinatorLayout_LayoutParams_android_layout_gravity = 0
```

**6.193.1.222 CoordinatorLayout\_LayoutParams\_layout\_anchor**

```
const int PROJEKT.Droid.Resource.Styleable.CoordinatorLayout_LayoutParams_layout_anchor = 2
```

**6.193.1.223 CoordinatorLayout\_LayoutParams\_layout\_anchorGravity**

```
const int PROJEKT.Droid.Resource.Styleable.CoordinatorLayout_LayoutParams_layout_anchorGravity = 4
```

**6.193.1.224 CoordinatorLayout\_LayoutParams\_layout\_behavior**

```
const int PROJEKT.Droid.Resource.Styleable.CoordinatorLayout_LayoutParams_layout_behavior = 1
```

**6.193.1.225 CoordinatorLayout\_LayoutParams\_layout\_keyline**

```
const int PROJEKT.Droid.Resource.Styleable.CoordinatorLayout_LayoutParams_layout_keyline = 3
```

**6.193.1.226 CoordinatorLayout\_statusBarBackground**

```
const int PROJEKT.Droid.Resource.Styleable.CoordinatorLayout_statusBarBackground = 1
```

**6.193.1.227 DesignTheme**

```
int [] PROJEKT.Droid.Resource.Styleable.DesignTheme [static]
```

**Initial value:**

```
= new int[] {  
    2130772241,  
    2130772242,  
    2130772243}
```

**6.193.1.228 DesignTheme\_bottomSheetDialogTheme**

```
const int PROJEKT.Droid.Resource.Styleable.DesignTheme_bottomSheetDialogTheme = 0
```

**6.193.1.229 DesignTheme\_bottomSheetStyle**

```
const int PROJEKT.Droid.Resource.Styleable.DesignTheme_bottomSheetStyle = 1
```

**6.193.1.230 DesignTheme\_textColorError**

```
const int PROJEKT.Droid.Resource.Styleable.DesignTheme_textColorError = 2
```

**6.193.1.231 DrawerArrowToggle**

```
int [] PROJEKT.Droid.Resource.Styleable.DrawerArrowToggle [static]
```

**Initial value:**

```
= new int[] {  
    2130772157,  
    2130772158,  
    2130772159,  
    2130772160,  
    2130772161,  
    2130772162,  
    2130772163,  
    2130772164}
```

**6.193.1.232 DrawerArrowToggle\_arrowHeadLength**

```
const int PROJEKT.Droid.Resource.Styleable.DrawerArrowToggle_arrowHeadLength = 4
```

**6.193.1.233 DrawerArrowToggle\_arrowShaftLength**

```
const int PROJEKT.Droid.Resource.Styleable.DrawerArrowToggle_arrowShaftLength = 5
```

**6.193.1.234 DrawerArrowToggle\_barLength**

```
const int PROJEKT.Droid.Resource.Styleable.DrawerArrowToggle_barLength = 6
```

**6.193.1.235 DrawerArrowToggle\_color**

```
const int PROJEKT.Droid.Resource.Styleable.DrawerArrowToggle_color = 0
```

**6.193.1.236 DrawerArrowToggle\_drawableSize**

```
const int PROJEKT.Droid.Resource.Styleable.DrawerArrowToggle_drawableSize = 2
```

**6.193.1.237 DrawerArrowToggle\_gapBetweenBars**

```
const int PROJEKT.Droid.Resource.Styleable.DrawerArrowToggle_gapBetweenBars = 3
```

**6.193.1.238 DrawerArrowToggle\_spinBars**

```
const int PROJEKT.Droid.Resource.Styleable.DrawerArrowToggle_spinBars = 1
```

**6.193.1.239 DrawerArrowToggle\_thickness**

```
const int PROJEKT.Droid.Resource.Styleable.DrawerArrowToggle_thickness = 7
```

**6.193.1.240 FloatingActionButton**

```
int [] PROJEKT.Droid.Resource.Styleable.FloatingActionButton [static]
```

**Initial value:**

```
= new int[] {  
    2130772032,  
    2130772213,  
    2130772214,  
    2130772244,  
    2130772245,  
    2130772246,  
    2130772247,  
    2130772248}
```

**6.193.1.241 FloatingActionButton\_backgroundTint**

```
const int PROJEKT.Droid.Resource.Styleable.FloatingActionButton_backgroundTint = 1
```

**6.193.1.242 FloatingActionButton\_backgroundTintMode**

```
const int PROJEKT.Droid.Resource.Styleable.FloatingActionButton_backgroundTintMode = 2
```

**6.193.1.243 FloatingActionButton\_borderWidth**

```
const int PROJEKT.Droid.Resource.Styleable.FloatingActionButton_borderWidth = 6
```

**6.193.1.244 FloatingActionButton\_elevation**

```
const int PROJEKT.Droid.Resource.Styleable.FloatingActionButton_elevation = 0
```

**6.193.1.245 FloatingActionButton\_fabSize**

```
const int PROJEKT.Droid.Resource.Styleable.FloatingActionButton_fabSize = 4
```

**6.193.1.246 FloatingActionButton\_pressedTranslationZ**

```
const int PROJEKT.Droid.Resource.Styleable.FloatingActionButton_pressedTranslationZ = 5
```

**6.193.1.247 FloatingActionButton\_rippleColor**

```
const int PROJEKT.Droid.Resource.Styleable.FloatingActionButton_rippleColor = 3
```

**6.193.1.248 FloatingActionButton\_useCompatPadding**

```
const int PROJEKT.Droid.Resource.Styleable.FloatingActionButton_useCompatPadding = 7
```

### 6.193.1.249 ForegroundLinearLayout

```
int [] PROJEKT.Droid.Resource.Styleable.ForegroundLinearLayout [static]
```

#### Initial value:

```
= new int[] {  
    16843017,  
    16843264,  
    2130772249}
```

### 6.193.1.250 ForegroundLinearLayout\_android\_foreground

```
const int PROJEKT.Droid.Resource.Styleable.ForegroundLinearLayout_android_foreground = 0
```

### 6.193.1.251 ForegroundLinearLayout\_android\_foregroundGravity

```
const int PROJEKT.Droid.Resource.Styleable.ForegroundLinearLayout_android_foregroundGravity =  
1
```

### 6.193.1.252 ForegroundLinearLayout\_foregroundInsidePadding

```
const int PROJEKT.Droid.Resource.Styleable.ForegroundLinearLayout_foregroundInsidePadding = 2
```

### 6.193.1.253 LinearLayoutCompat

```
int [] PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat [static]
```

#### Initial value:

```
= new int[] {  
    16842927,  
    16842948,  
    16843046,  
    16843047,  
    16843048,  
    2130772017,  
    2130772165,  
    2130772166,  
    2130772167}
```

**6.193.1.254   LinearLayoutCompat\_android\_baselineAligned**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_android_baselineAligned = 2
```

**6.193.1.255   LinearLayoutCompat\_android\_baselineAlignedChildIndex**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_android_baselineAlignedChild↵  
Index = 3
```

**6.193.1.256   LinearLayoutCompat\_android\_gravity**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_android_gravity = 0
```

**6.193.1.257   LinearLayoutCompat\_android\_orientation**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_android_orientation = 1
```

**6.193.1.258   LinearLayoutCompat\_android\_weightSum**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_android_weightSum = 4
```

**6.193.1.259   LinearLayoutCompat\_divider**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_divider = 5
```

**6.193.1.260   LinearLayoutCompat\_dividerPadding**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_dividerPadding = 8
```

**6.193.1.261    LinearLayoutCompat\_Layout**

```
int [ ] PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_Layout [static]
```

**Initial value:**

```
= new int[] {  
    16842931,  
    16842996,  
    16842997,  
    16843137}
```

**6.193.1.262    LinearLayoutCompat\_Layout\_android\_layout\_gravity**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_Layout_android_layout_gravity =  
0
```

**6.193.1.263    LinearLayoutCompat\_Layout\_android\_layout\_height**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_Layout_android_layout_height = 2
```

**6.193.1.264    LinearLayoutCompat\_Layout\_android\_layout\_weight**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_Layout_android_layout_weight = 3
```

**6.193.1.265    LinearLayoutCompat\_Layout\_android\_layout\_width**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_Layout_android_layout_width = 1
```

**6.193.1.266    LinearLayoutCompat\_measureWithLargestChild**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_measureWithLargestChild = 6
```



**6.193.1.267   LinearLayoutCompat\_showDividers**

```
const int PROJEKT.Droid.Resource.Styleable.LinearLayoutCompat_showDividers = 7
```

**6.193.1.268   ListPopupWindow**

```
int [] PROJEKT.Droid.Resource.Styleable.ListPopupWindow [static]
```

**Initial value:**

```
= new int[] {  
    16843436,  
    16843437}
```

**6.193.1.269   ListPopupWindow\_android\_dropDownHorizontalOffset**

```
const int PROJEKT.Droid.Resource.Styleable.ListPopupWindow_android_dropDownHorizontalOffset =  
0
```

**6.193.1.270   ListPopupWindow\_android\_dropDownVerticalOffset**

```
const int PROJEKT.Droid.Resource.Styleable.ListPopupWindow_android_dropDownVerticalOffset = 1
```

**6.193.1.271   MediaRouteButton**

```
int [] PROJEKT.Droid.Resource.Styleable.MediaRouteButton [static]
```

**Initial value:**

```
= new int[] {  
    16843071,  
    16843072,  
    2130771994}
```

**6.193.1.272   MediaRouteButton\_android\_minHeight**

```
const int PROJEKT.Droid.Resource.Styleable.MediaRouteButton_android_minHeight = 1
```

**6.193.1.273   MediaRouteButton\_android\_minWidth**

```
const int PROJEKT.Droid.Resource.Styleable.MediaRouteButton_android_minWidth = 0
```

**6.193.1.274   MediaRouteButton\_externalRouteEnabledDrawable**

```
const int PROJEKT.Droid.Resource.Styleable.MediaRouteButton_externalRouteEnabledDrawable = 2
```

**6.193.1.275   MenuGroup**

```
int [ ] PROJEKT.Droid.Resource.Styleable.MenuGroup [static]
```

**Initial value:**

```
= new int[] {  
    16842766,  
    16842960,  
    16843156,  
    16843230,  
    16843231,  
    16843232}
```

**6.193.1.276   MenuGroup\_android\_checkableBehavior**

```
const int PROJEKT.Droid.Resource.Styleable.MenuGroup_android_checkableBehavior = 5
```

**6.193.1.277   MenuGroup\_android\_enabled**

```
const int PROJEKT.Droid.Resource.Styleable.MenuGroup_android_enabled = 0
```

**6.193.1.278   MenuGroup\_android\_id**

```
const int PROJEKT.Droid.Resource.Styleable.MenuGroup_android_id = 1
```

**6.193.1.279 MenuGroup\_android\_menuCategory**

```
const int PROJEKT.Droid.Resource.Styleable.MenuGroup_android_menuCategory = 3
```

**6.193.1.280 MenuGroup\_android\_orderInCategory**

```
const int PROJEKT.Droid.Resource.Styleable.MenuGroup_android_orderInCategory = 4
```

**6.193.1.281 MenuGroup\_android\_visible**

```
const int PROJEKT.Droid.Resource.Styleable.MenuGroup_android_visible = 2
```

**6.193.1.282 MenuItem**

```
int [] PROJEKT.Droid.Resource.Styleable.MenuItem [static]
```

**Initial value:**

```
= new int[] {  
    16842754,  
    16842766,  
    16842960,  
    16843014,  
    16843156,  
    16843230,  
    16843231,  
    16843233,  
    16843234,  
    16843235,  
    16843236,  
    16843237,  
    16843375,  
    2130772168,  
    2130772169,  
    2130772170,  
    2130772171}
```

**6.193.1.283 MenuItem\_actionLayout**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_actionLayout = 14
```

**6.193.1.284 MenuItem\_actionProviderClass**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_actionProviderClass = 16
```

**6.193.1.285 MenuItem\_actionViewClass**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_actionViewClass = 15
```

**6.193.1.286 MenuItem\_android\_alphabeticShortcut**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_alphabeticShortcut = 9
```

**6.193.1.287 MenuItem\_android\_checkable**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_checkable = 11
```

**6.193.1.288 MenuItem\_android\_checked**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_checked = 3
```

**6.193.1.289 MenuItem\_android\_enabled**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_enabled = 1
```

**6.193.1.290 MenuItem\_android\_icon**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_icon = 0
```

**6.193.1.291 MenuItem\_android\_id**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_id = 2
```

**6.193.1.292 MenuItem\_android\_menuCategory**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_menuCategory = 5
```

**6.193.1.293 MenuItem\_android\_numericShortcut**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_numericShortcut = 10
```

**6.193.1.294 MenuItem\_android\_onClick**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_onClick = 12
```

**6.193.1.295 MenuItem\_android\_orderInCategory**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_orderInCategory = 6
```

**6.193.1.296 MenuItem\_android\_title**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_title = 7
```

**6.193.1.297 MenuItem\_android\_titleCondensed**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_titleCondensed = 8
```

**6.193.1.298 MenuItem\_android\_visible**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_android_visible = 4
```

**6.193.1.299 MenuItem\_showAsAction**

```
const int PROJEKT.Droid.Resource.Styleable.MenuItem_showAsAction = 13
```

### 6.193.1.300 MenuView

```
int [] PROJEKT.Droid.Resource.Styleable.MenuView [static]
```

#### Initial value:

```
= new int[] {  
    16842926,  
    16843052,  
    16843053,  
    16843054,  
    16843055,  
    16843056,  
    16843057,  
    2130772172}
```

### 6.193.1.301 MenuView\_android\_headerBackground

```
const int PROJEKT.Droid.Resource.Styleable.MenuView_android_headerBackground = 4
```

### 6.193.1.302 MenuView\_android\_horizontalDivider

```
const int PROJEKT.Droid.Resource.Styleable.MenuView_android_horizontalDivider = 2
```

### 6.193.1.303 MenuView\_android\_itemBackground

```
const int PROJEKT.Droid.Resource.Styleable.MenuView_android_itemBackground = 5
```

### 6.193.1.304 MenuView\_android\_itemIconDisabledAlpha

```
const int PROJEKT.Droid.Resource.Styleable.MenuView_android_itemIconDisabledAlpha = 6
```

### 6.193.1.305 MenuView\_android\_itemTextAppearance

```
const int PROJEKT.Droid.Resource.Styleable.MenuView_android_itemTextAppearance = 1
```

**6.193.1.306 MenuView\_android\_verticalDivider**

```
const int PROJEKT.Droid.Resource.Styleable.MenuView_android_verticalDivider = 3
```

**6.193.1.307 MenuView\_android\_windowAnimationStyle**

```
const int PROJEKT.Droid.Resource.Styleable.MenuView_android_windowAnimationStyle = 0
```

**6.193.1.308 MenuView\_preserveIconSpacing**

```
const int PROJEKT.Droid.Resource.Styleable.MenuView_preserveIconSpacing = 7
```

**6.193.1.309 NavigationView**

```
int [] PROJEKT.Droid.Resource.Styleable.NavigationView [static]
```

**Initial value:**

```
= new int[] {  
    16842964,  
    16842973,  
    16843039,  
    2130772032,  
    2130772250,  
    2130772251,  
    2130772252,  
    2130772253,  
    2130772254,  
    2130772255}
```

**6.193.1.310 NavigationView\_android\_background**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_android_background = 0
```

**6.193.1.311 NavigationView\_android\_fitsSystemWindows**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_android_fitsSystemWindows = 1
```

**6.193.1.312   NavigationView\_android\_maxWidth**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_android_maxWidth = 2
```

**6.193.1.313   NavigationView\_elevation**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_elevation = 3
```

**6.193.1.314   NavigationView\_headerLayout**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_headerLayout = 9
```

**6.193.1.315   NavigationView\_itemBackground**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_itemBackground = 7
```

**6.193.1.316   NavigationView\_itemIconTint**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_itemIconTint = 5
```

**6.193.1.317   NavigationView\_itemTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_itemTextAppearance = 8
```

**6.193.1.318   NavigationView\_itemTextColor**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_itemTextColor = 6
```

**6.193.1.319   NavigationView\_menu**

```
const int PROJEKT.Droid.Resource.Styleable.NavigationView_menu = 4
```



**6.193.1.320 PopupWindow**

```
int [] PROJEKT.Droid.Resource.Styleable.PopupWindow [static]
```

**Initial value:**

```
= new int[] {  
    16843126,  
    2130772173}
```

**6.193.1.321 PopupWindow\_android\_popupBackground**

```
const int PROJEKT.Droid.Resource.Styleable.PopupWindow_android_popupBackground = 0
```

**6.193.1.322 PopupWindow\_overlapAnchor**

```
const int PROJEKT.Droid.Resource.Styleable.PopupWindow_overlapAnchor = 1
```

**6.193.1.323 PopupWindowBackgroundState**

```
int [] PROJEKT.Droid.Resource.Styleable.PopupWindowBackgroundState [static]
```

**Initial value:**

```
= new int[] {  
    2130772174}
```

**6.193.1.324 PopupWindowBackgroundState\_state\_above\_anchor**

```
const int PROJEKT.Droid.Resource.Styleable.PopupWindowBackgroundState_state_above_anchor = 0
```

**6.193.1.325 RecyclerView**

```
int [] PROJEKT.Droid.Resource.Styleable.RecyclerView [static]
```

**Initial value:**

```
= new int[] {  
    16842948,  
    2130771968,  
    2130771969,  
    2130771970,  
    2130771971}
```

**6.193.1.326 RecyclerView\_android\_orientation**

```
const int PROJEKT.Droid.Resource.Styleable.RecyclerView_android_orientation = 0
```

**6.193.1.327 RecyclerView\_layoutManager**

```
const int PROJEKT.Droid.Resource.Styleable.RecyclerView_layoutManager = 1
```

**6.193.1.328 RecyclerView\_reverseLayout**

```
const int PROJEKT.Droid.Resource.Styleable.RecyclerView_reverseLayout = 3
```

**6.193.1.329 RecyclerView\_spanCount**

```
const int PROJEKT.Droid.Resource.Styleable.RecyclerView_spanCount = 2
```

**6.193.1.330 RecyclerView\_stackFromEnd**

```
const int PROJEKT.Droid.Resource.Styleable.RecyclerView_stackFromEnd = 4
```

**6.193.1.331 ScrimInsetsFrameLayout**

```
int [] PROJEKT.Droid.Resource.Styleable.ScrimInsetsFrameLayout [static]
```

**Initial value:**

```
= new int[] {  
    2130772256}
```

**6.193.1.332 ScrimInsetsFrameLayout\_insetForeground**

```
const int PROJEKT.Droid.Resource.Styleable.ScrimInsetsFrameLayout_insetForeground = 0
```

**6.193.1.333 ScrollingViewBehavior\_Params**

```
int [] PROJEKT.Droid.Resource.Styleable.ScrollingViewBehavior_Params [static]
```

**Initial value:**

```
= new int[] {  
    2130772257}
```

**6.193.1.334 ScrollingViewBehavior\_Params\_behavior\_overlapTop**

```
const int PROJEKT.Droid.Resource.Styleable.ScrollingViewBehavior_Params_behavior_overlapTop =  
0
```

**6.193.1.335 SearchView**

```
int [] PROJEKT.Droid.Resource.Styleable.SearchView [static]
```

**Initial value:**

```
= new int[] {  
    16842970,  
    16843039,  
    16843296,  
    16843364,  
    2130772175,  
    2130772176,  
    2130772177,  
    2130772178,  
    2130772179,  
    2130772180,  
    2130772181,  
    2130772182,  
    2130772183,  
    2130772184,  
    2130772185,  
    2130772186,  
    2130772187}
```

**6.193.1.336 SearchView\_android\_focusable**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_android_focusable = 0
```

**6.193.1.337 SearchView\_android\_imeOptions**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_android_imeOptions = 3
```

**6.193.1.338    SearchView\_android\_inputType**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_android_inputType = 2
```

**6.193.1.339    SearchView\_android\_maxWidth**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_android_maxWidth = 1
```

**6.193.1.340    SearchView\_closeIcon**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_closeIcon = 8
```

**6.193.1.341    SearchView\_commitIcon**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_commitIcon = 13
```

**6.193.1.342    SearchView\_defaultQueryHint**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_defaultQueryHint = 7
```

**6.193.1.343    SearchView\_goIcon**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_goIcon = 9
```

**6.193.1.344    SearchView\_iconifiedByDefault**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_iconifiedByDefault = 5
```

**6.193.1.345    SearchView\_layout**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_layout = 4
```

**6.193.1.346    SearchView\_queryBackground**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_queryBackground = 15
```

**6.193.1.347    SearchView\_queryHint**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_queryHint = 6
```

**6.193.1.348    SearchView\_searchHintIcon**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_searchHintIcon = 11
```

**6.193.1.349    SearchView\_searchIcon**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_searchIcon = 10
```

**6.193.1.350    SearchView\_submitBackground**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_submitBackground = 16
```

**6.193.1.351    SearchView\_suggestionRowLayout**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_suggestionRowLayout = 14
```

**6.193.1.352    SearchView\_voiceIcon**

```
const int PROJEKT.Droid.Resource.Styleable.SearchView_voiceIcon = 12
```

### 6.193.1.353 SnackbarLayout

```
int [] PROJEKT.Droid.Resource.Styleable.SnackbarLayout [static]
```

#### Initial value:

```
= new int[] {  
    16843039,  
    2130772032,  
    2130772258}
```

### 6.193.1.354 SnackbarLayout\_android\_maxWidth

```
const int PROJEKT.Droid.Resource.Styleable.SnackbarLayout_android_maxWidth = 0
```

### 6.193.1.355 SnackbarLayout\_elevation

```
const int PROJEKT.Droid.Resource.Styleable.SnackbarLayout_elevation = 1
```

### 6.193.1.356 SnackbarLayout\_maxActionInlineWidth

```
const int PROJEKT.Droid.Resource.Styleable.SnackbarLayout_maxActionInlineWidth = 2
```

### 6.193.1.357 Spinner

```
int [] PROJEKT.Droid.Resource.Styleable.Spinner [static]
```

#### Initial value:

```
= new int[] {  
    16842930,  
    16843126,  
    16843131,  
    16843362,  
    2130772033}
```

### 6.193.1.358 Spinner\_android\_dropDownWidth

```
const int PROJEKT.Droid.Resource.Styleable.Spinner_android_dropDownWidth = 3
```

**6.193.1.359 Spinner\_android\_entries**

```
const int PROJEKT.Droid.Resource.Styleable.Spinner_android_entries = 0
```

**6.193.1.360 Spinner\_android\_popupBackground**

```
const int PROJEKT.Droid.Resource.Styleable.Spinner_android_popupBackground = 1
```

**6.193.1.361 Spinner\_android\_prompt**

```
const int PROJEKT.Droid.Resource.Styleable.Spinner_android_prompt = 2
```

**6.193.1.362 Spinner\_popupTheme**

```
const int PROJEKT.Droid.Resource.Styleable.Spinner_popupTheme = 4
```

**6.193.1.363 SwitchCompat**

```
int [] PROJEKT.Droid.Resource.Styleable.SwitchCompat [static]
```

**Initial value:**

```
= new int[] {  
    16843044,  
    16843045,  
    16843074,  
    2130772188,  
    2130772189,  
    2130772190,  
    2130772191,  
    2130772192,  
    2130772193,  
    2130772194}
```

**6.193.1.364 SwitchCompat\_android\_textOff**

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_android_textOff = 1
```

**6.193.1.365 SwitchCompat\_android\_textOn**

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_android_textOn = 0
```

**6.193.1.366 SwitchCompat\_android\_thumb**

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_android_thumb = 2
```

**6.193.1.367 SwitchCompat\_showText**

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_showText = 9
```

**6.193.1.368 SwitchCompat\_splitTrack**

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_splitTrack = 8
```

**6.193.1.369 SwitchCompat\_switchMinWidth**

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_switchMinWidth = 6
```

**6.193.1.370 SwitchCompat\_switchPadding**

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_switchPadding = 7
```

**6.193.1.371 SwitchCompat\_switchTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_switchTextAppearance = 5
```

**6.193.1.372 SwitchCompat\_thumbTextPadding**

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_thumbTextPadding = 4
```



### 6.193.1.373 SwitchCompat\_track

```
const int PROJEKT.Droid.Resource.Styleable.SwitchCompat_track = 3
```

### 6.193.1.374 TabItem

```
int [] PROJEKT.Droid.Resource.Styleable.TabItem [static]
```

#### Initial value:

```
= new int[] {  
    16842754,  
    16842994,  
    16843087}
```

### 6.193.1.375 TabItem\_android\_icon

```
const int PROJEKT.Droid.Resource.Styleable.TabItem_android_icon = 0
```

### 6.193.1.376 TabItem\_android\_layout

```
const int PROJEKT.Droid.Resource.Styleable.TabItem_android_layout = 1
```

### 6.193.1.377 TabItem\_android\_text

```
const int PROJEKT.Droid.Resource.Styleable.TabItem_android_text = 2
```

### 6.193.1.378 TabLayout

```
int [] PROJEKT.Droid.Resource.Styleable.TabLayout [static]
```

#### Initial value:

```
= new int[] {  
    2130772259,  
    2130772260,  
    2130772261,  
    2130772262,  
    2130772263,  
    2130772264,  
    2130772265,  
    2130772266,  
    2130772267,  
    2130772268,  
    2130772269,  
    2130772270,  
    2130772271,  
    2130772272,  
    2130772273,  
    2130772274}
```

**6.193.1.379 TabLayout\_tabBackground**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabBackground = 3
```

**6.193.1.380 TabLayout\_tabContentStart**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabContentStart = 2
```

**6.193.1.381 TabLayout\_tabGravity**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabGravity = 5
```

**6.193.1.382 TabLayout\_tabIndicatorColor**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabIndicatorColor = 0
```

**6.193.1.383 TabLayout\_tabIndicatorHeight**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabIndicatorHeight = 1
```

**6.193.1.384 TabLayout\_tabMaxWidth**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabMaxWidth = 7
```

**6.193.1.385 TabLayout\_tabMinWidth**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabMinWidth = 6
```

**6.193.1.386 TabLayout\_tabMode**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabMode = 4
```

**6.193.1.387   TabLayout\_tabPadding**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabPadding = 15
```

**6.193.1.388   TabLayout\_tabPaddingBottom**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabPaddingBottom = 14
```

**6.193.1.389   TabLayout\_tabPaddingEnd**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabPaddingEnd = 13
```

**6.193.1.390   TabLayout\_tabPaddingStart**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabPaddingStart = 11
```

**6.193.1.391   TabLayout\_tabPaddingTop**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabPaddingTop = 12
```

**6.193.1.392   TabLayout\_tabSelectedTextColor**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabSelectedTextColor = 10
```

**6.193.1.393   TabLayout\_tabTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabTextAppearance = 8
```

**6.193.1.394   TabLayout\_tabTextColor**

```
const int PROJEKT.Droid.Resource.Styleable.TabLayout_tabTextColor = 9
```

### 6.193.1.395 TextAppearance

```
int [] PROJEKT.Droid.Resource.Styleable.TextAppearance [static]
```

#### Initial value:

```
= new int[] {  
    16842901,  
    16842902,  
    16842903,  
    16842904,  
    16843105,  
    16843106,  
    16843107,  
    16843108,  
    2130772043}
```

### 6.193.1.396 TextAppearance\_android\_shadowColor

```
const int PROJEKT.Droid.Resource.Styleable.TextAppearance_android_shadowColor = 4
```

### 6.193.1.397 TextAppearance\_android\_shadowDx

```
const int PROJEKT.Droid.Resource.Styleable.TextAppearance_android_shadowDx = 5
```

### 6.193.1.398 TextAppearance\_android\_shadowDy

```
const int PROJEKT.Droid.Resource.Styleable.TextAppearance_android_shadowDy = 6
```

### 6.193.1.399 TextAppearance\_android\_shadowRadius

```
const int PROJEKT.Droid.Resource.Styleable.TextAppearance_android_shadowRadius = 7
```

### 6.193.1.400 TextAppearance\_android\_textColor

```
const int PROJEKT.Droid.Resource.Styleable.TextAppearance_android_textColor = 3
```

**6.193.1.401 TextAppearance\_android\_textSize**

```
const int PROJEKT.Droid.Resource.Styleable.TextAppearance_android_textSize = 0
```

**6.193.1.402 TextAppearance\_android\_textStyle**

```
const int PROJEKT.Droid.Resource.Styleable.TextAppearance_android_textStyle = 2
```

**6.193.1.403 TextAppearance\_android\_typeface**

```
const int PROJEKT.Droid.Resource.Styleable.TextAppearance_android_typeface = 1
```

**6.193.1.404 TextAppearance\_textAllCaps**

```
const int PROJEKT.Droid.Resource.Styleable.TextAppearance_textAllCaps = 8
```

**6.193.1.405 TextInputLayout**

```
int [] PROJEKT.Droid.Resource.Styleable.TextInputLayout [static]
```

**Initial value:**

```
= new int[] {  
    16842906,  
    16843088,  
    2130772275,  
    2130772276,  
    2130772277,  
    2130772278,  
    2130772279,  
    2130772280,  
    2130772281,  
    2130772282,  
    2130772283}
```

**6.193.1.406 TextInputLayout\_android\_hint**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_android_hint = 1
```

**6.193.1.407 TextInputLayout\_android\_textColorHint**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_android_textColorHint = 0
```

**6.193.1.408 TextInputLayout\_counterEnabled**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_counterEnabled = 6
```

**6.193.1.409 TextInputLayout\_counterMaxLength**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_counterMaxLength = 7
```

**6.193.1.410 TextInputLayout\_counterOverflowTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_counterOverflowTextAppearance = 9
```

**6.193.1.411 TextInputLayout\_counterTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_counterTextAppearance = 8
```

**6.193.1.412 TextInputLayout\_errorEnabled**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_errorEnabled = 4
```

**6.193.1.413 TextInputLayout\_errorTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_errorTextAppearance = 5
```

**6.193.1.414 TextInputLayout\_hintAnimationEnabled**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_hintAnimationEnabled = 10
```

**6.193.1.415    TextInputLayout\_hintEnabled**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_hintEnabled = 3
```

**6.193.1.416    TextInputLayout\_hintTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.TextInputLayout_hintTextAppearance = 2
```

**6.193.1.417    Toolbar**

```
int [] PROJEKT.Droid.Resource.Styleable.Toolbar [static]
```

**Initial value:**

```
= new int[] {  
    16842927,  
    16843072,  
    2130772009,  
    2130772012,  
    2130772016,  
    2130772028,  
    2130772029,  
    2130772030,  
    2130772031,  
    2130772033,  
    2130772195,  
    2130772196,  
    2130772197,  
    2130772198,  
    2130772199,  
    2130772200,  
    2130772201,  
    2130772202,  
    2130772203,  
    2130772204,  
    2130772205,  
    2130772206,  
    2130772207,  
    2130772208,  
    2130772209}
```

**6.193.1.418    Toolbar\_android\_gravity**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_android_gravity = 0
```

**6.193.1.419    Toolbar\_android\_minHeight**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_android_minHeight = 1
```

**6.193.1.420 Toolbar\_collapseContentDescription**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_collapseContentDescription = 19
```

**6.193.1.421 Toolbar\_collapseIcon**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_collapseIcon = 18
```

**6.193.1.422 Toolbar\_contentInsetEnd**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_contentInsetEnd = 6
```

**6.193.1.423 Toolbar\_contentInsetLeft**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_contentInsetLeft = 7
```

**6.193.1.424 Toolbar\_contentInsetRight**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_contentInsetRight = 8
```

**6.193.1.425 Toolbar\_contentInsetStart**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_contentInsetStart = 5
```

**6.193.1.426 Toolbar\_logo**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_logo = 4
```

**6.193.1.427 Toolbar\_logoDescription**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_logoDescription = 22
```



**6.193.1.428 Toolbar\_maxButtonHeight**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_maxButtonHeight = 17
```

**6.193.1.429 Toolbar\_navigationContentDescription**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_navigationContentDescription = 21
```

**6.193.1.430 Toolbar\_navigationIcon**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_navigationIcon = 20
```

**6.193.1.431 Toolbar\_popupTheme**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_popupTheme = 9
```

**6.193.1.432 Toolbar\_subtitle**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_subtitle = 3
```

**6.193.1.433 Toolbar\_subtitleTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_subtitleTextAppearance = 11
```

**6.193.1.434 Toolbar\_subtitleTextColor**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_subtitleTextColor = 24
```

**6.193.1.435 Toolbar\_title**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_title = 2
```

**6.193.1.436   Toolbar\_titleMarginBottom**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_titleMarginBottom = 16
```

**6.193.1.437   Toolbar\_titleMarginEnd**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_titleMarginEnd = 14
```

**6.193.1.438   Toolbar\_titleMargins**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_titleMargins = 12
```

**6.193.1.439   Toolbar\_titleMarginStart**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_titleMarginStart = 13
```

**6.193.1.440   Toolbar\_titleMarginTop**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_titleMarginTop = 15
```

**6.193.1.441   Toolbar\_titleTextAppearance**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_titleTextAppearance = 10
```

**6.193.1.442   Toolbar\_titleTextColor**

```
const int PROJEKT.Droid.Resource.Styleable.Toolbar_titleTextColor = 23
```

**6.193.1.443 View**

```
int [] PROJEKT.Droid.Resource.Styleable.View [static]
```

**Initial value:**

```
= new int[] {  
    16842752,  
    16842970,  
    2130772210,  
    2130772211,  
    2130772212}
```

**6.193.1.444 View\_android\_focusable**

```
const int PROJEKT.Droid.Resource.Styleable.View_android_focusable = 1
```

**6.193.1.445 View\_android\_theme**

```
const int PROJEKT.Droid.Resource.Styleable.View_android_theme = 0
```

**6.193.1.446 View\_paddingEnd**

```
const int PROJEKT.Droid.Resource.Styleable.View_paddingEnd = 3
```

**6.193.1.447 View\_paddingStart**

```
const int PROJEKT.Droid.Resource.Styleable.View_paddingStart = 2
```

**6.193.1.448 View\_theme**

```
const int PROJEKT.Droid.Resource.Styleable.View_theme = 4
```

#### 6.193.1.449 ViewBackgroundHelper

```
int [] PROJEKT.Droid.Resource.Styleable.ViewBackgroundHelper [static]
```

##### Initial value:

```
= new int[] {  
    16842964,  
    2130772213,  
    2130772214}
```

#### 6.193.1.450 ViewBackgroundHelper\_android\_background

```
const int PROJEKT.Droid.Resource.Styleable.ViewBackgroundHelper_android_background = 0
```

#### 6.193.1.451 ViewBackgroundHelper\_backgroundTint

```
const int PROJEKT.Droid.Resource.Styleable.ViewBackgroundHelper_backgroundTint = 1
```

#### 6.193.1.452 ViewBackgroundHelper\_backgroundTintMode

```
const int PROJEKT.Droid.Resource.Styleable.ViewBackgroundHelper_backgroundTintMode = 2
```

#### 6.193.1.453 ViewStubCompat

```
int [] PROJEKT.Droid.Resource.Styleable.ViewStubCompat [static]
```

##### Initial value:

```
= new int[] {  
    16842960,  
    16842994,  
    16842995}
```

#### 6.193.1.454 ViewStubCompat\_android\_id

```
const int PROJEKT.Droid.Resource.Styleable.ViewStubCompat_android_id = 0
```

### 6.193.1.455 ViewStubCompat\_android\_inflatedId

```
const int PROJEKT.Droid.Resource.Styleable.ViewStubCompat_android_inflatedId = 2
```

### 6.193.1.456 ViewStubCompat\_android\_layout


```
const int PROJEKT.Droid.Resource.Styleable.ViewStubCompat_android_layout = 1
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Resources/Resource.Designer.cs

## 6.194 mono.android.support.design.widget.SwipeDismissBehavior\_OnDismissListenerImplementor Class Reference ↔

Inheritance diagram for mono.android.support.design.widget.SwipeDismissBehavior\_OnDismissListenerImplementor↔



### Public Member Functions

- SwipeDismissBehavior\_OnDismissListenerImplementor** () throws java.lang.Throwable
- void **onDismiss** (android.view.View p0)
- void **onDragStateChanged** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.194.1 Constructor & Destructor Documentation

### 6.194.1.1 SwipeDismissBehavior\_OnDismissListenerImplementor()

```
mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor.Swipe<↔
DismissBehavior_OnDismissListenerImplementor ( ) throws java.lang.Throwable
```

## 6.194.2 Member Function Documentation

### 6.194.2.1 monodroidAddReference()

```
void mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor.↔
monodroidAddReference (
    java.lang.Object obj )
```

### 6.194.2.2 monodroidClearReferences()

```
void mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor.↔
monodroidClearReferences ( )
```

### 6.194.2.3 onDismiss()

```
void mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor.on↔
Dismiss (
    android.view.View p0 )
```

### 6.194.2.4 onDragStateChanged()

```
void mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor.on↔
DragStateChanged (
    int p0 )
```

## 6.194.3 Member Data Documentation

### 6.194.3.1 \_\_md\_methods


```
final String mono.android.support.design.widget.SwipeDismissBehavior_OnDismissListenerImplementor.↔
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**SwipeDismissBehavior\_OnDismissListenerImplementor.java**

## 6.195 mono.android.support.v4.widget.SwipeRefreshLayout\_OnRefreshListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.widget.SwipeRefreshLayout\_OnRefreshListenerImplementor:



### Public Member Functions

- **SwipeRefreshLayout\_OnRefreshListenerImplementor** () throws java.lang.Throwable
- void **onRefresh** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.195.1 Constructor & Destructor Documentation

#### 6.195.1.1 SwipeRefreshLayout\_OnRefreshListenerImplementor()

mono.android.support.v4.widget.SwipeRefreshLayout\_OnRefreshListenerImplementor.SwipeRefreshLayout\_OnRefreshListenerImplementor ( ) throws java.lang.Throwable

### 6.195.2 Member Function Documentation

#### 6.195.2.1 monodroidAddReference()

```
void mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.195.2.2 monodroidClearReferences()

```
void mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor.monodroidClearReferences ( )
```

### 6.195.2.3 onRefresh()

```
void mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor.onRefresh
( )
```

## 6.195.3 Member Data Documentation

### 6.195.3.1 \_\_md\_methods


```
final String mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor.↵
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**SwipeRefreshLayout\_OnRefreshListenerImplementor.java**

## 6.196 md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView:



## Public Member Functions

- **SwitchCellView** (android.content.Context p0) throws java.lang.Throwable
- **SwitchCellView** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **SwitchCellView** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **SwitchCellView** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.↵  
Throwable
- void **onCheckedChanged** (android.widget.CompoundButton p0, boolean p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.196.1 Constructor & Destructor Documentation



#### 6.196.1.1 SwitchCellView() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView.SwitchCellView (  
    android.content.Context p0 ) throws java.lang.Throwable
```

#### 6.196.1.2 SwitchCellView() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView.SwitchCellView (  
    android.content.Context p0,  
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

#### 6.196.1.3 SwitchCellView() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView.SwitchCellView (  
    android.content.Context p0,  
    android.util.AttributeSet p1,  
    int p2 ) throws java.lang.Throwable
```

#### 6.196.1.4 SwitchCellView() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView.SwitchCellView (  
    android.content.Context p0,  
    android.util.AttributeSet p1,  
    int p2,  
    int p3 ) throws java.lang.Throwable
```

### 6.196.2 Member Function Documentation

#### 6.196.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView.monodroidAddReference (  
    java.lang.Object obj )
```

#### 6.196.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView.monodroidClearReferences ( )
```

### 6.196.2.3 onCheckedChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView.onCheckedChanged (
    android.widget.CompoundButton p0,
    boolean p1 )
```

## 6.196.3 Member Data Documentation

### 6.196.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView.java

## 6.197 md5270abb39e60627f0f200893b490a1ade.SwitchRenderer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.SwitchRenderer:



## Public Member Functions

- **SwitchRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **SwitchRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **SwitchRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onCheckedChanged** (android.widget.CompoundButton p0, boolean p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

### 6.197.1 Constructor & Destructor Documentation

### 6.197.1.1 SwitchRenderer() [1/3]

```
md5270abb39e60627f0f200893b490a1ade.SwitchRenderer.SwitchRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.197.1.2 SwitchRenderer() [2/3]

```
md5270abb39e60627f0f200893b490a1ade.SwitchRenderer.SwitchRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.197.1.3 SwitchRenderer() [3/3]

```
md5270abb39e60627f0f200893b490a1ade.SwitchRenderer.SwitchRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.197.2 Member Function Documentation

### 6.197.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490a1ade.SwitchRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.197.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490a1ade.SwitchRenderer.monodroidClearReferences ( )
```

### 6.197.2.3 onCheckedChanged()

```
void md5270abb39e60627f0f200893b490a1ade.SwitchRenderer.onCheckedChanged (
    android.widget.CompoundButton p0,
    boolean p1 )
```

### 6.197.3 Member Data Documentation

#### 6.197.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490alade.SwitchRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade.SwitchRenderer.java

## 6.198 md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer:



### Public Member Functions

- **SwitchRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵  
Throwable
- **SwitchRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **SwitchRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onCheckedChanged** (android.widget.CompoundButton p0, boolean p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.198.1 Constructor & Destructor Documentation

#### 6.198.1.1 SwitchRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer.SwitchRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.198.1.2 SwitchRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer.SwitchRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.198.1.3 SwitchRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer.SwitchRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.198.2 Member Function Documentation

### 6.198.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.198.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer.monodroidClearReferences ( )
```

### 6.198.2.3 onCheckedChanged()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer.onCheckedChanged (
    android.widget.CompoundButton p0,
    boolean p1 )
```

## 6.198.3 Member Data Documentation

### 6.198.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer.java

## 6.199 md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer:



### Public Member Functions

- **TabbedPageRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **TabbedPageRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **TabbedPageRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onTabReselected** (android.support.design.widget.TabLayout.Tab p0)
- void **onTabSelected** (android.support.design.widget.TabLayout.Tab p0)
- void **onTabUnselected** (android.support.design.widget.TabLayout.Tab p0)
- void **onPageScrollStateChanged** (int p0)
- void **onPageScrolled** (int p0, float p1, int p2)
- void **onPageSelected** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.199.1 Constructor & Destructor Documentation

#### 6.199.1.1 TabbedPageRenderer() [1/3]

```
md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer.TabbedPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.199.1.2 TabbedPageRenderer() [2/3]

```
md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer.TabbedPageRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.199.1.3 TabbedPageRenderer() [3/3]

```
md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer.TabbedPageRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.199.2 Member Function Documentation

### 6.199.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.199.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer.monodroidClearReferences ( )
```

### 6.199.2.3 onAttachedToWindow()

```
void md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer.onAttachedToWindow ( )
```

### 6.199.2.4 onDetachedFromWindow()

```
void md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer.onDetachedFromWindow ( )
```

### 6.199.2.5 onLayout()

```
void md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

#### 6.199.2.6 onPageScrolled()

```
void md5270abb39e60627f0f200893b490alade.TabbedPageRendererer.onPageScrolled (
    int p0,
    float p1,
    int p2 )
```

#### 6.199.2.7 onPageScrollStateChanged()

```
void md5270abb39e60627f0f200893b490alade.TabbedPageRendererer.onPageScrollStateChanged (
    int p0 )
```

#### 6.199.2.8 onPageSelected()

```
void md5270abb39e60627f0f200893b490alade.TabbedPageRendererer.onPageSelected (
    int p0 )
```

#### 6.199.2.9 onTabReselected()

```
void md5270abb39e60627f0f200893b490alade.TabbedPageRendererer.onTabReselected (
    android.support.design.widget.TabLayout.Tab p0 )
```

#### 6.199.2.10 onTabSelected()

```
void md5270abb39e60627f0f200893b490alade.TabbedPageRendererer.onTabSelected (
    android.support.design.widget.TabLayout.Tab p0 )
```

#### 6.199.2.11 onTabUnselected()

```
void md5270abb39e60627f0f200893b490alade.TabbedPageRendererer.onTabUnselected (
    android.support.design.widget.TabLayout.Tab p0 )
```

### 6.199.3 Member Data Documentation



## 6.199.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490alade.TabbedPageRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade.TabbedPageRenderer.java

## 6.200 md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer:



## Public Member Functions

- **TabbedRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↔ Throwable
- **TabbedRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **TabbedRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onAttachedToWindow** ()
- void **onDetachedFromWindow** ()
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.200.1 Constructor &amp; Destructor Documentation

## 6.200.1.1 TabbedRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer.TabbedRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.200.1.2 `TabbedRenderer()` [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer.TabbedRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.200.1.3 `TabbedRenderer()` [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer.TabbedRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.200.2 Member Function Documentation

### 6.200.2.1 `monodroidAddReference()`

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.200.2.2 `monodroidClearReferences()`

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer.monodroidClearReferences ( )
```

### 6.200.2.3 `onAttachedToWindow()`

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer.onAttachedToWindow ( )
```

### 6.200.2.4 `onDetachedFromWindow()`

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer.onDetachedFromWindow ( )
```

## 6.200.3 Member Data Documentation

## 6.200.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer.java

## 6.201 mono.android.support.design.widget.TabLayout\_OnTabSelectedListenerImplementor Class Reference

Inheritance diagram for mono.android.support.design.widget.TabLayout\_OnTabSelectedListenerImplementor:



### Public Member Functions

- **TabLayout\_OnTabSelectedListenerImplementor** () throws java.lang.Throwable
- void **onTabReselected** (android.support.design.widget.TabLayout.Tab p0)
- void **onTabSelected** (android.support.design.widget.TabLayout.Tab p0)
- void **onTabUnselected** (android.support.design.widget.TabLayout.Tab p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.201.1 Constructor & Destructor Documentation

#### 6.201.1.1 TabLayout\_OnTabSelectedListenerImplementor()

```
mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor.TabLayout_OnTabSelectedListenerImplementor ( ) throws java.lang.Throwable
```

### 6.201.2 Member Function Documentation

**6.201.2.1 monodroidAddReference()**

```
void mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor.monodroid↔
AddReference (
    java.lang.Object obj )
```

**6.201.2.2 monodroidClearReferences()**

```
void mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor.monodroid↔
ClearReferences ( )
```

**6.201.2.3 onTabReselected()**

```
void mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor.onTab↔
Reselected (
    android.support.design.widget.TabLayout.Tab p0 )
```

**6.201.2.4 onTabSelected()**

```
void mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor.onTab↔
Selected (
    android.support.design.widget.TabLayout.Tab p0 )
```

**6.201.2.5 onTabUnselected()**

```
void mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor.onTab↔
Unselected (
    android.support.design.widget.TabLayout.Tab p0 )
```

**6.201.3 Member Data Documentation****6.201.3.1 \_\_md\_methods**

```
final String mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor.↔
__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**TabLayout\_OnTabSelectedListenerImplementor.java**



**6.202.2.1 areAllItemsEnabled()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.areAllItemsEnabled ( )
```

**6.202.2.2 getCount()**

```
int md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.getCount ( )
```

**6.202.2.3 getItem()**

```
java.lang.Object md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.getItem (
    int p0 )
```

**6.202.2.4 getItemId()**

```
long md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.getItemId (
    int p0 )
```

**6.202.2.5 getView()**

```
android.view.View md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.getView (
    int p0,
    android.view.View p1,
    android.view.ViewGroup p2 )
```

**6.202.2.6 getViewTypeCount()**

```
int md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.getViewTypeCount ( )
```

**6.202.2.7 isEnabled()**

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.isEnabled (
    int p0 )
```

### 6.202.2.8 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.202.2.9 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.monodroidClearReferences ( )
```

## 6.202.3 Member Data Documentation

### 6.202.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer.java

## 6.203 md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer:



## Public Member Functions

- **TableViewRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.[Throwable](#)
- **TableViewRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.[Throwable](#)
- **TableViewRenderer** (android.content.Context p0) throws java.lang.[Throwable](#)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.203.1 Constructor & Destructor Documentation

### 6.203.1.1 TableViewRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer.TableViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.203.1.2 TableViewRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer.TableViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.203.1.3 TableViewRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer.TableViewRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.203.2 Member Function Documentation

### 6.203.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.203.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer.monodroidClearReferences ( )
```

## 6.203.3 Member Data Documentation



### 6.203.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f, TableViewRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f, TableViewRenderer.java

## 6.204 PROJEKT.Models.API.TeamDTO Class Reference

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego zespołu.

### Properties

- string **Name** [get, set]

### 6.204.1 Detailed Description

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego zespołu.

### 6.204.2 Property Documentation

#### 6.204.2.1 Name

```
string PROJEKT.Models.API.TeamDTO.Name [get], [set]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/ **TeamDTO.cs**

## 6.205 PROJEKT.ViewModels.TeamItemViewModel Class Reference

Klasa pomocnicza do obsłużenia widoku.

### Public Member Functions

- **TeamItemViewModel ()**  
*Konstruktor.*
- async void **DownloadData** ( **IDownloadTeam** download, ListView listView)  
*Metoda do pobrania z API danych oraz wczytywanie ich do widoku.*

## Properties

- **TeamsDTO Results** [get, set]

*Lista obiektów LeaguesDTO do przekonwertowania danych z JSON.*

### 6.205.1 Detailed Description

Klasa pomocnicza do obsłużenia widoku.

### 6.205.2 Constructor & Destructor Documentation

#### 6.205.2.1 TeamItemViewModel()

```
PROJEKT.ViewModels.TeamItemViewModel.TeamItemViewModel ( )
```

Konstruktor.

### 6.205.3 Member Function Documentation

#### 6.205.3.1 DownloadData()

```
async void PROJEKT.ViewModels.TeamItemViewModel.DownloadData (
    IDownloadTeam download,
    ListView listView )
```

Metoda do pobrania z API danych oraz wczytywanie ich do widoku.

### 6.205.4 Property Documentation

#### 6.205.4.1 Results

```
TeamsDTO PROJEKT.ViewModels.TeamItemViewModel.Results [get], [set]
```

Lista obiektów LeaguesDTO do przekonwertowania danych z JSON.

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/ **TeamItemViewModel.cs**

## 6.206 PROJEKT.Models.API.TeamsDTO Class Reference

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista drużyn.

### Properties

- List< **TeamDTO** > **Teams** [get, set]

### 6.206.1 Detailed Description

Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista drużyn.

### 6.206.2 Property Documentation

#### 6.206.2.1 Teams


List< **TeamDTO**> PROJEKT.Models.API.TeamsDTO.Teams [get], [set]

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/ **Teams**↔  
**DTO.cs**

## 6.207 PROJEKT.Views.Controls.TeamsItemView Class Reference

Inheritance diagram for PROJEKT.Views.Controls.TeamsItemView:



### Public Member Functions

- **TeamsItemView** ()

### 6.207.1 Constructor & Destructor Documentation

### 6.207.1.1 TeamsItemView()


PROJEKT.Views.Controls.TeamsItemView.TeamsItemView ( )

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.Views.Controls.TeamsItemView.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/**TeamsItemView.xaml.cs**

## 6.208 PROJEKT.Views.Controls.TeamsView Class Reference

Inheritance diagram for PROJEKT.Views.Controls.TeamsView:



### Public Member Functions

- **TeamsView ( )**

### 6.208.1 Constructor & Destructor Documentation

#### 6.208.1.1 TeamsView()


PROJEKT.Views.Controls.TeamsView.TeamsView ( )

The documentation for this class was generated from the following files:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/ **PROJEKT.Views.Controls.TeamsView.xaml.g.cs**
- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/**TeamsView.xaml.cs**

## 6.209 md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer\_TextCellView Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer\_TextCellView:



## Public Member Functions

- **TextCellRenderer\_TextCellView** (android.content.Context p0) throws java.lang.Throwable
- **TextCellRenderer\_TextCellView** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **TextCellRenderer\_TextCellView** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **TextCellRenderer\_TextCellView** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.209.1 Constructor & Destructor Documentation

### 6.209.1.1 TextCellRenderer\_TextCellView() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView.TextCellRenderer_TextCellView (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.209.1.2 TextCellRenderer\_TextCellView() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView.TextCellRenderer_TextCellView (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.209.1.3 TextCellRenderer\_TextCellView() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView.TextCellRenderer_TextCellView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.209.1.4 TextCellRenderer\_TextCellView() [ 4 / 4 ]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView.TextCellRenderer_TextCellView (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

### 6.209.2 Member Function Documentation

#### 6.209.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.209.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView.monodroidClearReferences
( )
```

### 6.209.3 Member Data Documentation

#### 6.209.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer_TextCellView.__md_methods
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TextCellRenderer\_TextCellView.java

## 6.210 md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer:



## Public Member Functions

- **TimePickerRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **TimePickerRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **TimePickerRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **onTimeSet** (android.widget.TimePicker p0, int p1, int p2)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.210.1 Constructor & Destructor Documentation

### 6.210.1.1 TimePickerRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer.TimePickerRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.210.1.2 TimePickerRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer.TimePickerRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.210.1.3 TimePickerRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer.TimePickerRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.210.2 Member Function Documentation

### 6.210.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.210.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer.monodroidClearReferences ( )
```

### 6.210.2.3 onTimeSet()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer.onTimeSet (
    android.widget.TimePicker p0,
    int p1,
    int p2 )
```

## 6.210.3 Member Data Documentation

### 6.210.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer.java

## 6.211 md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer\_TimePickerListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer\_TimePickerListener:



## Public Member Functions

- **TimePickerRenderer\_TimePickerListener** () throws java.lang.Throwable
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()



## Static Public Attributes

- static final String `__md_methods`

### 6.211.1 Constructor & Destructor Documentation

#### 6.211.1.1 TimePickerRenderer\_TimePickerListener()

md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer\_TimePickerListener.TimePickerRenderer↵  
\_TimePickerListener ( ) throws java.lang.Throwable

### 6.211.2 Member Function Documentation

#### 6.211.2.1 monodroidAddReference()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer\_TimePickerListener.monodroidAdd↵  
Reference (   
          java.lang.Object obj )

#### 6.211.2.2 monodroidClearReferences()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer\_TimePickerListener.monodroid↵  
ClearReferences ( )

#### 6.211.2.3 onClick()

void md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer\_TimePickerListener.onClick (   
          android.view.View p0 )

### 6.211.3 Member Data Documentation

### 6.211.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer_TimePickerListener.__md_↵
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer\_TimePickerListener.java

## 6.212 android.support.v7.widget.Toolbar\_NavigationOnClickEventDispatcher Class Reference

Inheritance diagram for android.support.v7.widget.Toolbar\_NavigationOnClickEventDispatcher:



### Public Member Functions

- **Toolbar\_NavigationOnClickEventDispatcher** () throws java.lang.Throwable
- **Toolbar\_NavigationOnClickEventDispatcher** (android.support.v7.widget.Toolbar p0) throws java.lang.Throwable↵
- void **onClick** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.212.1 Constructor & Destructor Documentation

#### 6.212.1.1 Toolbar\_NavigationOnClickEventDispatcher() [1/2]

```
android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher.Toolbar_NavigationOnClick_↵
EventDispatcher ( ) throws java.lang.Throwable
```

### 6.212.1.2 Toolbar\_NavigationOnClickEventDispatcher() [2/2]

```
android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher.Toolbar_NavigationOnClick←  
EventDispatcher (   
    android.support.v7.widget.Toolbar p0 ) throws java.lang.Throwable
```

## 6.212.2 Member Function Documentation

### 6.212.2.1 monodroidAddReference()

```
void android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher.monodroidAddReference  
(   
    java.lang.Object obj )
```

### 6.212.2.2 monodroidClearReferences()

```
void android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher.monodroidClearReferences  
( )
```

### 6.212.2.3 onClick()

```
void android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher.onClick (   
    android.view.View p0 )
```

## 6.212.3 Member Data Documentation

### 6.212.3.1 \_\_md\_methods


```
final String android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher.__md_methods  
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/supp  
Toolbar\_NavigationOnClickEventDispatcher.java

## 6.213 mono.android.support.v7.widget.Toolbar\_OnMenuItemClickListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.Toolbar\_OnMenuItemClickListenerImplementor:



### Public Member Functions

- **Toolbar\_OnMenuItemClickListenerImplementor** () throws java.lang.Throwable
- boolean **onMenuItemClick** (android.view.MenuItem p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.213.1 Constructor & Destructor Documentation

### 6.213.1.1 Toolbar\_OnMenuItemClickListenerImplementor()

```
mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor.Toolbar_OnMenuItemClick↳
ClickListenerImplementor ( ) throws java.lang.Throwable
```

## 6.213.2 Member Function Documentation

### 6.213.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor.monodroidAdd↳
Reference (
    java.lang.Object obj )
```

### 6.213.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor.monodroid↳
ClearReferences ( )
```

## 6.213.2.3 onMenuItemClick()

```
boolean mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor.onMenuItemClick (
    android.view.MenuItem p0 )
```

## 6.213.3 Member Data Documentation

## 6.213.3.1 \_\_md\_methods


```
final String mono.android.support.v7.widget.Toolbar_OnMenuItemClickListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/Toolbar\_OnMenuItemClickListenerImplementor.java

## 6.214 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton:



## Public Member Functions

- **ToolbarButton** (android.content.Context p0) throws java.lang.Throwable
- **ToolbarButton** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ToolbarButton** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **ToolbarButton** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.214.1 Constructor &amp; Destructor Documentation

**6.214.1.1 ToolbarButton()** [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton.ToolbarButton (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.214.1.2 ToolbarButton()** [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton.ToolbarButton (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.214.1.3 ToolbarButton()** [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton.ToolbarButton (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

**6.214.1.4 ToolbarButton()** [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton.ToolbarButton (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

**6.214.2 Member Function Documentation****6.214.2.1 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton.monodroidAddReference (
    java.lang.Object obj )
```

**6.214.2.2 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton.monodroidClearReferences ( )
```

### 6.214.3 Member Data Documentation

#### 6.214.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton.java

## 6.215 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton:



### Public Member Functions

- **ToolbarImageButton** (android.content.Context p0) throws java.lang.Throwable
- **ToolbarImageButton** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ToolbarImageButton** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **ToolbarImageButton** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.215.1 Constructor & Destructor Documentation

#### 6.215.1.1 ToolbarImageButton() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton.ToolbarImageButton (
    android.content.Context p0 ) throws java.lang.Throwable
```

#### 6.215.1.2 ToolbarImageButton() [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton.ToolbarImageButton (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

#### 6.215.1.3 ToolbarImageButton() [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton.ToolbarImageButton (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.215.1.4 ToolbarImageButton() [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton.ToolbarImageButton (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

### 6.215.2 Member Function Documentation

#### 6.215.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.215.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton.monodroidClearReferences ( )
```

### 6.215.3 Member Data Documentation



## 6.215.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarImageButton.java

## 6.216 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer\_ViewCellContainer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer\_ViewCellContainer:



### Public Member Functions

- **ViewCellRenderer\_ViewCellContainer** (android.content.Context p0) throws java.lang.Throwable
- **ViewCellRenderer\_ViewCellContainer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ViewCellRenderer\_ViewCellContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **ViewCellRenderer\_ViewCellContainer** (android.content.Context p0, android.util.AttributeSet p1, int p2, int p3) throws java.lang.Throwable
- boolean **onInterceptTouchEvent** (android.view.MotionEvent p0)
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onMeasure** (int p0, int p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.216.1 Constructor & Destructor Documentation

#### 6.216.1.1 ViewCellRenderer\_ViewCellContainer() [1/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.ViewCellRenderer_ViewCellContainer (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.216.1.2 ViewCellRenderer\_ViewCellContainer()** [2/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.ViewCellRenderer_View↔
CellContainer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.216.1.3 ViewCellRenderer\_ViewCellContainer()** [3/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.ViewCellRenderer_View↔
CellContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

**6.216.1.4 ViewCellRenderer\_ViewCellContainer()** [4/4]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.ViewCellRenderer_View↔
CellContainer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2,
    int p3 ) throws java.lang.Throwable
```

**6.216.2 Member Function Documentation****6.216.2.1 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.monodroidAdd↔
Reference (
    java.lang.Object obj )
```

**6.216.2.2 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.monodroidClear↔
References ( )
```

## 6.216.2.3 onInterceptTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.onIntercept↵
TouchEvent (
    android.view.MotionEvent p0 )
```

## 6.216.2.4 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

## 6.216.2.5 onMeasure()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.onMeasure (
    int p0,
    int p1 )
```

## 6.216.3 Member Data Documentation

## 6.216.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer.__md_↵
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer\_ViewCellContainer.java

## 6.217 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer\_ViewCellContainer\_↵ LongPressGestureListener Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer\_ViewCellContainer\_Long↵  
PressGestureListener:



## Public Member Functions

- **ViewCellRenderer\_ViewCellContainer\_LongPressGestureListener** () throws java.lang.Throwable
- boolean **onDown** (android.view.MotionEvent p0)
- boolean **onFling** (android.view.MotionEvent p0, android.view.MotionEvent p1, float p2, float p3)
- void **onLongPress** (android.view.MotionEvent p0)
- boolean **onScroll** (android.view.MotionEvent p0, android.view.MotionEvent p1, float p2, float p3)
- void **onShowPress** (android.view.MotionEvent p0)
- boolean **onSingleTapUp** (android.view.MotionEvent p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.217.1 Constructor & Destructor Documentation

### 6.217.1.1 ViewCellRenderer\_ViewCellContainer\_LongPressGestureListener()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPressGesture↵
Listener.ViewCellRenderer_ViewCellContainer_LongPressGestureListener ( ) throws java.lang.↵
Throwable
```

## 6.217.2 Member Function Documentation

### 6.217.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPressGesture↵
Listener.monodroidAddReference (
    java.lang.Object obj )
```

### 6.217.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPressGesture↵
Listener.monodroidClearReferences ( )
```

---

6.217.2.3 onDown()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPress←
GestureListener.onDown (
    android.view.MotionEvent p0 )
```

## 6.217.2.4 onFling()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPress←
GestureListener.onFling (
    android.view.MotionEvent p0,
    android.view.MotionEvent p1,
    float p2,
    float p3 )
```

## 6.217.2.5 onLongPress()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPressGesture←
Listener.onLongPress (
    android.view.MotionEvent p0 )
```

## 6.217.2.6 onScroll()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPress←
GestureListener.onScroll (
    android.view.MotionEvent p0,
    android.view.MotionEvent p1,
    float p2,
    float p3 )
```

## 6.217.2.7 onShowPress()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPressGesture←
Listener.onShowPress (
    android.view.MotionEvent p0 )
```

## 6.217.2.8 onSingleTapUp()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_LongPress←
GestureListener.onSingleTapUp (
    android.view.MotionEvent p0 )
```

### 6.217.3 Member Data Documentation

#### 6.217.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer_ViewCellContainer_Long↔
PressGestureListener.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer\_ViewCellContainer\_LongPressGestureListener.java

## 6.218 mono.android.support.v4.view.ViewPager\_OnPageChangeListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.view.ViewPager\_OnPageChangeListenerImplementor:



### Public Member Functions

- **ViewPager\_OnPageChangeListenerImplementor** () throws java.lang.Throwable
- void **onPageScrollStateChanged** (int p0)
- void **onPageScrolled** (int p0, float p1, int p2)
- void **onPageSelected** (int p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.218.1 Constructor & Destructor Documentation

#### 6.218.1.1 ViewPager\_OnPageChangeListenerImplementor()

```
mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor.ViewPager_OnPage↔
ChangeListenerImplementor ( ) throws java.lang.Throwable
```

## 6.218.2 Member Function Documentation

### 6.218.2.1 monodroidAddReference()

```
void mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

### 6.218.2.2 monodroidClearReferences()

```
void mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor.monodroidClearReferences ( )
```

### 6.218.2.3 onPageScrolled()

```
void mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor.onPageScrolled (
    int p0,
    float p1,
    int p2 )
```

### 6.218.2.4 onPageScrollStateChanged()

```
void mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor.onPageScrollStateChanged (
    int p0 )
```

### 6.218.2.5 onPageSelected()

```
void mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor.onPageSelected (
    int p0 )
```

## 6.218.3 Member Data Documentation

### 6.218.3.1 \_\_md\_methods


```
final String mono.android.support.v4.view.ViewPager_OnPageChangeListenerImplementor.__md_↔
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**ViewPager\_OnPageChangeListenerImplementor.java**

## 6.219 mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor:



### Public Member Functions

- **ViewPropertyAnimatorListenerImplementor** () throws java.lang.Throwable
- void **onAnimationCancel** (android.view.View p0)
- void **onAnimationEnd** (android.view.View p0)
- void **onAnimationStart** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.219.1 Constructor & Destructor Documentation

### 6.219.1.1 ViewPropertyAnimatorListenerImplementor()

```
mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor.ViewPropertyAnimator↔
ListenerImplementor ( ) throws java.lang.Throwable
```

## 6.219.2 Member Function Documentation



**6.219.2.1 monodroidAddReference()**

```
void mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor.monodroidAddReference
(
    java.lang.Object obj )
```

**6.219.2.2 monodroidClearReferences()**

```
void mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor.monodroidClear↔
References ( )
```

**6.219.2.3 onAnimationCancel()**

```
void mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor.onAnimationCancel (
    android.view.View p0 )
```

**6.219.2.4 onAnimationEnd()**

```
void mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor.onAnimationEnd (
    android.view.View p0 )
```

**6.219.2.5 onAnimationStart()**

```
void mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor.onAnimationStart (
    android.view.View p0 )
```

**6.219.3 Member Data Documentation****6.219.3.1 \_\_md\_methods**


```
final String mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor.__md_methods
[static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro  
**ViewPropertyAnimatorListenerImplementor.java**

## 6.220 mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor:



### Public Member Functions

- **ViewPropertyAnimatorUpdateListenerImplementor** () throws java.lang.Throwable
- void **onAnimationUpdate** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.220.1 Constructor & Destructor Documentation

### 6.220.1.1 ViewPropertyAnimatorUpdateListenerImplementor()

```
mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor.ViewPropertyAnimatorUpdateListenerImplementor ( ) throws java.lang.Throwable
```

## 6.220.2 Member Function Documentation

### 6.220.2.1 monodroidAddReference()

```
void mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

### 6.220.2.2 monodroidClearReferences()

```
void mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor.monodroidClearReferences ( )
```

## 6.220.2.3 onAnimationUpdate()

```
void mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor.onAnimation↵
Update (
    android.view.View p0 )
```

## 6.220.3 Member Data Documentation

## 6.220.3.1 \_\_md\_methods


```
final String mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor.__md↵
_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/andro↵  
**ViewPropertyAnimatorUpdateListenerImplementor.java**

## 6.221 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer:



## Public Member Functions

- **ViewRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **ViewRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ViewRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.221.1 Constructor &amp; Destructor Documentation

**6.221.1.1 ViewRenderer()** [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer.ViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

**6.221.1.2 ViewRenderer()** [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer.ViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

**6.221.1.3 ViewRenderer()** [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer.ViewRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

**6.221.2 Member Function Documentation****6.221.2.1 monodroidAddReference()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer.monodroidAddReference (
    java.lang.Object obj )
```

**6.221.2.2 monodroidClearReferences()**

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer.monodroidClearReferences ( )
```

**6.221.3 Member Data Documentation**

## 6.221.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a74f3f.ViewRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a74f3f.ViewRenderer.java

## 6.222 md5270abb39e60627f0f200893b490a1ade.ViewRenderer\_2 Class Reference

Inheritance diagram for md5270abb39e60627f0f200893b490a1ade.ViewRenderer\_2:



## Public Member Functions

- **ViewRenderer\_2** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵ Throwable
- **ViewRenderer\_2** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **ViewRenderer\_2** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.222.1 Constructor &amp; Destructor Documentation

## 6.222.1.1 ViewRenderer\_2() [1/3]

```
md5270abb39e60627f0f200893b490a1ade.ViewRenderer_2.ViewRenderer_2 (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.222.1.2 ViewRenderer\_2() [2/3]

```
md5270abb39e60627f0f200893b490alade.ViewRenderer_2.ViewRenderer_2 (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

#### 6.222.1.3 ViewRenderer\_2() [3/3]

```
md5270abb39e60627f0f200893b490alade.ViewRenderer_2.ViewRenderer_2 (
    android.content.Context p0 ) throws java.lang.Throwable
```

### 6.222.2 Member Function Documentation

#### 6.222.2.1 monodroidAddReference()

```
void md5270abb39e60627f0f200893b490alade.ViewRenderer_2.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.222.2.2 monodroidClearReferences()

```
void md5270abb39e60627f0f200893b490alade.ViewRenderer_2.monodroidClearReferences ( )
```

### 6.222.3 Member Data Documentation

#### 6.222.3.1 \_\_md\_methods


```
final String md5270abb39e60627f0f200893b490alade.ViewRenderer_2.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490alade/ViewRenderer\_2.java

## 6.223 md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer\_2 Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer\_2:



### Public Member Functions

- **ViewRenderer\_2** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.[Throwable](#)
- **ViewRenderer\_2** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.[Throwable](#)
- **ViewRenderer\_2** (android.content.Context p0) throws java.lang.[Throwable](#)
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **onFocusChange** (android.view.View p0, boolean p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.223.1 Constructor & Destructor Documentation

#### 6.223.1.1 ViewRenderer\_2() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2.ViewRenderer_2 (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.223.1.2 ViewRenderer\_2() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2.ViewRenderer_2 (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.223.1.3 ViewRenderer\_2() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2.ViewRenderer_2 (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.223.2 Member Function Documentation

### 6.223.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2.monodroidAddReference (
    java.lang.Object obj )
```

### 6.223.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2.monodroidClearReferences ( )
```

### 6.223.2.3 onFocusChange()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2.onFocusChange (
    android.view.View p0,
    boolean p1 )
```

### 6.223.2.4 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```



### 6.223.3 Member Data Documentation

#### 6.223.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer_2.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer\_2.java

## 6.224 mono.android.support.v7.widget.ViewStubCompat\_OnInflateListenerImplementor Class Reference

Inheritance diagram for mono.android.support.v7.widget.ViewStubCompat\_OnInflateListenerImplementor:



### Public Member Functions

- **ViewStubCompat\_OnInflateListenerImplementor** () throws java.lang.Throwable
- void **onInflate** (android.support.v7.widget.ViewStubCompat p0, android.view.View p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.224.1 Constructor & Destructor Documentation

#### 6.224.1.1 ViewStubCompat\_OnInflateListenerImplementor()

```
mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor.ViewStubCompat_OnInflateListenerImplementor ( ) throws java.lang.Throwable
```

### 6.224.2 Member Function Documentation

### 6.224.2.1 monodroidAddReference()

```
void mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor.monodroidAddReference (
    java.lang.Object obj )
```

### 6.224.2.2 monodroidClearReferences()

```
void mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor.monodroidClearReferences ( )
```

### 6.224.2.3 onInflate()

```
void mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor.onInflate (
    android.support.v7.widget.ViewStubCompat p0,
    android.view.View p1 )
```

## 6.224.3 Member Data Documentation

### 6.224.3.1 \_\_md\_methods


```
final String mono.android.support.v7.widget.ViewStubCompat_OnInflateListenerImplementor.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android.support.v7.widget.ViewStubCompat\_OnInflateListenerImplementor.java

## 6.225 md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer\_1 Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer\_1:



## Public Member Functions

- **VisualElementRenderer\_1** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.Throwable
- **VisualElementRenderer\_1** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **VisualElementRenderer\_1** (android.content.Context p0) throws java.lang.Throwable
- boolean **onTouchEvent** (android.view.MotionEvent p0)
- boolean **onInterceptTouchEvent** (android.view.MotionEvent p0)
- boolean **dispatchTouchEvent** (android.view.MotionEvent p0)
- void **onLayout** (boolean p0, int p1, int p2, int p3, int p4)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.225.1 Constructor & Destructor Documentation

### 6.225.1.1 VisualElementRenderer\_1() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.VisualElementRenderer_1 (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

### 6.225.1.2 VisualElementRenderer\_1() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.VisualElementRenderer_1 (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

### 6.225.1.3 VisualElementRenderer\_1() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.VisualElementRenderer_1 (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.225.2 Member Function Documentation

#### 6.225.2.1 dispatchTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.dispatchTouchEvent (
    android.view.MotionEvent p0 )
```

#### 6.225.2.2 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.monodroidAddReference (
    java.lang.Object obj )
```

#### 6.225.2.3 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.monodroidClearReferences ( )
```

#### 6.225.2.4 onInterceptTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.onInterceptTouchEvent (
    android.view.MotionEvent p0 )
```

#### 6.225.2.5 onLayout()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.onLayout (
    boolean p0,
    int p1,
    int p2,
    int p3,
    int p4 )
```

#### 6.225.2.6 onTouchEvent()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.onTouchEvent (
    android.view.MotionEvent p0 )
```

### 6.225.3 Member Data Documentation

## 6.225.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer_1.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker\_AttachTracker\_1.java

## 6.226 md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker\_AttachTracker Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker\_AttachTracker:



### Public Member Functions

- **VisualElementTracker\_AttachTracker** () throws java.lang.Throwable
- void **onViewAttachedToWindow** (android.view.View p0)
- void **onViewDetachedFromWindow** (android.view.View p0)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

## 6.226.1 Constructor & Destructor Documentation

### 6.226.1.1 VisualElementTracker\_AttachTracker()

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker.VisualElementTracker_↵
AttachTracker ( ) throws java.lang.Throwable
```

## 6.226.2 Member Function Documentation

#### 6.226.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker.monodroidAdd↵  
Reference (   
    java.lang.Object obj )
```

#### 6.226.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker.monodroidClear↵  
References ( )
```

#### 6.226.2.3 onViewAttachedToWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker.onViewAttachedTo↵  
Window (   
    android.view.View p0 )
```

#### 6.226.2.4 onViewDetachedFromWindow()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker.onViewDetached↵  
FromWindow (   
    android.view.View p0 )
```

### 6.226.3 Member Data Documentation

#### 6.226.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker_AttachTracker.__md_↵  
methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker\_AttachTracker.java

## 6.227 md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer:



### Public Member Functions

- **WebViewRenderer** (android.content.Context p0, android.util.AttributeSet p1, int p2) throws java.lang.↵  
Throwable
- **WebViewRenderer** (android.content.Context p0, android.util.AttributeSet p1) throws java.lang.Throwable
- **WebViewRenderer** (android.content.Context p0) throws java.lang.Throwable
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()

### Static Public Attributes

- static final String **\_\_md\_methods**

### 6.227.1 Constructor & Destructor Documentation

#### 6.227.1.1 WebViewRenderer() [1/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRendererer.WebViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1,
    int p2 ) throws java.lang.Throwable
```

#### 6.227.1.2 WebViewRenderer() [2/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRendererer.WebViewRenderer (
    android.content.Context p0,
    android.util.AttributeSet p1 ) throws java.lang.Throwable
```

#### 6.227.1.3 WebViewRenderer() [3/3]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRendererer.WebViewRenderer (
    android.content.Context p0 ) throws java.lang.Throwable
```

## 6.227.2 Member Function Documentation

### 6.227.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer.monodroidAddReference (
    java.lang.Object obj )
```

### 6.227.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer.monodroidClearReferences ( )
```

## 6.227.3 Member Data Documentation

### 6.227.3.1 \_\_md\_methods


```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer.java

## 6.228 md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer\_WebClient Class Reference

Inheritance diagram for md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer\_WebClient:



### Public Member Functions

- **WebViewRenderer\_WebClient** () throws java.lang.Throwable
- **WebViewRenderer\_WebClient** ( md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer p0) throws java.lang.Throwable
- void **onPageFinished** (android.webkit.WebView p0, java.lang.String p1)
- void **onReceivedError** (android.webkit.WebView p0, int p1, java.lang.String p2, java.lang.String p3)
- void **onReceivedError** (android.webkit.WebView p0, android.webkit.WebResourceRequest p1, android.webkit.WebResourceError p2)
- boolean **shouldOverrideUrlLoading** (android.webkit.WebView p0, java.lang.String p1)
- void **monodroidAddReference** (java.lang.Object obj)
- void **monodroidClearReferences** ()



## Static Public Attributes

- static final String **\_\_md\_methods**

## 6.228.1 Constructor & Destructor Documentation

### 6.228.1.1 WebViewRenderer\_WebClient() [1/2]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient.WebViewRenderer_WebClient ( )  
throws java.lang.Throwable
```

### 6.228.1.2 WebViewRenderer\_WebClient() [2/2]

```
md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient.WebViewRenderer_WebClient (   
    md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer p0 ) throws java.lang.↵  
Throwable
```

## 6.228.2 Member Function Documentation

### 6.228.2.1 monodroidAddReference()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient.monodroidAddReference (   
    java.lang.Object obj )
```

### 6.228.2.2 monodroidClearReferences()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient.monodroidClearReferences (   
    )
```

### 6.228.2.3 onPageFinished()

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient.onPageFinished (   
    android.webkit.WebView p0,   
    java.lang.String p1 )
```

#### 6.228.2.4 onReceivedError() [1/2]

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient.onReceivedError (
    android.webkit.WebView p0,
    int p1,
    java.lang.String p2,
    java.lang.String p3 )
```

#### 6.228.2.5 onReceivedError() [2/2]

```
void md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient.onReceivedError (
    android.webkit.WebView p0,
    android.webkit.WebResourceRequest p1,
    android.webkit.WebResourceError p2 )
```

#### 6.228.2.6 shouldOverrideUrlLoading()

```
boolean md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient.shouldOverrideUrlLoading
(
    android.webkit.WebView p0,
    java.lang.String p1 )
```

### 6.228.3 Member Data Documentation

#### 6.228.3.1 \_\_md\_methods

```
final String md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer_WebClient.__md_methods [static]
```

The documentation for this class was generated from the following file:

- C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer\_WebClient.java

## Chapter 7

# File Documentation

### 7.1 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/DependencyService/StreamService.cs File Reference ↩

#### Classes

- class **PROJEKT.Droid.DependencyServices.StreamService**

#### Namespaces

- namespace **PROJEKT.Droid.DependencyServices**

### 7.2 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/DependencyServices/StreamService.cs File Reference ↩

#### Classes

- class **PROJEKT.Droid.DependencyServices.StreamService**

#### Namespaces

- namespace **PROJEKT.Droid.DependencyServices**

### 7.3 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/MainActivity.cs File Reference ↩

#### Classes

- class **PROJEKT.Droid.MainActivity**

## Namespaces

- namespace **PROJEKT.Droid**

## 7.4 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/projekt/droid/R.java File Reference

### Classes

- class **projekt.droid.R**
- class **projekt.droid.R.anim**
- class **projekt.droid.R.attr**
- class **projekt.droid.R.bool**
- class **projekt.droid.R.color**
- class **projekt.droid.R.dimen**
- class **projekt.droid.R.drawable**
- class **projekt.droid.R.id**
- class **projekt.droid.R.integer**
- class **projekt.droid.R.interpolator**
- class **projekt.droid.R.layout**
- class **projekt.droid.R.string**
- class **projekt.droid.R.style**
- class **projekt.droid.R.styleable**

### Packages

- package **projekt.droid**

## 7.5 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/design/R.java File Reference

### Classes

- class **android.support.design.R**
- class **android.support.design.R.anim**
- class **android.support.design.R.attr**
- class **android.support.design.R.bool**
- class **android.support.design.R.color**
- class **android.support.design.R.dimen**
- class **android.support.design.R.drawable**
- class **android.support.design.R.id**
- class **android.support.design.R.integer**
- class **android.support.design.R.interpolator**
- class **android.support.design.R.layout**
- class **android.support.design.R.string**
- class **android.support.design.R.style**
- class **android.support.design.R.styleable**

- package **android.support.design**

## 7.6 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/graphics/drawable/animated/R.java File Reference

### Classes

- class **android.support.graphics.drawable.animated.R**
- class **android.support.graphics.drawable.animated.R.anim**
- class **android.support.graphics.drawable.animated.R.attr**
- class **android.support.graphics.drawable.animated.R.bool**
- class **android.support.graphics.drawable.animated.R.color**
- class **android.support.graphics.drawable.animated.R.dimen**
- class **android.support.graphics.drawable.animated.R.drawable**
- class **android.support.graphics.drawable.animated.R.id**
- class **android.support.graphics.drawable.animated.R.integer**
- class **android.support.graphics.drawable.animated.R.interpolator**
- class **android.support.graphics.drawable.animated.R.layout**
- class **android.support.graphics.drawable.animated.R.string**
- class **android.support.graphics.drawable.animated.R.style**
- class **android.support.graphics.drawable.animated.R.styleable**

### Packages

- package **android.support.graphics.drawable.animated**

## 7.7 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/graphics/drawable/R.java File Reference

### Classes

- class **android.support.graphics.drawable.R**
- class **android.support.graphics.drawable.R.anim**
- class **android.support.graphics.drawable.R.attr**
- class **android.support.graphics.drawable.R.bool**
- class **android.support.graphics.drawable.R.color**
- class **android.support.graphics.drawable.R.dimen**
- class **android.support.graphics.drawable.R.drawable**
- class **android.support.graphics.drawable.R.id**
- class **android.support.graphics.drawable.R.integer**
- class **android.support.graphics.drawable.R.interpolator**
- class **android.support.graphics.drawable.R.layout**
- class **android.support.graphics.drawable.R.string**
- class **android.support.graphics.drawable.R.style**
- class **android.support.graphics.drawable.R.styleable**

## Packages

- package **android.support.graphics.drawable**

## 7.8 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v4/R.java File Reference

### Classes

- class **android.support.v4.R**
- class **android.support.v4.R.anim**
- class **android.support.v4.R.attr**
- class **android.support.v4.R.bool**
- class **android.support.v4.R.color**
- class **android.support.v4.R.dimen**
- class **android.support.v4.R.drawable**
- class **android.support.v4.R.id**
- class **android.support.v4.R.integer**
- class **android.support.v4.R.interpolator**
- class **android.support.v4.R.layout**
- class **android.support.v4.R.string**
- class **android.support.v4.R.style**
- class **android.support.v4.R.styleable**

## Packages

- package **android.support.v4**

## 7.9 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/appcompat/R.java File Reference

### Classes

- class **android.support.v7.appcompat.R**
- class **android.support.v7.appcompat.R.anim**
- class **android.support.v7.appcompat.R.attr**
- class **android.support.v7.appcompat.R.bool**
- class **android.support.v7.appcompat.R.color**
- class **android.support.v7.appcompat.R.dimen**
- class **android.support.v7.appcompat.R.drawable**
- class **android.support.v7.appcompat.R.id**
- class **android.support.v7.appcompat.R.integer**
- class **android.support.v7.appcompat.R.interpolator**
- class **android.support.v7.appcompat.R.layout**
- class **android.support.v7.appcompat.R.string**
- class **android.support.v7.appcompat.R.style**
- class **android.support.v7.appcompat.R.styleable**

- package **android.support.v7.appcompat**

## 7.10 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/cardview/R.java File Reference↔

### Classes

- class **android.support.v7.cardview.R**
- class **android.support.v7.cardview.R.anim**
- class **android.support.v7.cardview.R.attr**
- class **android.support.v7.cardview.R.bool**
- class **android.support.v7.cardview.R.color**
- class **android.support.v7.cardview.R.dimen**
- class **android.support.v7.cardview.R.drawable**
- class **android.support.v7.cardview.R.id**
- class **android.support.v7.cardview.R.integer**
- class **android.support.v7.cardview.R.interpolator**
- class **android.support.v7.cardview.R.layout**
- class **android.support.v7.cardview.R.string**
- class **android.support.v7.cardview.R.style**
- class **android.support.v7.cardview.R.styleable**

### Packages

- package **android.support.v7.cardview**

## 7.11 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/mediarouter/R.java File Reference↔

### Classes

- class **android.support.v7.mediarouter.R**
- class **android.support.v7.mediarouter.R.anim**
- class **android.support.v7.mediarouter.R.attr**
- class **android.support.v7.mediarouter.R.bool**
- class **android.support.v7.mediarouter.R.color**
- class **android.support.v7.mediarouter.R.dimen**
- class **android.support.v7.mediarouter.R.drawable**
- class **android.support.v7.mediarouter.R.id**
- class **android.support.v7.mediarouter.R.integer**
- class **android.support.v7.mediarouter.R.interpolator**
- class **android.support.v7.mediarouter.R.layout**
- class **android.support.v7.mediarouter.R.string**
- class **android.support.v7.mediarouter.R.style**
- class **android.support.v7.mediarouter.R.styleable**

## Packages

- package **android.support.v7.mediarouter**

## 7.12 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/recyclerview/R.java File Reference

### Classes

- class **android.support.v7.recyclerview.R**
- class **android.support.v7.recyclerview.R.anim**
- class **android.support.v7.recyclerview.R.attr**
- class **android.support.v7.recyclerview.R.bool**
- class **android.support.v7.recyclerview.R.color**
- class **android.support.v7.recyclerview.R.dimen**
- class **android.support.v7.recyclerview.R.drawable**
- class **android.support.v7.recyclerview.R.id**
- class **android.support.v7.recyclerview.R.integer**
- class **android.support.v7.recyclerview.R.interpolator**
- class **android.support.v7.recyclerview.R.layout**
- class **android.support.v7.recyclerview.R.string**
- class **android.support.v7.recyclerview.R.style**
- class **android.support.v7.recyclerview.R.styleable**

## Packages

- package **android.support.v7.recyclerview**

## 7.13 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/projekt/droid/R.java File Reference

### Classes

- class **projekt.droid.R**
- class **projekt.droid.R.anim**
- class **projekt.droid.R.attr**
- class **projekt.droid.R.bool**
- class **projekt.droid.R.color**
- class **projekt.droid.R.dimen**
- class **projekt.droid.R.drawable**
- class **projekt.droid.R.id**
- class **projekt.droid.R.integer**
- class **projekt.droid.R.interpolator**
- class **projekt.droid.R.layout**
- class **projekt.droid.R.string**
- class **projekt.droid.R.style**
- class **projekt.droid.R.styleable**



- package **projekt.droid**

7.14 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PRO↔  
JEKT.Droid/obj/Debug/android/src/android/support/design/widget/Snackbar\_↔  
SnackbarActionClickImplementor.java File Reference

Classes

- class **android.support.design.widget.Snackbar\_SnackbarActionClickImplementor**

Packages

- package **android.support.design.widget**

7.15 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/android/support/v7/app/AlertDialog\_IDialog↔  
InterfaceOnCancelListenerImplementor.java File Reference

Classes

- class **android.support.v7.app.AlertDialog\_IDialogInterfaceOnCancelListenerImplementor**

Packages

- package **android.support.v7.app**

7.16 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/android/support/v7/app/AlertDialog\_IDialog↔  
InterfaceOnClickListenerImplementor.java File Reference

Classes

- class **android.support.v7.app.AlertDialog\_IDialogInterfaceOnClickListenerImplementor**

Packages

- package **android.support.v7.app**

**7.17** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/app/AlertDialog\\_IDialogInterfaceOnMultiChoiceClickListenerImplementor.java](#) File Reference

**Classes**

- class `android.support.v7.app.AlertDialog_IDialogInterfaceOnMultiChoiceClickListenerImplementor`

**Packages**

- package `android.support.v7.app`

**7.18** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/android/support/v7/widget/Toolbar\\_NavigationOnClickEventDispatcher.java](#) File Reference

**Classes**

- class `android.support.v7.widget.Toolbar_NavigationOnClickEventDispatcher`

**Packages**

- package `android.support.v7.widget`

**7.19** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/ButtonRenderer.java](#) File Reference

**Classes**

- class `md5270abb39e60627f0f200893b490a1ade.ButtonRenderer`

**Packages**

- package `md5270abb39e60627f0f200893b490a1ade`

**7.20** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d52b54713cd814fbd5262dd1f/ButtonRenderer.java](#) File Reference

**Classes**

- class `md57018357d52b54713cd814fbd5262dd1f.ButtonRenderer`

- package md57018357d52b54713cd814fbd5262dd1f

## 7.21 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↵ KT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/Button↵ Renderer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.22 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↵ KT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/Button↵ Renderer\_ButtonClickListener.java File Reference

### Classes

- class md5270abb39e60627f0f200893b490a1ade.ButtonRenderer\_ButtonClickListener

### Packages

- package md5270abb39e60627f0f200893b490a1ade

## 7.23 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↵ KT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/Button↵ Renderer\_ButtonClickListener.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer\_ButtonClickListener

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.24** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/ButtonRenderer\\_ButtonTouchListener.java](#) File Reference

#### Classes

- class `md5270abb39e60627f0f200893b490a1ade.ButtonRenderer_ButtonTouchListener`

#### Packages

- package `md5270abb39e60627f0f200893b490a1ade`

**7.25** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ButtonRenderer\\_ButtonTouchListener.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonRenderer_ButtonTouchListener`

#### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.26** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/CarouselPageRenderer.java](#) File Reference

#### Classes

- class `md5270abb39e60627f0f200893b490a1ade.CarouselPageRenderer`

#### Packages

- package `md5270abb39e60627f0f200893b490a1ade`

**7.27** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/CarouselPageRenderer.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPageRenderer`

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.28 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↵ KT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/Forms↵ FragmentPagerAdapter\_1.java File Reference

### Classes

- class md5270abb39e60627f0f200893b490a1ade.FormsFragmentPagerAdapter\_1

### Packages

- package md5270abb39e60627f0f200893b490a1ade

## 7.29 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↵ KT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/Forms↵ ViewPager.java File Reference

### Classes

- class md5270abb39e60627f0f200893b490a1ade.FormsViewPager

### Packages

- package md5270abb39e60627f0f200893b490a1ade

## 7.30 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PRO↵ JEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/↵ FragmentContainer.java File Reference

### Classes

- class md5270abb39e60627f0f200893b490a1ade.FragmentContainer

### Packages

- package md5270abb39e60627f0f200893b490a1ade

**7.31** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/FrameRenderer.java File Reference](#)

**Classes**

- class `md5270abb39e60627f0f200893b490a1ade.FrameRenderer`

**Packages**

- package `md5270abb39e60627f0f200893b490a1ade`

**7.32** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d52b54713cd814fbd5262dd1f/FrameRenderer.java File Reference](#)

**Classes**

- class `md57018357d52b54713cd814fbd5262dd1f.FrameRenderer`

**Packages**

- package `md57018357d52b54713cd814fbd5262dd1f`

**7.33** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FrameRenderer.java File Reference](#)

**Classes**

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer`

**Packages**

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.34** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/MasterDetailContainer.java File Reference](#)

**Classes**

- class `md5270abb39e60627f0f200893b490a1ade.MasterDetailContainer`

- package **md5270abb39e60627f0f200893b490a1ade**

## 7.35 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/MasterDetailContainer.java File Reference

### Classes

- class **md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailContainer**

### Packages

- package **md5b60ffeb829f638581ab2bb9b1a7f4f3f**

## 7.36 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/MasterDetailPageRenderer.java File Reference

### Classes

- class **md5270abb39e60627f0f200893b490a1ade.MasterDetailPageRenderer**

### Packages

- package **md5270abb39e60627f0f200893b490a1ade**

## 7.37 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/NavigationPageRenderer.java File Reference

### Classes

- class **md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer**

### Packages

- package **md5270abb39e60627f0f200893b490a1ade**

**7.38** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/NavigationPageRenderer\\_ClickListener.java](#) File Reference

**Classes**

- class `md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_ClickListener`

**Packages**

- package `md5270abb39e60627f0f200893b490a1ade`

**7.39** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/NavigationPageRenderer\\_DrawerMultiplexedListener.java](#) File Reference

**Classes**

- class `md5270abb39e60627f0f200893b490a1ade.NavigationPageRenderer_DrawerMultiplexedListener`

**Packages**

- package `md5270abb39e60627f0f200893b490a1ade`

**7.40** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/PickerRenderer.java](#) File Reference

**Classes**

- class `md5270abb39e60627f0f200893b490a1ade.PickerRenderer`

**Packages**

- package `md5270abb39e60627f0f200893b490a1ade`

**7.41** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PickerRenderer.java](#) File Reference

**Classes**

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer`



- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.42 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/PickerRenderer\_PickerListener.java File Reference↩↩

### Classes

- class md5270abb39e60627f0f200893b490a1ade.PickerRenderer\_PickerListener

### Packages

- package md5270abb39e60627f0f200893b490a1ade

## 7.43 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PickerRenderer\_PickerListener.java File Reference↩↩

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.PickerRenderer\_PickerListener

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.44 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/Platform\_ModalContainer.java File Reference↩↩

### Classes

- class md5270abb39e60627f0f200893b490a1ade.Platform\_ModalContainer

### Packages

- package md5270abb39e60627f0f200893b490a1ade

**7.45** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/SwitchRenderer.java File Reference](#)

#### Classes

- class `md5270abb39e60627f0f200893b490a1ade.SwitchRenderer`

#### Packages

- package `md5270abb39e60627f0f200893b490a1ade`

**7.46** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/SwitchRenderer.java File Reference](#)

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchRenderer`

#### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.47** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/TabbedPageRenderer.java File Reference](#)

#### Classes

- class `md5270abb39e60627f0f200893b490a1ade.TabbedPageRenderer`

#### Packages

- package `md5270abb39e60627f0f200893b490a1ade`

**7.48** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5270abb39e60627f0f200893b490a1ade/ViewRenderer\\_2.java File Reference](#)

#### Classes

- class `md5270abb39e60627f0f200893b490a1ade.ViewRenderer_2`

- package **md5270abb39e60627f0f200893b490a1ade**

## 7.49 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↵ EKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/View↵ Renderer\_2.java File Reference

### Classes

- class **md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer\_2**

### Packages

- package **md5b60ffeb829f638581ab2bb9b1a7f4f3f**

## 7.50 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↵ KT.Droid/obj/Debug/android/src/md57018357d52b54713cd814fbd5262dd1f/Image↵ Renderer.java File Reference

### Classes

- class **md57018357d52b54713cd814fbd5262dd1f.ImageRenderer**

### Packages

- package **md57018357d52b54713cd814fbd5262dd1f**

## 7.51 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↵ KT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/Image↵ Renderer.java File Reference

### Classes

- class **md5b60ffeb829f638581ab2bb9b1a7f4f3f.ImageRenderer**

### Packages

- package **md5b60ffeb829f638581ab2bb9b1a7f4f3f**

## 7.52 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md57018357d52b54713cd814fbd5262dd1f/LabelRenderer.java](#) File Reference

### Classes

- class `md57018357d52b54713cd814fbd5262dd1f.LabelRenderer`

### Packages

- package `md57018357d52b54713cd814fbd5262dd1f`

## 7.53 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/LabelRenderer.java](#) File Reference

### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.LabelRenderer`

### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

## 7.54 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ActionSheetRenderer.java](#) File Reference

### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActionSheetRenderer`

### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

## 7.55 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ActivityIndicatorRenderer.java](#) File Reference

### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.ActivityIndicatorRenderer`

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.56 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/AHorizontalScrollView.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.AHorizontalScrollView

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.57 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/AndroidActivity.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.AndroidActivity

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.58 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/BaseCellView.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.BaseCellView

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.59** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/BoxRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.BoxRenderer](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.60** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ButtonDrawable.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.ButtonDrawable](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.61** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/CarouselPagerAdapter.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.CarouselPagerAdapter](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.62** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/CellAdapter.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellAdapter](#)

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

7.63 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↵  
EKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/Cell↵  
Renderer\_RendererHolder.java File Reference

Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.CellRenderer\_RendererHolder

Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

7.64 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↵  
KT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/Conditional↵  
FocusLayout.java File Reference

Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.ConditionalFocusLayout

Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

7.65 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↵  
EKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/Date↵  
PickerRenderer.java File Reference

Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer

Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.66** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/DatePickerRenderer\\_TextFieldClickHandler.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.DatePickerRenderer_TextFieldClickHandler`

#### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.67** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EditorEditText.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorEditText`

#### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.68** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EditorRenderer.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.EditorRenderer`

#### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.69** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EntryCellEditText.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellEditText`



- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.70 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EntryCellView.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryCellView

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.71 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EntryEditText.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryEditText

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.72 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/EntryRenderer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.EntryRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.73** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormattedStringExtensions\\_FontSpan.java](#) File Reference

**Classes**

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormattedStringExtensions_FontSpan`

**Packages**

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.74** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsAppCompatActivity.java](#) File Reference

**Classes**

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsAppCompatActivity`

**Packages**

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.75** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsApplicationActivity.java](#) File Reference

**Classes**

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsApplicationActivity`

**Packages**

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.76** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsEditText.java](#) File Reference

**Classes**

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsEditText`

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.77 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsImageView.java File Reference↵

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsImageView

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.78 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsSeekBar.java File Reference↵

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsSeekBar

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.79 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsTextView.java File Reference↵

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsTextView

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.80** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FormsWebChromeClient.java](#) File Reference

**Classes**

- class **md5b60ffeb829f638581ab2bb9b1a7f4f3f.FormsWebChromeClient**

**Packages**

- package **md5b60ffeb829f638581ab2bb9b1a7f4f3f**

**7.81** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/FrameRenderer\\_FrameDrawable.java](#) File Reference

**Classes**

- class **md5b60ffeb829f638581ab2bb9b1a7f4f3f.FrameRenderer\_FrameDrawable**

**Packages**

- package **md5b60ffeb829f638581ab2bb9b1a7f4f3f**

**7.82** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/GenericAnimatorListener.java](#) File Reference

**Classes**

- class **md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericAnimatorListener**

**Packages**

- package **md5b60ffeb829f638581ab2bb9b1a7f4f3f**

**7.83** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/GenericMenuClickListener.java](#) File Reference

**Classes**

- class **md5b60ffeb829f638581ab2bb9b1a7f4f3f.GenericMenuClickListener**

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.84 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/GroupedListAdapter.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.GroupedListAdapter

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.85 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/InnerGestureListener.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerGestureListener

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.86 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/InnerScaleListener.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.InnerScaleListener

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.87** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ListViewAdapter.java File Reference](#)

**Classes**

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewAdapter](#)

**Packages**

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.88** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ListViewRenderer.java File Reference](#)

**Classes**

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer](#)

**Packages**

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.89** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ListViewRenderer\\_Container.java File Reference](#)

**Classes**

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.ListViewRenderer\\_Container](#)

**Packages**

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.90** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/LocalizedDigitsKeyListener.java File Reference](#)

**Classes**

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.LocalizedDigitsKeyListener](#)

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.91 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/MasterDetailRenderer.java File Reference↔

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.MasterDetailRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.92 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NativeViewWrapperRenderer.java File Reference↔

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.NativeViewWrapperRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.93 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NavigationMenuRenderer.java File Reference↔

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.94** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NavigationMenuRenderer\\_MenuAdapter.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuAdapter`

#### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.95** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NavigationMenuRenderer\\_MenuElementView.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationMenuRenderer_MenuElementView`

#### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.96** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/NavigationRenderer.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.NavigationRenderer`

#### Packages

- package `md5b60ffeb829f638581ab2bb9b1a7f4f3f`

**7.97** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ObjectJavaBox\\_1.java](#) File Reference

#### Classes

- class `md5b60ffeb829f638581ab2bb9b1a7f4f3f.ObjectJavaBox_1`



- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.98 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/OpenGLViewRenderer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.99 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/OpenGLViewRenderer\_Renderer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.OpenGLViewRenderer\_Renderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.100 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PageContainer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageContainer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.101** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PageRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.PageRenderer](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.102** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/Platform\\_DefaultRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.Platform\\_DefaultRenderer](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.103** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/PlatformRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.PlatformRenderer](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.104** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ProgressBarRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.ProgressBarRenderer](#)

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.105 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ScrollViewContainer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewContainer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.106 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ScrollViewRenderer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.ScrollViewRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.107 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/SearchBarRenderer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.SearchBarRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.108** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/SliderRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.SliderRenderer](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.109** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/StepperRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.110** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/StepperRenderer\\_StepperListener.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.StepperRenderer\\_StepperListener](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.111** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/SwitchCellView.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.SwitchCellView](#)

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.112 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TabbedRenderer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.TabbedRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.113 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TableViewModelRenderer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewModelRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.114 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TableViewRenderer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.TableViewRenderer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.115** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TextCellRenderer\\_TextCellView.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.TextCellRenderer\\_TextCellView](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.116** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TimePickerRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.117** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/TimePickerRenderer\\_TimePickerListener.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.TimePickerRenderer\\_TimePickerListener](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.118** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ToolbarButton.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolbarButton](#)

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.119 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ToolBarImageButton.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.ToolBarImageButton

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.120 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ViewCellRenderer\_ViewCellContainer.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer\_ViewCellContainer

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

## 7.121 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ViewCellRenderer\_ViewCellContainer\_LongPressGestureListener.java File Reference

### Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewCellRenderer\_ViewCellContainer\_LongPressGestureListener

### Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

**7.122** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/ViewRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.ViewRenderer](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.123** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/VisualElementRenderer\\_1.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementRenderer\\_1](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.124** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/VisualElementTracker\\_AttachTracker.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.VisualElementTracker\\_AttachTracker](#)

#### Packages

- package [md5b60ffeb829f638581ab2bb9b1a7f4f3f](#)

**7.125** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/WebViewRenderer.java](#) File Reference

#### Classes

- class [md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer](#)



- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

7.126 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/md5b60ffeb829f638581ab2bb9b1a7f4f3f/Web↔  
ViewRenderer\_WebClient.java File Reference

Classes

- class md5b60ffeb829f638581ab2bb9b1a7f4f3f.WebViewRenderer\_WebClient

Packages

- package md5b60ffeb829f638581ab2bb9b1a7f4f3f

7.127 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PRO↔  
JEKT.Droid/obj/Debug/android/src/md5ec2e2772f76de7e64e0148801db2bb13/↔  
CarouselRenderer.java File Reference

Classes

- class md5ec2e2772f76de7e64e0148801db2bb13.CarouselRenderer

Packages

- package md5ec2e2772f76de7e64e0148801db2bb13

7.128 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↔  
KT.Droid/obj/Debug/android/src/md5ec2e2772f76de7e64e0148801db2bb13/List↔  
Renderer.java File Reference

Classes

- class md5ec2e2772f76de7e64e0148801db2bb13.ListRenderer

Packages

- package md5ec2e2772f76de7e64e0148801db2bb13

**7.129** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/md5fa8f98893c985e6b8df6ddd18b21cb3a/MainActivity.java](#) File Reference

#### Classes

- class `md5fa8f98893c985e6b8df6ddd18b21cb3a.MainActivity`

#### Packages

- package `md5fa8f98893c985e6b8df6ddd18b21cb3a`

**7.130** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/app/ApplicationRegistration.java](#) File Reference

#### Classes

- class `mono.android.app.ApplicationRegistration`

#### Packages

- package `mono.android.app`

**7.131** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/app/NotifyTimeZoneChanges.java](#) File Reference

#### Classes

- class `mono.android.app.NotifyTimeZoneChanges`

#### Packages

- package `mono.android.app`

**7.132** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/Seppuku.java](#) File Reference

#### Classes

- class `mono.android.Seppuku`

- package **mono.android**

7.133 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/mono/android/support/design/widget/AppBar↔  
Layout\_OnOffsetChangedListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.design.widget.AppBarLayout\_OnOffsetChangedListenerImplementor**

#### Packages

- package **mono.android.support.design.widget**

7.134 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↔  
KT.Droid/obj/Debug/android/src/mono/android/support/design/widget/Navigation↔  
View\_OnNavigationItemSelectedListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.design.widget.NavigationView\_OnNavigationItemSelectedListenerImplementor**

#### Packages

- package **mono.android.support.design.widget**

7.135 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/mono/android/support/design/widget/Swipe↔  
DismissBehavior\_OnDismissListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.design.widget.SwipeDismissBehavior\_OnDismissListenerImplementor**

#### Packages

- package **mono.android.support.design.widget**

**7.136** C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/design/widget/TabLayout\_OnTabSelectedListenerImplementor.java File Reference

#### Classes

- class `mono.android.support.design.widget.TabLayout_OnTabSelectedListenerImplementor`

#### Packages

- package `mono.android.support.design.widget`

**7.137** C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/app/FragmentManager\_OnBackStackChangedListenerImplementor.java File Reference

#### Classes

- class `mono.android.support.v4.app.FragmentManager_OnBackStackChangedListenerImplementor`

#### Packages

- package `mono.android.support.v4.app`

**7.138** C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/content/Loader\_OnLoadCanceledListenerImplementor.java File Reference

#### Classes

- class `mono.android.support.v4.content.Loader_OnLoadCanceledListenerImplementor`

#### Packages

- package `mono.android.support.v4.content`

**7.139** C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/content/Loader\_OnLoadCompleteListenerImplementor.java File Reference

#### Classes

- class `mono.android.support.v4.content.Loader_OnLoadCompleteListenerImplementor`

- package **mono.android.support.v4.content**

## 7.140 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/media/session/MediaSessionCompat\_OnActiveChangeListenerImplementor.java File Reference

### Classes

- class **mono.android.support.v4.media.session.MediaSessionCompat\_OnActiveChangeListenerImplementor**

### Packages

- package **mono.android.support.v4.media.session**

## 7.141 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/os/CancellationSignal\_OnCancelListenerImplementor.java File Reference

### Classes

- class **mono.android.support.v4.os.CancellationSignal\_OnCancelListenerImplementor**

### Packages

- package **mono.android.support.v4.os**

## 7.142 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/view/ActionProvider\_SubUiVisibilityListenerImplementor.java File Reference

### Classes

- class **mono.android.support.v4.view.ActionProvider\_SubUiVisibilityListenerImplementor**

### Packages

- package **mono.android.support.v4.view**

**7.143** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/view/ActionProvider\\_VisibilityListenerImplementor.java](#) File Reference

#### Classes

- class **mono.android.support.v4.view.ActionProvider\_VisibilityListenerImplementor**

#### Packages

- package **mono.android.support.v4.view**

**7.144** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/view/MenuItemCompat\\_OnActionExpandListenerImplementor.java](#) File Reference

#### Classes

- class **mono.android.support.v4.view.MenuItemCompat\_OnActionExpandListenerImplementor**

#### Packages

- package **mono.android.support.v4.view**

**7.145** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/view/OnApplyWindowInsetsListenerImplementor.java](#) File Reference

#### Classes

- class **mono.android.support.v4.view.OnApplyWindowInsetsListenerImplementor**

#### Packages

- package **mono.android.support.v4.view**

**7.146** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/view/ViewPager\\_OnPageChangeListenerImplementor.java](#) File Reference

#### Classes

- class **mono.android.support.v4.view.ViewPager\_OnPageChangeListenerImplementor**

- package **mono.android.support.v4.view**

7.147 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/mono/android/support/v4/view/ViewProperty↔  
AnimatorListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.v4.view.ViewPropertyAnimatorListenerImplementor**

#### Packages

- package **mono.android.support.v4.view**

7.148 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/mono/android/support/v4/view/ViewProperty↔  
AnimatorUpdateListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.v4.view.ViewPropertyAnimatorUpdateListenerImplementor**

#### Packages

- package **mono.android.support.v4.view**

7.149 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↔  
KT.Droid/obj/Debug/android/src/mono/android/support/v4/widget/DrawerLayout↔  
DrawerListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.v4.widget.DrawerLayout\_DrawerListenerImplementor**

#### Packages

- package **mono.android.support.v4.widget**

**7.150** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/widget/NestedScrollView\\_OnScrollChangeListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v4.widget.NestedScrollView_OnScrollChangeListenerImplementor`

#### Packages

- package `mono.android.support.v4.widget`

**7.151** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/widget/SlidingPanelLayout\\_PanelSlideListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v4.widget.SlidingPanelLayout_PanelSlideListenerImplementor`

#### Packages

- package `mono.android.support.v4.widget`

**7.152** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v4/widget/SwipeRefreshLayout\\_OnRefreshListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v4.widget.SwipeRefreshLayout_OnRefreshListenerImplementor`

#### Packages

- package `mono.android.support.v4.widget`

**7.153** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/app/ActionBar\\_OnMenuVisibilityListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v7.app.ActionBar_OnMenuVisibilityListenerImplementor`



- package **mono.android.support.v7.app**

7.154 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/mono/android/support/v7/app/ActionBar\_On↔  
NavigationListenerImplementor.java File Reference

Classes

- class **mono.android.support.v7.app.ActionBar\_OnNavigationListenerImplementor**

Packages

- package **mono.android.support.v7.app**

7.155 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/mono/android/support/v7/app/ActionBar\_Tab↔  
ListenerImplementor.java File Reference

Classes

- class **mono.android.support.v7.app.ActionBar\_TabListenerImplementor**

Packages

- package **mono.android.support.v7.app**

7.156 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/ActionMenu↔  
View\_OnMenuItemClickListenerImplementor.java File Reference

Classes

- class **mono.android.support.v7.widget.ActionMenuView\_OnMenuItemClickListenerImplementor**

Packages

- package **mono.android.support.v7.widget**

**7.157** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/ContentFrameLayout\\_OnAttachListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v7.widget.ContentFrameLayout_OnAttachListenerImplementor`

#### Packages

- package `mono.android.support.v7.widget`

**7.158** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/FitWindowsViewGroup\\_OnFitSystemWindowsListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v7.widget.FitWindowsViewGroup_OnFitSystemWindowsListenerImplementor`

#### Packages

- package `mono.android.support.v7.widget`

**7.159** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/PopupMenu\\_OnDismissListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v7.widget.PopupMenu_OnDismissListenerImplementor`

#### Packages

- package `mono.android.support.v7.widget`

**7.160** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/PopupMenu\\_OnMenuItemClickListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v7.widget.PopupMenu_OnMenuItemClickListenerImplementor`

- package **mono.android.support.v7.widget**

7.161 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/RecyclerView\_ItemAnimator\_ItemAnimatorFinishedListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.v7.widget.RecyclerView\_ItemAnimator\_ItemAnimatorFinishedListenerImplementor**

#### Packages

- package **mono.android.support.v7.widget**

7.162 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/RecyclerView\_OnChildAttachStateChangeListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.v7.widget.RecyclerView\_OnChildAttachStateChangeListenerImplementor**

#### Packages

- package **mono.android.support.v7.widget**

7.163 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/RecyclerView\_OnItemTouchListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.v7.widget.RecyclerView\_OnItemTouchListenerImplementor**

#### Packages

- package **mono.android.support.v7.widget**

**7.164** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/RecyclerView\\_RecyclerViewListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v7.widget.RecyclerView_RecyclerViewListenerImplementor`

#### Packages

- package `mono.android.support.v7.widget`

**7.165** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/SearchView\\_OnCloseListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v7.widget.SearchView_OnCloseListenerImplementor`

#### Packages

- package `mono.android.support.v7.widget`

**7.166** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/SearchView\\_OnQueryTextListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v7.widget.SearchView_OnQueryTextListenerImplementor`

#### Packages

- package `mono.android.support.v7.widget`

**7.167** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/SearchView\\_OnSuggestionListenerImplementor.java](#) File Reference

#### Classes

- class `mono.android.support.v7.widget.SearchView_OnSuggestionListenerImplementor`

- package **mono.android.support.v7.widget**

7.168 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/ShareAction↔  
Provider\_OnShareTargetSelectedListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.v7.widget.ShareActionProvider\_OnShareTargetSelectedListener↔  
Implementor**

#### Packages

- package **mono.android.support.v7.widget**

7.169 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJ↔  
EKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/Toolbar\_On↔  
MenuItemClickListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.v7.widget.Toolbar\_OnMenuItemClickListenerImplementor**

#### Packages

- package **mono.android.support.v7.widget**

7.170 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PRO↔  
JEKT.Droid/obj/Debug/android/src/mono/android/support/v7/widget/ViewStub↔  
Compat\_OnInflateListenerImplementor.java File Reference

#### Classes

- class **mono.android.support.v7.widget.ViewStubCompat\_OnInflateListenerImplementor**

#### Packages

- package **mono.android.support.v7.widget**

## 7.171 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/MonoPackageManager.java File Reference ↩

### Classes

- class **mono.MonoPackageManager**
- class **mono.MonoPackageManager\_Resources**

### Packages

- package **mono**

## 7.172 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/android/src/mono/MonoRuntimeProvider.java File Reference ↩

### Classes

- class **mono.MonoRuntimeProvider**

### Packages

- package **mono**

## 7.173 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Renderers/CarouselRenderer.cs File Reference ↩

### Classes

- class **PROJEKT.Droid.Renderers.CarouselRenderer**

### Namespaces

- namespace **PROJEKT.Droid.Renderers**

## 7.174 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Renderers/ListRenderer.cs File Reference ↩

### Classes

- class **PROJEKT.Droid.Renderers.ListRenderer**

- namespace **PROJEKT.Droid.Renderers**

## 7.175 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/↔ Resources/Resource.Designer.cs File Reference

### Classes

- class **PROJEKT.Droid.Resource**
- class **PROJEKT.Droid.Resource.Animation**
- class **PROJEKT.Droid.Resource.Attribute**
- class **PROJEKT.Droid.Resource.Boolean**
- class **PROJEKT.Droid.Resource.Color**
- class **PROJEKT.Droid.Resource.Dimension**
- class **PROJEKT.Droid.Resource.Drawable**
- class **PROJEKT.Droid.Resource.Id**
- class **PROJEKT.Droid.Resource.Integer**
- class **PROJEKT.Droid.Resource.Interpolator**
- class **PROJEKT.Droid.Resource.Layout**
- class **PROJEKT.Droid.Resource.String**
- class **PROJEKT.Droid.Resource.Style**
- class **PROJEKT.Droid.Resource.Styleable**

### Namespaces

- namespace **PROJEKT.Droid**

## 7.176 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.App.xaml.cs File Reference

### Classes

- class **PROJEKT.App**  
*Klasa startowa projektu.*

### Namespaces

- namespace **PROJEKT**

## 7.177 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Models/API/CompetitionDTO.cs File Reference

### Classes

- class **PROJEKT.Models.API.CompetitionDTO**  
*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego konkursu.*

## Namespaces

- namespace **PROJEKT.Models.API**

### 7.178 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/FixtureDTO.cs File Reference ↩

## Classes

- class **PROJEKT.Models.API.FixtureDTO**

*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego meczu.*

## Namespaces

- namespace **PROJEKT.Models.API**

### 7.179 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/FixtureResultDTO.cs File Reference ↩

## Classes

- class **PROJEKT.Models.API.FixtureResultDTO**

*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane wyniku meczu danego zespołu.*

## Namespaces

- namespace **PROJEKT.Models.API**

### 7.180 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/FixturesDTO.cs File Reference ↩

## Classes

- class **PROJEKT.Models.API.FixturesDTO**

*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista meczy.*

## Namespaces

- namespace **PROJEKT.Models.API**



7.181 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/LeagueDTO.cs File

Reference

733

7.181 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/LeagueDTO.cs File Reference

## Classes

- class **PROJEKT.Models.API.LeagueDTO**

*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego wiersza w tabeli ligi.*

## Namespaces

- namespace **PROJEKT.Models.API**

7.182 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/LeaguesDTO.cs File Reference

## Classes

- class **PROJEKT.Models.API.LeaguesDTO**

*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista wierszy w tabeli ligi.*

## Namespaces

- namespace **PROJEKT.Models.API**

7.183 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/TeamDTO.cs File Reference

## Classes

- class **PROJEKT.Models.API.TeamDTO**

*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Dane pojedynczego zespołu.*

## Namespaces

- namespace **PROJEKT.Models.API**

7.184 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/API/TeamsDTO.cs File Reference

## Classes

- class **PROJEKT.Models.API.TeamsDTO**

*Klasa pomocnicza do wczytywania danych z **API** (p. 41) za pomocą JSON. Lista drużyn.*

## Namespaces

- namespace **PROJEKT.Models.API**

### 7.185 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Configuration.cs](#) File Reference

## Classes

- class **PROJEKT.Models.Configuration**  
*Klasa pomocnicza ze stałymi wartościami do projektu*

## Namespaces

- namespace **PROJEKT.Models**

### 7.186 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/CustomCompetition.cs](#) File Reference

## Classes

- class **PROJEKT.Models.CustomCompetition**  
*Klasa pomocnicza do przechowywania danych dla widoku.*

## Namespaces

- namespace **PROJEKT.Models**

### 7.187 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/CustomFixture.cs](#) File Reference

## Classes

- class **PROJEKT.Models.CustomFixture**  
*Klasa pomocnicza do przechowywania danych dla widoku.*

## Namespaces

- namespace **PROJEKT.Models**

7.188 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/CustomTeam.cs File Reference](#)

7.188 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/CustomTeam.cs File Reference](#) 735

## Classes

- class **PROJEKT.Models.CustomTeam**  
*Klasa pomocnicza do przechowywania danych dla widoku.*

## Namespaces

- namespace **PROJEKT.Models**

7.189 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Extensions/AssetsImageExtension.cs File Reference](#)

## Classes

- class **PROJEKT.Models.Extensions.AssetsImageExtension**  
*Klasa pomocnicza do wczytywania obrazka.*

## Namespaces

- namespace **PROJEKT.Models.Extensions**

7.190 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/IDownloadCompetition.cs File Reference](#)

## Classes

- interface **PROJEKT.Models.Interfaces.IDownloadCompetition**  
*Interfejs do pobrania Competition*

## Namespaces

- namespace **PROJEKT.Models.Interfaces**

7.191 [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/IDownloadFixture.cs File Reference](#)

## Classes

- interface **PROJEKT.Models.Interfaces.IDownloadFixture**  
*Interfejs do pobrania danych dla Fixture*

## Namespaces

- namespace **PROJEKT.Models.Interfaces**

### 7.192 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/IDownloadTeam.cs File Reference ↩

## Classes

- interface **PROJEKT.Models.Interfaces.IDownloadTeam**  
*Interfejs do pobrania danych dla Team*

## Namespaces

- namespace **PROJEKT.Models.Interfaces**

### 7.193 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Models/Interfaces/IStreamService.cs File Reference ↩

## Classes

- interface **PROJEKT.Models.Interfaces.IStreamService**  
*Intefejs do uzyskania stream ze ścieżki do zdjęcia.*

## Namespaces

- namespace **PROJEKT.Models.Interfaces**

### 7.194 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.App.xaml.g.cs File Reference ↩

## Classes

- class **PROJEKT.App**  
*Klasa startowa projektu.*

## Namespaces

- namespace **PROJEKT**

7.195 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.CompetitionPage.xaml.g.cs File

Reference 737  
7.195 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.CompetitionPage.xaml.g.cs File Reference

#### Classes

- class **PROJEKT.Views.CompetitionPage**

#### Namespaces

- namespace **PROJEKT.Views**

7.196 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.CompetitionsPage.xaml.g.cs File Reference

#### Classes

- class **PROJEKT.Views.CompetitionsPage**

#### Namespaces

- namespace **PROJEKT.Views**

7.197 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.Controls.CompetitionsView.xaml.g.cs File Reference

#### Classes

- class **PROJEKT.Views.Controls.CompetitionsView**

#### Namespaces

- namespace **PROJEKT.Views.Controls**

7.198 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.Controls.CompetitionView.xaml.g.cs File Reference

#### Classes

- class **PROJEKT.Views.Controls.CompetitionView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

**7.199** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.Controls.FixturesItemView.xaml.g.cs](#) File Reference

## Classes

- class **PROJEKT.Views.Controls.FixturesItemView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

**7.200** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.Controls.FixturesView.xaml.g.cs](#) File Reference

## Classes

- class **PROJEKT.Views.Controls.FixturesView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

**7.201** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.Controls.LeagueItemView.xaml.g.cs](#) File Reference

## Classes

- class **PROJEKT.Views.Controls.LeagueItemView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

**7.202** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.Controls.LeagueView.xaml.g.cs](#) File Reference

## Classes

- class **PROJEKT.Views.Controls.LeagueView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

## 7.203 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.Controls.TeamsItemView.xaml.g.cs File Reference

### Classes

- class **PROJEKT.Views.Controls.TeamsItemView**

### Namespaces

- namespace **PROJEKT.Views.Controls**

## 7.204 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.Controls.TeamsView.xaml.g.cs File Reference

### Classes

- class **PROJEKT.Views.Controls.TeamsView**

### Namespaces

- namespace **PROJEKT.Views.Controls**

## 7.205 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/PROJEKT.Views.InitializationPage.xaml.g.cs File Reference

### Classes

- class **PROJEKT.Views.InitializationPage**

### Namespaces

- namespace **PROJEKT.Views**

- 7.206 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/TemporaryGeneratedFile\_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs File Reference
- 7.207 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/TemporaryGeneratedFile\_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs File Reference
- 7.208 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/TemporaryGeneratedFile\_5937a670-0e60-4077-877b-f7221da3dda1.cs File Reference
- 7.209 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/TemporaryGeneratedFile\_5937a670-0e60-4077-877b-f7221da3dda1.cs File Reference
- 7.210 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/obj/Debug/TemporaryGeneratedFile\_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs File Reference
- 7.211 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/obj/Debug/TemporaryGeneratedFile\_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs File Reference
- 7.212 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Properties/AssemblyInfo.cs File Reference
- 7.213 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT.Droid/Properties/AssemblyInfo.cs File Reference
- 7.214 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/CompetitionItemViewModel.cs File Reference

## Classes

- class **PROJEKT.ViewModels.CompetitionItemViewModel**  
*Klasa pomocnicza do załadowania danych do widoku.*



## Namespaces

- namespace **PROJEKT.ViewModels**

## 7.215 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↔ KT/ViewModels/CompetitionsViewModel.cs File Reference

### Classes

- class **PROJEKT.ViewModels.DownloadCompetition**  
*Klasa implementująca metode API potrzebna do pobrania Competition*
- class **PROJEKT.ViewModels.CompetitionsViewModel**  
*Klasa pomocnicza do obsłużenia widoku CompetitionsPage.*

### Namespaces

- namespace **PROJEKT.ViewModels**

## 7.216 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↔ KT/ViewModels/CompetitionViewModel.cs File Reference

### Classes

- class **PROJEKT.ViewModels.CompetitionViewModel**  
*Klasa pomocnicza do obsłużenia widoku CompetitionPage.*

### Namespaces

- namespace **PROJEKT.ViewModels**

## 7.217 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↔ KT/ViewModels/FixtureItemViewModel.cs File Reference

### Classes

- class **PROJEKT.ViewModels.DownloadFixture**  
*Klasa implementująca metode API potrzebna do pobrania Fixture*
- class **PROJEKT.ViewModels.FixtureItemViewModel**  
*Klasa pomocnicza do obsłużenia widoku.*

### Namespaces

- namespace **PROJEKT.ViewModels**

## 7.218 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/InitializationViewModel.cs File Reference ↩

### Classes

- class **PROJEKT.ViewModels.InitializationViewModel**  
*Klasa pomocnicza do obsłużenia widoku InitializationPage.*

### Namespaces

- namespace **PROJEKT.ViewModels**

## 7.219 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/LeagueItemViewModel.cs File Reference ↩

### Classes

- class **PROJEKT.ViewModels.LeagueItemViewModel**  
*Klasa pomocnicza do obsłużenia widoku.*

### Namespaces

- namespace **PROJEKT.ViewModels**

## 7.220 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/LeagueViewModel.cs File Reference ↩

### Classes

- class **PROJEKT.ViewModels.LeagueViewModel**  
*Klasa pomocnicza do przechowywania danych dla widoku.*

### Namespaces

- namespace **PROJEKT.ViewModels**

## 7.221 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/ViewModels/TeamItemViewModel.cs File Reference ↩

### Classes

- class **PROJEKT.ViewModels.DownloadTeam**  
*Klasa implementująca metode API potrzebna do pobrania Team*
- class **PROJEKT.ViewModels.TeamItemViewModel**  
*Klasa pomocnicza do obsłużenia widoku.*

## Namespaces

- namespace **PROJEKT.ViewModels**

## 7.222 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/CompetitionPage.xaml.cs File Reference

### Classes

- class **PROJEKT.Views.CompetitionPage**

### Namespaces

- namespace **PROJEKT.Views**

## 7.223 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/CompetitionsPage.xaml.cs File Reference

### Classes

- class **PROJEKT.Views.CompetitionsPage**

### Namespaces

- namespace **PROJEKT.Views**

## 7.224 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/CompetitionsView.xaml.cs File Reference

### Classes

- class **PROJEKT.Views.Controls.CompetitionsView**

### Namespaces

- namespace **PROJEKT.Views.Controls**

## 7.225 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/CompetitionView.xaml.cs File Reference

### Classes

- class **PROJEKT.Views.Controls.CompetitionView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

**7.226** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/FixturesItemView.xaml.cs](#) File Reference

## Classes

- class **PROJEKT.Views.Controls.FixturesItemView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

**7.227** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/FixturesView.xaml.cs](#) File Reference

## Classes

- class **PROJEKT.Views.Controls.FixturesView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

**7.228** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/LeagueItemView.xaml.cs](#) File Reference

## Classes

- class **PROJEKT.Views.Controls.LeagueItemView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

**7.229** [C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/LeagueView.xaml.cs](#) File Reference

## Classes

- class **PROJEKT.Views.Controls.LeagueView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

## 7.230 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↔ KT/Views/Controls/MyCarouselView.cs File Reference

### Classes

- class **PROJEKT.Views.Controls.MyCarouselView**  
*Klasa własnej kontroli.*

## Namespaces

- namespace **PROJEKT.Views.Controls**

## 7.231 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↔ KT/Views/Controls/MyListView.cs File Reference

### Classes

- class **PROJEKT.Views.Controls.MyListView**  
*Klasa własnej kontroli.*

## Namespaces

- namespace **PROJEKT.Views.Controls**

## 7.232 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJE↔ KT/Views/Controls/TeamsItemView.xaml.cs File Reference

### Classes

- class **PROJEKT.Views.Controls.TeamsItemView**

## Namespaces

- namespace **PROJEKT.Views.Controls**

### 7.233 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/Controls/TeamsView.xaml.cs File Reference

#### Classes

- class **PROJEKT.Views.Controls.TeamsView**

#### Namespaces

- namespace **PROJEKT.Views.Controls**

### 7.234 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/InitializationPage.cs File Reference

#### Classes

- class **PROJEKT.Views.InitializationPage**

#### Namespaces

- namespace **PROJEKT.Views**

### 7.235 C:/Users/LENOVO/Desktop/Xamarin-FootballScore/PROJEKT/PROJEKT/PROJEKT/Views/InitializationPage.xaml.cs File Reference

#### Classes

- class **PROJEKT.Views.InitializationPage**

#### Namespaces

- namespace **PROJEKT.Views**