

# TFM P2P-Contract Audit Report

Prepared for TFM, 20th February 2023



# **Table of Contents**

Table of Contents	2
Introduction	3
Scope	3
Methodologies	4
Code Criteria and Test Coverage	4
Vulnerabilities Summary	5
Detailed Vulnerabilities	6
1 - Ask asset's token address is not validated	6
2 - Fees are deducted from the original order amount, potentially confusing query	
callers	7
3 - query_simulate for past orders might return incorrect information	8
4 - query_config does not return proposed_owner config variable	9
5 - Successful contract instantiation does not emit attributes or events	10
6 - Cancel order does not emit asset information	11
7 - Incorrect idx_namespace used for maker_taker_addr	12
8 - Remove unused code	13
9 - Misleading action emitted for accept_ownership and withdraw_fees function	14
Document control	15
Appendices	16



# Introduction

SCV was engaged by TFM to assist in identifying security threats and vulnerabilities that have the potential to affect their security posture. Additionally, SCV will assist the team in understanding the risks and identifying potential mitigations.

#### Scope

SCV performed the security assessment on the following codebase:

- <a href="https://github.com/tfm-com/audit\_p2p">https://github.com/tfm-com/audit\_p2p</a>
- Code Freeze: 43fb8625b464b75a8a8706527f156bc9754ce8dc

Remediations were applied by the team and reviewed by SCV up to the hash:

• Code Freeze: f408cec62cb5b61a8ffb4a2ad33c1599c23330e3



### Methodologies

SCV performs a combination of automated and manual security testing based on the scope of testing. The testing performed is based on the extensive experience and knowledge of the auditor to provide the greatest coverage and value to FTM. Testing includes, but is not limited to, the following:

- Understanding the application and its code base purpose;
- Deploying SCV in-house tooling to automate dependency analysis and static code review;
- Analyse each line of the code base and inspect application security perimeter;
- Review underlying infrastructure technologies and supply chain security posture;

# Code Criteria and Test Coverage

This section below represents how *SUFFICIENT* or *NOT SUFFICIENT* each code criteria was during the assessment

Criteria	Status	Notes
Provided Documentation	SUFFICIENT	N/A
Code Coverage Test	SUFFICIENT	69.90% coverage 418/598 line
Code Readability	SUFFICIENT	The codebase had good readability and utilised many Rust and CosmWasm best practices.
Code Complexity	SUFFICIENT	N/A



# Vulnerabilities Summary

#	Summary Title	Risk Impact	Status
1	Ask asset's token address is not validated	Low	Resolved
2	Fees are deducted from the original order amount, potentially confusing query callers	Low	Resolved
3	query_simulate for past orders might return incorrect information	Low	Resolved
4	query_config does not return proposed_owner config variable	Low	Resolved
5	5 Successful contract instantiation does not emit attributes or events Informational		Resolved
6	Cancel order does not emit asset information	Informational	Resolved
7	<pre>Incorrect idx_namespace used for maker_taker_addr</pre>	Informational Resolved	
8	Remove unused code Informational		Resolved
9	Misleading action emitted for accept_ownership and withdraw_fees function	Informational	Resolved



# **Detailed Vulnerabilities**

#### 1 - Ask asset's token address is not validated

Risk Impact: Low - Status: Resolved

#### **Description**

When submitting an order in contracts/p2p/src/order.rs:13, the ask\_asset may be a native token or a CW20 token address. If the ask\_asset is a CW20 token address, it is not validated as a valid address.

#### Recommendations

Consider validating the address using ask\_asset.info.check(deps.api).unwrap().



# 2 - Fees are deducted from the original order amount, potentially confusing query callers

Risk Impact: Low - Status: Resolved

#### Description

In contracts/p2p/src/order.rs:157-158, the order's offer and ask asset is deducted by the maker and taker fee accordingly. This causes the order to lose track of its original offer and ask asset value after a successful trade.

Suppose a user calls query\_order to track past orders. The user cannot differentiate whether the offer\_amount and ask\_amount are the original amount submitted or the amount after fees. This means the user cannot determine whether the order is successful or canceled other than querying past transactions.

Additionally, the order\_open boolean cannot distinguish between successful and canceled trades because both would set the variable value to false.

#### Recommendations

Instead of deducting the fees directly from order.offer\_asset.amount and order.ask\_asset.amount, consider creating a temporary variable that holds the deducted value to preserve the original amount.

Additionally, the following variables can be introduced in the OrderInfo struct to distinguish between successful and canceled trades:

- maker\_fee: Option<Uint128> to record the maker fee calculated in line 154.
- taker\_fee: Option<Uint128> to record the taker fee calculated in line 155.

If both maker\_fee and taker\_fee are Some(Uint128), users can conclude that this is a successful order. On the other side, users can conclude a canceled order if both values are None.

This fixes the issue, as the original offer and ask amount are still preserved while allowing users to query the maker and taker fee amount.



# 3 - query\_simulate for past orders might return incorrect information

Risk Impact: Low - Status: Resolved

#### Description

In contracts/p2p/src/query.rs:119, the query\_simulate function fetches the order's offer and ask asset amount to simulate the amount that will be received by the maker and taker based on the current configured fees.

This is problematic for past orders because the offer and ask asset amount is not initial as it includes the deducted fees as seen in contracts/p2p/src/order.rs:157-158. As a result, the query\_simulate function will deduct the fees again from both assets' amounts, which is incorrect.

Besides that, the contract owner might increase or decrease the fees after a successful trade. This will cause the maker\_receives and taker\_receives to return incorrect values as the intended amount should be higher or lower.

#### Recommendations

Consider only allowing simulating open orders to prevent confusion.



4 - query\_config does not return proposed\_owner config
variable

Risk Impact: Low - Status: Resolved

#### **Description**

When calling the query\_config function in contracts/p2p/src/query.rs:15, the response does not include proposed\_owner. This implies that no one can query the value of proposed\_owner other than checking past transactions.

#### Recommendations

Consider including the proposed\_owner variable in the ConfigResponse struct.



# 5 – Successful contract instantiation does not emit attributes or events

Risk Impact: Informational - Status: Resolved

#### **Description**

When a contract is instantiated, a lack of emitted attributes or events in a successful instantiation on contracts/p2p/src/contract.rs:47 hinders off-chain listeners from indexing the parameters configured by the contract owner.

#### Recommendations

Consider emitting relevant events or attributes based on configured parameters.



#### 6 - Cancel order does not emit asset information

Risk Impact: Informational - Status: Resolved

#### **Description**

In contracts/p2p/src/order.rs:120, canceling the order results in the emitted amount of the offer asset being returned. However, the asset information of the offer asset is not emitted, requiring off-chain listeners to query the specific order to retrieve the asset information.

#### Recommendations

Consider emitting the offer asset information along with the amount.



# 7 - Incorrect idx\_namespace used for maker\_taker\_addr

Risk Impact: Informational - Status: Resolved

#### **Description**

In contracts/p2p/src/state.rs:50, the  $idx_namespace$  used for  $maker_taker_addr$  is "orders\_\_taker\_maker." This is incorrect as the order is  $maker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_taker_take$ 

#### Recommendations

Consider modifying the idx\_namespace to be "orders\_\_maker\_taker."



# 8 - Remove unused code

Risk Impact: Informational - Status: Resolved

# **Description**

In contracts/p2p/src/state.rs:56-57, instances of unused code are found. This impacts the readability of the codebase.

#### **Recommendations**

Consider removing the unused code.



# 9 - Misleading action emitted for accept\_ownership and withdraw fees function

Risk Impact: Informational - Status: Resolved

#### **Description**

In contracts/p2p/src/utils.rs:59 and 231, the value of the "action" attribute key emitted is "change\_owner" for the accept\_ownership function and "withdraw\_address" for the withdraw\_fees function. This is misleading because other emitted actions follow the executed function name.

#### Recommendations

Consider modifying the values to the associated function name, i.e., modifying the attribute value to "accept\_ownership" in line 59 and "withdraw\_fees" in line 231.



# Document control

Version	Date	Approved by	Changes	
0.1	17/02/2023	SCV-Security Team	Document Pre-Release	
0.2	19/02/2023	SCV-Security Team	Remediation Revisions	
1.0	20/02/2023	Vinicius Marino	Document Release	



# **Appendices**

#### A. Appendix - Risk assessment methodology

A qualitative risk assessment is performed on each vulnerability to determine the impact and likelihood of each.

Risk rate will be calculated on a scale. As per criteria Likelihood vs Impact table below:

	Rare	Unlikely	Possible	Likely
Critical	Medium	Severe	Critical	Critical
Severe	Low	Medium	Severe	Severe
Moderate	Low	Medium	Medium	Severe
Low	Low	Low	Low	Medium
Informational	Informational	Informational	Informational	Informational

#### **LIKELIHOOD**

- Likely: likely a security incident will occur;
- Possible: It is possible a security incident can occur;
- Unlikely: Low probability a security incident will occur;
- Rare: In rare situations, a security incident can occur;

#### **IMPACT**

- Critical: May cause a significant and critical impact;
- Severe: May cause a severe impact;
- Moderate: May cause a moderated impact;
- Low: May cause low or none impact;
- Informational: May cause very low impact or none.



#### B. Appendix - Report Disclaimer

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. These reports are not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts SCV-Security to perform a security review. The audit makes no statements or warranties about utility of the code, safety of the code, suitability of the business model, regulatory regime for the business model, or any other statements about fitness of the contracts to purpose, or their bug free status. The audit documentation is for discussion purposes only. The content of this audit report is provided "as is", without representations and warranties of any kind, and SCV-Security disclaims any liability for damage arising out of, or in connection with, this audit report.

Copyright of this report remains with SCV-Security.