

## 01) Registration Page

```
<html>
  <head>
    <title>Registration Page</title>
  </head>
  <body>
    <center>
      <h3 align="center"><u>Registration Form</u></h3>
      <table border="3">
        <tr>
          <td>
            <form style="background-color: rgb(3, 168, 60); font-family: verdana">
              <table cellpadding="10" cellspacing="5">
                <tr><td>Name</td><td><input type="text" size="30"
name="username" required></td></tr>
                <tr><td>Password</td><td><input type="password" size="30"
name="password" required></td></tr>
                <tr><td>Email Id</td><td><input type="text" size="30" name="email"
required></td></tr>
                <tr><td>Phone Number</td><td><input type="text" size="15"
name="phone" required></td></tr>
                <tr><td>Gender</td><td><input type="radio" size="30"
name="Gender" value="M">Male
<input type="radio" size="30" name="Gender"
value="F">Female</td></tr>
                <tr><td>Date of Birth</td><td>
                  <select name="day">
                    <option value="day">Day</option>
                    <option value="1">1</option>
                    <option value="2">2</option>
                    <option value="3">3</option>
                    <option value="4">4</option>
                    <option value="5">5</option>
                    <option value="6">6</option>
                    <option value="7">7</option>
                    <option value="8">8</option>
                    <option value="9">9</option>
                    <option value="10">10</option>
                    <option value="11">11</option>
                    <option value="12">12</option>
                    <option value="13">13</option>
                    <option value="14">14</option>
                    <option value="15">15</option>
                  </select>
                </td></tr>
              </table>
            </form>
          </td>
        </tr>
      </table>
    </center>
  </body>
</html>
```

```
<option value="16">16</option>
<option value="17">17</option>
<option value="18">18</option>
<option value="19">19</option>
<option value="20">20</option>
<option value="21">21</option>
<option value="22">22</option>
<option value="23">23</option>
<option value="24">24</option>
<option value="25">25</option>
<option value="26">26</option>
<option value="27">27</option>
<option value="28">28</option>
<option value="29">29</option>
<option value="30">30</option>
<option value="31">31</option>
</select>
<select name="month" >
  <option value="month">Month</option>
  <option value="jan">January</option>
  <option value="feb">February</option>
  <option value="mar">March</option>
  <option value="apr">April</option>
  <option value="may">May</option>
  <option value="jun">June</option>
  <option value="jul">July</option>
  <option value="aug">August</option>
  <option value="sep">September</option>
  <option value="oct">October</option>
  <option value="nov">November</option>
  <option value="dec">December</option>
</select>
<select name="year" >
  <option value="year">Year</option>
  <option value="2011">2011</option>
  <option value="2012">2012</option>
  <option value="2013">2013</option>
  <option value="2014">2014</option>
  <option value="2015">2015</option>
  <option value="2016">2016</option>
  <option value="2017">2017</option>
  <option value="2018">2018</option>
  <option value="2019">2019</option>
  <option value="2020">2020</option>
```

[illegible]

## Output:

CODE

I/O

RUN ▶

⋮

🗖


### Registration Form

Name	<input type="text"/>
Password	<input type="password"/>
Email Id	<input type="text"/>
Phone Number	<input type="text"/>
Gender	<input type="radio"/> Male <input type="radio"/> Female
Date of Birth	Day <input type="text"/> Month <input type="text"/> Year <input type="text"/>
Date of birth	<input type="text"/>
language known	<input type="checkbox"/> English
Address	<input type="text"/>
<div>SubmitReset</div>	

## 02.online book store

```
<html>
<head>Head page</head>
<body>
  <font face="Arial black" size="3">
    <table border="1" cellspacing="2" cellpadding="5" width="100%">
      <tr>
        <td align="center"></td>
        <td colspan="4" align="center">ONLINE BOOK STORE</td>
      </tr>
      <tr>
        <td align="center"><a href="desc.html"
target="des_page">Home</a></td>
        <td align="center"><a href="login.html"
target="des_page">Login</a></td>
        <td align="center"><a href="registration.html"
target="des_page">Registration</a></td>
        <td align="center"><a href="catelogue.html"
target="des_page">Catalogue</a></td>
        <td align="center"><a href="cart.html"
target="des_page">Cart</a></td>
      </tr>
    </table>
  </font>
</body>
</html>
```

Output:



### 03. Department page

```
<html>
<head>department page</head>
<body>

<font face="Arial black" size="4">
  <table align="center" height="100%">
    <tr>
      <td ><a href="cat_cse.html" target="des_page">CSE</a></td>
    </tr>
    <tr>
      <td ><a href="cat_it.html" target="des_page">IT</a></td>
    </tr>
    <tr>
      <td ><a href="cat_ece.html" target="des_page">ECE</a></td>
    </tr>
    <tr>
      <td ><a href="cat_civil.html" target="des_page">CIVIL</a></td>
    </tr>
  </table>
</font>
</body>
</html>
```

## Output:

CODEI/O

RUN▶⋮⌕

```
department page

    <a href="#">CSE</a>

    <a href="#">IT</a>

    <a href="#">ECE</a>

    <a href="#">CIVIL</a>
```




## 04.Login Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Login Page</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f3f4f6;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
    }
    .login-container {
      background: #ffffff;
      padding: 20px 25px;
      border-radius: 8px;
      box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
      width: 300px;
    }
    .login-container h2 {
```

```
    text-align: center;
    color: #333333;
    margin-bottom: 20px;
}
.form-group {
    margin-bottom: 15px;
}
.form-group label {
    display: block;
    font-size: 14px;
    color: #555555;
    margin-bottom: 5px;
}
.form-group input {
    width: 100%;
    padding: 10px;
    border: 1px solid #cccccc;
    border-radius: 5px;
    font-size: 14px;
}
.form-group input:focus {
    outline: none;
    border-color: #4a90e2;
    box-shadow: 0 0 5px rgba(74, 144, 226, 0.5);
}
.btn {
    background-color: #4a90e2;
    color: #ffffff;
    padding: 10px;
    width: 100%;
    border: none;
    border-radius: 5px;
    cursor: pointer;
    font-size: 16px;
}
```

```
.btn:hover {
    background-color: #357ab7;
}
</style>
</head>
<body>
    <div class="login-container">
        <h2>Login</h2>
        <form action="login.php" method="POST">
            <div class="form-group">
                <label for="username">Username</label>
                <input type="text" id="username" name="username"
required>
            </div>
            <div class="form-group">
                <label for="password">Password</label>
                <input type="password" id="password" name="password"
required>
            </div>
            <button type="submit" class="btn">Login</button>
        </form>
    </div>
</body>
</html>
```

## Output:



The image shows a web application interface with a light gray background. At the top, there is a navigation bar with four items: 'CODE' (highlighted), 'I/O', 'RUN' (with a red play button icon), and a menu icon (three vertical dots). To the right of the menu icon is a square icon with two smaller squares inside. Below the navigation bar is a large white rectangular area containing a login form. The form has a title 'Login' in bold black text. Below the title are two input fields: 'Username' and 'Password'. Each input field has a light gray border and a small 'x' icon on the right side. Below the input fields is a blue button with the text 'Login' in white.

CODE I/O RUN ▶ ⋮ □

### Login

Username

Password

Login