

Linux LAB-1

Que-7

Question 7 - > Configure file permissions and ownership.

Answer :

Theory:

Linux provides `chmod` to change file permissions, `chown` to change file ownership, and `chgrp` to change group ownership. The `umask` command controls the default permission mask for newly created files and directories. The `ls -l` command is used to verify file permissions, ownership and group information.

Result

File permissions and ownership were successfully configured and verified using `chmod`, `chown`, `chgrp`, `umask` and `ls -l`.

```
rajat@luffy:/tmp$ touch assignment.txt
rajat@luffy:/tmp$ ls -l assignment.txt
-rw-r----- 1 rajat rajat 0 Sep 29 09:39 assignment.txt
rajat@luffy:/tmp$ chmod 640 assignment.txt
rajat@luffy:/tmp$ ls -l assignment.txt
-rw-r----- 1 rajat rajat 0 Sep 29 09:39 assignment.txt
rajat@luffy:/tmp$ whoami
rajat
rajat@luffy:/tmp$ sudo chown rajat:rajat assignment.txt
[sudo: authenticate] Password:
rajat@luffy:/tmp$ ls -l assignment.txt
-rw-r----- 1 rajat rajat 0 Sep 29 09:39 assignment.txt
rajat@luffy:/tmp$
```