## Test 1

Adjust the CSS in this document. Make all columns headers and their data centered unless their text content length (across all rows) is higher than 20.

**Initial Version of Screenshot:**




**Code update Output:**



## Test 2

Using jQuery and/or CSS to make all values in the “Orders” column of the Recent File History section higher than 100 have a background color of #00FF00 and the font color of #FFFFFF.

**Initial Version of Screenshot:**




**Code update Output:**



## Test 3

Using jQuery and the button “jumpHelp” create a click event to create a dialog using div “dialog-jump” as its contents.

**Initial Version of Screenshot:**




**Code update Output:**




VISION
Welcome, Guest User
Change Password
Logout
Help
Orders
Parts
Reporting
Jump to
GO
Order Management
ORDERS
CREATE ORDER
Recent File History
Jump Help Dialog
You are able to search the following types:
- MarLo order number (X12345678)
- Customer data feed's order number
- Customer data file name
- Member number/HCID
- Group ID
- Group name
- Broker/Agent ID
- Part number
Production identifiers:
- POD ID (X12345678A+3--12)
- Batch order number (X12345678A)
- Ship-To order number (X12345678A-12)
- Workorder number (X12345678A+3)
Scans the following only if you enter at least 10 characters, and finds matches that start with the text you enter so "brandywine ind" would find "Brandywine Industries"
- Ship-to name (not Attention)
- Ship-to street address (1st street line only)
- Part description (any part of description)
Miscellaneous identifiers:
- Report ID's (JA02) or report number (r35)
- Rule table name (SR_DAILY_CONTRACTS)
- Audit pool number (pool 123)
- Query number (q21)
Searches are not case sensitive so "abc" and "ABC" will return the same results.