Real-World Validation

AtlasBridge beta test with live users on the official N-ATLaS model

Problem statement	PS1: Developer Infrastructure (requirement: at least 2 external beta testers)
Test period	10–12 October 2026 (public beta session: 12 October, 11:00–12:00 WAT)
Environment	Live gateway https://atlasbridge.onrender.com → N-ATLaS (NCAIR1/N-ATLaS, fp16) on 2× T4 GPU
Evidence	Gateway usage log (every request, exported from `/admin/report`), tester confirmations, screenshots

Result. Every one of the 47 logged requests from real users succeeded (100%), across Hausa, Igbo, Yoruba and English, from iPhone and Android phones, laptops and a terminal. Two external testers used it on their own devices, and one called the API from their own terminal with curl. Testing also surfaced real issues. We fixed the ones in our layer the same day and record the model-level ones below.

2
external developer testers

47
logged requests, 47 successful (100%)

4
languages used: en 22 · ha 10 · ig 10 · yo 3

1.8 s
median chat time on GPU (translate 1.4 s)

1. Who tested

Tester	Type	Requests	Languages	How they used it
Olaoluwa Oyelowo Media Personnel, Johnethel Schools	External tester	13	Hausa, English, Yoruba	Playground chat, translate, detect (desktop); **API from code with curl** (2 calls). Rating 4.5/5.
Sylvaline Nzekwe Complete Sylvaline Ventures	External tester	9	Igbo, English	Playground chat and translate on an Android phone; round-trip Igbo ↔ English translation. Rating 3/5.
Owoborode Bukunmi Ezekiel UNIOSUN	Team QA (internal)	14	English, Hausa, Yoruba, Igbo	Structured QA pass on mobile: chat, translate, detect.
Oyakhire Michael Kingsley	Developer (internal)	11	Igbo, English, Hausa	Smoke tests on 10 October: chat, round-trip translation, detect.

Internal testing is shown for completeness. It is not counted towards the external-tester requirement.

2. Tester confirmations

External tester 1: Olaoluwa Oyelowo (12 October 2026, 11:48 WAT)

```
Name: Oyelowo Olaoluwa
Role and company / school: Media Personell at Johnethel Schools
Date tested: 12 October 2026
What I tested: playground chat / translate / detect / API from code
Languages I used: Hausa, English
How I called the API: curl (PowerShell)
Rating (1-5): 4.5
What worked well: API responded correctly in Hausa, language detection accurate, GPU
backend confirmed
What should be improved:
Model mixed Hausa and Igbo in the same reply ("ihowo gi" is not Hausa)
PowerShell curl instructions need a note about using a JSON file to avoid escaping
errors
Cold start time on first load feels long for a demo
API key recovery option needed in case it's missed
Yoruba language quality needs improvement

I confirm that I personally tested AtlasBridge on 12 October 2026.
```




Figure 1. Olaoluwa's own terminal (Windows PowerShell, `curl.exe`) calling `/v1/chat/completions`. N-ATLaS replies in Hausa; the response shows `"model":"n-atlas"`, `"detected_language":"ha"`, `"reply_language":"ha"`, `"backend":"gpu"`. API key redacted.

External tester 2: Sylvaline Nzekwe (12 October 2026)

```
Name: Sylvaline Nzekwe
Company: Complete Sylvaline Ventures
What I tested: language translators, language chat
Languages I used: Igbo and English
Rating (1-5): 3/5
What should be improved: translation not perfect (3/5). Improve translation.

I confirm that I personally tested AtlasBridge on 12 October 2026.
```

Her session is in the usage log: 9 requests from an Android phone between 12:08 and 12:14 UTC (13:08–13:14 WAT), all served by N-ATLaS on GPU. Examples are in section 3, and the issues it surfaced are in section 5.

3. Usage log

Every request through the gateway is logged with tester, endpoint, language, backend, status, latency and client. Below are all 47 requests from 4 testers, 10–12 October, exported from `/admin/report`. The full CSV is available on request.

By endpoint	Requests	Success	Median time	Slowest
Chat (`/v1/chat/completions`)	19	100%	1.8 s	10.4 s (long Igbo answer)
Translate (`/v1/translate`)	19	100%	1.4 s	4.2 s
Detect language (`/v1/detect-language`)	9	100%	< 1 ms offline · 0.4–0.5 s via N-ATLaS	0.5 s

Clients seen: iPhone and Android browsers, Windows and macOS desktop browsers, and `curl` from a developer's terminal, which shows the API working outside our own web page.

Sample of real requests (prompt and reply previews from the log)

Tester · endpoint	Lang	Input	N-ATLaS output
Olaoluwa · chat (curl)	ha	Sannu, yaya kake?	Ina lafiya! Kuma iya ku?
Olaoluwa · chat	ha	Ina dai son sanin yadda saurin ka yake.	Na gode da sha'awar! Ina samun bayanan lokaci-lokaci daga masu amfani kamar ku don inganta aikina…
Olaoluwa · translate	→ en	Na gode da sha'awar! Ina samun bayanan…	Thank you for your interest! I get data on a regular basis from users like you to improve my work…
Bukunmi · translate	→ yo	I'm fine and you?	Ó dára, báwo ni ìwọ?
Bukunmi · translate	→ ha	I'm fine and you?	Lafiya kuma ku?
Michael · translate	→ ig	Wash your hands with soap and clean water before eating.	Sachaa aka gị na ncha na mmiri dị ọcha tupu i rie nri.
Sylvaline · translate	→ en	Nnọọ! Kedu ka mma? Ị na-enwe obi ụtọ taa?	Hello! How are you today? Are you happy today?
Michael · chat	ig	Kedu ihe bụ uru mmiri na-arụ n'ahụ mmadụ?	Mmiri dị mkpa maka ndụ mmadụ ka ọ na-enyere aka ịnọgide na-enwe okpomọkụ ahụ…

4. Benchmark: language identification

Test	Result
Held-out set: 30 unseen everyday phrases (Hausa, Igbo, Yoruba), typed with and without diacritics	**29/30 (97%)**
Regression set run on every build (`gateway/tests/lang_eval.py` , 70 phrases, 4 languages)	70/70, must stay ≥ 95%
Live: offline detector on testers' Igbo sentence	Correct (Igbo) 3 of 3 times
Live: "Ask N-ATLaS" detection mode on the same Igbo sentence	Wrong (English) 3 of 3 times. That's why the offline detector is the default.




Figure 2. A tester's playground result: "Bawo ni" → Yoruba (75% confidence, offline rules).

5. What testing found, and what we did

Finding	Source	Action
Asked "What model are you?", the model replied that it was "developed by OpenAI".	Usage log (Olaoluwa)	**Fixed (v2.1.1):** the default system prompt now states that it is N-ATLaS by Awarri Technologies / FMCIDE. Covered by a new automated test.
Asked to translate "What is the name of the Nigerian president" into Igbo, `/v1/translate` answered the question instead of translating it.	Usage log (Sylvaline)	**Fixed (v2.1.1):** the translation prompt now tells N-ATLaS never to answer or act on the text, only translate it. Covered by a new automated test (25 tests pass).
PowerShell `curl` garbles inline JSON.	Olaoluwa's feedback	**Fixed:** testers' guide now gives `curl.exe` with `-d "@request.json"`.
Hausa reply mixed in an Igbo phrase ("Kuma ihowo gi?").	Olaoluwa's feedback and log	**Model limitation:** to be reported to Awarri as model feedback. The gateway already instructs N-ATLaS to reply only in the user's language.
A short all-caps Hausa message ("YAYA KAI"), after English turns, got its first reply in English.	Usage log	**Model limitation:** the "Reply in" selector forces the language when needed.
Hausa translation rendered "clean water" as "ruwan dumi" (warm water).	Usage log	**Model limitation:** documented. Translations of important content should be reviewed by a speaker.
The same reply named "Muhammadu Buhari (2015-2019)" as president, which is out of date and has the wrong term.	Usage log (Sylvaline)	**Model limitation:** N-ATLaS has a fixed training cut-off and no live data. Documented: do not rely on the model for current facts.

An unclear short Igbo prompt ("Kaa afa, Nigerian president") got a playful, unrelated reply ("Ka anyị gbaa egwu!", "Let's dance!").	Usage log (Sylvaline)	**Model limitation:** on its next turn the model asked her for clearer input, which is acceptable. Recorded as model feedback.
Translation quality "not perfect" (rated 3/5).	Sylvaline's feedback	**Partly fixed (v2.1.1):** the translate-vs-answer bug above is fixed. The rest is model quality: recorded as feedback for Awarri, and our docs advise review by a speaker for important content.
Yoruba quality weaker than Hausa and Igbo.	Olaoluwa's feedback	**Model limitation:** consistent with the N-ATLaS model card (Yoruba 2.69/5). Stated in our docs.
First load after idle is slow (free host sleeping).	Olaoluwa's feedback	**Fixed (12 October):** the live gateway moved to a paid, always-on Render instance, so it no longer sleeps and there is no cold-start delay.
No way to recover a lost API key.	Olaoluwa's feedback	Roadmap: email-based key reset. For now, a lost key can be revoked and reissued by the admin.

6. Method and data handling

- Testers followed a written guide: get a key with an invite code, chat in two or more languages, translate, detect, call the API from code, then send a signed confirmation.
- All numbers come from the gateway's own request log. Nothing was simulated. The model served every chat and translate request in the public session from the GPU (`backend: gpu`).
- Testers were told that request metadata and 300-character previews are logged, and asked not to send personal data. API keys and email addresses are redacted in this document.

N-ATLaS is an initiative of the Federal Ministry of Communications, Innovation and Digital Economy, and powered by Awarri Technologies. AtlasBridge is an independent developer tool built on N-ATLaS.