

# LONG THESIS TITLE

*A Project Report Submitted in Partial Fulfillment of the Requirements  
for the Degree of*

**Bachelor of Technology (B. TECH)  
in Department of Electrical Engineering**

*by*

**Pradosh Chandra Mitter**

Roll No: 18/EE/045

Registration No: 184410301045

**Tapesh Ranjan Mitter**

Roll No: 18/EE/052

Registration No: 184410301052

**Lalmohan Gonguly**

Roll No: 18/EE/063

Registration No: 184410301063

*Under the supervision of*

**Professor C.V. Raman**

Professor

Department of Electrical Engineering

Dr. B. C. Roy Engineering College

&

**Acharya Prafulla Chandra Ray**

Assistant Professor

Department of Electrical Engineering

Dr. B. C. Roy Engineering College



**DR. B. C. ROY ENGINEERING COLLEGE**

(An Autonomous Institute, Affiliated To MAKAUT)

**Durgapur 713206, West Bengal, India**

**MAY, 2025**



*All Rights Reserved*

*Copyright © 2025 Pradosh Chandra Mitter, Tapes Ranjan Mitter, Lalmohan Gonguly*





# DR. B. C. ROY ENGINEERING COLLEGE

(An Autonomous Institute, Affiliated To MAKAUT)

**Department of Electrical Engineering**

**Durgapur 713206, West Bengal, India**

---

## DECLARATION/STATEMENT OF THESIS PREPARATION

**Thesis title:** "Long Thesis Title"

**Degree for which the thesis is submitted:** Bachelor of Technology (B. TECH)

- ✓ Thesis preparation guideline has been followed while preparing the thesis.
- ✓ All specifications regarding thesis format etc. have been followed.
- ✓ The contents of the thesis have been organized based on the guidelines.
- ✓ The thesis has been prepared without resorting to plagiarism.
- ✓ All sources used have been cited appropriately.
- ✓ The thesis has not been submitted elsewhere for a degree/diploma.

Date: \_\_\_\_\_

Signature: \_\_\_\_\_

Place: \_\_\_\_\_

Pradosh Chandra Mitter

Roll No: 18/EE/045

Signature: \_\_\_\_\_

Tapesh Ranjan Mitter

Roll No: 18/EE/052

Signature: \_\_\_\_\_

Lalmohan Gonguly

Roll No: 18/EE/063





# DR. B. C. ROY ENGINEERING COLLEGE

(An Autonomous Institute, Affiliated To MAKAUT)

Department of Electrical Engineering

Durgapur 713206, West Bengal, India

---

## CERTIFICATE OF APPROVAL

This report is hereby approved as a creditable work for final year project [Final Year Project Stage-II (PWEE881)] on “**Long Thesis Title**” carried out and presented by **Group 00**:

**Pradosh Chandra Mitter, 18/EE/045**

**Tapesh Ranjan Mitter, 18/EE/052**

**Lalmohan Gonguly, 18/EE/063**

in partial fulfillment of the requirements for the award of Degree of Bachelor of Technology (B. TECH) in Department of Electrical Engineering from Dr. B. C. Roy Engineering College, Durgapur under the supervision of **Professor C.V. Raman** and **Acharya Prafulla Chandra Ray** as per the requirement of the curriculum of Maulana Abul Kalam Azad University of Technology, West Bengal during the academic year 2024-2025.

(Signature of Co-Supervisor)

**Acharya Prafulla Chandra Ray**

Assistant Professor

Department of Electrical Engineering

Dr. B. C. Roy Engineering College

Place: \_\_\_\_\_

Date: \_\_\_\_\_

(Signature of Supervisor)

**Professor C.V. Raman**

Professor

Department of Electrical Engineering

Dr. B. C. Roy Engineering College

Place: \_\_\_\_\_

Date: \_\_\_\_\_

(Signature of Head of Department)

**Prof. Srinivasa Ramanujan**

Professor & Head

Department of Electrical Engineering

Dr. B. C. Roy Engineering College

Place: \_\_\_\_\_

Date: \_\_\_\_\_





# Acknowledgment

We express our sincere gratitude to our project supervisor **Professor C.V. Raman** and co-supervisor **Acharya Prafulla Chandra Ray** for their constant guidance, support, and encouragement throughout this project work. Their valuable suggestions and constructive criticism helped us in completing this project successfully.

We are thankful to **Prof. Srinivasa Ramanujan**, Professor & Head of Department of Electrical Engineering, for providing necessary facilities and resources for our project work.

We also extend our thanks to all faculty members and staff of the Department of Electrical Engineering for their support and cooperation during the course of this project.

We acknowledge the technical support provided by the laboratory staff and the library resources that were instrumental in our research work.

Finally, we are grateful to our family members and friends for their continuous support and motivation throughout this project.

Pradosh Chandra Mitter

Roll No: 18/EE/045

Tapesh Ranjan Mitter

Roll No: 18/EE/052

Lalmohan Gonguly

Roll No: 18/EE/063



# Abstract

With the rapid advancement in technology and increasing demand for efficient power management, smart grid systems have become essential for modern electrical infrastructure. This project presents the development of a comprehensive smart grid monitoring system that integrates Internet of Things (IoT) technology with machine learning algorithms to enhance grid reliability, efficiency, and sustainability.

The proposed system utilizes various sensors and IoT devices to collect real-time data from different components of the electrical grid including voltage, current, frequency, and power quality parameters. The collected data is transmitted through wireless communication protocols to a central monitoring station where machine learning algorithms process and analyze the information to detect anomalies, predict failures, and optimize grid operations.

The machine learning component employs artificial neural networks and support vector machines to classify normal and abnormal grid conditions. The system also incorporates predictive maintenance capabilities using time-series analysis and regression techniques to forecast equipment failures and schedule maintenance activities proactively.

A user-friendly web-based interface has been developed to visualize real-time grid status, historical trends, and alert notifications. The system also includes automated control features that can respond to critical situations by adjusting load distribution or isolating faulty sections.

Simulation results demonstrate that the proposed system can effectively monitor grid parameters with 95% accuracy in anomaly detection and reduce downtime by 30% through predictive maintenance. The IoT-based architecture ensures scalability and cost-effectiveness, making it suitable for implementation in both urban and rural electrical networks.

The project contributes to the advancement of smart grid technology and provides a foundation for future research in intelligent power system monitoring and control. The developed system addresses the critical need for real-time monitoring and predictive maintenance in modern electrical grids, offering significant improvements in reliability and operational efficiency.



# Table of Contents

<b>Acknowledgment</b>	<b>vii</b>
<b>Abstract</b>	<b>ix</b>
<b>List of Figures</b>	<b>xiv</b>
<b>List of Tables</b>	<b>xiv</b>
<b>List of Abbreviations</b>	<b>xvi</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Background and Motivation . . . . .	1
1.2 Problem Statement . . . . .	1
1.2.1 Limited Real-time Monitoring . . . . .	2
1.2.2 Reactive Maintenance Approach . . . . .	2
1.2.3 Inadequate Data Analytics . . . . .	2
1.2.4 Poor System Integration . . . . .	2
1.3 Research Objectives . . . . .	2
1.4 Scope and Limitations . . . . .	3
1.4.1 Scope of the Work . . . . .	3
1.4.2 Limitations . . . . .	3
1.5 Research Methodology . . . . .	4
1.5.1 Literature Review and Technology Analysis . . . . .	4
1.5.2 System Design and Architecture Development . . . . .	4
1.5.3 Hardware and Software Development . . . . .	4
1.5.4 Testing and Validation . . . . .	5
1.6 Contributions and Novelty . . . . .	5

1.7 Thesis Organization . . . . .	5
1.8 Chapter Summary . . . . .	6
<b>2 Literature Review</b>	<b>9</b>
2.1 Introduction . . . . .	9
2.2 Smart Grid and Monitoring Systems . . . . .	9
2.3 Integration of IoT in Smart Grids . . . . .	9
2.4 Machine Learning Applications . . . . .	10
2.5 Comparative Analysis of Related Work . . . . .	10
2.6 Research Gaps Identified . . . . .	10
2.7 Summary . . . . .	11
<b>3 Tables and Data Presentation</b>	<b>13</b>
3.1 Simple Table . . . . .	13
3.2 Long Table with Page Breaks . . . . .	13
3.3 Landscape Table . . . . .	15
3.4 IEEE Table Standards and Citations . . . . .	17
<b>4 Figures and Graphical Representation</b>	<b>19</b>
4.1 Resizable Figure . . . . .	19
4.2 Subfigures in 2x2 Format . . . . .	20
4.3 Figure in Table . . . . .	20
4.4 Simple Figure Example . . . . .	21
4.5 IEEE Figure Standards and Citations . . . . .	21
<b>5 Mathematical Equations and IEEE Standards</b>	<b>23</b>
5.1 Simple Mathematical Equation . . . . .	23
5.2 Multi-line Mathematical Equation . . . . .	23
5.3 Long Multi-line Mathematical Equations . . . . .	24
5.4 Conditional Mathematical Equations . . . . .	24
5.5 IEEE Unit Standards with siunitx . . . . .	25
5.6 Common Mathematical Symbols . . . . .	27
5.7 IEEE Mathematical Writing Standards . . . . .	27

<b>6 LaTeX Thesis Template Usage Guide</b>	<b>29</b>
6.1 Introduction . . . . .	29
6.2 Template Architecture and Directory Structure . . . . .	29
6.3 Configuration and User Input Section . . . . .	31
6.3.1 Thesis Information Configuration . . . . .	31
6.3.2 Project-Specific Information . . . . .	31
6.3.3 Student Configuration System . . . . .	31
6.3.4 Supervision Structure . . . . .	32
6.4 Degree-Specific Configurations . . . . .	33
6.4.1 Undergraduate (UG) Thesis Requirements . . . . .	33
6.4.2 Postgraduate (PG) Thesis Requirements . . . . .	33
6.5 Compilation Methods . . . . .	34
6.5.1 Offline Compilation in Manjaro Linux . . . . .	34
6.5.1.1 Prerequisites Installation . . . . .	34
6.5.1.2 Compilation Process . . . . .	34
6.5.1.3 Advanced Compilation Options . . . . .	35
6.5.2 Online Compilation using Overleaf Platform . . . . .	35
6.5.2.1 Project Setup on Overleaf . . . . .	35
6.5.2.2 Overleaf Configuration Parameters . . . . .	35
6.5.2.3 Collaborative Features . . . . .	35
6.6 Content Development Guidelines . . . . .	36
6.6.1 Chapter Organization Strategy . . . . .	36
6.6.2 Figure and Table Management . . . . .	36
6.6.3 Mathematical Expression Formatting . . . . .	36
6.7 Quality Assurance and Best Practices . . . . .	37
6.7.1 File Organization Recommendations . . . . .	37
6.7.2 Common Error Resolution . . . . .	37
6.8 Performance Optimization . . . . .	37
6.9 Third-Party Components and Acknowledgments . . . . .	38
6.9.1 MATLAB Code Highlighting . . . . .	38

6.9.2	Template Availability and Distribution . . . . .	38
6.9.2.1	GitHub Repository . . . . .	38
6.9.2.2	Overleaf Template . . . . .	39
6.10	Conclusion . . . . .	39
6.11	License Information . . . . .	39
6.11.1	MIT License . . . . .	39
6.11.2	Usage Terms . . . . .	40
6.11.3	Third-Party License Compliance . . . . .	40
<b>Bibliography</b>		<b>43</b>
<b>Publications by the Authors</b>		<b>47</b>

List of Figures

4.1	Smart grid system architecture showing integration of renewable energy sources and communication networks . . . . .	19
4.2	Comparison of control system responses: (a) PI controller, (b) PID controller, (c) Fuzzy logic controller, (d) Neural network controller . . . . .	20
4.3	Single-line diagram of a typical power transmission system with generator, transformer, and load components . . . . .	21

List of Tables

2.1	Comparison of Selected Literature on Smart Grid Monitoring . . . . .	10
3.1	Smart Grid System Parameters . . . . .	13
3.2	Equipment Inventory for Smart Grid Implementation . . . . .	14
3.3	Power Flow Analysis Results for Different Operating Conditions . . . . .	16



4.1	Power Converter Topology Comparison . . . . .	20
5.1	IEEE Standard Unit Notation with siunitx Package . . . . .	26
5.2	Common Mathematical Symbols in Electrical Engineering . . . . .	28

# List of Abbreviations

<b>AI</b>	Artificial Intelligence
<b>ANN</b>	Artificial Neural Network
<b>API</b>	Application Programming Interface
<b>CNN</b>	Convolutional Neural Network
<b>DER</b>	Distributed Energy Resources
<b>DSO</b>	Distribution System Operator
<b>GUI</b>	Graphical User Interface
<b>HMI</b>	Human Machine Interface
<b>HTTP</b>	Hypertext Transfer Protocol
<b>IoT</b>	Internet of Things
<b>JSON</b>	JavaScript Object Notation
<b>KNN</b>	k-Nearest Neighbors
<b>ML</b>	Machine Learning
<b>MQTT</b>	Message Queuing Telemetry Transport
<b>PMU</b>	Phasor Measurement Unit
<b>RF</b>	Random Forest
<b>SCADA</b>	Supervisory Control and Data Acquisition
<b>SVM</b>	Support Vector Machine
<b>TCP</b>	Transmission Control Protocol
<b>THD</b>	Total Harmonic Distortion
<b>UI</b>	User Interface
<b>WiFi</b>	Wireless Fidelity
<b>WSN</b>	Wireless Sensor Network

# Chapter 1

## Introduction

### 1.1 Background and Motivation

The electrical power grid forms the backbone of modern society, supplying energy to residential, commercial, and industrial consumers. Traditional power grids were designed as centralized systems with unidirectional power flow from large generation facilities to end consumers. However, the increasing integration of renewable energy sources, distributed generation, and evolving consumer demands have necessitated the transformation of conventional grids into intelligent, bidirectional smart grids.

Smart grids represent a paradigm shift in power system operation, incorporating advanced communication technologies, real-time monitoring capabilities, and automated control systems. The integration of Internet of Things (IoT) devices and machine learning algorithms has opened new avenues for enhancing grid reliability, efficiency, and sustainability. These technologies enable real-time data collection, predictive analytics, and autonomous decision-making, which are essential for managing the complexity of modern power systems.

The motivation for this research stems from the critical need to address the challenges faced by conventional grid monitoring systems. Traditional monitoring approaches suffer from limited real-time visibility, manual fault detection processes, and reactive maintenance strategies. These limitations result in increased downtime, higher operational costs, and reduced system reliability. The development of an intelligent monitoring system that combines IoT sensors with machine learning algorithms can significantly improve grid performance and operational efficiency.

### 1.2 Problem Statement

The main challenges addressed in this research work are:

### 1.2.1 Limited Real-time Monitoring

Conventional grid monitoring systems rely on periodic manual inspections and limited sensor coverage, resulting in delayed detection of anomalies and faults. This lack of real-time visibility hampers the ability to respond quickly to system disturbances and optimize grid operations.

### 1.2.2 Reactive Maintenance Approach

Traditional maintenance strategies are primarily reactive, addressing problems only after they occur. This approach leads to unexpected equipment failures, increased downtime, and higher maintenance costs. There is a critical need for predictive maintenance capabilities that can forecast potential failures and enable proactive intervention.

### 1.2.3 Inadequate Data Analytics

Existing monitoring systems generate vast amounts of data but lack sophisticated analytics capabilities to extract meaningful insights. The absence of intelligent data processing and pattern recognition limits the ability to identify trends, predict anomalies, and optimize system performance.

### 1.2.4 Poor System Integration

Many legacy monitoring systems operate in isolation without proper integration capabilities. This fragmented approach hinders comprehensive system analysis and coordinated control actions. There is a need for integrated monitoring solutions that can provide holistic system visibility and coordinated response mechanisms.

## 1.3 Research Objectives

The primary objectives of this research work are:

1. **Design and Development of IoT-based Data Acquisition System:** To develop a comprehensive sensor network using IoT devices for real-time collection of critical grid parameters including voltage, current, frequency, power quality, and environmental conditions.

2. **Implementation of Machine Learning Algorithms:** To implement and evaluate various machine learning algorithms for anomaly detection, pattern recognition, and predictive maintenance in smart grid applications.
3. **Development of Intelligent Monitoring Platform:** To create an integrated monitoring platform that combines real-time data visualization, automated alerting, and decision support capabilities.
4. **Performance Evaluation and Validation:** To conduct comprehensive testing and validation of the developed system through simulation studies and prototype implementation.
5. **Development of Predictive Maintenance Framework:** To establish a predictive maintenance framework that can forecast equipment failures and optimize maintenance schedules.

## 1.4 Scope and Limitations

### 1.4.1 Scope of the Work

This research focuses on the development of a smart grid monitoring system with the following scope:

- Development of IoT sensor networks for distribution-level monitoring
- Implementation of machine learning algorithms for anomaly detection and predictive analytics
- Design of web-based monitoring interface and visualization tools
- Integration of real-time data processing and automated alerting systems
- Performance evaluation through simulation and prototype testing

### 1.4.2 Limitations

The limitations of this study include:

- The prototype implementation is limited to laboratory-scale testing and simulation

- The study focuses primarily on distribution-level monitoring and does not cover transmission-level applications
- Cybersecurity aspects are considered but not extensively implemented in the prototype
- The economic analysis is limited to conceptual cost-benefit evaluation
- Field testing is not performed due to resource and time constraints

## **1.5 Research Methodology**

The research methodology adopted in this work follows a systematic approach consisting of the following phases:

### **1.5.1 Literature Review and Technology Analysis**

A comprehensive review of existing smart grid monitoring technologies, IoT applications in power systems, and machine learning techniques for grid analytics is conducted to identify research gaps and establish the theoretical foundation.

### **1.5.2 System Design and Architecture Development**

Based on the literature review and identified requirements, a detailed system architecture is designed incorporating IoT sensors, communication protocols, data processing algorithms, and user interface components.

### **1.5.3 Hardware and Software Development**

The system implementation involves:

- Selection and integration of appropriate IoT sensors and communication modules
- Development of data acquisition and processing software
- Implementation of machine learning algorithms for anomaly detection and prediction
- Design and development of web-based monitoring interface

### 1.5.4 Testing and Validation

Comprehensive testing is performed through:

- Laboratory testing of individual components and integrated system
- Simulation studies using real-world grid data
- Performance evaluation and comparison with existing methods
- Validation of machine learning model accuracy and reliability

## 1.6 Contributions and Novelty

The main contributions of this research work include:

1. **Integrated IoT-ML Framework:** Development of a novel framework that seamlessly integrates IoT sensors with machine learning algorithms for comprehensive grid monitoring and analytics.
2. **Multi-parameter Anomaly Detection:** Implementation of advanced machine learning techniques for simultaneous monitoring and analysis of multiple grid parameters to detect various types of anomalies and disturbances.
3. **Predictive Maintenance System:** Development of a predictive maintenance framework using time-series analysis and machine learning to forecast equipment failures and optimize maintenance schedules.
4. **Scalable Architecture:** Design of a scalable and modular system architecture that can be easily extended and adapted for different grid configurations and requirements.
5. **Real-time Visualization Platform:** Creation of an intuitive web-based interface for real-time monitoring, historical analysis, and interactive system control.

## 1.7 Thesis Organization

This thesis is organized into six chapters, each addressing specific aspects of the research work:

**Chapter 1: Introduction** provides the background, motivation, problem statement, objectives, scope, and overview of the research methodology. It establishes the foundation and context for the entire research work.

**Chapter 2: Literature Review** presents a comprehensive review of existing literature on smart grid technologies, IoT applications in power systems, machine learning techniques for grid monitoring, and related research work. This chapter identifies research gaps and positions the current work within the broader research landscape.

**Chapter 3: Methodology** describes the detailed research methodology, system architecture design, hardware and software requirements, and implementation approach. It provides the technical foundation for the system development.

**Chapter 4: Implementation and Design** presents the detailed implementation of the smart grid monitoring system, including hardware integration, software development, machine learning algorithm implementation, and user interface design.

**Chapter 5: Results and Analysis** provides comprehensive results from testing and validation studies, performance evaluation metrics, comparison with existing methods, and discussion of findings. This chapter demonstrates the effectiveness and capabilities of the developed system.

**Chapter 6: Conclusion and Future Work** summarizes the research findings, highlights the main contributions, discusses limitations, and suggests directions for future research and development.

The thesis also includes appendices containing detailed circuit diagrams, source code, test results, and component specifications that support the main research work.

## 1.8 Chapter Summary

This chapter has established the foundation for the research work on developing a smart grid monitoring system using IoT and machine learning technologies. The background and motivation for the research have been presented, highlighting the critical need for intelligent monitoring solutions in modern power systems. The problem statement clearly identifies the limitations of existing monitoring approaches and the challenges that need to be addressed.

The research objectives have been defined to provide a roadmap for the development of an integrated IoT-ML framework for smart grid monitoring. The scope and limitations of the work have been outlined to set appropriate expectations and boundaries for the research. The research methodology provides a systematic



approach for achieving the defined objectives through literature review, system design, implementation, and validation phases.

The main contributions and novelty of the research have been highlighted, emphasizing the integrated approach and advanced capabilities of the proposed system. Finally, the thesis organization provides a clear structure for presenting the research work and findings in subsequent chapters.

The next chapter will present a comprehensive literature review of existing technologies and research work related to smart grid monitoring, IoT applications, and machine learning techniques, establishing the theoretical foundation for the proposed system.



# **Chapter 2**

## **Literature Review**

### **2.1 Introduction**

This chapter presents a comprehensive review of existing literature related to the development of smart grid monitoring systems. The review is divided into thematic sections covering smart grid architectures, IoT integration, and machine learning applications. The aim is to understand the evolution, current advancements, and limitations of prior work to justify the scope of this research.

### **2.2 Smart Grid and Monitoring Systems**

Smart grids represent the modernization of traditional electrical grids by incorporating advanced communication and automation technologies. Various studies have addressed the implementation challenges and advantages of smart grids in power systems [1, 2]. Effective monitoring systems are essential for fault detection, real-time decision-making, and load management.

### **2.3 Integration of IoT in Smart Grids**

The Internet of Things (IoT) enables connectivity between sensors, meters, and control systems, facilitating real-time data acquisition and remote monitoring [3]. Several researchers have explored low-cost IoT-based architectures for distributed grid monitoring [4], emphasizing the use of microcontrollers, wireless protocols, and cloud platforms.

## 2.4 Machine Learning Applications

Machine learning (ML) offers predictive and adaptive capabilities in grid analysis. Techniques such as support vector machines, decision trees, and neural networks have been used for load forecasting, fault classification, and energy consumption optimization [5, 6]. The integration of ML with IoT enhances the intelligence and automation of smart grids.

## 2.5 Comparative Analysis of Related Work

Table 2.1 summarizes key contributions in literature, comparing methods, tools used, and performance metrics.

**Table 2.1:** Comparison of Selected Literature on Smart Grid Monitoring

Author(s)	Technology Used	Focus Area	Remarks
Fang et al. (2012) [2]	Communication and Security	Smart Grid Framework	Early overview of challenges and architecture
Zanella et al. (2014) [3]	IoT Architecture	Urban IoT for Smart Cities	Demonstrated scalability and cost-effectiveness
Mohamed et al. (2019) [5]	ML Algorithms	Load Forecasting	High accuracy using ANN
Singh et al. (2020) [6]	Hybrid ML Models	Fault Detection	Emphasized real-time learning models

## 2.6 Research Gaps Identified

From the literature, several gaps have been identified:

- Lack of integrated systems combining both IoT and ML for comprehensive monitoring.
- Limited real-time deployment and testing on live grid systems.
- Data privacy and security remain less addressed in existing IoT-based models.

## 2.7 Summary

The literature demonstrates promising advancements in smart grid monitoring through IoT and ML. However, challenges in scalability, real-time performance, and integration offer significant scope for this research. The next chapter will elaborate on the methodology adopted in this work.



# Chapter 3

## Tables and Data Presentation

This chapter demonstrates three essential table types following IEEE standards for technical documentation: simple tables, long tables with page breaks, and landscape tables.

### 3.1 Simple Table

Table 3.1 presents the basic system parameters for smart grid monitoring implementation [7]. This demonstrates the standard IEEE table format with proper caption placement and referencing.

**Table 3.1:** Smart Grid System Parameters

Parameter	Symbol	Value	Unit
Nominal Voltage	$V_n$	11.0	kV
System Frequency	$f$	50	Hz
Power Factor	$\cos \phi$	0.85	–
Transformer Rating	$S_T$	5.0	MVA
Line Resistance	$R$	0.125	$\Omega/\text{km}$
Line Reactance	$X$	0.345	$\Omega/\text{km}$
Communication Range	–	500	m
Operating Temperature	$T_{op}$	-10 to +65	$^{\circ}\text{C}$

### 3.2 Long Table with Page Breaks

Table 3.2 demonstrates the longtable environment for tables that span multiple pages [8]. The table automatically handles page breaks while maintaining consistent headers and formatting.

**Table 3.2:** Equipment Inventory for Smart Grid Implementation

ID	Equipment Name	Qty	Status
<b>Power Transformers</b>			
PT001	Distribution Transformer 1000 kVA	5	Installed
PT002	Step-up Transformer 5 MVA	2	Installed
PT003	Isolation Transformer 500 kVA	8	Ordered
PT004	Auto Transformer 2 MVA	3	Testing
PT005	Grounding Transformer 750 kVA	4	Installed
<b>Protection Equipment</b>			
PD001	Circuit Breaker SF6 33 kV	12	Installed
PD002	Vacuum Circuit Breaker 11 kV	20	Installed
PD003	Load Break Switch 33 kV	15	Testing
PD004	Disconnect Switch 11 kV	25	Installed
PD005	Surge Arresters 33 kV	50	Installed
PD006	Current Transformers 1000/5A	60	Installed
PD007	Voltage Transformers 33kV/110V	45	Installed
PD008	Digital Protection Relays	30	Testing
<b>Smart Grid Components</b>			
SG001	Phasor Measurement Units 50Hz	8	Installed
SG002	Smart Meters 230V	500	Installed
SG003	Data Concentrator 1000 nodes	10	Testing
SG004	Communication Gateway Ethernet	15	Installed
SG005	Weather Station Multi-sensor	5	Installed
SG006	SCADA Server High-end	2	Testing
SG007	HMI Workstation Industrial PC	6	Installed
SG008	Historian Database 10TB	1	Testing
<b>Renewable Energy</b>			
RE001	Solar PV Modules 250W	200	Installed
RE002	Solar Inverters 10kW	25	Installed
RE003	Wind Turbines 100kW	3	Testing
Continued on next page			



Table 3.2 Continued from previous page

ID	Equipment Name	Qty	Status
RE004	Battery Storage 500kWh	5	Ordered
RE005	MPPT Charge Controllers 60A	30	Installed
RE006	Monitoring System Complete	1	Testing
<b>Communication Equipment</b>			
CE001	Fiber Optic Cable Single-mode	5000m	Installed
CE002	Ethernet Switches 24-port	20	Installed
CE003	Industrial Wireless Routers	15	Installed
CE004	RS485/Ethernet Converters	50	Installed
CE005	GPS Clock IEEE 1588	5	Testing
CE006	Network Security Firewall	8	Testing
<b>Control Systems</b>			
CS001	Modular PLC Systems	12	Installed
CS002	RTU Protocol Converters	8	Testing
CS003	Variable Frequency Drives	25	Installed
CS004	Soft Starters 50HP	15	Installed
CS005	Power Factor Controller	10	Testing
CS006	Voltage Regulators 33kV	8	Ordered
<b>Instrumentation</b>			
IN001	Power Quality Meters Class A	15	Installed
IN002	Smart Energy Meters	100	Installed
IN003	RTD Temperature Sensors Pt100	80	Installed
IN004	Pressure Transmitters 4-20mA	20	Installed
IN005	Ultrasonic Flow Meters	12	Testing
IN006	Capacitive Level Sensors	25	Installed
IN007	Wireless Vibration Monitors	10	Testing

### 3.3 Landscape Table

Table 3.3 presents power flow analysis results in landscape orientation to accommodate wide data sets [9]. The landscape environment allows for tables that require more horizontal space than standard portrait orientation permits.

**Table 3.3:** Power Flow Analysis Results for Different Operating Conditions

Bus	Type	Light Load Condition (50%)				Heavy Load Condition (120%)			
		V (pu)	Angle (deg)	P (MW)	Q (MVar)	V (pu)	Angle (deg)	P (MW)	Q (MVar)
1	Slack	1.000	0.00	85.2	32.4	1.000	0.00	195.8	78.2
2	PV	1.050	-2.15	45.0	18.5	1.020	-5.42	108.0	44.8
3	PQ	1.035	-3.28	-20.0	-8.5	0.985	-8.67	-48.0	-20.4
4	PQ	1.028	-4.12	-15.0	-6.2	0.978	-9.85	-36.0	-14.9
5	PV	1.040	-2.98	30.0	12.8	1.010	-7.25	72.0	30.7
6	PQ	1.025	-5.47	-12.5	-5.1	0.965	-12.34	-30.0	-12.2
7	PQ	1.018	-6.23	-8.5	-3.4	0.958	-14.12	-20.4	-8.3
8	PQ	1.012	-7.15	-10.2	-4.1	0.951	-15.86	-24.5	-9.9
<b>Total Generation</b>		<b>160.2</b>	–	–	<b>63.7</b>	<b>375.8</b>	–	–	<b>153.7</b>
<b>Total Load</b>		<b>66.2</b>	–	–	<b>27.3</b>	<b>158.9</b>	–	–	<b>65.7</b>
<b>Total Losses</b>		<b>94.0</b>	–	–	<b>36.4</b>	<b>216.9</b>	–	–	<b>88.0</b>

## 3.4 IEEE Table Standards and Citations

All tables in this chapter follow IEEE formatting standards with:

- Captions placed above tables using `\caption{}` command
- Sequential numbering within chapters (Table 2.1, 2.2, 2.3)
- Proper citation format: “Table 3.1 shows...”
- Consistent use of horizontal lines and column headers
- Units clearly specified in parentheses or separate columns
- Mathematical symbols properly formatted in math mode

The three table types demonstrated represent the most common requirements in electrical engineering documentation: basic parameter tables, equipment inventories requiring page breaks, and wide analytical results requiring landscape orientation.




# Chapter 4

## Figures and Graphical Representation

This chapter demonstrates four essential figure types following IEEE standards: resizable figures, 2x2 subfigure arrangements, figures within tables, and proper IEEE citation methods.

### 4.1 Resizable Figure


Figure 4.1 shows a smart grid system architecture that automatically adjusts to page width using adjustbox [8].



**Figure 4.1:** Smart grid system architecture showing integration of renewable energy sources and communication networks

## 4.2 Subfigures in 2x2 Format

Figure 4.2 demonstrates the 2x2 subfigure arrangement showing different control system responses [10].



**Figure 4.2:** Comparison of control system responses: (a) PI controller, (b) PID controller, (c) Fuzzy logic controller, (d) Neural network controller

## 4.3 Figure in Table


Table 4.1 presents power converter topologies with integrated circuit diagrams [11].

**Table 4.1:** Power Converter Topology Comparison

Topology	Circuit Diagram	Efficiency	Cost
Buck Converter	Buck Circuit L-C Filter	92%	Low
Boost Converter	Boost Circuit Step-up	89%	Low
Full Bridge	Bridge Circuit 4 Switches	95%	High

## 4.4 Simple Figure Example

Figure 4.3 shows a basic power system single-line diagram [12].



**Figure 4.3:** Single-line diagram of a typical power transmission system with generator, transformer, and load components

## 4.5 IEEE Figure Standards and Citations

All figures follow IEEE formatting standards:

- Captions placed below figures
- Sequential numbering (Figure 3.1, 3.2, 3.3, 3.4)
- Proper citations: “Figure 4.1 shows...”
- Subfigures labeled (a), (b), (c), (d)
- Automatic file detection (.jpg, .png formats)
- Graceful handling of missing image files

The four figure types cover essential requirements: resizable figures for different page layouts, multiple subfigures for comparisons, integrated diagrams in tables, and basic single figures for general documentation.





# Chapter 5

## Mathematical Equations and IEEE Standards

This chapter demonstrates IEEE standards for mathematical equations using the modern siunitx package for proper unit notation and formatting.

### 5.1 Simple Mathematical Equation

Equation 5.1 presents Ohm's law, which is fundamental to electrical circuit analysis [13]. This demonstrates the standard IEEE format for mathematical equations with proper numbering and citation.

$$V = I \cdot R \tag{5.1}$$

where  $V$  is the voltage in V,  $I$  is the current in A, and  $R$  is the resistance in  $\Omega$ .

### 5.2 Multi-line Mathematical Equation

The power flow equations for an electrical power system require multi-line mathematical expressions. Equations 5.2, 5.3, and 5.4 show the complete power flow formulation using IEEE alignment standards [7].

$$P_i = V_i \sum_{j=1}^n V_j [G_{ij} \cos(\delta_i - \delta_j) + B_{ij} \sin(\delta_i - \delta_j)] \tag{5.2}$$

$$Q_i = V_i \sum_{j=1}^n V_j [G_{ij} \sin(\delta_i - \delta_j) - B_{ij} \cos(\delta_i - \delta_j)] \tag{5.3}$$

$$S_i = P_i + jQ_i = V_i I_i^* \tag{5.4}$$

where:

- $P_i$  is the real power injection at bus  $i$  (W)
- $Q_i$  is the reactive power injection at bus  $i$  (VA)
- $S_i$  is the complex power at bus  $i$  (VA)
- $V_i$  is the voltage magnitude at bus  $i$  (V)
- $\delta_i$  is the voltage angle at bus  $i$  (rad)
- $G_{ij}$  is the conductance of line  $i$ - $j$  (S)
- $B_{ij}$  is the susceptance of line  $i$ - $j$  (S)
- $n$  is the total number of buses

### 5.3 Long Multi-line Mathematical Equations

For complex electrical engineering formulations, long equations often require breaking the right-hand side into multiple lines. Equation 5.5 demonstrates a high-order transfer function for a power electronic converter with proper IEEE line breaking [14].

$$\begin{aligned}
 H(s) = & \frac{K_p \cdot \omega_n^2 \cdot (1 + sT_z)}{s^4 + 2\zeta_1\omega_{n1}s^3 + \omega_{n1}^2s^2 + 2\zeta_2\omega_{n2}s + \omega_{n2}^2} \\
 & \times \frac{(1 + sT_{z1})(1 + sT_{z2})}{(1 + sT_{p1})(1 + sT_{p2})(1 + sT_{p3})} \\
 & \times \frac{\exp(-sT_d)}{1 + sT_f} \cdot \frac{1}{1 + \frac{s}{\omega_c}}
 \end{aligned} \tag{5.5}$$

where  $K_p$  is the proportional gain,  $\omega_n$  is the natural frequency ( $\text{rad s}^{-1}$ ),  $T_z$ ,  $T_{z1}$ ,  $T_{z2}$  are zero time constants (s),  $T_{p1}$ ,  $T_{p2}$ ,  $T_{p3}$  are pole time constants (s),  $T_d$  is the delay time (s),  $T_f$  is the filter time constant (s), and  $\omega_c$  is the cutoff frequency ( $\text{rad s}^{-1}$ ).

### 5.4 Conditional Mathematical Equations

Conditional equations are frequently used in electrical engineering for piecewise functions, control algorithms, and protection systems. Equation 5.6 shows the switching function for a pulse-width modulated inverter [15].

$$S_a(t) = \begin{cases} 1 & \text{if } v_{\text{control}}(t) > v_{\text{triangular}}(t) \\ 0 & \text{if } v_{\text{control}}(t) \leq v_{\text{triangular}}(t) \end{cases} \quad (5.6)$$

Another example is the fault current calculation in power systems, shown in Equation 5.7:

$$I_{\text{fault}} = \begin{cases} \frac{V_{\text{pre-fault}}}{Z_1 + Z_2 + Z_0} & \text{if single line-to-ground fault} \\ \frac{V_{\text{pre-fault}}}{Z_1 + Z_2} & \text{if line-to-line fault} \\ \frac{V_{\text{pre-fault}}}{Z_1} & \text{if three-phase fault} \\ \frac{V_{\text{pre-fault}}}{\sqrt{3}(Z_1 + Z_2 + Z_0)} & \text{if double line-to-ground fault} \end{cases} \quad (5.7)$$

where  $Z_1$ ,  $Z_2$ , and  $Z_0$  are the positive, negative, and zero sequence impedances respectively ( $\Omega$ ), and  $V_{\text{pre-fault}}$  is the pre-fault voltage (V).

For control systems, the discrete-time control law can be expressed as shown in Equation 5.8:

$$u[k] = \begin{cases} K_p e[k] + K_i \sum_{j=0}^k e[j] + K_d(e[k] - e[k-1]) & \text{if } |e[k]| > \varepsilon \\ 0 & \text{if } |e[k]| \leq \varepsilon \text{ and } k > k_{\text{settle}} \\ u_{\text{nominal}} & \text{if system in steady-state mode} \end{cases} \quad (5.8)$$

where  $u[k]$  is the control output at sample  $k$ ,  $e[k]$  is the error signal,  $K_p$ ,  $K_i$ ,  $K_d$  are the PID gains,  $\varepsilon$  is the error threshold, and  $k_{\text{settle}}$  is the settling time index.

## 5.5 IEEE Unit Standards with siunitx

According to IEEE standards, units must be written in roman (upright) font, not italic, and follow specific formatting rules [16]. The siunitx package provides excellent unit formatting commands. Table 5.1 shows the correct notation for common electrical engineering units.

### siunitx Package Commands:

- `\SI{number}{unit}` - for values with units: 230 V
- `\unit{unit}` - for units only: Hz
- `\micro` - for micro prefix: 100  $\mu\text{A}$

- `\ohm` - for ohm symbol:  $\Omega$
- `\percent` - for percentage: 5 %

**Table 5.1:** IEEE Standard Unit Notation with siunitx Package

Quantity	Symbol	Unit	siunitx Code
Voltage	$V$	V	<code>\unit{\volt}</code>
Current	$I$	A	<code>\unit{\ampere}</code>
Resistance	$R$	$\Omega$	<code>\unit{\ohm}</code>
Power	$P$	W	<code>\unit{\watt}</code>
Reactive Power	$Q$	VA	<code>\unit{\volt\ampere}</code>
Apparent Power	$S$	VA	<code>\unit{\volt\ampere}</code>
Energy	$W$	Wh	<code>\unit{\watt\hour}</code>
Frequency	$f$	Hz	<code>\unit{\hertz}</code>
Capacitance	$C$	F	<code>\unit{\farad}</code>
Inductance	$L$	H	<code>\unit{\henry}</code>
Magnetic Flux	$\Phi$	Wb	<code>\unit{\weber}</code>
Magnetic Field	$B$	T	<code>\unit{\tesla}</code>
Electric Field	$E$	$\text{Vm}^{-1}$	<code>\unit{\volt\per\meter}</code>
Conductance	$G$	S	<code>\unit{\siemens}</code>
Impedance	$Z$	$\Omega$	<code>\unit{\ohm}</code>
Admittance	$Y$	S	<code>\unit{\siemens}</code>

**IEEE Unit Writing Rules with siunitx Package:**

- Units are written in roman font: **Correct:** 10 V, **Wrong:** 10 *V*
- Automatic spacing: **Correct:** 50 Hz, **Manual:** 50 Hz
- No period after unit symbols: **Correct:** 100 W, **Wrong:** 100 W.
- Use proper prefixes: 11 kV, 5 MW, 100  $\mu\text{A}$ , 5 mH
- Complex units:  $230 \text{Vm}^{-1}$ ,  $50 \Omega \text{km}^{-1}$

## 5.6 Common Mathematical Symbols

Table 5.2 presents common mathematical symbols used in electrical engineering with their LaTeX notation and IEEE standard representation [17].

## 5.7 IEEE Mathematical Writing Standards

IEEE mathematical notation standards require [16]:

- **Variables:** Written in italic font ( $V$ ,  $I$ ,  $R$ )
- **Functions:** Written in roman font ( $\sin$ ,  $\cos$ ,  $\log$ ,  $\exp$ )
- **Units:** Use siunitx package commands ( $\text{\SI{10}{\volt}}$ ,  $\text{\unit{\hertz}}$ )
- **Constants:** Mathematical constants in roman ( $e$ ,  $\pi$ )
- **Operators:** Proper spacing around operators ( $a + b$ , not  $a + b$ )
- **Subscripts/Superscripts:** Roman if descriptive ( $V_{\text{rms}}$ ), italic if variable ( $V_i$ )

Example of correct IEEE mathematical formatting using siunitx package:

$$V_{\text{rms}} = \sqrt{\frac{1}{T} \int_0^T v^2(t) dt} \quad (\text{V}) \quad (5.9)$$

or with integrated number and unit:

$$V_{\text{rms}} = 230\text{V} \pm 10\% \quad (5.10)$$

The systematic application of these IEEE mathematical standards with the modern siunitx package ensures consistent, professional presentation of technical equations and expressions in electrical engineering documentation.

**Table 5.2:** Common Mathematical Symbols in Electrical Engineering

Description	Symbol	LaTeX Code	Usage Example
<b>Basic Operations</b>			
Multiplication	$\cdot$	<code>\cdot</code>	$V = I \cdot R$
Division	$/$	<code>/</code>	$f = 1/T$
Plus/minus	$\pm$	<code>\pm</code>	$V = 230(10) \text{ V}$
Proportional	$\propto$	<code>\propto</code>	$P \propto I^2$
Approximately	$\approx$	<code>\approx</code>	$\pi \approx 3.14$
<b>Greek Letters</b>			
Alpha	$\alpha$	<code>\alpha</code>	Attenuation constant
Beta	$\beta$	<code>\beta</code>	Phase constant
Gamma	$\gamma$	<code>\gamma</code>	Propagation constant
Delta	$\delta, \Delta$	<code>\delta</code> , <code>\Delta</code>	Phase angle, change
Epsilon	$\epsilon$	<code>\epsilon</code>	Permittivity
Theta	$\theta, \Theta$	<code>\theta</code> , <code>\Theta</code>	Phase angle
Lambda	$\lambda$	<code>\lambda</code>	Wavelength
Mu	$\mu$	<code>\mu</code>	Permeability, micro
Pi	$\pi$	<code>\pi</code>	Mathematical constant
Rho	$\rho$	<code>\rho</code>	Resistivity
Sigma	$\sigma, \Sigma$	<code>\sigma</code> , <code>\Sigma</code>	Conductivity, summation
Tau	$\tau$	<code>\tau</code>	Time constant
Phi	$\phi, \Phi$	<code>\phi</code> , <code>\Phi</code>	Phase, magnetic flux
Omega	$\omega, \Omega$	<code>\omega</code> , <code>\Omega</code>	Angular frequency, ohm
<b>Complex Numbers</b>			
Imaginary unit	$j$	<code>j</code>	$Z = R + jX$
Real part	$\Re$	<code>\Re</code>	$\Re\{Z\} = R$
Imaginary part	$\Im$	<code>\Im</code>	$\Im\{Z\} = X$
Magnitude	$ Z $	<code> Z </code>	$ Z  = \sqrt{R^2 + X^2}$
Angle	$\angle Z$	<code>\angle Z</code>	$\angle Z = \arctan(X/R)$

# Chapter 6

## LaTeX Thesis Template Usage Guide

### 6.1 Introduction

The main aim of this chapter is to provide a comprehensive guide for using the LaTeX thesis template specifically designed for Dr. B. C. Roy Engineering College. This template has been developed to streamline the thesis writing process for both undergraduate and postgraduate students while maintaining institutional formatting standards and academic presentation quality.

The template architecture follows a modular approach with clear separation between user inputs and system-level formatting commands. The primary advantage of this template lies in its automated handling of multi-student configurations, conditional rendering of content based on degree type, and professional formatting that adheres to institutional guidelines.

### 6.2 Template Architecture and Directory Structure

The template follows a well-organized hierarchical structure that facilitates easy content management and compilation. The complete directory structure is presented below:

```
ug-thesis-template/  
|-- main.tex           # Main document file (User Input Section)  
|-- thesis.cls         # LaTeX class file (Formatting Engine)  
|-- references.bib     # Bibliography database  
|-- mcode.sty         # MATLAB code highlighting package  
|-- README.md         # Documentation file  
|-- LICENSE.lic       # License information  
|-- Frontmatter/  
|   |-- Declaration.tex # Student declaration page (Dont Change it)
```

```

| |-- Certificate.tex    # Supervisor approval    certificate (Dont Change it)
| |-- Acknowledgment.tex    # Acknowledgments section
| |-- Abstract.tex          # Abstract and keywords
| +-- Acronyms.tex          # List of abbreviations and nomenclature
|-- Chapters/
| |-- Chapter01_Introduction.tex    # Introduction chapter (MUST BE)
| |-- Chapter02_Literature.tex    # Literature review (MUST BE)
| |-- Chapter02_Table.tex          # Table examples
| |-- Chapter03_Figure.tex         # Figure examples
| |-- Chapter04_Math.tex           # Mathematical expressions
| |-- Chapter03_Methodology.tex    # Research methodology
| |-- Chapter04_Implementation.tex # Implementation details
| |-- Chapter05_Results.tex        # Results and analysis (MUST BE)
| +-- Chapter06_Conclusion.tex      # Conclusions and future work (MUST BE)
|-- Backmatter/
| |-- PublicationsList.tex    # Publications by authors
| +-- AuthorBio.tex           # Author biographies (Strictly PG/PhD only)
|-- Figures/
| |-- college_logo.png        # Institutional logo (required)
| |-- StudentOne_photo.jpg    # Student photograph
| |-- StudentTwo_photo.jpg    # Student photograph
| |-- StudentThree_photo.jpg  # Student photograph
| |-- Chapter01/              # Chapter-wise figure organization
| |-- Chapter02/
| |-- Chapter03/
| |-- Chapter04/
| |-- Chapter05/
| +-- Chapter06/
+-- OUTPUT/                   # Generated output files (after compilation)
|-- main.pdf                  # Final thesis document
|-- main.aux                  # Auxiliary file
|-- main.bbl                  # Bibliography file
|-- main.blg                  # Bibliography log
|-- main.log                  # Compilation log
|-- main.toc                  # Table of contents
|-- main.lof                  # List of figures
+-- main.lot                  # List of tables

```



## 6.3 Configuration and User Input Section

The template utilizes a sophisticated variable definition system within the `main.tex` file. All user-specific information is contained within the clearly marked “USER INPUT SECTION” which must be modified according to individual thesis requirements.

### 6.3.1 Thesis Information Configuration

The fundamental thesis parameters are defined through the following commands:

```
%% Thesis Information
\ThesisTitle{Long Thesis Title}
\ShortTitle{Short Thesis Title}
\Department{Department of Electrical Engineering}
\College{Dr. B. C. Roy Engineering College}
\University{Maulana Abul Kalam Azad University of Technology, West Bengal}
\DegreeType{Bachelor of Technology (B. TECH)}
\ThesisYear{2025}
\ThesisMonth{May}
\Location{Durgapur}
\AY{2024-2025}
\Address{Durgapur 713206, West Bengal, India}
\Affiliation{(An Autonomous Institute, Affiliated To MAKAUT)}
```

### 6.3.2 Project-Specific Information

For academic projects, the following parameters must be configured:

```
%% Project Information
\GroupNo{Group 00}
\PaperName{Final Year Project Stage-II}
\PaperCode{PWEE881}
```

### 6.3.3 Student Configuration System

The template implements a dynamic student handling system that automatically adjusts content based on the number of students specified:

```
%% Number of Students Configuration
\NumberOfStudents{3} % Range: 1-3 for UG, 1 for PG

%% Student Information
\StudentOne{Pradosh Chandra Mitter}
\RollOne{18/EE/045}
\RegOne{184410301045}
\EmailOne{pradosh.mitter@bcrec.ac.in}
\PhotoOne{Figures/StudentOne_photo.jpg}

\StudentTwo{Tapesh Ranjan Mitter}
\RollTwo{18/EE/052}
\RegTwo{184410301052}
\EmailTwo{tapesh.mitter@bcrec.ac.in}
\PhotoTwo{Figures/StudentTwo_photo.jpg}

\StudentThree{Lalmohan Gonguly}
\RollThree{18/EE/063}
\RegThree{184410301063}
\EmailThree{lalmohan.gonguly@bcrec.ac.in}
\PhotoThree{Figures/StudentThree_photo.jpg}
```

### 6.3.4 Supervision Structure

The template accommodates both single supervisor and co-supervisor configurations:

```
%% Supervisor Configuration
\HasCoSupervisor{2} % 1=supervisor only, 2=both supervisor and co-supervisor
\Supervisor{Professor C.V. Raman}
\SupervisorDesignation{Professor}
\SupervisorEmail{cv.raman@bcrec.ac.in}
\SupervisorDept{Department of Electrical Engineering}

\CoSupervisor{Acharya Prafulla Chandra Ray}
\CoSupervisorDesignation{Assistant Professor}
\CoSupervisorEmail{pc.ray@bcrec.ac.in}
\CoSupervisorDept{Department of Electrical Engineering}
```

## 6.4 Degree-Specific Configurations

### 6.4.1 Undergraduate (UG) Thesis Requirements

For undergraduate theses, the following specifications must be observed:

- **Maximum Students:** 3 students per group
- **Author Biography:** Not included in final document
- **Degree Type:** Bachelor of Technology (B. TECH)
- **Paper Code:** PWEE881 (Final Year Project Stage-II)

The configuration for undergraduate thesis should exclude author biography by commenting out the relevant include statement:

```
% Publications by authors
\include{Backmatter/PublicationsList}
```

```
% About the authors - COMMENTED OUT FOR UG
%\include{Backmatter/AuthorBio} % Applicable for PG/PhD ONLY
```

### 6.4.2 Postgraduate (PG) Thesis Requirements

For postgraduate theses, the specifications are:

- **Number of Students:** 1 student only
- **Author Biography:** Mandatory inclusion
- **Degree Type:** Master of Technology (M. TECH) or equivalent
- **Enhanced Documentation:** Comprehensive literature review and methodology

The configuration for postgraduate thesis must include author biography:

```
% Publications by authors
\include{Backmatter/PublicationsList}
```

```
% About the authors - REQUIRED FOR PG
\include{Backmatter/AuthorBio} % Applicable for PG/PhD ONLY
```

## 6.5 Compilation Methods

### 6.5.1 Offline Compilation in Manjaro Linux

For offline compilation in Manjaro Linux environment, the following procedure should be followed:

#### 6.5.1.1 Prerequisites Installation

```
# Update system repositories
sudo pacman -Syu

# Install complete LaTeX distribution
sudo pacman -S texlive-most texlive-bibtexextra

# Alternative: Install full TeX Live distribution
sudo pacman -S texlive-core texlive-bin texlive-latexextra texlive-fontsextra
```

#### 6.5.1.2 Compilation Process

Navigate to the thesis template directory and execute the following commands:

```
# Navigate to project directory
cd /path/to/ug-thesis-template/

# Create output directory
mkdir -p OUTPUT

# Primary compilation sequence
pdflatex main.tex
bibtex main
pdflatex main.tex
pdflatex main.tex

# Move generated files to OUTPUT directory
mv main.pdf OUTPUT/
mv *.aux *.bbl *.blg *.log *.toc *.lof *.lot OUTPUT/ 2>/dev/null || true
```

### 6.5.1.3 Advanced Compilation Options

For debugging and optimization:

```
# Compilation with detailed logging
pdflatex -interaction=nonstopmode -file-line-error main.tex >
compilation.log 2>&1

# Draft mode compilation (faster for testing)
pdflatex "\def\isdraft{1}\input{main.tex}"

# Shell escape mode (for external programs)
pdflatex -shell-escape main.tex
```

## 6.5.2 Online Compilation using Overleaf Platform

Overleaf provides a convenient cloud-based LaTeX editing and compilation environment. The template can be deployed on Overleaf through the following process:

### 6.5.2.1 Project Setup on Overleaf

1. **Create New Project:** Access Overleaf platform and create a new blank project
2. **Upload Template Files:** Upload all template files maintaining the directory structure
3. **Set Compiler:** Configure project settings to use pdfLaTeX compiler
4. **Bibliography Engine:** Set bibliography processor to bibtex

### 6.5.2.2 Overleaf Configuration Parameters

```
% Overleaf-specific settings (add to main.tex if needed)
\RequirePackage[utf8]{inputenc} % Ensure UTF-8 encoding
\RequirePackage[T1]{fontenc}    % Font encoding compatibility
```

### 6.5.2.3 Collaborative Features

Overleaf enables multi-user collaboration which is particularly beneficial for multi-student projects:

- **Real-time Editing:** Multiple users can edit simultaneously

- **Version Control:** Automatic versioning and change tracking
- **Comment System:** Collaborative review and feedback mechanism
- **Bibliography Management:** Integrated reference management

## 6.6 Content Development Guidelines

### 6.6.1 Chapter Organization Strategy

Each chapter should follow a structured approach with clear objectives and logical flow:

```
\chapter{Chapter Title}
\label{ch:chaptersymbol}
\justifying

% Chapter introduction
% Literature review (if applicable)
% Methodology description
% Results presentation
% Chapter summary
```

### 6.6.2 Figure and Table Management

The template provides automated figure and table handling with proper referencing:

```
\begin{figure}[H]
\centering
\includegraphics[width=0.8\textwidth]{Chapter01/figure_name.png}
\caption{Descriptive caption for the figure}
\label{fig:figurelabel}
\end{figure}
```

### 6.6.3 Mathematical Expression Formatting

For electrical engineering applications, mathematical expressions are formatted using enhanced packages:

```
\begin{equation}
P = V \cdot I \cdot \cos(\phi)
\label{eq:power}
\end{equation}
```

## 6.7 Quality Assurance and Best Practices

### 6.7.1 File Organization Recommendations

To maintain template integrity and facilitate collaboration, the following practices should be observed:

1. **Consistent Naming:** Use descriptive file names with chapter prefixes
2. **Image Resolution:** Maintain high-resolution images (300 DPI minimum)
3. **Backup Strategy:** Regular backup of work using version control systems
4. **Validation Testing:** Periodic compilation testing to identify issues early

### 6.7.2 Common Error Resolution

Typical compilation errors and their solutions:

- **Missing Packages:** Install required packages using package manager
- **File Path Issues:** Verify relative paths for figures and includes
- **Encoding Problems:** Ensure UTF-8 encoding for all text files
- **Bibliography Errors:** Check reference format and .bib file syntax

## 6.8 Performance Optimization

For large documents with numerous figures and references, compilation performance can be optimized through:

```
% Draft mode for faster compilation during writing
\documentclass[draft]{thesis}

% Selective chapter compilation
%\includeonly{Chapters/Chapter01_Introduction}
```

## 6.9 Third-Party Components and Acknowledgments

This template incorporates several third-party components and packages that enhance its functionality and appearance. Proper attribution and licensing information for these components is provided below:

### 6.9.1 MATLAB Code Highlighting

The template includes the `mcode.sty` package developed by Florian Knorn for MATLAB code syntax highlighting. This package provides professional formatting for MATLAB code snippets within LaTeX documents. The `mcode.sty` package is distributed under the BSD License and can be used for academic and commercial purposes.

To use MATLAB code highlighting in your thesis:

```
\begin{lstlisting}[style=Matlab-editor]
function result = myFunction(input)
% Your MATLAB code here
result = input * 2;
fprintf('Result: %f\n', result);
end
\end{lstlisting}
```

### 6.9.2 Template Availability and Distribution

This LaTeX thesis template is made available through multiple platforms to ensure easy access and collaboration:

#### 6.9.2.1 GitHub Repository

The complete template source code, documentation, and version history are maintained in the GitHub repository:

**GitHub Link:** [Repository link will be added here]

The GitHub repository provides:

- Complete source code with version control
- Issue tracking and bug reports
- Collaborative development environment
- Release management and downloads



### 6.9.2.2 Overleaf Template

For users preferring online LaTeX editing, the template is also available as an Overleaf template:

**Overleaf Link:** [Overleaf template link will be added here]

The Overleaf version offers:

- One-click template import
- Collaborative editing capabilities
- Automatic compilation and preview
- No local LaTeX installation required

## 6.10 Conclusion

This chapter has provided a comprehensive overview of the LaTeX thesis template usage for Dr. B. C. Roy Engineering College. The template's modular architecture and automated formatting capabilities significantly reduce the formatting overhead, allowing students to focus on content development rather than document structure.

The distinction between undergraduate and postgraduate requirements has been clearly delineated, with specific guidelines for student numbers and author biography inclusion. Both offline compilation in Manjaro Linux and online compilation through Overleaf have been detailed to accommodate different working preferences and technical environments.

Through proper utilization of this template, students can produce professional-quality thesis documents that adhere to institutional standards while maintaining consistency across different projects and departments.

## 6.11 License Information

### 6.11.1 MIT License

This LaTeX thesis template is released under the MIT License, which allows for maximum flexibility in usage, modification, and distribution. The complete license text is provided below:

MIT License

Copyright (c) 2025 Kingsuk Majumdar

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

### 6.11.2 Usage Terms

Under the MIT License, users are granted the following rights:

- **Commercial Use:** The template may be used for commercial purposes
- **Modification:** Users may modify the template to suit their requirements
- **Distribution:** The template may be distributed freely
- **Private Use:** Private usage is permitted without restriction

The only requirement is the inclusion of the copyright notice and license text in any distributions of the template or substantial portions thereof.

### 6.11.3 Third-Party License Compliance

This template incorporates third-party components with their respective licenses:

- **mcode.sty**: BSD License (Florian Knorn)
- **Standard LaTeX Packages**: Various open-source licenses
- **TeX Live Distribution**: TeX Users Group License

All third-party components are used in compliance with their respective licensing terms, and users should ensure continued compliance when modifying or redistributing the template.



# Bibliography

- [1] "Ieee guide for smart grid interoperability of energy technology and information technology operation with the electric power system (eps), end-use applications, and loads," IEEE Standards Association, 2011.
- [2] X. Fang, S. Misra, G. Xue, and D. Yang, "Smart gridthe new and improved power grid: A survey," *IEEE Communications Surveys & Tutorials*, vol. 14, no. 4, pp. 944–980, 2012.
- [3] A. Zanella, N. Bui, A. Castellani, L. Vangelista, and M. Zorzi, "Internet of things for smart cities," *IEEE Internet of Things Journal*, vol. 1, no. 1, pp. 22–32, 2014.
- [4] A. Ghosh, S. Sanyal, S. Maity, and A. Sinha, "Iot based smart energy management system for a microgrid," in *2017 7th International Conference on Cloud Computing, Data Science & Engineering - Confluence*. IEEE, 2017, pp. 603–608.
- [5] H. Mohamed, M. Sayyad, P. Rad, and A. Shami, "Machine learning for smart grid: A comprehensive survey," *IEEE Access*, vol. 7, pp. 86 973–87 017, 2019.
- [6] K. Singh, G. Kaur, and A. Arora, "A review of machine learning techniques for smart grid systems," *International Journal of Energy Research*, vol. 44, no. 6, pp. 4376–4391, 2020.
- [7] P. Kundur, *Power System Stability and Control*. New York: McGraw-Hill, 1994.
- [8] H. Farhangi, "The path of the smart grid," *IEEE Power and Energy Magazine*, vol. 8, no. 1, pp. 18–28, 2010.
- [9] A. J. Wood, B. F. Wollenberg, and G. B. Sheblé, *Power Generation, Operation, and Control*. New York: John Wiley & Sons, 2013.
- [10] H. Akagi, E. H. Watanabe, and M. Aredes, *Instantaneous Power Theory and Applications to Power Conditioning*. Hoboken, NJ: Wiley-IEEE Press, 2007.
- [11] F. Blaabjerg, R. Teodorescu, M. Liserre, and A. V. Timbus, "Overview of control and grid synchronization for distributed power generation systems," *IEEE Transactions on Industrial Electronics*, vol. 53, no. 5, pp. 1398–1409, 2006.
- [12] P. M. Anderson, *Power System Protection*. New York: Wiley-IEEE Press, 1999.

- [13] C. K. Alexander and M. N. Sadiku, *Fundamentals of Electric Circuits*. New York: McGraw-Hill Education, 2016.
- [14] N. Mohan, T. M. Undeland, and W. P. Robbins, *Power Electronics: Converters, Applications, and Design*. New York: John Wiley & Sons, 2003.
- [15] M. H. Rashid, *Power Electronics Handbook*, 4th ed. Oxford, UK: Butterworth-Heinemann, 2017.
- [16] IEEE, *IEEE Editorial Style Manual*, Institute of Electrical and Electronics Engineers, Piscataway, NJ, 2018.
- [17] G. Grätzer, *More Math Into LaTeX*. Cham, Switzerland: Springer, 2016.
- [18] J. A. Momoh, "Smart grid design for efficient and flexible power networks operation and control," *IEEE/PES Power Systems Conference and Exposition*, pp. 1–8, 2012.
- [19] H. Farhangi and G. Joos, *The Path of the Smart Grid*. IEEE Power and Energy Magazine, 2015.
- [20] L. Atzori, A. Iera, and G. Morabito, "The internet of things: A survey," *Computer Networks*, vol. 54, no. 15, pp. 2787–2805, 2010.
- [21] U. Raza, P. Kulkarni, and M. Sooriyabandara, "A survey on applications of wireless sensor networks in urban areas," *Journal of Network and Computer Applications*, vol. 60, pp. 192–219, 2017.
- [22] V. C. Güngör, D. Sahin, T. Kocak, S. Ergüt, C. Buccella, C. Cecati, and G. P. Hancke, "Smart grid technologies: Communication technologies and standards," *IEEE Transactions on Industrial Informatics*, vol. 7, no. 4, pp. 529–539, 2011.
- [23] OASIS, "Mqtt: The standard for iot messaging," <https://mqtt.org/>, 2019, accessed: 2025-01-01.
- [24] S. J. Russell and P. Norvig, *Artificial Intelligence: A Modern Approach*, 4th ed. Pearson, 2020.
- [25] R. Ahmad, I. Alsmadi, W. Alhamdani, and L. Tawalbeh, "Machine learning approaches for anomaly detection in iot: A survey," *Internet of Things*, vol. 3, pp. 69–88, 2018.
- [26] Y. Wang, Q. Chen, T. Hong, and C. Kang, "Deep learning for smart grid fault detection and classification," *IEEE Transactions on Smart Grid*, vol. 15, no. 2, pp. 1234–1245, 2024.

- [27] A. Kumar, R. Shankar, and N. R. Aljohani, "Predictive maintenance in smart grids using machine learning," *Energies*, vol. 12, no. 9, p. 1693, 2019.
- [28] C. Tu, X. He, Z. Shuai, and F. Jiang, "Big data issues in smart grids: A review," *Renewable and Sustainable Energy Reviews*, vol. 79, pp. 1099–1107, 2017.
- [29] M. Anderson, L. Zhang, and R. Patel, "Edge computing for real-time smart grid data processing," *IEEE Transactions on Industrial Informatics*, vol. 17, no. 8, pp. 5234–5243, 2021.
- [30] X. Liu, R. Singh, V. Kumar, and W. Chen, "Edge computing in smart grids: A comprehensive survey," *Computer Networks*, vol. 201, p. 108567, 2024.
- [31] M. Garcia, J. Thompson, and S. Wilson, "Cybersecurity frameworks for IoT-enabled smart grids: A comprehensive review," *IEEE Access*, vol. 12, pp. 45 678–45 695, 2024.
- [32] K. Ahmed, P. Patel, and R. Johnson, "Blockchain-based secure data sharing in IoT-enabled smart grids," *IEEE Transactions on Smart Grid*, vol. 16, no. 1, pp. 234–248, 2025.
- [33] J. Smith, A. Brown, and M. Davis, "IoT integration in smart grid systems: Challenges and opportunities," in *IEEE International Conference on Smart Grid Communications*. IEEE, 2024, pp. 123–128.
- [34] A. Gupta, V. Sharma, and S. Rao, "Machine learning applications in modern power systems," in *International Conference on Power Electronics and Drives*. IEEE, 2023, pp. 456–461.
- [35] J. Kennedy and R. Eberhart, "Particle swarm optimization," in *Proceedings of IEEE International Conference on Neural Networks*, vol. 4. IEEE, 1995, pp. 1942–1948.
- [36] J. J. Grainger and W. D. Stevenson Jr, *Power System Analysis*. New York: McGraw-Hill, 1994.
- [37] A. G. Phadke and J. S. Thorp, "Synchronized phasor measurements and their applications," *IEEE Transactions on Power Systems*, vol. 23, no. 2, pp. 512–520, 2008.
- [38] B. Zhou, W. Li, K. W. Chan, Y. Cao, Y. Kuang, X. Liu, and X. Wang, "Smart grid communications: Overview of research challenges, solutions, and standardization activities," *IEEE Communications Surveys & Tutorials*, vol. 13, no. 1, pp. 21–37, 2011.
- [39] W. D. Stevenson Jr, *Elements of Power System Analysis*. New York: McGraw-Hill, 1982.

- [40] C. W. Gellings, "The smart grid: Enabling energy efficiency and demand response," *IEEE Power and Energy Magazine*, vol. 7, no. 5, pp. 32–40, 2009.
- [41] R. C. Dugan, M. F. McGranaghan, S. Santoso, and H. W. Beaty, *Electrical Power Systems Quality*. New York: McGraw-Hill Education, 2012.
- [42] P. W. Sauer and M. Pai, *Power System Dynamics and Stability*. Upper Saddle River, NJ: Prentice Hall, 1998.
- [43] M. Liserre, T. Sauter, and J. Y. Hung, "Future energy systems: Integrating renewable energy sources into the smart power grid through industrial electronics," *IEEE Industrial Electronics Magazine*, vol. 4, no. 1, pp. 18–37, 2010.
- [44] F. Rahimi and A. Ipakchi, "Demand response as a market resource under the smart grid paradigm," *IEEE Transactions on Smart Grid*, vol. 1, no. 1, pp. 82–88, 2010.
- [45] W. F. Tinney and C. E. Hart, "Power flow solution by newton's method," *IEEE Transactions on Power Apparatus and Systems*, vol. PAS-86, no. 11, pp. 1449–1460, 1967.



# Publications by the Authors

## Journal Publications

1. **Mitter, Pradosh Chandra**, Mitra, Tapes Ranjan, and Ganguly, Lalmohan, "IoT-Based Smart Grid Monitoring System with Machine Learning Integration," *International Journal of Smart Grid and Clean Energy*, vol. 14, no. 2, pp. 45-58, 2025. DOI: 10.12720/sgce.14.2.45-58
2. Mitra, Tapes Ranjan, **Mitter, Pradosh Chandra**, and Ganguly, Lalmohan, "Machine Learning Algorithms for Power System Anomaly Detection: A Comparative Study," *IEEE Access*, vol. 13, pp. 15234-15247, 2025. DOI: 10.1109/ACCESS.2025.3456789
3. **Ganguly, Lalmohan**, Mitter, Pradosh Chandra, and Mitra, Tapes Ranjan, "Wireless Sensor Networks for Smart Grid Applications: A Comprehensive Review," *Renewable and Sustainable Energy Reviews*, vol. 145, article 111098, 2025. DOI: 10.1016/j.rser.2025.111098

## Conference Publications

1. **Ganguly, Lalmohan**, Mitter, Pradosh Chandra, and Mitra, Tapes Ranjan, "Development of Wireless Sensor Network for Real-time Grid Monitoring," in *Proceedings of IEEE International Conference on Power Electronics and Drives*, New Delhi, India, March 2025, pp. 234-239. DOI: 10.1109/IPED.2025.9123456
2. Mitter, Pradosh Chandra, **Mitra, Tapes Ranjan**, and Ganguly, Lalmohan, "Performance Evaluation of ML Algorithms in Smart Grid Applications," in *National Conference on Advances in Electrical Engineering*, Dr. B. C. Roy Engineering College, Durgapur, February 2025, pp. 67-72.
3. **Mitra, Tapes Ranjan**, Ganguly, Lalmohan, and Mitter, Pradosh Chandra, "IoT Security Framework for Smart Grid Systems," in *International Conference on Cybersecurity in Smart Grid*, IIT Kharagpur, January 2025, pp. 156-161.

## Under Review

1. **Mitter, Pradosh Chandra**, Mitra, Tapeshe Ranjan, Ganguly, Lalmohan, and Majumdar, Kingsuk, “Comprehensive Analysis of IoT Security in Smart Grid Systems,” *Renewable and Sustainable Energy Reviews*, Elsevier. [Under Review - Submitted December 2024]
2. Ganguly, Lalmohan, **Mitter, Pradosh Chandra**, and Mitra, Tapeshe Ranjan, “Edge Computing for Real-time Smart Grid Data Processing,” *IEEE Transactions on Smart Grid*, IEEE. [Under Review - Submitted January 2025]