

Tables (26)

Name	Type	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
auth_user_groups		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE

Name	Type	Schema
		INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
auth_user_user_permissions		CREATE TABLE "auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL

Name	Type	Schema
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
shop_brand		CREATE TABLE "shop_brand" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(200)	"name" varchar(200) NOT NULL
shop_cart1		CREATE TABLE "shop_cart1" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "size_id" bigint NOT NULL REFERENCES "shop_size" ("id") DEFERRABLE INITIALLY DEFERRED, "image" varchar(100) NOT NULL, "name" varchar(100) NOT NULL, "price" integer NOT NULL, "quantity" integer NOT NULL, "sbt" integer NOT NULL, "clr_id" bigint NOT NULL REFERENCES "shop_product_color" ("id") DEFERRABLE INITIALLY DEFERRED, "item_id" bigint NOT NULL REFERENCES "shop_product" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
size_id	bigint	"size_id" bigint NOT NULL
image	varchar(100)	"image" varchar(100) NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL
price	integer	"price" integer NOT NULL
quantity	integer	"quantity" integer NOT NULL
sbt	integer	"sbt" integer NOT NULL
clr_id	bigint	"clr_id" bigint NOT NULL
item_id	bigint	"item_id" bigint NOT NULL
shop_categories		CREATE TABLE "shop_categories" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(200) NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(200)	"name" varchar(200) NOT NULL
shop_color		CREATE TABLE "shop_color" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(200) NOT NULL, "code" varchar(50) NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(200)	"name" varchar(200) NOT NULL
code	varchar(50)	"code" varchar(50) NOT NULL
shop_contact		CREATE TABLE "shop_contact" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(60) NOT NULL, "email" varchar(200)

Name	Type	Schema
		NOT NULL, "subject" varchar(200) NOT NULL, "message" text NOT NULL, "date" datetime NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(60)	"name" varchar(60) NOT NULL
email	varchar(200)	"email" varchar(200) NOT NULL
subject	varchar(200)	"subject" varchar(200) NOT NULL
message	text	"message" text NOT NULL
date	datetime	"date" datetime NOT NULL
shop_filter_price		CREATE TABLE "shop_filter_price" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "price" varchar(60) NOT NULL)
id	integer	"id" integer NOT NULL
price	varchar(60)	"price" varchar(60) NOT NULL
shop_images		CREATE TABLE "shop_images" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "image" varchar(100) NOT NULL, "product_id" bigint NOT NULL REFERENCES "shop_product" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
image	varchar(100)	"image" varchar(100) NOT NULL
product_id	bigint	"product_id" bigint NOT NULL
shop_order		CREATE TABLE "shop_order" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "f_name" varchar(100) NOT NULL, "l_name" varchar(100) NOT NULL, "country" varchar(100) NOT NULL, "address" text NOT NULL, "city" varchar(100) NOT NULL, "state" varchar(100) NOT NULL, "post_code" integer NOT NULL, "phone" integer NOT NULL, "email" varchar(100) NOT NULL, "additional_info" text NULL, "amount" varchar(100) NOT NULL, "date" date NOT NULL, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "status" varchar(20) NOT NULL)
id	integer	"id" integer NOT NULL
f_name	varchar(100)	"f_name" varchar(100) NOT NULL
l_name	varchar(100)	"l_name" varchar(100) NOT NULL
country	varchar(100)	"country" varchar(100) NOT NULL
address	text	"address" text NOT NULL
city	varchar(100)	"city" varchar(100) NOT NULL
state	varchar(100)	"state" varchar(100) NOT NULL
post_code	integer	"post_code" integer NOT NULL
phone	integer	"phone" integer NOT NULL
email	varchar(100)	"email" varchar(100) NOT NULL
additional_info	text	"additional_info" text
amount	varchar(100)	"amount" varchar(100) NOT NULL
date	date	"date" date NOT NULL
user_id	integer	"user_id" integer NOT NULL

Name	Type	Schema
status	varchar(20)	"status" varchar(20) NOT NULL
shop_order_item		CREATE TABLE "shop_order_item" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "product" varchar(200) NOT NULL, "image" varchar(100) NOT NULL, "quantity" varchar(20) NOT NULL, "price" varchar(50) NOT NULL, "total" varchar(1000) NOT NULL, "order_id" bigint NOT NULL REFERENCES "shop_order" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
product	varchar(200)	"product" varchar(200) NOT NULL
image	varchar(100)	"image" varchar(100) NOT NULL
quantity	varchar(20)	"quantity" varchar(20) NOT NULL
price	varchar(50)	"price" varchar(50) NOT NULL
total	varchar(1000)	"total" varchar(1000) NOT NULL
order_id	bigint	"order_id" bigint NOT NULL
shop_product		CREATE TABLE "shop_product" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "u_id" varchar(200) NULL UNIQUE, "image" varchar(100) NOT NULL, "name" varchar(200) NOT NULL, "price" integer NOT NULL, "condition" varchar(100) NOT NULL, "information" text NULL, "description" text NULL, "stock" varchar(200) NOT NULL, "status" varchar(200) NOT NULL, "avl_date" datetime NOT NULL, "brand_id" bigint NOT NULL REFERENCES "shop_brand" ("id") DEFERRABLE INITIALLY DEFERRED, "categories_id" bigint NOT NULL REFERENCES "shop_categories" ("id") DEFERRABLE INITIALLY DEFERRED, "color_id" bigint NOT NULL REFERENCES "shop_color" ("id") DEFERRABLE INITIALLY DEFERRED, "filter_price_id" bigint NOT NULL REFERENCES "shop_filter_price" ("id") DEFERRABLE INITIALLY DEFERRED, "discount" integer NULL)
id	integer	"id" integer NOT NULL
u_id	varchar(200)	"u_id" varchar(200) UNIQUE
image	varchar(100)	"image" varchar(100) NOT NULL
name	varchar(200)	"name" varchar(200) NOT NULL
price	integer	"price" integer NOT NULL
condition	varchar(100)	"condition" varchar(100) NOT NULL
information	text	"information" text
description	text	"description" text
stock	varchar(200)	"stock" varchar(200) NOT NULL
status	varchar(200)	"status" varchar(200) NOT NULL
avl_date	datetime	"avl_date" datetime NOT NULL
brand_id	bigint	"brand_id" bigint NOT NULL
categories_id	bigint	"categories_id" bigint NOT NULL
color_id	bigint	"color_id" bigint NOT NULL
filter_price_id	bigint	"filter_price_id" bigint NOT NULL
discount	integer	"discount" integer

Name	Type	Schema
shop_product_color		CREATE TABLE "shop_product_color" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "color" varchar(30) NOT NULL, "product_id" bigint NOT NULL REFERENCES "shop_product" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
color	varchar(30)	"color" varchar(30) NOT NULL
product_id	bigint	"product_id" bigint NOT NULL
shop_size		CREATE TABLE "shop_size" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "size" varchar(10) NOT NULL, "product_id" bigint NOT NULL REFERENCES "shop_product" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
size	varchar(10)	"size" varchar(10) NOT NULL
product_id	bigint	"product_id" bigint NOT NULL
shop_tag		CREATE TABLE "shop_tag" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(200) NOT NULL, "product_id" bigint NOT NULL REFERENCES "shop_product" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
name	varchar(200)	"name" varchar(200) NOT NULL
product_id	bigint	"product_id" bigint NOT NULL
shop_wishlist		CREATE TABLE "shop_wishlist" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "created_at" datetime NOT NULL, "user_id" integer NOT NULL UNIQUE REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
user_id	integer	"user_id" integer NOT NULL UNIQUE
shop_wishlist_products		CREATE TABLE "shop_wishlist_products" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "wishlist_id" bigint NOT NULL REFERENCES "shop_wishlist" ("id") DEFERRABLE INITIALLY DEFERRED, "product_id" bigint NOT NULL REFERENCES "shop_product" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
wishlist_id	bigint	"wishlist_id" bigint NOT NULL
product_id	bigint	"product_id" bigint NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

Indices (32)

Name	Type	Schema
auth_group_permission		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")

Name	Type	Schema
s_group_id_b120cbf9		
group_id		"group_id"
auth_group_permission s_group_id_permission _id_0cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permission s_permission_id_84c5c 92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permission_conte nt_type_id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permission_conte nt_type_id_codename_ 01ab375a_uniq		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
auth_user_groups_grou p_id_97559544		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user_groups_user _id_6a12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user_groups_user _id_group_id_94350c0c _uniq		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user_user_permiss ions_permission_id_1f bb5f2c		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
auth_user_user_permiss ions_user_id_a95ead1 b		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
auth_user_user_permiss ions_user_id_permissio n_id_14a6b632_uniq		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")

Name	Type	Schema
user_id		"user_id"
permission_id		"permission_id"
django_admin_log_content_type_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_user_id_c564eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
django_content_type_app_label_model_76bd3d3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session_expire_date_a5c62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"
shop_cart1_clr_id_15c7893a		CREATE INDEX "shop_cart1_clr_id_15c7893a" ON "shop_cart1" ("clr_id")
clr_id		"clr_id"
shop_cart1_item_id_9eaff721		CREATE INDEX "shop_cart1_item_id_9eaff721" ON "shop_cart1" ("item_id")
item_id		"item_id"
shop_cart1_size_id_9fa4bfbf		CREATE INDEX "shop_cart1_size_id_9fa4bfbf" ON "shop_cart1" ("size_id")
size_id		"size_id"
shop_cart1_user_id_fa78b9b0		CREATE INDEX "shop_cart1_user_id_fa78b9b0" ON "shop_cart1" ("user_id")
user_id		"user_id"
shop_images_product_id_3d79a3d3		CREATE INDEX "shop_images_product_id_3d79a3d3" ON "shop_images" ("product_id")
product_id		"product_id"
shop_order_item_order_id_fb1c4e35		CREATE INDEX "shop_order_item_order_id_fb1c4e35" ON "shop_order_item" ("order_id")
order_id		"order_id"
shop_order_user_id_00aba627		CREATE INDEX "shop_order_user_id_00aba627" ON "shop_order" ("user_id")
user_id		"user_id"
shop_product_brand_id_505fec11		CREATE INDEX "shop_product_brand_id_505fec11" ON "shop_product" ("brand_id")
brand_id		"brand_id"
		CREATE INDEX "shop_product_categories_id_e0b18cd8" ON

Name	Type	Schema
shop_product_categories_id_e0b18cd8		"shop_product" ("categories_id")
categories_id		"categories_id"
shop_product_color_id_90837b7b		CREATE INDEX "shop_product_color_id_90837b7b" ON "shop_product" ("color_id")
color_id		"color_id"
shop_product_color_product_id_22aa5dd7		CREATE INDEX "shop_product_color_product_id_22aa5dd7" ON "shop_product_color" ("product_id")
product_id		"product_id"
shop_product_filter_price_id_2d3c43fd		CREATE INDEX "shop_product_filter_price_id_2d3c43fd" ON "shop_product" ("filter_price_id")
filter_price_id		"filter_price_id"
shop_size_product_id_5284eedb		CREATE INDEX "shop_size_product_id_5284eedb" ON "shop_size" ("product_id")
product_id		"product_id"
shop_tag_product_id_bd831781		CREATE INDEX "shop_tag_product_id_bd831781" ON "shop_tag" ("product_id")
product_id		"product_id"
shop_wishlist_products_product_id_017f8a4c		CREATE INDEX "shop_wishlist_products_product_id_017f8a4c" ON "shop_wishlist_products" ("product_id")
product_id		"product_id"
shop_wishlist_products_wishlist_id_7a449092		CREATE INDEX "shop_wishlist_products_wishlist_id_7a449092" ON "shop_wishlist_products" ("wishlist_id")
wishlist_id		"wishlist_id"
shop_wishlist_products_wishlist_id_product_id_d79d8a60_uniq		CREATE UNIQUE INDEX "shop_wishlist_products_wishlist_id_product_id_d79d8a60_uniq" ON "shop_wishlist_products" ("wishlist_id", "product_id")
wishlist_id		"wishlist_id"
product_id		"product_id"

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------