

DESIGN SYSTEM: Developer Portfolio 2026

1. COLOR PALETTE (Dark Mode Primary)

Background Colors

- bg-primary: #0A0A0F (Deep void black - main background)
- bg-secondary: #12121A (Elevated surface - cards, nav)
- bg-tertiary: #1A1A24 (Subtle elevation - hover states)
- bg-glass: rgba(18, 18, 26, 0.7) (Glassmorphism base)

Text Colors

- text-primary: #F8F8FC (Pure white with slight cool tint)
- text-secondary: #A0A0B0 (Muted silver - descriptions)
- text-tertiary: #6B6B7B (Subtle labels, timestamps)
- text-accent: #6366F1 (Indigo - primary accent)

Accent Colors

- accent-primary: #6366F1 (Indigo - CTAs, active states)
- accent-secondary: #8B5CF6 (Violet - gradients, highlights)
- accent-tertiary: #06B6D4 (Cyan - secondary accents, code snippets)
- accent-gradient: linear-gradient(135deg, #6366F1, #8B5CF6)

Border Colors

- border-primary: rgba(255, 255, 255, 0.08) (Subtle separation)
- border-accent: rgba(99, 102, 241, 0.3) (Accent borders)
- border-glow: rgba(99, 102, 241, 0.15) (Soft glow effect)

2. TYPOGRAPHY HIERARCHY

Font Family

- Primary: 'Inter', system-ui, sans-serif (Clean, modern, excellent readability)
- Mono: 'JetBrains Mono', 'Fira Code', monospace (Code elements, tech feel)

Scale

- text-xs: 0.75rem (12px) - Labels, timestamps
- text-sm: 0.875rem (14px) - Body small, nav items
- text-base: 1rem (16px) - Default body
- text-lg: 1.125rem (18px) - Subheadings
- text-xl: 1.25rem (20px) - Card titles
- text-2xl: 1.5rem (24px) - Section subtitles
- text-3xl: 1.875rem (30px) - Section titles

- text-4xl: 2.25rem (36px) - Hero subtitle
- text-5xl: 3rem (48px) - Hero title (mobile)
- text-6xl: 3.75rem (60px) - Hero title (desktop)

Weights

- font-normal: 400 (Body text)
- font-medium: 500 (Nav items, buttons)
- font-semibold: 600 (Headings, emphasis)
- font-bold: 700 (Hero titles, CTAs)

Line Heights

- leading-tight: 1.25 (Headings)
- leading-snug: 1.375 (Subheadings)
- leading-normal: 1.5 (Body text)
- leading-relaxed: 1.625 (Descriptions)

3. BORDER RADIUS

- rounded-sm: 0.25rem (4px) - Small tags, badges
- rounded-md: 0.375rem (6px) - Buttons, inputs
- rounded-lg: 0.5rem (8px) - Cards, containers
- rounded-xl: 0.75rem (12px) - Large cards, modals
- rounded-2xl: 1rem (16px) - Feature cards
- rounded-full: 9999px - Pills, avatars, circular elements

4. SHADOW SYSTEM

- shadow-sm: 0 1px 2px rgba(0, 0, 0, 0.3) (Subtle elevation)
- shadow-md: 0 4px 6px -1px rgba(0, 0, 0, 0.4) (Cards)
- shadow-lg: 0 10px 15px -3px rgba(0, 0, 0, 0.5) (Modals, dropdowns)
- shadow-glow: 0 0 20px rgba(99, 102, 241, 0.15) (Accent glow)
- shadow-glow-lg: 0 0 40px rgba(99, 102, 241, 0.2) (Hero glow)

5. CONTAINER WIDTH

- max-w-xs: 20rem (320px) - Mobile
- max-w-sm: 24rem (384px) - Small tablets
- max-w-md: 28rem (448px) - Tablets
- max-w-lg: 32rem (512px) - Small laptops
- max-w-xl: 36rem (576px) - Laptops
- max-w-2xl: 42rem (672px) - Desktops
- max-w-3xl: 48rem (768px) - Large desktops
- max-w-4xl: 56rem (896px) - Wide screens
- max-w-5xl: 64rem (1024px) - Full HD
- max-w-6xl: 72rem (1152px) - Ultra wide
- max-w-7xl: 80rem (1280px) - Maximum content width

6. BUTTON STYLE

Primary Button (CTA)

- Background: accent-gradient or bg-accent-primary
- Text: text-primary, font-medium
- Padding: px-6 py-2.5 (comfortable click area)
- Border radius: rounded-full (pill shape for modern feel)
- Shadow: shadow-glow on hover
- Hover: brightness increase, subtle scale(1.02)
- Transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1)

Secondary Button

- Background: bg-glass or bg-secondary
- Border: border border-primary
- Text: text-secondary
- Hover: bg-tertiary, border-accent

Ghost Button

- Background: transparent
- Text: text-secondary
- Hover: text-primary, bg-tertiary

7. CARD STYLE

- Background: bg-secondary or bg-glass
- Border: border border-primary
- Border radius: rounded-xl or rounded-2xl
- Shadow: shadow-md
- Hover: border-accent, shadow-lg, translateY(-2px)
- Transition: all 0.4s cubic-bezier(0.4, 0, 0.2, 1)
- Padding: p-6 or p-8

8. ANIMATION STYLE

Timing Functions

- ease-smooth: cubic-bezier(0.4, 0, 0.2, 1) (Standard)
- ease-bounce: cubic-bezier(0.34, 1.56, 0.64, 1) (Playful)
- ease-out-expo: cubic-bezier(0.16, 1, 0.3, 1) (Snappy)

Durations

- fast: 150ms (Micro interactions)
- normal: 300ms (Standard transitions)
- slow: 500ms (Page transitions)
- slower: 700ms (Dramatic reveals)

Key Animations

- fadeIn: opacity 0 -> 1
- slideUp: translateY(20px) -> translateY(0)
- slideDown: translateY(-20px) -> translateY(0)
- scaleIn: scale(0.95) -> scale(1)
- glowPulse: box-shadow pulse for accent elements

9. HOVER EFFECTS

Universal Hover

- Transform: translateY(-2px) for cards
- Border: transition to border-accent
- Background: subtle brightness increase
- Shadow: increase shadow intensity
- Duration: 300ms ease-smooth

Link Hover

- Color: text-secondary -> text-primary
- Underline: animated width expansion
- Duration: 200ms

Button Hover

- Scale: 1.02
- Shadow: increase glow
- Background: brightness(1.1)

10. ICON STYLE

- Size: 20px (sm), 24px (md/default), 32px (lg)
- Stroke width: 1.5px (thin, elegant)
- Color: text-secondary default, text-accent on active
- Library: Lucide React (consistent, modern)
- Hover: color transition to accent

NAVBAR COMPONENT - React + TypeScript + Tailwind CSS

File: components/Navbar.tsx

```
import React, { useState, useEffect, useCallback } from 'react'; import { Menu, X, Code2 } from 'lucide-react';
```

```

// ===== // TYPES & INTERFACES // ===== interface
NavItem { label: string; href: string; }

interface NavbarProps { /** Optional additional className for the navbar container */ className?:
string; /** Optional callback when mobile menu toggles */ onMenuToggle?: (isOpen: boolean) => void;
}

// ===== // CONFIGURATION // ===== const
NAV_ITEMS: NavItem[] = [ { label: 'Home', href: '#home' }, { label: 'About', href: '#about' },
{ label: 'Skills', href: '#skills' }, { label: 'Projects', href: '#projects' }, { label: 'Experience', href:
'#experience' }, { label: 'Contact', href: '#contact' },];

// ===== // COMPONENT // ===== const Navbar: React.FC
= ({ className = '', onMenuToggle }) => { const [isScrolled, setIsScrolled] = useState(false); const
[isMobileMenuOpen, setIsMobileMenuOpen] = useState(false); const [activeSection, setActiveSection] =
useState('home');

// ----- // SCROLL EFFECT - Navbar becomes more solid on scroll // -----
useEffect(() => { const handleScroll = () => { setIsScrolled(window.scrollY
> 20); };

window.addEventListener('scroll', handleScroll, { passive: true });
return () => window.removeEventListener('scroll', handleScroll);

}, []);

// ----- // ACTIVE SECTION DETECTION - Intersection Observer // -----
useEffect(() => { const observerOptions = { root: null, rootMargin: '-50%
0px -50% 0px', threshold: 0, };

const observerCallback: IntersectionObserverCallback = (entries) => {
  entries.forEach((entry) => {
    if (entry.isIntersecting) {
      setActiveSection(entry.target.id);
    }
  });
};

const observer = new IntersectionObserver(observerCallback, observerOptions);

NAV_ITEMS.forEach((item) => {
  const section = document.querySelector(item.href);
  if (section) observer.observe(section);
});

return () => observer.disconnect();

}, []);

// ----- // MOBILE MENU TOGGLE // ----- const

```

```
toggleMobileMenu = useCallback(() => { setIsMobileMenuOpen((prev) => { const newState = !prev;
onMenuToggle?.(newState);
```

```
    // Lock body scroll when menu is open
    if (newState) {
      document.body.style.overflow = 'hidden';
    } else {
      document.body.style.overflow = '';
    }

    return newState;
  });
```

```
}, [onMenuToggle]);
```

```
const closeMobileMenu = useCallback(() => { setIsMobileMenuOpen(false); onMenuToggle?.(false); document.body.style.overflow = ''; }, [onMenuToggle]);
```

```
// ----- // SMOOTH SCROLL HANDLER // -----
- const handleNavClick = useCallback( (e: React.MouseEvent, href: string) => { e.preventDefault();
const target = document.querySelector(href);
```

```
    if (target) {
      target.scrollIntoView({
        behavior: 'smooth',
        block: 'start',
      });
    }

    closeMobileMenu();
  },
  [closeMobileMenu]
```

```
);
```

```
// ----- // RENDER // ----- return ( <>
{/ * ===== MAIN NAVBAR
===== */}
```

```
  {/* -----
    LOGO - Left Side
    ----- */}

  <a
    href="#home"
    onClick={(e) => handleNavClick(e, '#home')}
    className="flex items-center gap-2.5 group"
    aria-label="Go to homepage"
  >
    {/* Logo Icon */}
    <div className="relative flex h-9 w-9 items-center justify-center rounded-lg bg-gradient-to-br
      ↪ from-[#6366F1] to-[#8B5CF6] shadow-[0_0_20px_rgba(99,102,241,0.3)] transition-all
      ↪ duration-300 group-hover:shadow-[0_0_30px_rgba(99,102,241,0.5)] group-hover:scale-105">
      <Code2 className="h-5 w-5 text-white" strokeWidth={2} />
    </div>
  </a>
```

```

</div>

{/* Logo Text */}
<span className="text-lg font-semibold text-[#F8F8FC] tracking-tight transition-colors
  ↳ duration-300 group-hover:text-[#6366F1]">
  DevFolio
</span>
</a>

{/* -----
  DESKTOP NAVIGATION - Center
  ----- */}
<div className="hidden md:flex items-center gap-1">
  {NAV_ITEMS.map((item) => {
    const isActive = activeSection === item.href.replace('#', '');

    return (
      <a
        key={item.href}
        href={item.href}
        onClick={(e) => handleNavClick(e, item.href)}
        className={`
          relative px-4 py-2 text-sm font-medium rounded-lg
          transition-all duration-300 ease-[cubic-bezier(0.4,0,0.2,1)]
          ${
            isActive
              ? 'text-[#6366F1]'
              : 'text-[#A0A0B0] hover:text-[#F8F8FC] hover:bg-white/[0.05]'
          }
        `}
        aria-current={isActive ? 'page' : undefined}
      >
        {item.label}

        {/* Active Indicator - Animated underline */}
        {isActive && (
          <span className="absolute bottom-0 left-1/2 -translate-x-1/2 h-0.5 w-4 rounded-full
            ↳ bg-gradient-to-r from-[#6366F1] to-[#8B5CF6] transition-all duration-300" />
        )}
      </a>
    );
  })}
</div>

{/* -----
  CTA BUTTON - Right Side (Desktop)
  ----- */}
<div className="hidden md:block">
  <a
    href="#contact"
    onClick={(e) => handleNavClick(e, '#contact')}
  >

```

```

        className="
            inline-flex items-center gap-2
            px-6 py-2.5
            text-sm font-medium text-white
            rounded-full
            bg-gradient-to-r from-[#6366F1] to-[#8B5CF6]
            shadow-[0_0_20px_rgba(99,102,241,0.3)]
            transition-all duration-300 ease-[cubic-bezier(0.4,0,0.2,1)]
            hover:shadow-[0_0_30px_rgba(99,102,241,0.5)]
            hover:brightness-110
            hover:scale-[1.02]
            active:scale-[0.98]
            focus:outline-none focus:ring-2 focus:ring-[#6366F1] focus:ring-offset-2
            ↪ focus:ring-offset-[#0A0A0F]
        "
    >
    Let's Talk
    <svg
        className="h-4 w-4 transition-transform duration-300 group-hover:translate-x-0.5"
        fill="none"
        viewBox="0 0 24 24"
        stroke="currentColor"
        strokeWidth={2}
    >
        <path
            strokeLinecap="round"
            strokeLinejoin="round"
            d="M17 8l4 4m0 0l-4 4m4-4H3"
        />
    </svg>
</a>
</div>

{ /* -----
    MOBILE MENU BUTTON
    ----- */ }

<button
    type="button"
    onClick={toggleMobileMenu}
    className="
        md:hidden
        inline-flex items-center justify-center
        h-10 w-10 rounded-lg
        text-[#A0A0B0] hover:text-[#F8F8FC]
        hover:bg-white/[0.05]
        transition-all duration-300
        focus:outline-none focus:ring-2 focus:ring-[#6366F1] focus:ring-offset-2
        ↪ focus:ring-offset-[#0A0A0F]
    "
    aria-expanded={isMobileMenuOpen}
    aria-controls="mobile-menu"

```



```

        aria-label={isMobileMenuOpen ? 'Close menu' : 'Open menu'}
      >
      {isMobileMenuOpen ? (
        <X className="h-5 w-5" strokeWidth={1.5} />
      ) : (
        <Menu className="h-5 w-5" strokeWidth={1.5} />
      )}
    </button>
  </div>
</nav>
</header>

{/* =====
  MOBILE MENU OVERLAY
  ===== */}
<div
  id="mobile-menu"
  className={`
    fixed inset-0 z-40 md:hidden
    transition-all duration-500 ease-[cubic-bezier(0.4,0,0.2,1)]
    ${
      isMobileMenuOpen
        ? 'opacity-100 pointer-events-auto'
        : 'opacity-0 pointer-events-none'
    }
  `}
  aria-hidden={!isMobileMenuOpen}
>
  {/* Backdrop */}
  <div
    className="absolute inset-0 bg-[#0A0A0F]/80 backdrop-blur-sm"
    onClick={closeMobileMenu}
    aria-hidden="true"
  />

  {/* Menu Panel */}
  <div
    className={`
      absolute top-16 left-0 right-0
      bg-[#12121A]/95 backdrop-blur-xl
      border-b border-white/[0.08]
      shadow-[0_10px_40px_rgba(0,0,0,0.5)]
      transition-all duration-500 ease-[cubic-bezier(0.16,1,0.3,1)]
      ${
        isMobileMenuOpen
          ? 'translate-y-0 opacity-100'
          : '-translate-y-4 opacity-0'
        }
    `}
  >
    <nav className="px-4 py-6 space-y-1" aria-label="Mobile navigation">

```

```

{NAV_ITEMS.map((item, index) => {
  const isActive = activeSection === item.href.replace('#', '');

  return (
    <a
      key={item.href}
      href={item.href}
      onClick={(e) => handleNavClick(e, item.href)}
      className={`
        flex items-center gap-3
        px-4 py-3 rounded-xl
        text-base font-medium
        transition-all duration-300 ease-[cubic-bezier(0.4,0,0.2,1)]
        ${
          isActive
            ? 'text-[#6366F1] bg-[#6366F1]/10'
            : 'text-[#A0A0B0] hover:text-[#F8F8FC] hover:bg-white/[0.05]'
        }
      `}
      style={{
        transitionDelay: isMobileMenuOpen ? `${index * 50}ms` : '0ms',
      }}
      aria-current={isActive ? 'page' : undefined}
    >
      {/* Active dot indicator */}
      <span
        className={`
          h-2 w-2 rounded-full transition-all duration-300
          ${
            isActive
              ? 'bg-[#6366F1] shadow-[0_0_8px_rgba(99,102,241,0.5)]'
              : 'bg-[#6B6B7B]'
            }
        `}
      />
      {item.label}
    </a>
  );
}})

{/* Mobile CTA */}
<div className="pt-4 mt-4 border-t border-white/[0.08]">
  <a
    href="#contact"
    onClick={(e) => handleNavClick(e, '#contact')}
    className="
      flex items-center justify-center gap-2
      w-full px-6 py-3
      text-base font-medium text-white
      rounded-xl
      bg-gradient-to-r from-[#6366F1] to-[#8B5CF6]
    >

```

$$); \};$$

=====

=====

- **Why:** Kombinasi indigo-violet adalah tren premium 2026, sering digunakan SaaS modern
- **Developer identity:** Warna ini associated dengan kreativitas, inovasi, dan teknologi
- **Consistency:** Akan digunakan untuk:

- CTA buttons (Hero, Contact)
- Active states (Navbar, Skills tabs)
- Gradient accents (Hero background, Cards)
- Hover effects (Links, Icons)
- Progress bars (Skills section)

Text Hierarchy

- **Primary (#F8F8FC):** Headings, important text - warm white untuk kenyamanan membaca
- **Secondary (#A0A0B0):** Body text, descriptions - silver untuk hierarki visual
- **Tertiary (#6B6B7B):** Labels, timestamps - subtle untuk informasi pendukung

2. TYPOGRAPHY DECISIONS

Font: Inter

- **Why:** Google Font paling populer untuk UI modern, excellent readability
- **Consistency:** Akan digunakan di seluruh website (Hero title, Section headings, Body)
- **Weight scale:** 400 untuk body, 500 untuk nav/buttons, 600 untuk headings, 700 untuk hero
- **Mono font:** JetBrains Mono untuk code snippets di Skills dan Projects

Scale System

- Menggunakan scale yang konsisten (1.125 ratio) untuk harmony visual
- text-sm (14px) untuk nav items - ukuran optimal untuk readability
- text-6xl (60px) untuk hero desktop - impact tanpa terlalu besar

3. GLASSMORPHISM IMPLEMENTATION

Navbar Glass Effect

```
bg-[#12121A]/90 backdrop-blur-xl border-b border-white/[0.08]
```

- **90% opacity:** Cukup solid untuk readability, cukup transparan untuk depth
- **backdrop-blur-xl:** Blur 24px untuk efek glass yang halus
- **Border 8% opacity:** Subtle separation tanpa garis yang tegas

Consistency dengan Section Lain:

- **Hero:** Glassmorphism untuk floating cards/statistics
- **Skills:** Glass cards untuk skill categories
- **Projects:** Glass overlay untuk project cards
- **Contact:** Glass form container

4. BORDER & SHADOW SYSTEM

Border Strategy

- **Halus (8% opacity):** Memisahkan elemen tanpa memecah visual flow
- **Accent border (30% opacity):** Untuk hover states dan active indicators
- **Consistency:** Semua card, button, dan container menggunakan border halus

Shadow Strategy

- **Layered shadows:** Menggunakan `rgba(0,0,0)` untuk depth pada dark mode
- **Glow shadows:** `rgba(99,102,241)` untuk accent elements
- **Consistency:**
 - Cards: shadow-md
 - Modals/Dropdowns: shadow-lg
 - CTA Buttons: shadow-glow
 - Hero elements: shadow-glow-lg

5. SPACING & CONTAINER

Container: max-w-7xl (1280px)

- **Why:** Optimal untuk readability, tidak terlalu lebar
- **Consistency:** Semua section menggunakan container yang sama
- **Padding responsive:** px-4 (mobile) -> px-6 (tablet) -> px-8 (desktop)

Spacing Scale

- Menggunakan Tailwind spacing scale (4px base)
- Consistent vertical rhythm antara section (py-20, py-24)
- Gap konsisten untuk grid layouts (gap-6, gap-8)

6. BUTTON STYLE CONSISTENCY

Primary Button (CTA)

- **Pill shape (rounded-full):** Modern, friendly, SaaS-standard
- **Gradient background:** Visual interest, premium feel
- **Glow shadow:** Depth dan attention-grabbing
- **Hover effects:** Scale + brightness + glow increase
- **Consistency:** Digunakan untuk:
 - Navbar CTA
 - Hero primary CTA
 - Contact form submit
 - Dashboard primary actions

Secondary/Ghost Buttons

- **Transparent bg + border:** Untuk actions sekunder
- **Hover:** Background fill subtle
- **Consistency:** Digunakan untuk:
 - Hero secondary CTA (“View Projects”)
 - Filter buttons (Projects)
 - Dashboard secondary actions

7. ANIMATION & TRANSITION

Timing: cubic-bezier(0.4, 0, 0.2, 1)

- **Why:** Ease-out yang smooth, standard Material Design

- **Consistency:** Digunakan untuk semua transitions
- **Duration scale:**
 - 150ms: Micro-interactions (hover color)
 - 300ms: Standard transitions (navbar scroll, button hover)
 - 500ms: Page-level animations (mobile menu, section reveals)

Navbar Specific Animations

- **Scroll transition:** 500ms untuk perubahan background
- **Mobile menu:** 500ms slide-down dengan stagger 50ms per item
- **Active indicator:** 300ms width/position transition

8. HOVER EFFECTS CONSISTENCY

Universal Pattern

- **Color shift:** text-secondary -> text-primary
- **Background:** white/[0.05] fill on hover
- **Scale:** 1.02 untuk buttons, translateY(-2px) untuk cards
- **Border:** transition ke border-accent
- **Shadow:** increase intensity

Navbar Application

- **Logo:** Scale 1.05 + glow increase
- **Nav items:** Color shift + subtle bg + active indicator
- **CTA:** Scale + brightness + glow
- **Mobile items:** Background fill + dot indicator

9. ACCESSIBILITY DECISIONS

ARIA Labels

- `role="banner"` untuk header
- `aria-label` untuk navigation
- `aria-current="page"` untuk active item
- `aria-expanded` untuk mobile menu state
- `aria-controls` untuk menu relationship

Focus States

- `focus:ring-2 focus:ring-[#6366F1]` untuk semua interactive elements
- `focus:ring-offset-2 focus:ring-offset-[#0A0A0F]` untuk kontras pada dark bg
- Visible focus indicators untuk keyboard navigation

Color Contrast

- text-primary (#F8F8FC) pada bg-primary (#0A0A0F): Ratio 18.5:1 (AAA)
- text-secondary (#A0A0B0) pada bg-primary: Ratio 7.2:1 (AAA)
- Accent (#6366F1) pada bg-primary: Ratio 4.8:1 (AA)

10. RESPONSIVE STRATEGY

Mobile-First Approach

- **Base styles:** Mobile layout
- **md breakpoint (768px):** Tablet - nav items muncul
- **lg breakpoint (1024px):** Desktop - full layout
- **sm breakpoint (640px):** Small adjustments

Navbar Responsive

- **Mobile:** Hamburger menu, slide-down panel, stacked layout
- **Desktop:** Horizontal nav, CTA button visible
- **Height:** h-16 (64px) mobile -> h-20 (80px) desktop

11. COMPONENT STRUCTURE

```
Navbar/  
├── components/  
│   └── Navbar.tsx          # Main component  
├── hooks/  
│   ├── useScrollPosition.ts # Scroll detection (reusable)  
│   └── useActiveSection.ts  # Intersection Observer (reusable)  
├── types/  
│   └── nav.types.ts        # TypeScript interfaces  
└── constants/  
    └── nav.constants.ts    # NAV_ITEMS array
```

Reusable Hooks untuk Section Lain:

- **useScrollPosition:** Untuk parallax effects, sticky elements
- **useActiveSection:** Untuk sidebar navigation, progress indicators
- **useInView:** Untuk scroll-triggered animations

12. TAILWIND CLASSES BREAKDOWN

Navbar Container

```
fixed top-0 left-0 right-0 z-50          # Sticky positioning  
bg-[#12121A]/90 backdrop-blur-xl        # Glassmorphism  
border-b border-white/[0.08]            # Subtle border  
shadow-[0_4px_30px_rgba(0,0,0,0.3)]     # Depth shadow  
transition-all duration-500             # Smooth transitions
```

Logo

```
flex items-center gap-2.5 group          # Layout + hover group  
h-9 w-9 rounded-lg                       # Icon container  
bg-gradient-to-br from-[#6366F1] to-[#8B5CF6] # Gradient  
shadow-[0_0_20px_rgba(99,102,241,0.3)]    # Glow  
hover:shadow-[0_0_30px_rgba(99,102,241,0.5)] # Hover glow  
hover:scale-105                          # Hover scale
```

Nav Items

```
relative px-4 py-2 text-sm font-medium rounded-lg # Base styling
text-[#A0A0B0] hover:text-[#F8F8FC] # Color states
hover:bg-white/[0.05] # Hover background
transition-all duration-300 # Smooth transitions
```

CTA Button

```
inline-flex items-center gap-2 # Layout
px-6 py-2.5 text-sm font-medium text-white # Text styling
rounded-full # Pill shape
bg-gradient-to-r from-[#6366F1] to-[#8B5CF6] # Gradient
shadow-[0_0_20px_rgba(99,102,241,0.3)] # Glow
hover:shadow-[0_0_30px_rgba(99,102,241,0.5)] # Hover glow
hover:brightness-110 hover:scale-[1.02] # Hover effects
active:scale-[0.98] # Click feedback
focus:outline-none focus:ring-2 # Focus state
focus:ring-[#6366F1] focus:ring-offset-2 # Focus ring
focus:ring-offset-[#0A0A0F] # Focus contrast
```

Mobile Menu

```
fixed inset-0 z-40 md:hidden # Overlay positioning
bg-[#0A0A0F]/80 backdrop-blur-sm # Backdrop
absolute top-16 left-0 right-0 # Panel position
bg-[#12121A]/95 backdrop-blur-xl # Panel glass
border-b border-white/[0.08] # Panel border
shadow-[0_10px_40px_rgba(0,0,0,0.5)] # Panel shadow
transition-all duration-500 # Animation
```

13. IMPLEMENTATION CHECKLIST

Dependencies

```
npm install lucide-react
# or
yarn add lucide-react
```

Font Setup (tailwind.config.ts)

```
fontFamily: {
  sans: ['Inter', 'system-ui', 'sans-serif'],
  mono: ['JetBrains Mono', 'Fira Code', 'monospace'],
}
```

Global Styles (globals.css)

```
@import url('https://fonts.googleapis.com/css2?
↵ family=Inter:wght@400;500;600;700&family=JetBrains+Mono:wght@400;500&display=swap');
```



```
html {
  scroll-behavior: smooth;
}

body {
  background-color: #0A0A0F;
  color: #F8F8FC;
  font-family: 'Inter', system-ui, sans-serif;
}
```

Usage

```
import Navbar from './components/Navbar';

function App() {
  return (
    <>
      <Navbar />
      <main>
        <section id="home">...</section>
        <section id="about">...</section>
        <section id="skills">...</section>
        <section id="projects">...</section>
        <section id="experience">...</section>
        <section id="contact">...</section>
      </main>
    </>
  );
}
```

14. CONSISTENCY ROADMAP

Section yang akan menggunakan Design System yang sama:

Section	Elemen	Design System Applied
Hero	Background gradient, CTA buttons, Floating cards	Colors, Buttons, Glassmorphism, Shadows
About	Profile card, Stats cards, Text hierarchy	Cards, Typography, Spacing
Skills	Skill cards, Progress bars, Category tabs	Cards, Accent colors, Borders
Projects	Project cards, Filter buttons, Tags	Cards, Buttons, Hover effects
Experience	Timeline, Company cards, Date labels	Typography, Borders, Spacing
Contact	Form inputs, Submit button, Social links	Buttons, Inputs, Glassmorphism

Table 1 – continued

Section	Elemen	Design System Applied
Footer	Links, Copyright, Social icons	Typography, Icons, Colors
Dashboard	Sidebar, Cards, Tables, Charts	Colors, Cards, Shadows, Typography

Key Consistency Points:

1. **Colors:** Selalu menggunakan palette yang sama
2. **Spacing:** 4px base scale, consistent section padding
3. **Border radius:** rounded-lg untuk cards, rounded-full untuk buttons/pills
4. **Shadows:** Layered system untuk depth
5. **Transitions:** 300ms cubic-bezier untuk semua interactions
6. **Hover states:** Consistent pattern (color shift, bg fill, scale)
7. **Glassmorphism:** 90% opacity + blur-xl + subtle border
8. **Focus states:** Indigo ring dengan offset