ASSIGNMENT

LAB 04:

TASK 01

```
# include <iostream>
using namespace std;
int main ()
{
  int number;
cout << "Enter a number: ";
cin >> number;
if (number >= 0)
{
  cout << "Number entered is Positive"
<< endl;
}
else
   cout << "Number is negative" << endl;
  }
   return 0;
}
```

OUTPUT

```
Number 5
Number is Positive
Number = -5
Number is negative
```

CamScanner

Coding C++

Auto saved at 20:14:27

RUN MENU

```cpp

#include <iostream>
using namespace std;
int main()
{
    int number;
    cout << "Enter a number: ";
    cin >> number;
    if (number >= 0)
    {
        cout << "Number entered is positive" << endl;
    }
    else
    {
        cout << "Number is negative" << endl;
    }
    return 0;
}
```

CamScanner

Compile Result

```
Enter a number: 5
Number entered is positive

[Process completed - press Enter]
```

CamScanner

Compile Result

```
Enter a number: -5
Number is negative

[Process completed - press Enter]
```

CamScanner

TASK 2:

```
# include <iostream>
using namespace std;
int main ()
{
   int number;
cout << "Enter an integer: ";
cin >> number ;
if (number >0)
{
  cout << " Number is Positive" << endl;
}
 else if (number <0)
{
  cout << " Number is negative" << endl;
}
 else
{
 cout << " Number is zero " << endl;
}
  return 0;
}
```

OUTPUT

10 (Positive)
-3 (Negative)
0 (zero)

CamScanner

Coding C++

Auto saved at 20:19:26

RUN MENU

```cpp
#include <iostream>
using namespace std;
int main()
{
    int number;
    cout << "Enter an integer: ";
    cin >> number;
    if (number > 0)
    {
        cout << "Number is positive" << endl;
    }
    else if (number < 0)
    {
        cout << "Number is negative" << endl;
    }
    else
    {
        cout << "Number is zero" << endl;
    }
    return 0;
}
```

CamScanner

Compile Result

```
Enter an integer: 10
Number is positive

[Process completed - press Enter]
```

CamScanner

Compile Result

```
Enter an integer: -3
Number is negative

[Process completed - press Enter]
```

CamScanner

Compile Result

```
Enter an integer: 0
Number is zero

[Process completed - press Enter]
```

CamScanner

TASK 03:

```
#include <iostream>
using namespace std;
int main ()
{
   int mark;
  cout << "Enter your marks:";
  cin >> mark;
  if (mark >= 75 )
 {
  cout << " Your grade is A" <<endl;
 }
 else if (mark < 75 && mark >= 60 )
 {
   cout << " Your grade is B" <<endl;
 }
 else if (mark < 60 && mark >= 45)
 {
  cout << " Your grade is C" <<endl;
 }
 else
 {
  cout << " Your grade is D" <<endl;
 }
  return 0;
}
```

OUTPUT

75 Ya us se upar => A
60 - 74 -> B
45 - 59 -> C
40 -> D

CamScanner

```cpp
#include <iostream>
using namespace std;
int main()
{
    int mark;
    cout << "Enter your marks: ";
    cin >> mark;
    if (mark >= 75)
    {
        cout << "Your grade is A" << endl;
    }
    else if (mark < 75 && mark >= 60)
    {
        cout << "Your grade is B" << endl;
    }
    else if (mark < 60 && mark >= 45)
    {
        cout << "Your grade is C" << endl;
    }
    else
    {
        cout << "Your grade is D" << endl;
    }
    return 0;
}
```

CamScanner

Compile Result

```
Enter your marks: 75
Your grade is A

[Process completed - press Enter]
```

CamScanner

Compile Result

```
Enter your marks: 60_74
Your grade is B

[Process completed - press Enter]
```

CamScanner

Compile Result

```
Enter your marks: 45_59
Your grade is C

[Process completed - press Enter]
```

CamScanner

Compile Result

```
Enter your marks: 40
Your grade is D

[Process completed - press Enter]
```

CamScanner

Task 04:

```
#include <iostream>;
using namespace std;
int main ()
{
int number;
cout << "Enter a number : ";
cin >> number ;
if (number >0 )
{
cout << "Number is Positive" <<endl;
if (number <10)
{
cout << "It has 2 digits" << endl;
}
else
{
if (number <1000)
{
cout << "It has 3 digits" <<endl;
}else
{
if (number <10000)
{
cout << "It has 4 digits" <<endl;
}else
{
cout << "It has 5 or more digits"
<< endl;
}
}
}
}
}
cout << "Number is not Positive" <<endl;
```

OUTPUT

10 (Positive) have 2 digits.

```cpp
#include <iostream>
using namespace std;
int main()
{
    int number;
    cout << "Enter a number: ";
    cin >> number;
    if (number > 0)
    {
        cout << "Number is positive" << endl;
        if (number < 10)
        {
            cout << "It has 1 digit" << endl;
        }
        else
        {
            if (number < 100)
            {
                cout << "It has 2 digits" << endl;
            }
            else
            {
                if (number < 1000)
                {
                    cout << "It has 3 digits" << endl;
                }
                else
                {
                    if (number < 10000)
                    {
                        cout << "It has 4 digits" << endl;
                    }
                    else
                    {
                        cout << "It has 5 or more digits" << endl;
                    }
                }
            }
        }
    }
    else
    {
        cout << "Number is not positive" << endl;
    }
    return 0;
}
```

CamScanner

Compile Result

```
Enter a number: 10
Number is positive
It has 2 digits

[Process completed - press Enter]
```

CamScanner